

Carlo Riccardi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2039412/publications.pdf>

Version: 2024-02-01

254
papers

17,843
citations

22153

59
h-index

14759

127
g-index

260
all docs

260
docs citations

260
times ranked

17757
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunomodulatory and Anti-Inflammatory Properties of Glucocorticoids. , 2022, , 394-421.		1
2	Glucocorticoid-Induced Leucine Zipper Alleviates Lung Inflammation and Enhances Bacterial Clearance during Pneumococcal Pneumonia. Cells, 2022, 11, 532.	4.1	4
3	GILZ as a Regulator of Cell Fate and Inflammation. Cells, 2022, 11, 122.	4.1	15
4	The novel role of glucocorticoid-induced leucine zipper as a marker of mucosal healing in inflammatory bowel diseases. Pharmacological Research, 2022, 182, 106353.	7.1	2
5	Deficit of glucocorticoid-induced leucine zipper amplifies angiotensin-induced cardiomyocyte hypertrophy and diastolic dysfunction. Journal of Cellular and Molecular Medicine, 2021, 25, 217-228.	3.6	7
6	Exploiting the pro-resolving actions of glucocorticoid-induced proteins Annexin A1 and Gilz in infectious diseases. Biomedicine and Pharmacotherapy, 2021, 133, 111033.	5.6	13
7	Glucocorticoid-induced leucine zipper regulates liver fibrosis by suppressing CCL2-mediated leukocyte recruitment. Cell Death and Disease, 2021, 12, 421.	6.3	9
8	Glucocorticoid Therapy in Inflammatory Bowel Disease: Mechanisms and Clinical Practice. Frontiers in Immunology, 2021, 12, 691480.	4.8	69
9	Glucocorticoid-Induced Leucine Zipper (Gilz) in Cardiovascular Health and Disease. Cells, 2021, 10, 2155.	4.1	4
10	Glucocorticoid-Induced Leucine Zipper-Mediated TLR2 Downregulation Accounts for Reduced Neutrophil Activity Following Acute DEX Treatment. Cells, 2021, 10, 2228.	4.1	6
11	Editorial: Defects in Regulation: How, Where and When the Immune System Can Go Wrong. Frontiers in Immunology, 2021, 12, 746418.	4.8	3
12	A recombinant glucocorticoid-induced leucine zipper protein ameliorates symptoms of dextran sulfate sodium-induced colitis by improving intestinal permeability. FASEB Journal, 2021, 35, e21950.	0.5	10
13	Telomeres Increasingly Develop Aberrant Structures in Aging Humans. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 230-235.	3.6	10
14	Molecular mechanisms underlying eicosapentaenoic acid inhibition of HDAC1 and DNMT expression and activity in carcinoma cells. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2020, 1863, 194481.	1.9	21
15	GITR controls intestinal inflammation by suppressing IL-15-dependent NK cell activity. FASEB Journal, 2020, 34, 14820-14831.	0.5	8
16	Glucocorticoid-induced tumour necrosis factor receptor family-related protein (GITR) drives atherosclerosis in mice and is associated with an unstable plaque phenotype and cerebrovascular events in humans. European Heart Journal, 2020, 41, 2938-2948.	2.2	22
17	Glucocorticoid-induced leucine zipper modulates macrophage polarization and apoptotic cell clearance. Pharmacological Research, 2020, 158, 104842.	7.1	22
18	Altered glucocorticoid metabolism represents a feature of macrophage aging. Aging Cell, 2020, 19, e13156.	6.7	24

#	ARTICLE	IF	CITATIONS
19	Regulation of Innate Lymphoid Cells in Acute Kidney Injury: Crosstalk between Cannabidiol and GILZ. <i>Journal of Immunology Research</i> , 2020, 2020, 1-10.	2.2	11
20	Microencapsulated G3C Hybridoma Cell Graft Delays the Onset of Spontaneous Diabetes in NOD Mice by an Expansion of Citr+ Treg Cells. <i>Diabetes</i> , 2020, 69, 965-980.	0.6	7
21	Effects of protein-protein interface disruptors at the ligand of the glucocorticoid-induced tumor necrosis factor receptor-related gene (GITR). <i>Biochemical Pharmacology</i> , 2020, 178, 114110.	4.4	9
22	The glucocorticoid-induced leucine zipper mediates statin-induced muscle damage. <i>FASEB Journal</i> , 2020, 34, 4684-4701.	0.5	19
23	L-GILZ binds and inhibits nuclear factor κ B nuclear translocation in undifferentiated thyroid cancer cells. <i>Journal of Chemotherapy</i> , 2020, 32, 263-267.	1.5	4
24	Glucocorticoid-Induced Leucine Zipper as a Druggable Target in Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2020, 26, 1017-1025.	1.9	8
25	Bcl-xL overexpression decreases GILZ levels and inhibits glucocorticoid-induced activation of caspase-8 and caspase-3 in mouse thymocytes. <i>Journal of Translational Autoimmunity</i> , 2020, 3, 100035.	4.0	12
26	A Glance at the Use of Glucocorticoids in Rare Inflammatory and Autoimmune Diseases: Still an Indispensable Pharmacological Tool?. <i>Frontiers in Immunology</i> , 2020, 11, 613435.	4.8	22
27	Implicating the Role of GILZ in Glucocorticoid Modulation of T-Cell Activation. <i>Frontiers in Immunology</i> , 2019, 10, 1823.	4.8	40
28	Identification of 15 T Cell Restricted Genes Evaluates T Cell Infiltration of Human Healthy Tissues and Cancers and Shows Prognostic and Predictive Potential. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5242.	4.1	7
29	Deficiency and haploinsufficiency of histone macroH2A1.1 in mice recapitulate hematopoietic defects of human myelodysplastic syndrome. <i>Clinical Epigenetics</i> , 2019, 11, 121.	4.1	21
30	Fusarubin and Anhydrofusarubin Isolated from A <i>Cladosporium</i> Species Inhibit Cell Growth in Human Cancer Cell Lines. <i>Toxins</i> , 2019, 11, 503.	3.4	28
31	<i>Artocarpus tonkinensis</i> Protects Mice Against Collagen-Induced Arthritis and Decreases Th17 Cell Function. <i>Frontiers in Pharmacology</i> , 2019, 10, 503.	3.5	10
32	Context-Dependent Effect of Glucocorticoids on the Proliferation, Differentiation, and Apoptosis of Regulatory T Cells: A Review of the Empirical Evidence and Clinical Applications. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1142.	4.1	45
33	Engineered Alginate Microcapsules for Molecular Therapy Through Biologic Secreting Cells. <i>Tissue Engineering - Part C: Methods</i> , 2019, 25, 296-304.	2.1	4
34	Glucocorticoid-Induced Leucine Zipper: A Novel Anti-inflammatory Molecule. <i>Frontiers in Pharmacology</i> , 2019, 10, 308.	3.5	55
35	Novel Immune Targets in Melanoma—Letter. <i>Clinical Cancer Research</i> , 2019, 25, 5422-5423.	7.0	1
36	Selective CB2 inverse agonist JTE907 drives T cell differentiation towards a Treg cell phenotype and ameliorates inflammation in a mouse model of inflammatory bowel disease. <i>Pharmacological Research</i> , 2019, 141, 21-31.	7.1	29

#	ARTICLE	IF	CITATIONS
37	Long glucocorticoid-induced leucine zipper regulates human thyroid cancer cell proliferation. <i>Cell Death and Disease</i> , 2018, 9, 305.	6.3	16
38	GITR cosignal in ILC2s controls allergic lung inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1939-1943.e8.	2.9	49
39	WITHDRAWN "Administrative Duplicate Publication: The Hexane Fraction of <i>Bursera microphylla</i> A. Gray Induces p21-Mediated Anti-Proliferative and Pro-Apoptotic Effects in Human Cancer-Derived Cell Lines. <i>Integrative Cancer Therapies</i> , 2018, 17, 138-147.	2.0	2
40	A dual role for glucocorticoid-induced leucine zipper in glucocorticoid function: tumor growth promotion or suppression?. <i>Cell Death and Disease</i> , 2018, 9, 463.	6.3	32
41	Potential effect of tumor-specific Treg-targeted antibodies in the treatment of human cancers: A bioinformatics analysis. <i>OncImmunology</i> , 2018, 7, e1387705.	4.6	28
42	How Glucocorticoids Affect the Neutrophil Life. <i>International Journal of Molecular Sciences</i> , 2018, 19, 4090.	4.1	134
43	Role of Endogenous Glucocorticoids in Cancer in the Elderly. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3774.	4.1	14
44	Glucocorticoid-Induced Leucine Zipper Promotes Neutrophil and T-Cell Polarization with Protective Effects in Acute Kidney Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 483-493.	2.5	19
45	Treatment of Autoimmune Diseases and Prevention of Transplant Rejection and Graft-Versus-Host Disease by Regulatory T Cells: The State of the Art and Perspectives. , 2018, , 321-357.		6
46	Eicosapentaenoic acid induces DNA demethylation in carcinoma cells through a TET1-dependent mechanism. <i>FASEB Journal</i> , 2018, 32, 5990-6001.	0.5	14
47	Defining the role of glucocorticoids in inflammation. <i>Clinical Science</i> , 2018, 132, 1529-1543.	4.3	75
48	Glucocorticoid-Induced Leucine Zipper Inhibits Interferon-Gamma Production in B Cells and Suppresses Colitis in Mice. <i>Frontiers in Immunology</i> , 2018, 9, 1720.	4.8	25
49	Glucocorticoids, Sex Hormones, and Immunity. <i>Frontiers in Immunology</i> , 2018, 9, 1332.	4.8	174
50	PP242 Counteracts Glioblastoma Cell Proliferation, Migration, Invasiveness and Stemness Properties by Inhibiting mTORC2/AKT. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 99.	3.7	34
51	Glucocorticoid-induced TNFR-related gene (GITR) as a therapeutic target for immunotherapy. <i>Expert Opinion on Therapeutic Targets</i> , 2018, 22, 783-797.	3.4	41
52	Glucocorticoids: Immunity and Inflammation. , 2018, , 267-281.		0
53	Amplified Host Defense by Toll-Like Receptor-Mediated Downregulation of the Glucocorticoid-Induced Leucine Zipper (GILZ) in Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 3111.	4.8	25
54	GILZ restrains neutrophil activation by inhibiting the MAPK pathway. <i>Journal of Leukocyte Biology</i> , 2018, 105, 187-194.	3.3	33

#	ARTICLE	IF	CITATIONS
55	Newly Designed Alginate-Based Microcapsules (AgMc) for the Molecular Therapy of Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, .	0.6	0
56	Aberrant expression of β -catenin in CD4+ T cells isolated from primary progressive multiple sclerosis patients. <i>Neuroscience Letters</i> , 2017, 653, 159-162.	2.1	5
57	The Hexane Fraction of <i>Bursera microphylla</i> A Gray Induces p21-Mediated Antiproliferative and Proapoptotic Effects in Human Cancer-Derived Cell Lines. <i>Integrative Cancer Therapies</i> , 2017, 16, 426-435.	2.0	11
58	Role of the glucocorticoid-induced leucine zipper gene in dexamethasone-induced inhibition of mouse neutrophil migration via control of annexin A1 expression. <i>FASEB Journal</i> , 2017, 31, 3054-3065.	0.5	35
59	Levels of S100B protein drive the reparative process in acute muscle injury and muscular dystrophy. <i>Scientific Reports</i> , 2017, 7, 12537.	3.3	37
60	SUMO proteins: Guardians of immune system. <i>Journal of Autoimmunity</i> , 2017, 84, 21-28.	6.5	42
61	Wnt/ β -Catenin Signaling Induces Integrin β 1 in T Cells and Promotes a Progressive Neuroinflammatory Disease in Mice. <i>Journal of Immunology</i> , 2017, 199, 3031-3041.	0.8	22
62	The role of GITR single-positive cells in immune homeostasis. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 4-6.	2.7	14
63	The Proinflammatory Cytokine GITRL Contributes to TRAIL-mediated Neurotoxicity in the HCN-2 Human Neuronal Cell Line. <i>Current Alzheimer Research</i> , 2017, 14, 1090-1101.	1.4	4
64	Integration of Traditional and Western Medicine in Vietnamese Populations: A Review of Health Perceptions and Therapies. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	10
65	Overexpression of Glucocorticoid-induced Leucine Zipper (GILZ) increases susceptibility to Imiquimod-induced psoriasis and involves cutaneous activation of TGF- β 1. <i>Scientific Reports</i> , 2016, 6, 38825.	3.3	16
66	Induction of Glucocorticoid-induced Leucine Zipper (GILZ) Contributes to Anti-inflammatory Effects of the Natural Product Curcumin in Macrophages. <i>Journal of Biological Chemistry</i> , 2016, 291, 22949-22960.	3.4	41
67	Modulation of tumor immunity: a patent evaluation of WO2015026684A1. <i>Expert Opinion on Therapeutic Patents</i> , 2016, 26, 417-425.	5.0	8
68	Integration of Traditional and Western Medicine in Vietnamese Populations: A Review of Health Perceptions and Therapies. <i>Natural Product Communications</i> , 2016, 11, 1409-1416.	0.5	10
69	The expanding role of immunopharmacology: IUPHAR Review 16. <i>British Journal of Pharmacology</i> , 2015, 172, 4217-4227.	5.4	23
70	Lack of glucocorticoid-induced leucine zipper (GILZ) deregulates B-cell survival and results in B-cell lymphocytosis in mice. <i>Blood</i> , 2015, 126, 1790-1801.	1.4	58
71	Are we Able to Harness the Immunomodulatory Power of Cytokines for Novel Autoimmune Disease Treatments?. <i>American Journal of Pharmacology and Toxicology</i> , 2015, 10, 37-39.	0.7	2
72	GILZ as a Mediator of the Anti-Inflammatory Effects of Glucocorticoids. <i>Frontiers in Endocrinology</i> , 2015, 6, 170.	3.5	106

#	ARTICLE	IF	CITATIONS
73	Glucocorticoid-Induced Tumour Necrosis Factor Receptor-Related Protein: A Key Marker of Functional Regulatory T Cells. <i>Journal of Immunology Research</i> , 2015, 2015, 1-17.	2.2	112
74	The novel partnership of L-GILZ and p53: a new affair in cancer?. <i>Molecular and Cellular Oncology</i> , 2015, 2, e975087.	0.7	3
75	A focused Real Time PCR strategy to determine GILZ expression in mouse tissues. <i>Results in Immunology</i> , 2015, 5, 37-42.	2.2	13
76	Artesunate induces ROS- and p38 MAPK-mediated apoptosis and counteracts tumor growth <i>in vivo</i> in embryonal rhabdomyosarcoma cells. <i>Carcinogenesis</i> , 2015, 36, 1071-1083.	2.8	77
77	The Clinical Pharmacology of Past, Present, and Future Glucocorticoids. , 2015, , 43-58.		2
78	The Molecular and Cellular Mechanisms Responsible for the Anti-inflammatory and Immunosuppressive Effects of Glucocorticoids. , 2015, , 25-41.		2
79	The Role and Effects of Glucocorticoid-Induced Leucine Zipper in the Context of Inflammation Resolution. <i>Journal of Immunology</i> , 2015, 194, 4940-4950.	0.8	99
80	Glucocorticoid-Induced Leucine Zipper: A Critical Factor in Macrophage Endotoxin Tolerance. <i>Journal of Immunology</i> , 2015, 194, 6057-6067.	0.8	76
81	The viability of <i>Lactobacillus fermentum</i> CECT5716 is not essential to exert intestinal anti-inflammatory properties. <i>Food and Function</i> , 2015, 6, 1176-1184.	4.6	24
82	GITR+ regulatory T cells in the treatment of autoimmune diseases. <i>Autoimmunity Reviews</i> , 2015, 14, 117-126.	5.8	65
83	L-GILZ binds p53 and MDM2 and suppresses tumor growth through p53 activation in human cancer cells. <i>Cell Death and Differentiation</i> , 2015, 22, 118-130.	11.2	25
84	Expansion of regulatory GITR+CD25 ^{low} /-CD4 ⁺ T cells in systemic lupus erythematosus patients. <i>Arthritis Research and Therapy</i> , 2014, 16, 444.	3.5	47
85	Pharmacological Modulation of Caspase-8 in Thymus-Related Medical Conditions. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 351, 18-24.	2.5	3
86	Hepatocyte Growth Factor Limits Autoimmune Neuroinflammation via Glucocorticoid-Induced Leucine Zipper Expression in Dendritic Cells. <i>Journal of Immunology</i> , 2014, 193, 2743-2752.	0.8	56
87	GILZ Promotes Production of Peripherally Induced Treg Cells and Mediates the Crosstalk between Glucocorticoids and TGF- β 2 Signaling. <i>Cell Reports</i> , 2014, 7, 464-475.	6.4	118
88	Role of caspase-8 in thymus function. <i>Cell Death and Differentiation</i> , 2014, 21, 226-233.	11.2	32
89	Glucocorticoid-Induced Leucine Zipper (GILZ) Controls Inflammation and Tissue Damage after Spinal Cord Injury. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 973-981.	3.9	15
90	Recombinant long-glucocorticoid-induced leucine zipper (L-GILZ) protein restores the control of proliferation in <i>gilz</i> KO spermatogonia. <i>European Journal of Pharmaceutical Sciences</i> , 2014, 63, 22-28.	4.0	12

#	ARTICLE	IF	CITATIONS
91	Transcriptional regulation of kinases downstream of the T cell receptor: another immunomodulatory mechanism of glucocorticoids. <i>BMC Pharmacology & Toxicology</i> , 2014, 15, 35.	2.4	23
92	Targeting glucocorticoid side effects: selective glucocorticoid receptor modulator or glucocorticoid-induced leucine zipper? A perspective. <i>FASEB Journal</i> , 2014, 28, 5055-5070.	0.5	68
93	Eicosapentaenoic Acid Activates RAS/ERK/C/EBP β Pathway through H-Ras Intron 1 CpG Island Demethylation in U937 Leukemia Cells. <i>PLoS ONE</i> , 2014, 9, e85025.	2.5	26
94	Glucocorticoid-Induced Tumor Necrosis Factor Receptor Family-Related Ligand Triggering Upregulates Vascular Cell Adhesion Molecule-1 and Intercellular Adhesion Molecule-1 and Promotes Leukocyte Adhesion. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 347, 164-172.	2.5	29
95	LPS resistance of SPRET/Ei mice is mediated by Gilz, encoded by the <i>Tsc22d3</i> gene on the X chromosome. <i>EMBO Molecular Medicine</i> , 2013, 5, 456-470.	6.9	69
96	Dexamethasone-FITC staining application for measurement of circadian rhythmicity of glucocorticoid receptor expression in mouse living thymocyte subsets. <i>Journal of Neuroimmunology</i> , 2013, 261, 44-52.	2.3	5
97	Characterization of a new regulatory CD4 ⁺ T cell subset in primary Sjogren's syndrome. <i>Rheumatology</i> , 2013, 52, 1387-1396.	1.9	63
98	Characterization of CD4 ⁺ and CD8 ⁺ Tregs in a Hodgkin's lymphoma patient presenting with myasthenia-like symptoms. <i>Ideggyogyaszati Szemle</i> , 2013, 66, 343-8.	0.7	2
99	Balance between Regulatory T and Th17 Cells in Systemic Lupus Erythematosus: The Old and the New. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-5.	3.3	127
100	Long Glucocorticoid-induced Leucine Zipper (L-GILZ) Protein Interacts with Ras Protein Pathway and Contributes to Spermatogenesis Control*. <i>Journal of Biological Chemistry</i> , 2012, 287, 1242-1251.	3.4	77
101	The intracellular portion of GITR enhances NGF-promoted neurite growth through an inverse modulation of Erk and NF- κ B signalling. <i>Biology Open</i> , 2012, 1, 1016-1023.	1.2	14
102	Pontin is essential for murine hematopoietic stem cell survival. <i>Haematologica</i> , 2012, 97, 1291-1294.	3.5	41
103	Pharmacological modulation of GITRL/GITR system: therapeutic perspectives. <i>British Journal of Pharmacology</i> , 2012, 165, 2089-2099.	5.4	74
104	Mechanisms of the anti-inflammatory effects of glucocorticoids: genomic and nongenomic interference with MAPK signaling pathways. <i>FASEB Journal</i> , 2012, 26, 4805-4820.	0.5	142
105	Murine B Cell Development and Antibody Responses to Model Antigens Are Not Impaired in the Absence of the TNF Receptor GITR. <i>PLoS ONE</i> , 2012, 7, e31632.	2.5	19
106	Expansion of CD4 ⁺ CD25 ⁺ GITR ⁺ regulatory T-cell subset in the peripheral blood of patients with primary Sjogren's syndrome: correlation with disease activity. <i>Reumatismo</i> , 2012, 64, 293-8.	0.9	14
107	CD8 ⁺ T Cells: GITR Matters. <i>Scientific World Journal</i> , The, 2012, 2012, 1-7.	2.1	27
108	Glucocorticoid-Induced Leucine Zipper (GILZ) Over-Expression in T Lymphocytes Inhibits Inflammation and Tissue Damage in Spinal Cord Injury. <i>Neurotherapeutics</i> , 2012, 9, 210-225.	4.4	55

#	ARTICLE	IF	CITATIONS
109	GITR Gene Deletion and GITR-Fc Soluble Protein Administration Inhibit Multiple Organ Failure Induced by Zymosan. <i>Shock</i> , 2011, 36, 263-271.	2.1	14
110	Efficacy of very-low-dose betamethasone on neurological symptoms in ataxia-telangiectasia. <i>European Journal of Neurology</i> , 2011, 18, 564-570.	3.3	62
111	The glucocorticoid-induced TNF receptor family-related protein (GITR) is critical to the development of acute pancreatitis in mice. <i>British Journal of Pharmacology</i> , 2011, 162, 1186-1201.	5.4	20
112	Glucocorticoid-induced activation of caspase-8 protects the glucocorticoid-induced protein Gilz from proteasomal degradation and induces its binding to SUMO-1 in murine thymocytes. <i>Cell Death and Differentiation</i> , 2011, 18, 183-190.	11.2	17
113	Effect of dietary saturated fatty acids on HNF-4 α DNA binding activity and ApoCIII mRNA in sedentary rat liver. <i>Molecular and Cellular Biochemistry</i> , 2011, 347, 29-39.	3.1	13
114	CD4 ⁺ CD25 ^{low} GITR ⁺ cells: A novel human CD4 ⁺ T α cell population with regulatory activity. <i>European Journal of Immunology</i> , 2011, 41, 2269-2278.	2.9	54
115	Glucocorticoid-Induced TNFR family Related gene (GITR) enhances dendritic cell activity. <i>Immunology Letters</i> , 2011, 135, 24-33.	2.5	15
116	Eicosapentaenoic Acid Demethylates a Single CpG That Mediates Expression of Tumor Suppressor CCAAT/Enhancer-binding Protein β in U937 Leukemia Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 27092-27102.	3.4	70
117	Role of regulatory T cells in rheumatoid arthritis: facts and hypothesis. <i>Autoimmunity Highlights</i> , 2010, 1, 45-51.	3.9	17
118	GITR contributes to the systemic adjuvanticity of the <i>Escherichia coli</i> heat-labile enterotoxin. <i>European Journal of Immunology</i> , 2010, 40, 754-763.	2.9	3
119	Glucocorticoid-induced Leucine Zipper (GILZ) and Long GILZ Inhibit Myogenic Differentiation and Mediate Anti-myogenic Effects of Glucocorticoids. <i>Journal of Biological Chemistry</i> , 2010, 285, 10385-10396.	3.4	61
120	CD8 T Cell-Intrinsic GITR Is Required for T Cell Clonal Expansion and Mouse Survival following Severe Influenza Infection. <i>Journal of Immunology</i> , 2010, 185, 7223-7234.	0.8	90
121	Neutralization of Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Reduces Spinal Cord Injury Damage in Mice. <i>Neuropsychopharmacology</i> , 2010, 35, 1302-1314.	5.4	30
122	Silymarin suppress CD4 ⁺ T cell activation and proliferation: Effects on NF- κ B activity and IL-2 production. <i>Pharmacological Research</i> , 2010, 61, 405-409.	7.1	77
123	Glucocorticoid-induced leucine zipper (GILZ): a new important mediator of glucocorticoid action. <i>FASEB Journal</i> , 2009, 23, 3649-3658.	0.5	281
124	Identification of regulatory T cells in systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2009, 8, 426-430.	5.8	65
125	The GITR-GITR system alters TLR-4 expression on DC during fungal infection. <i>Cellular Immunology</i> , 2009, 257, 13-22.	3.0	13
126	Glucocorticoid-Induced Leucine Zipper Is Protective in Th1-Mediated Models of Colitis. <i>Gastroenterology</i> , 2009, 136, 530-541.	1.3	122

#	ARTICLE	IF	CITATIONS
127	PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR- β MODULATES THE ANTI-INFLAMMATORY EFFECT OF GLUCOCORTICOIDS IN A MODEL OF INFLAMMATORY BOWEL DISEASE IN MICE. <i>Shock</i> , 2009, 31, 308-316.	2.1	45
128	GITR: A Modulator of Immune Response and Inflammation. <i>Advances in Experimental Medicine and Biology</i> , 2009, 647, 156-173.	1.6	124
129	Co-inhibitory roles for glucocorticoid-induced TNF receptor in CD1-dependent natural killer T cells. <i>European Journal of Immunology</i> , 2008, 38, 2229-2240.	2.9	18
130	NGF-promoted axon growth and target innervation requires GITRL-GITR signaling. <i>Nature Neuroscience</i> , 2008, 11, 135-142.	14.8	55
131	Glucocorticoid-Induced Tumor Necrosis Factor Receptor-Related (GITR)-Fc Fusion Protein Inhibits GITR Triggering and Protects from the Inflammatory Response after Spinal Cord Injury. <i>Molecular Pharmacology</i> , 2008, 73, 1610-1621.	2.3	29
132	Peroxisome Proliferator-Activated Receptor- β Contributes to the Anti-Inflammatory Activity of Glucocorticoids. <i>Molecular Pharmacology</i> , 2008, 73, 323-337.	2.3	59
133	Glucocorticoid-Induced TNFR-Related Protein Lowers the Threshold of CD28 Costimulation in CD8+ T Cells. <i>Journal of Immunology</i> , 2007, 179, 5916-5926.	0.8	83
134	Genetic and pharmacological inhibition of GITR-GITRL interaction reduces chronic lung injury induced by bleomycin instillation. <i>FASEB Journal</i> , 2007, 21, 117-129.	0.5	39
135	Estrogen Receptor Antagonist Fulvestrant (ICI 182,780) Inhibits the Anti-Inflammatory Effect of Glucocorticoids. <i>Molecular Pharmacology</i> , 2007, 71, 132-144.	2.3	23
136	GITR modulates innate and adaptive mucosal immunity during the development of experimental colitis in mice. <i>Gut</i> , 2007, 56, 52-60.	12.1	63
137	Another brick in building the thymus. <i>Blood</i> , 2007, 109, 856-856.	1.4	0
138	GITR-GITRL System, A Novel Player in Shock and Inflammation. <i>Scientific World Journal</i> , The, 2007, 7, 533-566.	2.1	53
139	GITR/GITRL: More than an effector T cell co-stimulatory system. <i>European Journal of Immunology</i> , 2007, 37, 1165-1169.	2.9	121
140	Reverse signaling through GITR ligand enables dexamethasone to activate IDO in allergy. <i>Nature Medicine</i> , 2007, 13, 579-586.	30.7	298
141	Endothelial dysfunction in vivo is related to monocyte resistin mRNA expression. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2007, 32, 373-379.	1.5	15
142	Modulation of Acute and Chronic Inflammation of the Lung by GITR and its Ligand. <i>Annals of the New York Academy of Sciences</i> , 2007, 1107, 380-391.	3.8	18
143	GILZ mediates the antiproliferative activity of glucocorticoids by negative regulation of Ras signaling. <i>Journal of Clinical Investigation</i> , 2007, 117, 1605-1615.	8.2	140
144	Glucocorticoid-induced leucine zipper (GILZ)/NF- κ B interaction: role of GILZ homo-dimerization and C-terminal domain. <i>Nucleic Acids Research</i> , 2006, 35, 517-528.	14.5	126

#	ARTICLE	IF	CITATIONS
145	Inhibited cell death, NF- κ B activity and increased IL-10 in TCR-triggered thymocytes of transgenic mice overexpressing the glucocorticoid-induced protein GILZ. <i>International Immunopharmacology</i> , 2006, 6, 1126-1134.	3.8	42
146	Increased GILZ expression in transgenic mice up-regulates Th-2 lymphokines. <i>Blood</i> , 2006, 107, 1039-1047.	1.4	91
147	Analysis of apoptosis by propidium iodide staining and flow cytometry. <i>Nature Protocols</i> , 2006, 1, 1458-1461.	12.0	1,343
148	Genomic and non-genomic effects of different glucocorticoids on mouse thymocyte apoptosis. <i>European Journal of Pharmacology</i> , 2006, 529, 63-70.	3.5	30
149	Proinflammatory Role of Glucocorticoid-Induced TNF Receptor-Related Gene in Acute Lung Inflammation. <i>Journal of Immunology</i> , 2006, 177, 631-641.	0.8	58
150	Modulation of Pro- and Antiapoptotic Molecules in Double-Positive (CD4+CD8+) Thymocytes following Dexamethasone Treatment. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 887-897.	2.5	37
151	GITR: a multifaceted regulator of immunity belonging to the tumor necrosis factor receptor superfamily. <i>European Journal of Immunology</i> , 2005, 35, 1016-1022.	2.9	163
152	Glucocorticoid-induced Tumor Necrosis Factor Receptor Is a p21 Transcriptional Target Conferring Resistance of Keratinocytes to UV Light-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2005, 280, 37725-37731.	3.4	29
153	Role of glucocorticoid-induced TNF receptor family gene (GITR) in collagen-induced arthritis. <i>FASEB Journal</i> , 2005, 19, 1253-1265.	0.5	94
154	The Glucocorticoid-Induced Tumor Necrosis Factor Receptor-Related Gene Modulates the Response to <i>Candida albicans</i> Infection. <i>Infection and Immunity</i> , 2005, 73, 7502-7508.	2.2	39
155	Dietary PUFA modulate the expression of proliferation and differentiation markers in Morris 3924A hepatoma cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1737, 138-144.	2.4	4
156	GITR Activation Induces an Opposite Effect on Alloreactive CD4+ and CD8+ T Cells in Graft-Versus-Host Disease. <i>Journal of Experimental Medicine</i> , 2004, 200, 149-157.	8.5	95
157	Dietary ω -3 linolenic acid reduces COX-2 expression and induces apoptosis of hepatoma cells. <i>Journal of Lipid Research</i> , 2004, 45, 308-316.	4.2	56
158	Glucocorticoid-induced TNF receptor family gene (GITR) knockout mice exhibit a resistance to splanchnic artery occlusion (SAO) shock. <i>Journal of Leukocyte Biology</i> , 2004, 76, 933-940.	3.3	35
159	Synthesis and evaluation of anti-apoptotic activity of L-carnitine cyclic analogues and amino acid derivatives. <i>Il Farmaco</i> , 2004, 59, 271-277.	0.9	5
160	Frontline: GITR, a member of the TNF receptor superfamily, is costimulatory to mouse T lymphocyte subpopulations. <i>European Journal of Immunology</i> , 2004, 34, 613-622.	2.9	320
161	Decrease of Bcl-xL and augmentation of thymocyte apoptosis in GILZ overexpressing transgenic mice. <i>Blood</i> , 2004, 104, 4134-4141.	1.4	94
162	1,4-Benzothiazine analogues and apoptosis. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 3245-3254.	3.0	16

#	ARTICLE	IF	CITATIONS
163	Dexamethasone-induced thymocytes apoptosis requires glucocorticoid receptor nuclear translocation but not mitochondrial membrane potential transition. <i>Toxicology Letters</i> , 2003, 139, 175-180.	0.8	18
164	Sphingolipids and the immune system. <i>Pharmacological Research</i> , 2003, 47, 421-437.	7.1	71
165	Enhanced expression of hepatic lipogenic enzymes in an animal model of sedentariness. <i>Journal of Lipid Research</i> , 2003, 44, 696-704.	4.2	6
166	Dexamethasone-induced apoptosis of thymocytes: role of glucocorticoid receptor-associated Src kinase and caspase-8 activation. <i>Blood</i> , 2003, 101, 585-593.	1.4	113
167	Synthesis of glucocorticoid-induced leucine zipper (GILZ) by macrophages: an anti-inflammatory and immunosuppressive mechanism shared by glucocorticoids and IL-10. <i>Blood</i> , 2003, 101, 729-738.	1.4	267
168	Induction of Apoptosis by 1,4-Benzothiazine Analogs in Mouse Thymocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 1053-1062.	2.5	12
169	Glucocorticoid-Induced Leucine Zipper Inhibits the Raf-Extracellular Signal-Regulated Kinase Pathway by Binding to Raf-1. <i>Molecular and Cellular Biology</i> , 2002, 22, 7929-7941.	2.3	161
170	Role of GITR in activation response of T lymphocytes. <i>Blood</i> , 2002, 100, 350-352.	1.4	172
171	Molecular mechanisms of immunomodulatory activity of glucocorticoids. <i>Pharmacological Research</i> , 2002, 45, 361-368.	7.1	106
172	GITR interacts with the pro-apoptotic protein Siva and induces apoptosis. <i>Cell Death and Differentiation</i> , 2002, 9, 1382-1384.	11.2	94
173	Differential expression of CD44 isoforms during liver regeneration in rats. <i>Journal of Hepatology</i> , 2001, 34, 555-561.	3.7	15
174	Modulation of T-cell activation by the glucocorticoid-induced leucine zipper factor via inhibition of nuclear factor κ B. <i>Blood</i> , 2001, 98, 743-753.	1.4	297
175	Cloning, chromosomal assignment and tissue distribution of human GILZ, a glucocorticoid hormone-induced gene. <i>Cell Death and Differentiation</i> , 2001, 8, 201-203.	11.2	109
176	GILZ, a glucocorticoid hormone induced gene, modulates T lymphocytes activation and death through interaction with NF- κ B. <i>Advances in Experimental Medicine and Biology</i> , 2001, 495, 31-39.	1.6	51
177	Identification of three novel mRNA splice variants of GITR. <i>Cell Death and Differentiation</i> , 2000, 7, 408-410.	11.2	32
178	Dexamethasone increases the incorporation of [3H]serine into phosphatidylserine and the activity of serine base exchange enzyme in mouse thymocytes: a possible relation between serine base exchange enzyme and apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2000, 211, 61-67.	3.1	12
179	Gene Structure and Chromosomal Assignment of Mouse GITR, a Member of the Tumor Necrosis Factor/Nerve Growth Factor Receptor Family. <i>DNA and Cell Biology</i> , 2000, 19, 205-217.	1.9	27
180	Cloning and Expression of a Short Fas Ligand: A New Alternatively Spliced Product of the Mouse Fas Ligand Gene. <i>Blood</i> , 1999, 94, 3456-3467.	1.4	27

#	ARTICLE	IF	CITATIONS
181	Dexamethasone-Induced Thymocyte Apoptosis: Apoptotic Signal Involves the Sequential Activation of Phosphoinositide-Specific Phospholipase C, Acidic Sphingomyelinase, and Caspases. <i>Blood</i> , 1999, 93, 2282-2296.	1.4	168
182	TCR kappa, a new splicing of the murine TCR zeta gene locus, is modulated by glucocorticoid treatment. <i>Molecular and Cellular Biochemistry</i> , 1999, 195, 47-53.	3.1	4
183	Dexamethasone-Induced Thymocyte Apoptosis: Apoptotic Signal Involves the Sequential Activation of Phosphoinositide-Specific Phospholipase C, Acidic Sphingomyelinase, and Caspases. <i>Blood</i> , 1999, 93, 2282-2296.	1.4	4
184	Interleukin-6 (IL-6) Prevents Activation-Induced Cell Death: IL-2â€“Independent Inhibition of Fas/fasL Expression and Cell Death. <i>Blood</i> , 1998, 92, 4212-4219.	1.4	75
185	Interleukin-6 (IL-6) Prevents Activation-Induced Cell Death: IL-2â€“Independent Inhibition of Fas/fasL Expression and Cell Death. <i>Blood</i> , 1998, 92, 4212-4219.	1.4	10
186	Possible mechanisms involved in apoptosis of colon tumor cell lines induced by deoxycholic acid, shortâ€“chain fatty acids, and their mixtures. <i>Nutrition and Cancer</i> , 1997, 28, 74-80.	2.0	31
187	A new member of the tumor necrosis factor/nerve growth factor receptor family inhibits T cell receptor-induced apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 6216-6221.	7.1	385
188	A New Dexamethasone-Induced Gene of the Leucine Zipper Family Protects T Lymphocytes from TCR/CD3-Activated Cell Death. <i>Immunity</i> , 1997, 7, 803-812.	14.3	408
189	Deoxycholic acid and SCFA-induced apoptosis in the human tumor cell-line HT-29 and possible mechanisms. <i>Cancer Letters</i> , 1997, 114, 97-99.	7.2	34
190	Apolipoprotein-E genotype in normal aging, age-associated memory impairment, Alzheimer's disease and vascular dementia patients. <i>Neuroscience Letters</i> , 1997, 231, 59-61.	2.1	30
191	CD2 Rescues T Cells From T-Cell Receptor/CD3 Apoptosis: A Role for the Fas/Fas-L System. <i>Blood</i> , 1997, 89, 3717-3726.	1.4	48
192	Short-Term Dexamethasone Treatment Modulates the Expression of the Murine TCRÎ¶ Gene Locus. <i>Cellular Immunology</i> , 1997, 178, 124-131.	3.0	7
193	Effect of dexamethasone on T-cell receptor/CD3 expression. <i>Molecular and Cellular Biochemistry</i> , 1997, 167, 135-144.	3.1	12
194	CD2 Rescues T Cells From T-Cell Receptor/CD3 Apoptosis: A Role for the Fas/Fas-L System. <i>Blood</i> , 1997, 89, 3717-3726.	1.4	4
195	Dexamethasone modulates CD2 expression. <i>International Journal of Immunopharmacology</i> , 1996, 18, 677-684.	1.1	0
196	T cell receptor Î¶1 an alternatively spliced product of the T cell receptor Î¶ gene. <i>European Journal of Immunology</i> , 1995, 25, 1405-1409.	2.9	13
197	Costimulation of CD3/TcR complex with either integrin or nonintegrin ligands protects CD4+allergen-specific T-cell clones from programmed cell death. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 677-682.	5.7	7
198	Anticancer drug toxicity via cytokine production: the hydroxyurea paradigm. <i>Toxicology Letters</i> , 1995, 82-83, 167-171.	0.8	4

#	ARTICLE	IF	CITATIONS
199	The natural tyrosine kinase inhibitor genistein produces cell cycle arrest and apoptosis in Jurkat T-leukemia cells. <i>Leukemia Research</i> , 1994, 18, 431-439.	0.8	217
200	Dexamethasone and interleukins modulate apoptosis of murine thymocytes and peripheral T-lymphocytes. <i>Pharmacological Research</i> , 1994, 30, 43-52.	7.1	26
201	Growth-inhibitory effects of the natural phyto-oestrogen genistein in MCF-7 human breast cancer cells. <i>European Journal of Cancer</i> , 1994, 30, 1675-1682.	2.8	198
202	PMA inhibits NK generation, cytotoxic activity and NK-1.1 expression. <i>International Journal of Immunopharmacology</i> , 1993, 15, 11-17.	1.1	3
203	Interleukin-2 Induces Apoptosis in Mouse Thymocytes. <i>Cellular Immunology</i> , 1993, 146, 52-61.	3.0	40
204	Cellular stress and glucocorticoid hormones protect L929 mouse fibroblasts from tumor necrosis factor alpha cytotoxicity. <i>Journal of Endocrinological Investigation</i> , 1993, 16, 591-599.	3.3	31
205	Genistein inhibits tumour cell growth in vitro but enhances mitochondrial reduction of tetrazolium salts: A further pitfall in the use of the MTT assay for evaluating cell growth and survival. <i>European Journal of Cancer</i> , 1993, 29, 1573-1577.	2.8	146
206	Pidotimod Stimulates Natural Killer Cell Activity and Inhibits Thymocyte Cell Death. <i>Immunopharmacology and Immunotoxicology</i> , 1992, 14, 737-748.	2.4	22
207	Glucocorticoid-induced thymocyte apoptosis: Inhibition by interleukin-2 and interleukin-4. <i>Pharmacological Research</i> , 1992, 25, 15-16.	7.1	7
208	Immunopharmacology of pidotimod: Effect on natural killer cell activity and thymocyte cell death. <i>Pharmacological Research</i> , 1992, 26, 154-155.	7.1	1
209	Glucocorticoid-induced apoptosis of natural killer cells and cytotoxic T lymphocytes. <i>Pharmacological Research</i> , 1992, 26, 26-27.	7.1	14
210	PMA-Mediated inhibition of IL-2-driven differentiation of NK cell. <i>Pharmacological Research</i> , 1992, 26, 184-185.	7.1	0
211	Heat shock induces apoptosis in mouse thymocytes and protects them from glucocorticoid-induced cell death. <i>Cellular Immunology</i> , 1992, 143, 348-356.	3.0	67
212	IL-2-dependent generation of natural killer cells from bone marrow: Role of MAC-1 ⁺ , NK1-1 ⁺ precursors. <i>Cellular Immunology</i> , 1992, 141, 323-331.	3.0	13
213	Interleukins modulate glucocorticoid-induced thymocyte apoptosis. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 21, 300-303.	1.0	21
214	A rapid and simple method for measuring thymocyte apoptosis by propidium iodide staining and flow cytometry. <i>Journal of Immunological Methods</i> , 1991, 139, 271-279.	1.4	4,314
215	Growth of murine natural killer cells from bone marrow in vitro: Role of TNF α and IFN γ . <i>International Journal of Immunopharmacology</i> , 1991, 13, 943-954.	1.1	5
216	Effect of interleukin-4 on interleukin-2-dependent generation of natural killer cells. <i>Cellular Immunology</i> , 1991, 136, 194-207.	3.0	7

#	ARTICLE	IF	CITATIONS
217	Natural Killer (NK) Cell Generation in Bone Marrow Cultures: Role of IL-1 β . Immunopharmacology and Immunotoxicology, 1991, 13, 589-606.	2.4	2
218	Generation of NK (LAK) Activity by Treatment of Bone Marrow Transplanted Mice with Cytokines. , 1990, , 221-223.		0
219	Role of Cytokines in the Development of Natural Killer (NK) Cells: Bone Marrow Colonies with NK Cell Activity. , 1990, , 258-260.		0
220	Role of interleukin-1, interleukin-2 and interleukin-4 in the generation of natural killer cells. European Journal of Pharmacology, 1990, 183, 625.	3.5	1
221	Effect of Biostim (RU 41.740) on natural killer cell generation from bone marrow precursors. International Journal of Immunopharmacology, 1989, 11, 77-82.	1.1	2
222	Defective natural killer cell activity in puerperal hyperprolactinemia. Journal of Reproductive Immunology, 1989, 15, 113-121.	1.9	10
223	In vitro proliferation of human large granular lymphocytes with v-raf/v-myc recombinant retrovirus. Experientia, 1988, 44, 1013-1015.	1.2	0
224	Role of interferons in natural killer cell generation from primitive bone marrow precursors. International Journal of Immunopharmacology, 1988, 10, 665-673.	1.1	7
225	Phenotypic and functional abnormalities of T lymphocytes in pathological hyperprolactinemia. Journal of Clinical Immunology, 1987, 7, 463-470.	3.8	25
226	Lymphokine-activated killer cell activity. Trends in Immunology, 1987, 8, 178-181.	7.5	229
227	Effect of in vivo administration of prostaglandins and interferon on natural killer activity and on B-16 melanoma growth in mice. Cellular Immunology, 1987, 106, 43-52.	3.0	10
228	In vivo treatment with recombinant interleukin-2 (IL-2) stimulates the differentiation of natural killer (NK) precursor cells. , 1987, , 303-307.		0
229	Low frequency of NK-cell progenitors and development of suppressor cells in IL-2-dependent cultures of spleen cells from low NK-reactive SJL/J mice. International Journal of Cancer, 1986, 38, 117-125.	5.1	5
230	Generation of mouse natural killer (NK) cell activity: Effect of interleukin-2 (IL-2) and interferon (IFN) on their in vivo development of natural killer cells from bone marrow (BM) progenitor cells. International Journal of Cancer, 1986, 38, 553-562.	5.1	27
231	Modulation of natural killer activity by thymosin alpha 1 and interferon. Cancer Immunology, Immunotherapy, 1985, 20, 189-92.	4.2	58
232	REGULATION OF MOUSE NK ACTIVITY11These studies were supported by "Progetto Finalizzato Oncologia," contract no. 84.00762.44 (U.O.: Riccardi) C.N.R. Rome, Italy.. , 1985, , 421-431.		2
233	Increase of natural killer (NK) activity of mouse lymphocytes following in vitro treatment with cytosine-arabioside. International Journal of Immunopharmacology, 1984, 6, 433-443.	1.1	1
234	Modulation of natural killer (NK) cell activity during FLV-P virus infection of mice. International Journal of Cancer, 1983, 31, 81-90.	5.1	13

#	ARTICLE	IF	CITATIONS
235	Cloned lines of SJL/J spleen cells with cytotoxic reactivity. <i>International Journal of Cancer</i> , 1983, 31, 345-350.	5.1	3
236	C. PARVUM-INDUCED SUPPRESSOR CELLS FOR MOUSE NK ACTIVITY. , 1982, , 519-526.		6
237	REGULATION BY INTERFERON AND T CELLS OF IL-2-DEPENDENT GROWTH OF NK PROGENITOR CELLS: A LIMITING DILUTION ANALYSIS. , 1982, , 909-915.		7
238	In vivo reactivity of mouse natural killer (NK) cells against normal bone marrow cells. <i>Cellular Immunology</i> , 1981, 60, 136-143.	3.0	65
239	Suppression of natural killer (NK) activity by splenic adherent cells of low NK-reactive mice. <i>International Journal of Cancer</i> , 1981, 28, 811-818.	5.1	37
240	Cytotoxic effector cells with the characteristics of natural killer cells in the lungs of mice. <i>International Journal of Cancer</i> , 1980, 25, 153-158.	5.1	68
241	In vivo natural reactivity of mice against tumor cells. <i>International Journal of Cancer</i> , 1980, 25, 475-486.	5.1	166
242	Transplantation resistance of drug-treated hybrid or allogeneic mice against murine lymphomas. I. Immunopharmacology studies. <i>International Journal of Cancer</i> , 1980, 26, 819-829.	5.1	9
243	Suppression of activity of mouse natural killer (NK) cells by activated macrophages from mice treated with pyran copolymer. <i>International Journal of Cancer</i> , 1980, 26, 837-843.	5.1	62
244	Combined effects of antineoplastic agents and anti-lymphoma allograft reactions. <i>European Journal of Cancer</i> , 1980, 16, 23-33.	0.9	25
245	In Vivo or in Vitro Modulating Effects of Vincristine on the Generation of Allogeneic Cytotoxic Lymphocytes in Vitro. <i>Immunopharmacology and Immunotoxicology</i> , 1980, 2, 61-72.	0.8	7
246	INHIBITION AS WELL AS AUGMENTATION OF MOUSE NK ACTIVITY BY PYRAN COPOLYMER AND ADRIAMYCIN. , 1980, , 753-763.		10
247	Augmentation of natural killer activity by pyran copolymer in mice. <i>International Journal of Cancer</i> , 1979, 24, 656-661.	5.1	28
248	Activation of mouse macrophages by pyran copolymer and role in augmentation of natural killer activity. <i>International Journal of Cancer</i> , 1979, 24, 819-825.	5.1	33
249	Adriamycin-induced antitumor response in lethally irradiated mice. <i>Immunopharmacology</i> , 1979, 1, 211-220.	2.0	20
250	Natural Killer Cells: Characteristics and Regulation of Activity. <i>Immunological Reviews</i> , 1979, 44, 43-70.	6.0	589
251	GROWTH AND REJECTION PATTERNS OF MURINE LYMPHOMA CELLS ANTIGENICALLY ALTERED FOLLOWING DRUG TREATMENT IN VIVO. <i>Transplantation</i> , 1978, 25, 63-68.	1.0	21
252	Murine leukemia growth inhibition or enhancement following immunization with tumor cells antigenically altered by drug treatment. <i>Pharmacological Research Communications</i> , 1977, 9, 349-358.	0.2	3

#	ARTICLE	IF	CITATIONS
253	Rejection of drug-treated tumor cells in the peritoneal cavity of mice. Pharmacological Research Communications, 1975, 7, 387-393.	0.2	5
254	Control of the circadian rhythm of the body temperature in the rat. Life Sciences, 1974, 14, 2111-2119.	4.3	29