

çŸ–å¾· å‘‘

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2039583/publications.pdf>

Version: 2024-02-01

80
papers

1,940
citations

304743

22
h-index

265206

42
g-index

80
all docs

80
docs citations

80
times ranked

1577
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent Advances and Tendencies Regarding Fiber Optic Sensors for Deformation Measurement: A Review. IEEE Sensors Journal, 2022, 22, 2962-2973.	4.7	20
2	A Skin-Like and Highly Stretchable Optical Fiber Sensor with the Hybrid Coding of Wavelength-Light Intensity. Advanced Intelligent Systems, 2022, 4, .	6.1	19
3	Bioinspired Stretchable Fiber-Based Sensor toward Intelligent Human-Machine Interactions. ACS Applied Materials & Interfaces, 2022, 14, 22666-22677.	8.0	22
4	Interlocking problems in disassembly sequence planning. International Journal of Production Research, 2021, 59, 4723-4735.	7.5	11
5	BP Method With Rectified Linear Unit-Based Nonlinear Decoupling for 3-Axis FBG Force Sensor. IEEE Sensors Journal, 2021, 21, 2972-2979.	4.7	11
6	A Composite Fabry-Perot Interferometric Sensor with the Dual-Cavity Structure for Simultaneous Measurement of High Temperature and Strain. Sensors, 2021, 21, 4989.	3.8	9
7	A temperature self-compensation submicron displacement fbg sensor with tilt parallel-suspended dual-optical fibers. Sensors and Actuators A: Physical, 2021, 332, 113200.	4.1	7
8	A Model-Driven Scheme to Compensate the Strain-Based Non-Intrusive Dynamic Pressure Measurement for Hydraulic Pipe. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-12.	4.7	314
9	Smart Cutting Tool Integrated With Optical Fiber Sensors for Cutting Force Measurement in Turning. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 1720-1727.	4.7	23
10	Recent Advances and Tendency in Fiber Bragg Grating-Based Vibration Sensor: A Review. IEEE Sensors Journal, 2020, 20, 12074-12087.	4.7	97
11	Performance of 3D-Printed Continuous-Carbon-Fiber-Reinforced Plastics with Pressure. Materials, 2020, 13, 471.	2.9	43
12	Unfastening of Hexagonal Headed Screws by a Collaborative Robot. IEEE Transactions on Automation Science and Engineering, 2020, , 1-14.	5.2	25
13	A Novel Diagnostic Scheme for Gear Pitting Fault Using Fiber Bragg Grating Based Strain Sensors. , 2020, , .		2
14	Clamp looseness detection using modal strain estimated from FBG based operational modal analysis. Measurement: Journal of the International Measurement Confederation, 2019, 137, 82-97.	5.0	28
15	The Detection of the Pipe Crack Utilizing the Operational Modal Strain Identified from Fiber Bragg Grating. Sensors, 2019, 19, 2556.	3.8	17
16	An FBG based smart clamp for the detection of incipient clamp looseness in industrial piping system. Measurement: Journal of the International Measurement Confederation, 2019, 140, 416-426.	5.0	14
17	Study on monitoring of cohesive zone damage for L-shaped carbon fiber-reinforced plastic adhesive joints based on distributed fiber Bragg grating. Journal of Strain Analysis for Engineering Design, 2019, 54, 163-175.	1.8	1
18	A novel method to detect the liquid level based on the FBG sensor Part I: The structure design and performance analysis. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
19	Feasibility Study of Online Monitoring Using the Fiber Bragg Grating Sensor for Geared System. , 2019, , .		1
20	An FBG based smart clamp fabricated by 3D printing technology and its application to incipient clamp looseness detection. , 2019, , .		1
21	Gear pitting fault diagnosis using disentangled features from unsupervised deep learning. Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability, 2019, 233, 719-730.	0.7	11
22	Cyber-physical integration for moving digital factories forward towards smart manufacturing: a survey. International Journal of Advanced Manufacturing Technology, 2018, 97, 1209-1221.	3.0	110
23	Vibration response of multi-span fluid-conveying pipe with multiple accessories under complex boundary conditions. European Journal of Mechanics, A/Solids, 2018, 72, 41-56.	3.7	60
24	Robotic disassembly sequence planning using enhanced discrete bees algorithm in remanufacturing. International Journal of Production Research, 2018, 56, 3134-3151.	7.5	83
25	Cooperative Control of An Ankle Rehabilitation Robot Based on Human Intention. , 2018, , .		1
26	The bearing parallel misalignment running modelâ€‘based machine tool spindle thermal error analysis. Advances in Mechanical Engineering, 2018, 10, 168781401877862.	1.6	1
27	Sensor-less external force detection for industrial manipulators to facilitate physical human-robot interaction. Journal of Mechanical Science and Technology, 2018, 32, 4909-4923.	1.5	14
28	A novel semi-active tuned mass damper with tunable stiffness. , 2018, , .		6
29	Dynamic Modeling and Fault Feature Analysis of Pitted Gear System. , 2018, , .		0
30	Inverse Finite Element Method for Reconstruction of Deformation in the Gantry Structure of Heavy-Duty Machine Tool Using FBG Sensors. Sensors, 2018, 18, 2173.	3.8	12
31	Gear pitting fault diagnosis using disentangled features from unsupervised deep learning. , 2018, , .		0
32	Sensitivity Enhancement of FBG-Based Strain Sensor. Sensors, 2018, 18, 1607.	3.8	66
33	Experimental study of dynamic strain for gear tooth using fiber Bragg gratings and piezoelectric strain sensors. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2018, 232, 3992-4003.	2.1	13
34	On research of incipient gear pitting fault detection using optic fiber sensors. , 2018, , .		1
35	A temperature-insensitive FBG displacement sensor with a 10-nanometer-grade resolution. IEICE Electronics Express, 2018, 15, 20180694-20180694.	0.8	7
36	Automatic Detection of Subassemblies for Disassembly Sequence Planning. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
37	Automatic Detection of Subassemblies for Disassembly Sequence Planning. , 2018, , .		1
38	An Improved Feature Extraction Method for Rolling Bearing Fault Diagnosis Based on MEMD and PE. Polish Maritime Research, 2018, 25, 98-106.	1.9	3
39	An intelligent service matching method for mechanical equipment condition monitoring using the fibre Bragg grating sensor network. Enterprise Information Systems, 2017, 11, 284-309.	4.7	7
40	Condition monitoring towards energy-efficient manufacturing: a review. International Journal of Advanced Manufacturing Technology, 2017, 91, 3395-3415.	3.0	36
41	Fiber Bragg Grating Sensing-Based Online Torque Detection on Coupled Bending and Torsional Vibration of Rotating Shaft. IEEE Sensors Journal, 2017, 17, 1999-2007.	4.7	26
42	String-type based two-dimensional fiber bragg grating vibration sensing principle and structure optimization. Sensors and Actuators A: Physical, 2017, 259, 85-95.	4.1	18
43	A general thermal model of machine tool spindle. Advances in Mechanical Engineering, 2017, 9, 168781401668630.	1.6	0
44	Paralleled Structure-Based String-Type Fiber Bragg Grating Acceleration Sensor. IEEE Sensors Journal, 2017, 17, 1325-1332.	4.7	17
45	Manufacturing Capability Assessment for Human-Robot Collaborative Disassembly Based on Multi-Data Fusion. Procedia Manufacturing, 2017, 10, 26-36.	1.9	18
46	A High-Sensitivity Fiber Bragg Grating Displacement Sensor Based on Transverse Property of a Tensioned Optical Fiber Configuration and Its Dynamic Performance Improvement. IEEE Sensors Journal, 2017, 17, 5840-5848.	4.7	36
47	Reliability assessment of the vertical roller mill based on ARIMA and multi-observation HMM. Cogent Engineering, 2017, 4, 1270703.	2.2	7
48	A Diaphragm-type Highly Sensitive Fiber Bragg Grating Force Transducer with Temperature Compensation. IEEE Sensors Journal, 2017, , 1-1.	4.7	7
49	Diaphragm Based Fiber Bragg Grating Acceleration Sensor with Temperature Compensation. Sensors, 2017, 17, 218.	3.8	61
50	A New Classification Analysis of Customer Requirement Information Based on Quantitative Standardization for Product Configuration. Mathematical Problems in Engineering, 2016, 2016, 1-8.	1.1	2
51	A Fiber Bragg Grating Sensing-Based Micro-Vibration Sensor and Its Application. Sensors, 2016, 16, 547.	3.8	19
52	Strain Modal Analysis of Small and Light Pipes Using Distributed Fibre Bragg Grating Sensors. Sensors, 2016, 16, 1583.	3.8	24
53	A diaphragm type fiber Bragg grating vibration sensor based on transverse property of optical fiber with temperature compensation. IEEE Sensors Journal, 2016, , 1-1.	4.7	37
54	A temperature-independent force transducer using one optical fiber with multiple Bragg gratings. IEICE Electronics Express, 2016, 13, 20160198-20160198.	0.8	5

#	ARTICLE	IF	CITATIONS
55	A MUSIC-based method for SSVEP signal processing. Australasian Physical and Engineering Sciences in Medicine, 2016, 39, 71-84.	1.3	6
56	Identification and optimal selection of temperature-sensitive measuring points of thermal error compensation on a heavy-duty machine tool. International Journal of Advanced Manufacturing Technology, 2016, 85, 345-353.	3.0	23
57	Research on pasted FBG-based accelerometer's sensitization process method and its characteristics. IEICE Electronics Express, 2015, 12, 20150583-20150583.	0.8	4
58	Pasted type distributed two-dimensional fiber Bragg grating vibration sensor. Review of Scientific Instruments, 2015, 86, 075009.	1.3	15
59	Turbine rotor dynamic balance vibration measurement based on the non-contact optical fiber grating sensing. IEICE Electronics Express, 2015, 12, 20150380-20150380.	0.8	3
60	A Fiber Bragg Grating Sensing Based Triaxial Vibration Sensor. Sensors, 2015, 15, 24214-24229.	3.8	23
61	A Multiuser Manufacturing Resource Service Composition Method Based on the Bees Algorithm. Computational Intelligence and Neuroscience, 2015, 2015, 1-13.	1.7	7
62	Knowledge modeling of fault diagnosis for rotating machinery based on ontology. , 2015, , .		6
63	Fuzzy control of a semi-active multiple degree-of-freedom vibration isolation system. JVC/Journal of Vibration and Control, 2015, 21, 1608-1621.	2.6	15
64	A non-contact fiber Bragg grating vibration sensor. Review of Scientific Instruments, 2014, 85, 015002.	1.3	26
65	A diaphragm-type fiber Bragg grating pressure sensor with temperature compensation. Measurement: Journal of the International Measurement Confederation, 2013, 46, 1041-1046.	5.0	94
66	Dynamic modeling of magnetic suspension isolator using artificial neural network: a modified genetic approach. JVC/Journal of Vibration and Control, 2013, 19, 847-856.	2.6	5
67	Digital Manufacturing and Cloud Manufacturing. Advances in Mechanical Engineering, 2013, 5, 560691.	1.6	1
68	Fault Diagnosis of Rolling Bearing Based on Wavelet Package Transform and Ensemble Empirical Mode Decomposition. Advances in Mechanical Engineering, 2013, 5, 792584.	1.6	17
69	Measurement of Temperature Field for the Spindle of Machine Tool Based on Optical Fiber Bragg Grating Sensors. Advances in Mechanical Engineering, 2013, 5, 940626.	1.6	14
70	Simultaneous stabilization for uncertain descriptor systems with input saturation. International Journal of Robust and Nonlinear Control, 2012, 22, 1938-1951.	3.7	16
71	Prevention of resource trading fraud in manufacturing grid: a signalling games approach. International Journal of Computer Integrated Manufacturing, 2010, 23, 391-401.	4.6	3
72	Manufacturing grid resource and resource service digital description. International Journal of Advanced Manufacturing Technology, 2009, 44, 1024-1035.	3.0	29

#	ARTICLE	IF	CITATIONS
73	Resource Service Composition and Its Optimal-Selection Based on Particle Swarm Optimization in Manufacturing Grid System. IEEE Transactions on Industrial Informatics, 2008, 4, 315-327.	11.3	242
74	Study on Semantic-Aware Manufacturing Grid Architecture. , 2008, , .		1
75	Study on the Service-Oriented Embedded Numerical Control System. , 2008, , .		0
76	The Connotation of Manufacturing Grid&its key technology. , 2006, , .		3
77	A Nonholonomic Motion Planning and Control Based on Chained Form Transformation. , 2006, , .		6
78	Control Information Acquisition of a Magnetic Suspended Hard Disk Drive. , 2006, , .		0
79	Modelling of manufacturing resource in manufacturing grid based on XML. , 2006, , .		7
80	An optimization design and simulation of Ptolemy-based motor speed control. , 0, , .		0