

Xuejun Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2044091/publications.pdf>

Version: 2024-02-01

182
papers

18,348
citations

23567

58
h-index

12946

131
g-index

186
all docs

186
docs citations

186
times ranked

29118
citing authors

#	ARTICLE	IF	CITATIONS
1	Ubiquitin Carboxyl-Terminal Hydrolase L1 of Cardiomyocytes Promotes Macroautophagy and Proteostasis and Protects Against Post-myocardial Infarction Cardiac Remodeling and Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 866901.	2.4	4
2	UCHL1 protects against ischemic heart injury via activating HIF-1 α signal pathway. <i>Redox Biology</i> , 2022, 52, 102295.	9.0	10
3	Activation of the Soluble Guanylate Cyclase Increases 26S Proteasome Activities and Protects against Proteotoxicity in Cardiomyocytes. <i>FASEB Journal</i> , 2022, 36, .	0.5	0
4	Peripherally misfolded proteins exacerbate ischemic stroke-induced neuroinflammation and brain injury. <i>Journal of Neuroinflammation</i> , 2021, 18, 29.	7.2	12
5	Editorial: Targeting Cardiac Proteotoxicity. <i>Frontiers in Physiology</i> , 2021, 12, 669356.	2.8	1
6	Autophagy Controls Nrf2-Mediated Dichotomy in Pressure Overloaded Hearts. <i>Frontiers in Physiology</i> , 2021, 12, 673145.	2.8	7
7	Defining Molecular Mechanism Promoting Neointimal Hyperplasia by CSN8 Hypomorphism. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
8	Soluble guanylate cyclase activation increases proteasome activities and protects against proteotoxicity in cardiomyocytes. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
9	Phenotypic Differences Among Mice with Induced Cardiomyocyte-Restricted Ablation of <i>Cops5</i> , <i>Cops8</i> , or Both. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
10	Exercise-induced peptide TAG-23 protects cardiomyocytes from reperfusion injury through regulating PKG α -cCbl interaction. <i>Basic Research in Cardiology</i> , 2021, 116, 41.	5.9	4
11	Cullin Deneddylation Suppresses the Necroptotic Pathway in Cardiomyocytes. <i>Frontiers in Physiology</i> , 2021, 12, 690423.	2.8	5
12	Pathological Significance and Prognostic Roles of Indirect Bilirubin/Albumin Ratio in Hepatic Encephalopathy. <i>Frontiers in Medicine</i> , 2021, 8, 706407.	2.6	4
13	Catecholamine Surges Cause Cardiomyocyte Necroptosis via a RIPK1 α -RIPK3-Dependent Pathway in Mice. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 740839.	2.4	8
14	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (edition	9.1	1,430
15	A highly selective pyridoxal-based chemosensor for the detection of Zn(μ) and application in live-cell imaging; X-ray crystallography of pyridoxal-TRIS Schiff-base Zn(μ) and Cu(μ) complexes. <i>RSC Advances</i> , 2021, 11, 34181-34192.	3.6	12
16	Short Term Exposure to Bilirubin Induces Encephalopathy Similar to Alzheimer's Disease in Late Life. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 277-295.	2.6	10
17	Abnormal Serum Bilirubin/Albumin Concentrations in Dementia Patients With A β 2 Deposition and the Benefit of Intravenous Albumin Infusion for Alzheimer's Disease Treatment. <i>Frontiers in Neuroscience</i> , 2020, 14, 859.	2.8	10
18	Peptidomics Analysis Reveals Peptide PDCryab1 Inhibits Doxorubicin-Induced Cardiotoxicity. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-23.	4.0	8

#	ARTICLE	IF	CITATIONS
19	Proteasome malfunction activates the PPP3/calcineurin-TFEB-SQSTM1/p62 pathway to induce macroautophagy in the heart. <i>Autophagy</i> , 2020, 16, 2114-2116.	9.1	5
20	Autophagy Inhibition Enables Nrf2 to Exaggerate the Progression of Diabetic Cardiomyopathy in Mice. <i>Diabetes</i> , 2020, 69, 2720-2734.	0.6	66
21	The Calcineurin-TFEB-p62 Pathway Mediates the Activation of Cardiac Macroautophagy by Proteasomal Malfunction. <i>Circulation Research</i> , 2020, 127, 502-518.	4.5	73
22	CYLD exaggerates pressure overload-induced cardiomyopathy via suppressing autolysosome efflux in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 145, 59-73.	1.9	18
23	Priming the Proteasome to Protect against Proteotoxicity. <i>Trends in Molecular Medicine</i> , 2020, 26, 639-648.	6.7	17
24	COP9 Signalosome Suppresses RIPK1-RIPK3-Mediated Cardiomyocyte Necroptosis in Mice. <i>Circulation: Heart Failure</i> , 2020, 13, e006996.	3.9	14
25	In vivo genetic interrogations establish unequivocally the pathophysiological significance of proteasome phosphoregulation by protein kinase A. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 140, 6.	1.9	0
26	UCHL1 regulates oxidative activity in skeletal muscle. <i>PLoS ONE</i> , 2020, 15, e0241716.	2.5	11
27	RPN6 Ser14 Phosphorylation Is Responsible for Proteasome Activation by PKA and Protects against Pathological Cardiac Hypertrophy and Malfunction in Mice. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
28	Highly Dynamic Changes in the Activity and Regulation of Macroautophagy in Hearts Subjected to Increased Proteotoxic Stress. <i>Frontiers in Physiology</i> , 2019, 10, 758.	2.8	22
29	UCHL1 regulates muscle fibers and mTORC1 activity in skeletal muscle. <i>Life Sciences</i> , 2019, 233, 116699.	4.3	15
30	Synergistic effects of gefitinib and thalidomide treatment on EGFR-TKI-sensitive and -resistant NSCLC. <i>European Journal of Pharmacology</i> , 2019, 856, 172409.	3.5	16
31	Inhibition of USP14 enhances the sensitivity of breast cancer to enzalutamide. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 220.	8.6	58
32	PDE1 inhibition facilitates proteasomal degradation of misfolded proteins and protects against cardiac proteinopathy. <i>Science Advances</i> , 2019, 5, eaaw5870.	10.3	49
33	Inhibition of EGFR signaling with Spautin-1 represents a novel therapeutics for prostate cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 157.	8.6	71
34	Auranofin lethality to prostate cancer includes inhibition of proteasomal deubiquitinases and disrupted androgen receptor signaling. <i>European Journal of Pharmacology</i> , 2019, 846, 1-11.	3.5	34
35	Necroptosis Resulting from Activation of a RIP3-Dependent Pathway Contributes to Cardiomyocyte Death Induced by Isoproterenol. <i>FASEB Journal</i> , 2019, 33, 703.3.	0.5	0
36	Proteasome Phosphorylation and Activation by PKA Protects against Cardiac Remodeling in Mice Subjected to Myocardial Infarction. <i>FASEB Journal</i> , 2019, 33, lb477.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Post-MI Cardiac Remodeling and Malfunction in Mice Are Exacerbated by Cardiomyocyte-restricted Ablation of the Uchl1 Gene. <i>FASEB Journal</i> , 2019, 33, 532-9.	0.5	0
38	Cadmium pyrithione suppresses tumor growth in vitro and in vivo through inhibition of proteasomal deubiquitinase. <i>BioMetals</i> , 2018, 31, 29-43.	4.1	9
39	Targeting proteasome-associated deubiquitinases as a novel strategy for the treatment of estrogen receptor-positive breast cancer. <i>Oncogenesis</i> , 2018, 7, 75.	4.9	49
40	Inhibition of Proteasomal Deubiquitinase by Silver Complex Induces Apoptosis in Non-Small Cell Lung Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 49, 780-797.	1.6	20
41	Interplay Among Oxidative Stress, Redox Signaling, ER Stress, Autophagy, and Protein Ubiquitylation in Cardiometabolic Disorders. , 2018, , 29-42.		0
42	UBXN2A enhances CHIP-mediated proteasomal degradation of oncoprotein mortalin in cancer cells. <i>Molecular Oncology</i> , 2018, 12, 1753-1777.	4.6	25
43	Inadequate ubiquitination-proteasome coupling contributes to myocardial ischemia-reperfusion injury. <i>Journal of Clinical Investigation</i> , 2018, 128, 5294-5306.	8.2	32
44	Excessive β -adrenergic receptor stimulation induces cardiomyocyte necroptosis via a RIP3-dependent pathway. <i>FASEB Journal</i> , 2018, 32, 616.6.	0.5	0
45	UCHL1 regulates Interleukin-6 expression in skeletal muscles. <i>FASEB Journal</i> , 2018, 32, 907.11.	0.5	1
46	Inhibition of Type 1 Phosphodiesterase Confers Therapeutic Benefit to Proteinopathy-based HFpEF in Mice. <i>FASEB Journal</i> , 2018, 32, 903.14.	0.5	0
47	Deubiquitinase UCHL1 Regulates Myogenesis in Skeletal Muscles. <i>FASEB Journal</i> , 2018, 32, 769.6.	0.5	0
48	Proteasome-associated deubiquitinase ubiquitin-specific protease 14 regulates prostate cancer proliferation by deubiquitinating and stabilizing androgen receptor. <i>Cell Death and Disease</i> , 2017, 8, e2585-e2585.	6.3	96
49	Bilirubin neurotoxicity is associated with proteasome inhibition. <i>Cell Death and Disease</i> , 2017, 8, e2877-e2877.	6.3	28
50	Autophagy modulation: a potential therapeutic approach in cardiac hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H304-H319.	3.2	66
51	Cytoplasmic RAP1 mediates cisplatin resistance of non-small cell lung cancer. <i>Cell Death and Disease</i> , 2017, 8, e2803-e2803.	6.3	65
52	Cardiac proteasome functional insufficiency plays a pathogenic role in diabetic cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 102, 53-60.	1.9	33
53	TFEB activation protects against cardiac proteotoxicity via increasing autophagic flux. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 113, 51-62.	1.9	72
54	Hinokitiol copper complex inhibits proteasomal deubiquitination and induces paraptosis-like cell death in human cancer cells. <i>European Journal of Pharmacology</i> , 2017, 815, 147-155.	3.5	39

#	ARTICLE	IF	CITATIONS
55	Vascular Spasm: A Newly Unraveled Cause for Cardiovascular Adversity of Proteasome Inhibition. <i>EBioMedicine</i> , 2017, 21, 51-52.	6.1	3
56	Activation of Yap1/Taz signaling in ischemic heart disease and dilated cardiomyopathy. <i>Experimental and Molecular Pathology</i> , 2017, 103, 267-275.	2.1	44
57	Platinum pyrithione induces apoptosis in chronic myeloid leukemia cells resistant to imatinib via DUB inhibition-dependent caspase activation and Bcr-Abl downregulation. <i>Cell Death and Disease</i> , 2017, 8, e2913-e2913.	6.3	20
58	Myocardial Upregulation of Cathepsin D by Ischemic Heart Disease Promotes Autophagic Flux and Protects Against Cardiac Remodeling and Heart Failure. <i>Circulation: Heart Failure</i> , 2017, 10, .	3.9	47
59	A novel deubiquitinase inhibitor b-AP15 triggers apoptosis in both androgen receptor-dependent and -independent prostate cancers. <i>Oncotarget</i> , 2017, 8, 63232-63246.	1.8	36
60	Murine Myocardial Transcriptome Analysis Reveals a Critical Role of COPS8 in the Gene Expression of Cullin-RING Ligase Substrate Receptors and Redox and Vesicle Trafficking Pathways. <i>Frontiers in Physiology</i> , 2017, 8, 594.	2.8	7
61	Repurposing an antidandruff agent to treating cancer: zinc pyrithione inhibits tumor growth via targeting proteasome-associated deubiquitinases. <i>Oncotarget</i> , 2017, 8, 13942-13956.	1.8	25
62	Systemic inhibition of neddylation by 3-day MLN4924 treatment regime does not impair autophagic flux in mouse hearts and brains. <i>American Journal of Cardiovascular Disease</i> , 2017, 7, 134-150.	0.5	8
63	Cell type-specific transcriptome profiling in mammalian brains. <i>Frontiers in Bioscience - Landmark</i> , 2016, 21, 973-985.	3.0	6
64	Nuclear factor erythroid-2 related factor 2 Nrf2 -mediated protein quality control in cardiomyocytes. <i>Frontiers in Bioscience - Landmark</i> , 2016, 21, 192-202.	3.0	25
65	Platinum-containing compound platinum pyrithione is stronger and safer than cisplatin in cancer therapy. <i>Biochemical Pharmacology</i> , 2016, 116, 22-38.	4.4	33
66	A microRNA-mediated decrease in eukaryotic initiation factor 2 ϵ promotes cell survival during PS-341 treatment. <i>Scientific Reports</i> , 2016, 6, 21565.	3.3	23
67	Nickel pyrithione induces apoptosis in chronic myeloid leukemia cells resistant to imatinib via both Bcr/Abl-dependent and Bcr/Abl-independent mechanisms. <i>Journal of Hematology and Oncology</i> , 2016, 9, 129.	17.0	19
68	Mifepristone increases mRNA translation rate, triggers the unfolded protein response, increases autophagic flux, and kills ovarian cancer cells in combination with proteasome or lysosome inhibitors. <i>Molecular Oncology</i> , 2016, 10, 1099-1117.	4.6	29
69	A novel nickel complex works as a proteasomal deubiquitinase inhibitor for cancer therapy. <i>Oncogene</i> , 2016, 35, 5916-5927.	5.9	52
70	Transcription Factor 7-like 2 Mediates Canonical Wnt/ β -Catenin Signaling and c-Myc Upregulation in Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, .	3.9	52
71	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
72	The COP9 signalosome coerces autophagy and the ubiquitin-proteasome system to police the heart. <i>Autophagy</i> , 2016, 12, 601-602.	9.1	8

#	ARTICLE	IF	CITATIONS
73	Nrf2-Mediated Cardiac Maladaptive Remodeling and Dysfunction in a Setting of Autophagy Insufficiency. <i>Hypertension</i> , 2016, 67, 107-117.	2.7	72
74	Two clinical drugs deubiquitinase inhibitor auranofin and aldehyde dehydrogenase inhibitor disulfiram trigger synergistic anti-tumor effects <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2016, 7, 2796-2808.	1.8	57
75	Gambogic acid induces apoptosis in diffuse large B-cell lymphoma cells via inducing proteasome inhibition. <i>Scientific Reports</i> , 2015, 5, 9694.	3.3	21
76	Novel use of old drug: Anti-rheumatic agent auranofin overcomes imatinib-resistance of chronic myeloid leukemia cells. <i>Cancer Cell & Microenvironment</i> , 2015, 1, .	0.8	8
77	Priming the proteasome by protein kinase G: a novel cardioprotective mechanism of sildenafil. <i>Future Cardiology</i> , 2015, 11, 177-189.	1.2	6
78	Genetically induced moderate inhibition of 20S proteasomes in cardiomyocytes facilitates heart failure in mice during systolic overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 85, 273-281.	1.9	39
79	Entangled in a Heart-Ailing Quandary. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1215-1217.	2.8	0
80	NEDD8 Ultimate Buster 1 Long (NUB1L) Protein Suppresses Atypical Neddylation and Promotes the Proteasomal Degradation of Misfolded Proteins. <i>Journal of Biological Chemistry</i> , 2015, 290, 23850-23862.	3.4	29
81	Desmin Filaments and Desmin-Related Myopathy. , 2015, , 281-306.		0
82	COP9 Signalosome Controls the Degradation of Cytosolic Misfolded Proteins and Protects Against Cardiac Proteotoxicity. <i>Circulation Research</i> , 2015, 117, 956-966.	4.5	37
83	The interplay between autophagy and the ubiquitin-proteasome system in cardiac proteotoxicity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 188-194.	3.8	85
84	The COP9 signalosome and cullin-RING ligases in the heart. <i>American Journal of Cardiovascular Disease</i> , 2015, 5, 1-18.	0.5	8
85	The COP9 signalosome and vascular function: intriguing possibilities?. <i>American Journal of Cardiovascular Disease</i> , 2015, 5, 33-52.	0.5	4
86	Ubiquilin-1 Protects Cells from Oxidative Stress and Ischemic Stroke Caused Tissue Injury in Mice. <i>Journal of Neuroscience</i> , 2014, 34, 2813-2821.	3.6	62
87	Gambogic Acid Induces Apoptosis in Imatinib-Resistant Chronic Myeloid Leukemia Cells via Inducing Proteasome Inhibition and Caspase-Dependent Bcr-Abl Downregulation. <i>Clinical Cancer Research</i> , 2014, 20, 151-163.	7.0	116
88	The Proteasome Function Reporter GFPu Accumulates in Young Brains of the APP ^{swe} /PS1 ^{dE9} Alzheimer's Disease Mouse Model. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 315-322.	3.3	27
89	Proteasomal and lysosomal protein degradation and heart disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 71, 16-24.	1.9	127
90	Sumo E2 Enzyme UBC9 Is Required for Efficient Protein Quality Control in Cardiomyocytes. <i>Circulation Research</i> , 2014, 115, 721-729.	4.5	59

#	ARTICLE	IF	CITATIONS
91	Sulforaphane enhances proteasomal and autophagic activities in mice and is a potential therapeutic reagent for Huntington's disease. <i>Journal of Neurochemistry</i> , 2014, 129, 539-547.	3.9	87
92	Muscarinic 2 receptors modulate cardiac proteasome function in a protein kinase G-dependent manner. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 69, 43-51.	1.9	26
93	A novel proteasome inhibitor suppresses tumor growth via targeting both 19S proteasome deubiquitinases and 20S proteolytic peptidases. <i>Scientific Reports</i> , 2014, 4, 5240.	3.3	60
94	Autophagic-Lysosomal Inhibition Compromises Ubiquitin-Proteasome System Performance in a p62 Dependent Manner in Cardiomyocytes. <i>PLoS ONE</i> , 2014, 9, e100715.	2.5	40
95	Clinically used antirheumatic agent auranofin is a proteasomal deubiquitinase inhibitor and inhibits tumor growth. <i>Oncotarget</i> , 2014, 5, 5453-5471.	1.8	139
96	Anti-rheumatic agent auranofin induced apoptosis in chronic myeloid leukemia cells resistant to imatinib through both Bcr/Abl-dependent and -independent mechanisms. <i>Oncotarget</i> , 2014, 5, 9118-9132.	1.8	71
97	Defense Against Proteotoxic Stress in the Heart. , 2014, , 187-201.		0
98	Angiotensin II activates the proteasome and stimulates vascular smooth muscle cell proliferation (866.10). <i>FASEB Journal</i> , 2014, 28, 866.10.	0.5	0
99	Gambogic Acid Is a Tissue-Specific Proteasome Inhibitor In Vitro and In Vivo. <i>Cell Reports</i> , 2013, 3, 211-222.	6.4	93
100	Ubiquitin receptors and protein quality control. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 55, 73-84.	1.9	60
101	Altered ubiquitin-proteasome signaling in right ventricular hypertrophy and failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H551-H562.	3.2	44
102	The COP9 Signalosome Is Required for Autophagy, Proteasome-Mediated Proteolysis, and Cardiomyocyte Survival in Adult Mice. <i>Circulation: Heart Failure</i> , 2013, 6, 1049-1057.	3.9	56
103	Posttranslational Modification and Quality Control. <i>Circulation Research</i> , 2013, 112, 367-381.	4.5	73
104	Protein Kinase G Positively Regulates Proteasome-Mediated Degradation of Misfolded Proteins. <i>Circulation</i> , 2013, 128, 365-376.	1.6	118
105	Repeated intermittent administration of a ubiquitous proteasome inhibitor leads to restrictive cardiomyopathy. <i>European Journal of Heart Failure</i> , 2013, 15, 597-598.	7.1	5
106	COP9 Signalosome Subunit Csn8 Is Involved in Maintaining Proper Duration of the G1 Phase. <i>Journal of Biological Chemistry</i> , 2013, 288, 20443-20452.	3.4	16
107	Hepatic Deficiency of COP9 Signalosome Subunit 8 Induces Ubiquitin-Proteasome System Impairment and Bim-Mediated Apoptosis in Murine Livers. <i>PLoS ONE</i> , 2013, 8, e67793.	2.5	10
108	Bortezomib, a Proteasome Inhibitor, Attenuates Angiotensin II-Induced Hypertension and Aortic Remodeling in Rats. <i>PLoS ONE</i> , 2013, 8, e78564.	2.5	21

#	ARTICLE	IF	CITATIONS
109	Gambogic acid moderates cardiac responses to chronic hypoxia likely by acting on the proteasome and NF- κ B pathway. <i>American Journal of Cardiovascular Disease</i> , 2013, 3, 135-45.	0.5	1
110	Gambogic acid suppresses pressure overload cardiac hypertrophy in rats. <i>American Journal of Cardiovascular Disease</i> , 2013, 3, 227-38.	0.5	6
111	Genetically Induced Moderate Inhibition of the Proteasome in Cardiomyocytes Exacerbates Myocardial Ischemia-Reperfusion Injury in Mice. <i>Circulation Research</i> , 2012, 111, 532-542.	4.5	100
112	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
113	The Ubiquitin-Proteasome System and Cardiovascular Disease. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 109, 295-346.	1.7	77
114	Protein Quality Control in Cardiomyocytes. , 2012, , 353-367.		0
115	L-Carnitine Is an Endogenous HDAC Inhibitor Selectively Inhibiting Cancer Cell Growth In Vivo and In Vitro. <i>PLoS ONE</i> , 2012, 7, e49062.	2.5	70
116	FoxO3 hastens autophagy and shrinks the heart but does not curtail pathological hypertrophy in adult mice. <i>Cardiovascular Research</i> , 2011, 91, 561-562.	3.8	3
117	Enhancement of proteasome function by PA28 \pm overexpression protects against oxidative stress. <i>FASEB Journal</i> , 2011, 25, 883-893.	0.5	136
118	p62 Stages an Interplay Between the Ubiquitin-Proteasome System and Autophagy in the Heart of Defense Against Proteotoxic Stress. <i>Trends in Cardiovascular Medicine</i> , 2011, 21, 224-228.	4.9	64
119	Proteasome functional insufficiency in cardiac pathogenesis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H2207-H2219.	3.2	65
120	The role of the proteasome in heart disease. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 141-149.	1.9	47
121	Sanggenon C decreases tumor cell viability associated with proteasome inhibition. <i>Frontiers in Bioscience - Elite</i> , 2011, E3, 1315-1325.	1.8	18
122	COP9 signalosome subunit 8 is required for postnatal hepatocyte survival and effective proliferation. <i>Cell Death and Differentiation</i> , 2011, 18, 259-270.	11.2	18
123	Shikonin extracted from medicinal Chinese herbs exerts anti-inflammatory effect via proteasome inhibition. <i>European Journal of Pharmacology</i> , 2011, 658, 242-247.	3.5	134
124	Autophagy and p62 in cardiac protein quality control. <i>Autophagy</i> , 2011, 7, 1382-1383.	9.1	19
125	Perturbation of Cullin Deneddylation via Conditional Csn8 Ablation Impairs the Ubiquitin-Proteasome System and Causes Cardiomyocyte Necrosis and Dilated Cardiomyopathy in Mice. <i>Circulation Research</i> , 2011, 108, 40-50.	4.5	95
126	COP9 Signalosome Regulates Autophagosome Maturation. <i>Circulation</i> , 2011, 124, 2117-2128.	1.6	102

#	ARTICLE	IF	CITATIONS
127	Autophagy and p62 in Cardiac Proteinopathy. <i>Circulation Research</i> , 2011, 109, 296-308.	4.5	177
128	Enhancement of proteasomal function protects against cardiac proteinopathy and ischemia/reperfusion injury in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 3689-3700.	8.2	169
129	Proteasome malfunction activates macroautophagy in the heart. <i>American Journal of Cardiovascular Disease</i> , 2011, 1, 214-26.	0.5	46
130	Unraveling Enigma in the Z-Disks. <i>Circulation Research</i> , 2010, 107, 321-323.	4.5	5
131	Proteasome functional insufficiency activates the calcineurin-NFAT pathway in cardiomyocytes and promotes maladaptive remodelling of stressed mouse hearts. <i>Cardiovascular Research</i> , 2010, 88, 424-433.	3.8	99
132	The role of the ubiquitin-proteasome pathway in cardiovascular disease. <i>Cardiovascular Research</i> , 2010, 85, 251-252.	3.8	27
133	The ubiquitin-proteasome system in cardiac proteinopathy: a quality control perspective. <i>Cardiovascular Research</i> , 2010, 85, 253-262.	3.8	106
134	Physiological levels of ATP negatively regulate proteasome function. <i>Cell Research</i> , 2010, 20, 1372-1385.	12.0	126
135	Doxycycline Attenuates Protein Aggregation in Cardiomyocytes and Improves Survival of a Mouse Model of Cardiac Proteinopathy. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1418-1426.	2.8	29
136	Protein quality control in protection against systolic overload cardiomyopathy: the long term role of small heat shock proteins. <i>American Journal of Translational Research (discontinued)</i> , 2010, 2, 390-401.	0.0	11
137	Shikonin exerts antitumor activity <i>via</i> proteasome inhibition and cell death induction <i>in vitro</i> and <i>in vivo</i> . <i>International Journal of Cancer</i> , 2009, 124, 2450-2459.	5.1	151
138	Activation of the ubiquitin-proteasome system in doxorubicin cardiomyopathy. <i>Current Hypertension Reports</i> , 2009, 11, 389-395.	3.5	54
139	The COP9 signalosome negatively regulates proteasome proteolytic function and is essential to transcription. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 615-624.	2.8	30
140	Interplay between the ubiquitin-proteasome system and autophagy in proteinopathies. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2009, 1, 127-42.	0.8	37
141	Upregulation of myocardial 11S-activated proteasome in experimental hyperglycemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 618-621.	1.9	47
142	Protein quality control and degradation in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 11-27.	1.9	107
143	A therapeutic dose of doxorubicin activates ubiquitin-proteasome system-mediated proteolysis by acting on both the ubiquitination apparatus and proteasome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H2541-H2550.	3.2	77
144	Differential Activities of the Ubiquitin-Proteasome System in Neurons versus Glia May Account for the Preferential Accumulation of Misfolded Proteins in Neurons. <i>Journal of Neuroscience</i> , 2008, 28, 13285-13295.	3.6	158

#	ARTICLE	IF	CITATIONS
145	Î±B-Crystallin Suppresses Pressure Overload Cardiac Hypertrophy. <i>Circulation Research</i> , 2008, 103, 1473-1482.	4.5	79
146	Diminished GATA4 Protein Levels Contribute to Hyperglycemia-induced Cardiomyocyte Injury. <i>Journal of Biological Chemistry</i> , 2007, 282, 21945-21952.	3.4	46
147	Cardiac-specific haploinsufficiency of Î²-catenin attenuates cardiac hypertrophy but enhances fetal gene expression in response to aortic constriction. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 43, 319-326.	1.9	63
148	Upregulation of Î³-catenin compensates for the loss of Î²-catenin in adult cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H270-H276.	3.2	66
149	Genetic inhibition of cullin-based ubiquitin ligase dynamics in adult mouse hearts suffices to cause heart failure (HF). <i>FASEB Journal</i> , 2007, 21, A870.	0.5	0
150	Aberrant protein aggregation is essential for mutant desmin to impair the proteolytic function of the ubiquitin-proteasome system in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 40, 451-454.	1.9	86
151	A120. Activation of the calcineurin-NFAT pathway in desminopathy mouse hearts: The role of proteasomal malfunction. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 40, 910.	1.9	0
152	Cardiac specific haploinsufficiency of Î²-catenin attenuates cardiac hypertrophy from aortic constriction. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 740-740.	1.9	0
153	The ubiquitin-proteasome system in cardiac remodeling and failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 748-748.	1.9	0
154	Nuclear compartmentalization of FAK and FRNK in cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H2509-H2515.	3.2	24
155	Heart Failure and Protein Quality Control. <i>Circulation Research</i> , 2006, 99, 1315-1328.	4.5	205
156	GFP reporter mouse models of UPS proteolytic function. <i>FASEB Journal</i> , 2006, 20, 1027-1028.	0.5	3
157	Impairment of the ubiquitin-proteasome system in desminopathy mouse hearts. <i>FASEB Journal</i> , 2006, 20, 362-364.	0.5	146
158	Remodeling of gap junctions and slow conduction in a mouse model of desmin-related cardiomyopathy. <i>Cardiovascular Research</i> , 2005, 67, 539-547.	3.8	45
159	Intrasarcoplasmic Amyloidosis Impairs Proteolytic Function of Proteasomes in Cardiomyocytes by Compromising Substrate Uptake. <i>Circulation Research</i> , 2005, 97, 1018-1026.	4.5	145
160	A novel transgenic mouse model reveals deregulation of the ubiquitin-proteasome system in the heart by doxorubicin. <i>FASEB Journal</i> , 2005, 19, 2051-2053.	0.5	108
161	Low Thyroid Function Leads to Cardiac Atrophy With Chamber Dilatation, Impaired Myocardial Blood Flow, Loss of Arterioles, and Severe Systolic Dysfunction. <i>Circulation</i> , 2005, 112, 3122-3130.	1.6	154
162	In situ dynamically monitoring the proteolytic function of the ubiquitin-proteasome system in cultured cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H1417-H1425.	3.2	62

#	ARTICLE	IF	CITATIONS
163	Structural basis of ventricular remodeling: Role of the myocyte. <i>Current Heart Failure Reports</i> , 2004, 1, 5-8.	3.3	10
164	Myocardial expression and redistribution of GRKs in hypertensive hypertrophy and failure. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 2004, 282, 13-23.	2.0	26
165	Genetic modification of the heart: chaperones and the cytoskeleton. <i>Journal of Molecular and Cellular Cardiology</i> , 2004, 37, 1097-109.	1.9	52
166	Subcellular Redistribution of Focal Adhesion Kinase and Its Related Nonkinase in Hypertrophic Myocardium. <i>Hypertension</i> , 2003, 41, 1317-1323.	2.7	38
167	β -Crystallin Modulates Protein Aggregation of Abnormal Desmin. <i>Circulation Research</i> , 2003, 93, 998-1005.	4.5	114
168	Structural Remodeling of Cardiac Myocytes in Hypertrophy and Progression to Failure. <i>Progress in Experimental Cardiology</i> , 2003, , 183-193.	0.0	0
169	Desmin filaments and cardiac disease: Establishing causality. <i>Journal of Cardiac Failure</i> , 2002, 8, S287-S292.	1.7	44
170	Expression of R120G β -Crystallin Causes Aberrant Desmin and β -Crystallin Aggregation and Cardiomyopathy in Mice. <i>Circulation Research</i> , 2001, 89, 84-91.	4.5	282
171	PKA-dependent phosphorylation of cardiac myosin binding protein C in transgenic mice. <i>Cardiovascular Research</i> , 2001, 51, 80-88.	3.8	24
172	Increased Myocardial Rab GTPase Expression. <i>Circulation Research</i> , 2001, 89, 1130-1137.	4.5	92
173	Mouse Model of Desmin-Related Cardiomyopathy. <i>Circulation</i> , 2001, 103, 2402-2407.	1.6	184
174	In Vivo Analysis of an Essential Myosin Light Chain Mutation Linked to Familial Hypertrophic Cardiomyopathy. <i>Circulation Research</i> , 2000, 87, 296-302.	4.5	54
175	Chronic Pressure Overload Cardiac Hypertrophy and Failure in Guinea Pigs: I. Regional Hemodynamics and Myocyte Remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 307-317.	1.9	27
176	Chronic Pressure Overload Cardiac Hypertrophy and Failure in Guinea Pigs: II. Cytoskeletal Remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 319-331.	1.9	86
177	Chronic Pressure Overload Cardiac Hypertrophy and Failure in Guinea Pigs: III. Intercalated Disc Remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 333-343.	1.9	101
178	The Absence of Desmin Leads to Cardiomyocyte Hypertrophy and Cardiac Dilatation with Compromised Systolic Function. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 2063-2076.	1.9	159
179	Formation of Binucleated Cardiac Myocytes in Rat Heart: I. Role of Actin-myosin Contractile Ring. <i>Journal of Molecular and Cellular Cardiology</i> , 1997, 29, 1541-1551.	1.9	93
180	Formation of Binucleated Cardiac Myocytes in Rat Heart: II. Cytoskeletal Organisation. <i>Journal of Molecular and Cellular Cardiology</i> , 1997, 29, 1553-1565.	1.9	64

#	ARTICLE	IF	CITATIONS
181	Rapid Transition of Cardiac Myocytes from Hyperplasia to Hypertrophy During Postnatal Development. <i>Journal of Molecular and Cellular Cardiology</i> , 1996, 28, 1737-1746.	1.9	729
182	Myocyte Remodeling During the Progression to Failure in Rats With Hypertension. <i>Hypertension</i> , 1996, 28, 609-614.	2.7	58