

Paul Dupree

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2045776/publications.pdf>

Version: 2024-02-01

179
papers

18,903
citations

8181

76
h-index

12597

132
g-index

205
all docs

205
docs citations

205
times ranked

16199
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights into the oxidative degradation of cellulose by a copper metalloenzyme that exploits biomass components. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 15079-15084.	7.1	861
2	The wood from the trees: The use of timber in construction. Renewable and Sustainable Energy Reviews, 2017, 68, 333-359.	16.4	721
3	VIP21, a 21-kD membrane protein is an integral component of trans-Golgi-network-derived transport vesicles.. Journal of Cell Biology, 1992, 118, 1003-1014.	5.2	529
4	Mapping the Arabidopsis organelle proteome. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 6518-6523.	7.1	518
5	Lignocellulose degradation mechanisms across the Tree of Life. Current Opinion in Chemical Biology, 2015, 29, 108-119.	6.1	478
6	Analysis of Detergent-Resistant Membranes in Arabidopsis. Evidence for Plasma Membrane Lipid Rafts. Plant Physiology, 2005, 137, 104-116.	4.8	445
7	Caveolae and sorting in the trans-Golgi network of epithelial cells.. EMBO Journal, 1993, 12, 1597-1605.	7.8	423
8	Identification of Glycosylphosphatidylinositol-Anchored Proteins in Arabidopsis. A Proteomic and Genomic Analysis. Plant Physiology, 2003, 132, 568-577.	4.8	364
9	Comparison of five xylan synthesis mutants reveals new insight into the mechanisms of xylan synthesis. Plant Journal, 2007, 52, 1154-1168.	5.7	338
10	Glycan complexity dictates microbial resource allocation in the large intestine. Nature Communications, 2015, 6, 7481.	12.8	328
11	COBRA, an Arabidopsis Extracellular Glycosyl-Phosphatidyl Inositol-Anchored Protein, Specifically Controls Highly Anisotropic Expansion through Its Involvement in Cellulose Microfibril Orientation. Plant Cell, 2005, 17, 1749-1763.	6.6	321
12	Localization of Organelle Proteins by Isotope Tagging (LOPIT). Molecular and Cellular Proteomics, 2004, 3, 1128-1134.	3.8	305
13	Folding of xylan onto cellulose fibrils in plant cell walls revealed by solid-state NMR. Nature Communications, 2016, 7, 13902.	12.8	287
14	Absence of branches from xylan in Arabidopsis <i>gux</i> mutants reveals potential for simplification of lignocellulosic biomass. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17409-17414.	7.1	283
15	Characterization of IRX10 and IRX10-like reveals an essential role in glucuronoxylan biosynthesis in Arabidopsis. Plant Journal, 2009, 57, 732-746.	5.7	279
16	The molecular basis of polysaccharide cleavage by lytic polysaccharide monooxygenases. Nature Chemical Biology, 2016, 12, 298-303.	8.0	264
17	Glycosyl transferases in family 61 mediate arabinofuranosyl transfer onto xylan in grasses. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 989-993.	7.1	263
18	Structure and boosting activity of a starch-degrading lytic polysaccharide monooxygenase. Nature Communications, 2015, 6, 5961.	12.8	254

#	ARTICLE	IF	CITATIONS
19	Lignin biosynthesis perturbations affect secondary cell wall composition and saccharification yield in <i>Arabidopsis thaliana</i> . <i>Biotechnology for Biofuels</i> , 2013, 6, 46.	6.2	251
20	VASCULAR-RELATED NAC-DOMAIN6 and VASCULAR-RELATED NAC-DOMAIN7 Effectively Induce Transdifferentiation into Xylem Vessel Elements under Control of an Induction System \bar{A} . <i>Plant Physiology</i> , 2010, 153, 906-914.	4.8	250
21	Two-dimensional gel electrophoresis: recent advances in sample preparation, detection and quantitation. <i>Current Opinion in Chemical Biology</i> , 2002, 6, 46-50.	6.1	248
22	The pattern of xylan acetylation suggests xylan may interact with cellulose microfibrils as a twofold helical screw in the secondary plant cell wall of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2014, 79, 492-506.	5.7	243
23	Resolution of the structural isomers of partially methylesterified oligogalacturonides by polysaccharide analysis using carbohydrate gel electrophoresis. <i>Glycobiology</i> , 2006, 16, 29-35.	2.5	221
24	Covalent interactions between lignin and hemicelluloses in plant secondary cell walls. <i>Current Opinion in Biotechnology</i> , 2019, 56, 97-104.	6.6	208
25	An even pattern of xylan substitution is critical for interaction with cellulose in plant cell walls. <i>Nature Plants</i> , 2017, 3, 859-865.	9.3	204
26	An ancient family of lytic polysaccharide monooxygenases with roles in arthropod development and biomass digestion. <i>Nature Communications</i> , 2018, 9, 756.	12.8	192
27	Targeting of Active Sialyltransferase to the Plant Golgi Apparatus. <i>Plant Cell</i> , 1998, 10, 1759-1768.	6.6	187
28	Glycosylphosphatidylinositol Lipid Anchoring of Plant Proteins. Sensitive Prediction from Sequence- and Genome-Wide Studies for <i>Arabidopsis</i> and Rice. <i>Plant Physiology</i> , 2003, 133, 1691-1701.	4.8	185
29	Prediction of Glycosylphosphatidylinositol-Anchored Proteins in <i>Arabidopsis</i> . A Genomic Analysis: Table I.. <i>Plant Physiology</i> , 2002, 129, 486-499.	4.8	181
30	A Novel Bioinformatics Approach Identifies Candidate Genes for the Synthesis and Feruloylation of Arabinoxylan. <i>Plant Physiology</i> , 2007, 144, 43-53.	4.8	181
31	Cell wall glucomannan in <i>Arabidopsis</i> is synthesised by CSLA glycosyltransferases, and influences the progression of embryogenesis. <i>Plant Journal</i> , 2009, 60, 527-538.	5.7	180
32	SETH1 and SETH2, Two Components of the Glycosylphosphatidylinositol Anchor Biosynthetic Pathway, Are Required for Pollen Germination and Tube Growth in <i>Arabidopsis</i> \bar{A} [W]. <i>Plant Cell</i> , 2004, 16, 229-240.	6.6	178
33	<i>GUX</i> 1 and <i>GUX</i> 2 glucuronyltransferases decorate distinct domains of glucuronoxylan with different substitution patterns. <i>Plant Journal</i> , 2013, 74, 423-434.	5.7	169
34	Polysaccharide Analysis Using Carbohydrate Gel Electrophoresis: A Method to Study Plant Cell Wall Polysaccharides and Polysaccharide Hydrolases. <i>Analytical Biochemistry</i> , 2002, 300, 53-68.	2.4	167
35	Molecular architecture of softwood revealed by solid-state NMR. <i>Nature Communications</i> , 2019, 10, 4978.	12.8	157
36	ECA3, a Golgi-Localized P2A-Type ATPase, Plays a Crucial Role in Manganese Nutrition in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2008, 146, 116-128.	4.8	155

#	ARTICLE	IF	CITATIONS
37	Unusual Microbial Xylanases from Insect Guts. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3609-3617.	3.1	154
38	The Arabidopsis <i>ppi1</i> Mutant Is Specifically Defective in the Expression, Chloroplast Import, and Accumulation of Photosynthetic Proteins[W]. <i>Plant Cell</i> , 2003, 15, 1859-1871.	6.6	153
39	Caveolae and sorting in the trans-Golgi network of epithelial cells. <i>EMBO Journal</i> , 1993, 12, 1597-605.	7.8	152
40	Putative Glycosyltransferases and Other Plant Golgi Apparatus Proteins Are Revealed by LOPIT Proteomics. <i>Plant Physiology</i> , 2012, 160, 1037-1051.	4.8	149
41	Co-operative regulation of endocytosis by three RAB5 isoforms. <i>FEBS Letters</i> , 1995, 366, 65-71.	2.8	144
42	Identification and Characterization of GONST1, a Golgi-Localized GDP-Mannose Transporter in Arabidopsis. <i>Plant Cell</i> , 2001, 13, 2283-2295.	6.6	142
43	β -Galactosyl Yariv Reagent Binds to the β -1,3-Galactan of Arabinogalactan Proteins. <i>Plant Physiology</i> , 2013, 161, 1117-1126.	4.8	142
44	Use of a proteome strategy for tagging proteins present at the plasma membrane. <i>Plant Journal</i> , 1998, 16, 633-641.	5.7	138
45	Glycosylphosphatidylinositol-anchored cell-surface proteins from Arabidopsis. <i>Electrophoresis</i> , 1999, 20, 2027-2035.	2.4	136
46	A proteomic approach identifies many novel palmitoylated proteins in Arabidopsis. <i>New Phytologist</i> , 2013, 197, 805-814.	7.3	135
47	Arabidopsis genes <i>IRREGULAR XYLEM</i> (<i>IRX15</i>) and <i>IRX15L</i> encode DUF579-containing proteins that are essential for normal xylan deposition in the secondary cell wall. <i>Plant Journal</i> , 2011, 66, 401-413.	5.7	134
48	Evolution of Xylan Substitution Patterns in Gymnosperms and Angiosperms: Implications for Xylan Interaction with Cellulose. <i>Plant Physiology</i> , 2016, 171, 2418-2431.	4.8	134
49	Structural and electronic determinants of lytic polysaccharide monooxygenase reactivity on polysaccharide substrates. <i>Nature Communications</i> , 2017, 8, 1064.	12.8	134
50	UDP-Glucose 4-Epimerase Isoforms UGE2 and UGE4 Cooperate in Providing UDP-Galactose for Cell Wall Biosynthesis and Growth of Arabidopsis thaliana. <i>Plant Cell</i> , 2007, 19, 1565-1579.	6.6	133
51	Structural Characterization of Arabidopsis Leaf Arabinogalactan Polysaccharides. <i>Plant Physiology</i> , 2012, 160, 653-666.	4.8	132
52	A proteomic analysis of organelles from Arabidopsis thaliana. <i>Electrophoresis</i> , 2000, 21, 3488-3499.	2.4	128
53	Diversity of the exoproteome of Fusarium graminearum grown on plant cell wall. <i>Current Genetics</i> , 2005, 48, 366-379.	1.7	128
54	Molecular cloning and subcellular localization of three GTP-binding proteins of the rab subfamily. <i>Journal of Cell Science</i> , 1993, 106, 1249-1261.	2.0	128

#	ARTICLE	IF	CITATIONS
55	Protein transport to the dendritic plasma membrane of cultured neurons is regulated by rab8p.. Journal of Cell Biology, 1993, 123, 47-55.	5.2	120
56	Localisation and characterisation of cell wall mannan polysaccharides in Arabidopsis thaliana. Planta, 2003, 218, 27-36.	3.2	120
57	An evolutionary route to xylanase process fitness. Protein Science, 2004, 13, 494-503.	7.6	113
58	The Golgi localized bifunctional UDP-rhamnose/UDP-galactose transporter family of <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11563-11568.	7.1	113
59	The plant Golgi apparatus. Biochimica Et Biophysica Acta - Molecular Cell Research, 1998, 1404, 259-270.	4.1	111
60	Golgi-localized STELLO proteins regulate the assembly and trafficking of cellulose synthase complexes in Arabidopsis. Nature Communications, 2016, 7, 11656.	12.8	110
61	AtCSLA7, a Cellulose Synthase-Like Putative Glycosyltransferase, Is Important for Pollen Tube Growth and Embryogenesis in Arabidopsis. Plant Physiology, 2003, 131, 547-557.	4.8	109
62	The modular architecture of Cellvibrio japonicus mannanases in glycoside hydrolase families 5 and 26 points to differences in their role in mannan degradation. Biochemical Journal, 2003, 371, 1027-1043.	3.7	104
63	A surface endogalactanase in Bacteroides thetaiotaomicron confers keystone status for arabinogalactan degradation. Nature Microbiology, 2018, 3, 1314-1326.	13.3	103
64	Carbohydrate structural analysis of wheat flour arabinogalactan protein. Carbohydrate Research, 2010, 345, 2648-2656.	2.3	101
65	Chemical and in situ characterization of macromolecular components of the cell walls from the green seaweed Codium fragile. Glycobiology, 2009, 19, 212-228.	2.5	99
66	Quantitative and reproducible two-dimensional gel analysis using Phoretix 2D Full. Electrophoresis, 2001, 22, 2075-2085.	2.4	97
67	Quantitative proteomic approach to study subcellular localization of membrane proteins. Nature Protocols, 2006, 1, 1778-1789.	12.0	96
68	The role of carbon starvation in the induction of enzymes that degrade plant-derived carbohydrates in Aspergillus niger. Fungal Genetics and Biology, 2014, 72, 34-47.	2.1	95
69	Structure elucidation of arabinoxylan isomers by normal phase HPLC-MALDI-TOF/TOF-MS/MS. Carbohydrate Research, 2007, 342, 724-735.	2.3	93
70	Cloning and subcellular localization of novel rab proteins reveals polarized and cell type-specific expression. Journal of Cell Science, 1994, 107, 3437-3448.	2.0	93
71	A Deficiency of the Small GTPase rab8 Inhibits Membrane Traffic in Developing Neurons. Molecular and Cellular Biology, 1995, 15, 918-924.	2.3	92
72	Abnormal Glycosphingolipid Mannosylation Triggers Salicylic Acid-Mediated Responses in <i>Arabidopsis</i> . Plant Cell, 2013, 25, 1881-1894.	6.6	92

#	ARTICLE	IF	CITATIONS
73	VIP21-Caveolin, a protein of the trans-Golgi network and caveolae. FEBS Letters, 1994, 346, 88-91.	2.8	86
74	Aspen tension wood fibers contain Î²-(1â†4)-galactans and acidic arabinogalactans retained by cellulose microfibrils in gelatinous walls. Plant Physiology, 2015, 169, pp.00690.2015.	4.8	86
75	A Î²-glucuronosyltransferase from <i>Arabidopsis thaliana</i> involved in biosynthesis of type II arabinogalactan has a role in cell elongation during seedling growth. Plant Journal, 2013, 76, 1016-1029.	5.7	84
76	Guilt by insolubility - does a protein's detergent insolubility reflect a caveolar location?. Trends in Cell Biology, 1995, 5, 187-189.	7.9	84
77	A galactosyltransferase acting on arabinogalactan protein glycans is essential for embryo development in <i>Arabidopsis</i> . Plant Journal, 2013, 76, 128-137.	5.7	80
78	Identification of a Sphingolipid Î±-Glucuronosyltransferase That Is Essential for Pollen Function in <i>Arabidopsis</i> . Plant Cell, 2014, 26, 3314-3325.	6.6	80
79	Cell wall remodeling under salt stress: Insights into changes in polysaccharides, feruloylation, lignification, and phenolic metabolism in maize. Plant, Cell and Environment, 2020, 43, 2172-2191.	5.7	79
80	Methods of quantitative proteomics and their application to plant organelle characterization. Journal of Experimental Botany, 2006, 57, 1493-1499.	4.8	77
81	An unusual xylan in <i>Arabidopsis</i> primary cell walls is synthesised by <i>GLX3</i> , <i>IRX9L</i> , <i>IRX10L</i> and <i>IRX14</i> . Plant Journal, 2015, 83, 413-426.	5.7	77
82	Three Decades of Advances in Arabinogalactan-Protein Biosynthesis. Frontiers in Plant Science, 2020, 11, 610377.	3.6	76
83	Xylan decoration patterns and the plant secondary cell wall molecular architecture. Biochemical Society Transactions, 2016, 44, 74-78.	3.4	75
84	A multifunctional hybrid glycosyl hydrolase discovered in an uncultured microbial consortium from ruminant gut. Applied Microbiology and Biotechnology, 2007, 74, 113-124.	3.6	71
85	Subcellular localization of membrane proteins. Proteomics, 2008, 8, 3991-4011.	2.2	71
86	Probing the Molecular Architecture of <i>Arabidopsis thaliana</i> Secondary Cell Walls Using Two- and Three-Dimensional ¹³ C Solid State Nuclear Magnetic Resonance Spectroscopy. Biochemistry, 2015, 54, 2335-2345.	2.5	69
87	<i>Arabidopsis thaliana</i> expresses multiple Golgi-localised nucleotide-sugar transporters related to GONST1. Molecular Genetics and Genomics, 2004, 272, 397-410.	2.1	67
88	Identification of an algal xylan synthase indicates that there is functional orthology between algal and plant cell wall biosynthesis. New Phytologist, 2018, 218, 1049-1060.	7.3	67
89	Dynamic Response of Prevacuolar Compartments to Brefeldin A in Plant Cells. Plant Physiology, 2006, 142, 1442-1459.	4.8	66
90	The environmental and economic sustainability of potential bioethanol from willow in the UK. Bioresource Technology, 2010, 101, 9612-9623.	9.6	66

#	ARTICLE	IF	CITATIONS
91	Suppression of xylan endotransglycosylase <i>Xyn10A</i> affects cellulose microfibril angle in secondary wall in aspen wood. <i>New Phytologist</i> , 2015, 205, 666-681.	7.3	66
92	Calcium Binding by Arabinogalactan Polysaccharides Is Important for Normal Plant Development. <i>Plant Cell</i> , 2020, 32, 3346-3369.	6.6	65
93	Effects of Xylan Side-Chain Substitutions on Xylan-Cellulose Interactions and Implications for Thermal Pretreatment of Cellulosic Biomass. <i>Biomacromolecules</i> , 2017, 18, 1311-1321.	5.4	64
94	Evidence That GH115 β -Glucuronidase Activity, Which Is Required to Degrade Plant Biomass, Is Dependent on Conformational Flexibility. <i>Journal of Biological Chemistry</i> , 2014, 289, 53-64.	3.4	63
95	The Patterned Structure of Galactoglucomannan Suggests It May Bind to Cellulose in Seed Mucilage. <i>Plant Physiology</i> , 2018, 178, 1011-1026.	4.8	62
96	The use of isotope-coded affinity tags (ICAT) to study organelle proteomes in <i>Arabidopsis thaliana</i> . <i>Biochemical Society Transactions</i> , 2004, 32, 520-523.	3.4	61
97	UUAT1 Is a Golgi-Localized UDP-Uronic Acid Transporter That Modulates the Polysaccharide Composition of <i>Arabidopsis</i> Seed Mucilage. <i>Plant Cell</i> , 2017, 29, 129-143.	6.6	60
98	Characterisation of FUT4 and FUT6 β -(1 \rightarrow 2)-Fucosyltransferases Reveals that Absence of Root Arabinogalactan Fucosylation Increases <i>Arabidopsis</i> Root Growth Salt Sensitivity. <i>PLoS ONE</i> , 2014, 9, e93291.	2.5	59
99	A scaffold-associated DNA region is located downstream of the pea plastocyanin gene. <i>Plant Cell</i> , 1991, 3, 1239-1250.	6.6	58
100	Removal of glucuronic acid from xylan is a strategy to improve the conversion of plant biomass to sugars for bioenergy. <i>Biotechnology for Biofuels</i> , 2017, 10, 224.	6.2	57
101	Mapping of Ras-related GTP-binding proteins by GTP overlay following two-dimensional gel electrophoresis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 7874-7878.	7.1	56
102	Plant endoplasmic reticulum supports the protein secretory pathway and has a role in proliferating tissues. <i>Plant Journal</i> , 2006, 48, 657-673.	5.7	56
103	Monoclonal antibodies indicate low-abundance links between heteroxylan and other glycans of plant cell walls. <i>Planta</i> , 2015, 242, 1321-1334.	3.2	53
104	Vascular Plants Are Globally Significant Contributors to Marine Carbon Fluxes and Sinks. <i>Annual Review of Marine Science</i> , 2020, 12, 469-497.	11.6	50
105	Biogenesis of Cell-surface Polarity in Epithelial Cells and Neurons. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1992, 57, 611-619.	1.1	50
106	Plant organelle proteomics. <i>Current Opinion in Plant Biology</i> , 2007, 10, 594-599.	7.1	49
107	Label-Free Protein Quantification for Plant Golgi Protein Localization and Abundance. <i>Plant Physiology</i> , 2014, 166, 1033-1043.	4.8	48
108	KONJAC1 and 2 Are Key Factors for GDP-Mannose Generation and Affect L-Ascorbic Acid and Glucomannan Biosynthesis in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2015, 27, 3397-3409.	6.6	48

#	ARTICLE	IF	CITATIONS
109	Galactoglucomannans Increase Cell Population Density and Alter the Protoxylem/Metaxylem Tracheary Element Ratio in Xylogenic Cultures of <i>Zinnia</i> . <i>Plant Physiology</i> , 2006, 142, 696-709.	4.8	47
110	Oligosaccharide relative quantitation using isotope tagging and normalâ€phase liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 2723-2730.	1.5	45
111	Identification of an additional protein involved in mannan biosynthesis. <i>Plant Journal</i> , 2013, 73, 105-117.	5.7	45
112	Isolation of a mouse cDNA encoding Rab23, a small novel GTPase expressed predominantly in the brain. <i>Gene</i> , 1994, 138, 207-211.	2.2	44
113	Chapter 2 Expression of Exogenous Proteins in Mammalian Cells with the Semliki Forest Virus Vector. <i>Methods in Cell Biology</i> , 1994, 43 Pt A, 43-53.	1.1	44
114	Molecular cloning and subcellular localization of three GTP-binding proteins of the rab subfamily. <i>Journal of Cell Science</i> , 1993, 106 (Pt 4), 1249-61.	2.0	42
115	A unique family of proteins associated with internalized membranes in protein storage vacuoles of the Brassicaceae. <i>Plant Journal</i> , 2005, 41, 429-441.	5.7	40
116	Phylogenetic and Biochemical Evidence Supports the Recruitment of an ADP-Glucose Translocator for the Export of Photosynthate during Plastid Endosymbiosis. <i>Molecular Biology and Evolution</i> , 2010, 27, 2691-2701.	8.9	40
117	Structural Imaging of Native Cryo-Preserved Secondary Cell Walls Reveals the Presence of Macrofibrils and Their Formation Requires Normal Cellulose, Lignin and Xylan Biosynthesis. <i>Frontiers in Plant Science</i> , 2019, 10, 1398.	3.6	40
118	Structural Modifications of Fructans in <i>Aloe barbadensis</i> Miller (<i>Aloe Vera</i>) Grown under Water Stress. <i>PLoS ONE</i> , 2016, 11, e0159819.	2.5	38
119	Expression of photosynthesis gene-promoter fusions in leaf epidermal cells of transgenic tobacco plants. <i>Plant Journal</i> , 1991, 1, 115-120.	5.7	37
120	Development and application of a high throughput carbohydrate profiling technique for analyzing plant cell wall polysaccharides and carbohydrate active enzymes. <i>Biotechnology for Biofuels</i> , 2013, 6, 94.	6.2	36
121	An engineered GH1 β -glucosidase displays enhanced glucose tolerance and increased sugar release from lignocellulosic materials. <i>Scientific Reports</i> , 2019, 9, 4903.	3.3	36
122	Analysis of methylated and unmethylated polygalacturonic acid structure by polysaccharide analysis using carbohydrate gel electrophoresis. <i>Analytical Biochemistry</i> , 2003, 321, 174-182.	2.4	30
123	Enzymatic fingerprinting of <i>Arabidopsis</i> pectic polysaccharides using polysaccharide analysis by carbohydrate gel electrophoresis (PACE). <i>Planta</i> , 2006, 224, 163-174.	3.2	29
124	Hemocyanin facilitates lignocellulose digestion by wood-boring marine crustaceans. <i>Nature Communications</i> , 2018, 9, 5125.	12.8	29
125	Importance of Water in Maintaining Softwood Secondary Cell Wall Nanostructure. <i>Biomacromolecules</i> , 2021, 22, 4669-4680.	5.4	29
126	Proteomic Complex Detection Using Sedimentation. <i>Analytical Chemistry</i> , 2007, 79, 2078-2083.	6.5	28

#	ARTICLE	IF	CITATIONS
127	Enzymatic fragmentation of carbohydrate moieties of radish arabinogalactan-protein and elucidation of the structures. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 818-831.	1.3	26
128	A Transcriptomic Analysis of Xylan Mutants Does Not Support the Existence of a Secondary Cell Wall Integrity System in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 384.	3.6	26
129	Development of an oligosaccharide library to characterise the structural variation in glucuronoarabinoxylan in the cell walls of vegetative tissues in grasses. <i>Biotechnology for Biofuels</i> , 2019, 12, 109.	6.2	26
130	l-Fucose-containing arabinogalactan-protein in radish leaves. <i>Carbohydrate Research</i> , 2015, 415, 1-11.	2.3	25
131	Characterization of a β -galactosidase from <i>Bacillus subtilis</i> with transgalactosylation activity. <i>International Journal of Biological Macromolecules</i> , 2018, 120, 279-287.	7.5	24
132	Guilty by insolubility - does a protein's detergent insolubility reflect a caveolar location?. <i>Trends in Cell Biology</i> , 1995, 5, 187-189.	7.9	23
133	Isolation of a murine cDNA clone encoding Rab 19, a novel tissue-specific small GTPase. <i>Gene</i> , 1995, 155, 257-260.	2.2	23
134	An investigation of pectin methylesterification patterns by two independent methods: capillary electrophoresis and polysaccharide analysis using carbohydrate gel electrophoresis. <i>Carbohydrate Research</i> , 2005, 340, 1193-1199.	2.3	23
135	An efficient arabinoxylan-debranching β -l-arabinofuranosidase of family GH62 from <i>Aspergillus nidulans</i> contains a secondary carbohydrate binding site. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 6265-6277.	3.6	23
136	Two members of the <i>DUF579</i> family are responsible for arabinogalactan methylation in <i>Arabidopsis</i> . <i>Plant Direct</i> , 2019, 3, e00117.	1.9	23
137	Golgi-localized putative S-adenosyl methionine transporters required for plant cell wall polysaccharide methylation. <i>Nature Plants</i> , 2022, 8, 656-669.	9.3	23
138	Xylan Structure and Dynamics in Native <i>Brachypodium</i> Grass Cell Walls Investigated by Solid-State NMR Spectroscopy. <i>ACS Omega</i> , 2021, 6, 15460-15471.	3.5	19
139	Hydroxycinnamic acid-modified xylan side chains and their crosslinking products in rice cell walls are reduced in the Xylosyl arabinosyl substitution of xylan 1 mutant. <i>Plant Journal</i> , 2022, 109, 1152-1167.	5.7	18
140	Deficiency of adenosine kinase activity affects the degree of pectin methyl-esterification in cell walls of <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2006, 224, 1401-1414.	3.2	17
141	Oligosaccharide Binding and Thermostability of Two Related AA9 Lytic Polysaccharide Monoxygenases. <i>Biochemistry</i> , 2020, 59, 3347-3358.	2.5	17
142	Scission of Glucosidic Bonds by a <i>Lentinus similis</i> Lytic Polysaccharide Monoxygenase Is Strictly Dependent on H ₂ O while the Oxidation of Saccharide Products Depends on O ₂ . <i>ACS Catalysis</i> , 2021, 11, 13848-13859.	11.2	17
143	The ectopically parting cells 1-2 (<i>epc1-2</i>) mutant exhibits an exaggerated response to abscisic acid. <i>Journal of Experimental Botany</i> , 2007, 58, 1813-1823.	4.8	16
144	Loss of <i>TalRX9b</i> gene function in wheat decreases chain length and amount of arabinoxylan in grain but increases crosslinking. <i>Plant Biotechnology Journal</i> , 2020, 18, 2316-2327.	8.3	16

#	ARTICLE	IF	CITATIONS
145	Functional metagenomic screening identifies an unexpected β -glucuronidase. <i>Nature Chemical Biology</i> , 2022, 18, 1096-1103.	8.0	16
146	Palmitoylation in plants. <i>Plant Signaling and Behavior</i> , 2013, 8, e25209.	2.4	15
147	Spontaneous rearrangement of acetylated xylan on hydrophilic cellulose surfaces. <i>Cellulose</i> , 2021, 28, 3327-3345.	4.9	14
148	The structure of EXTL3 helps to explain the different roles of bi-domain exostosins in heparan sulfate synthesis. <i>Nature Communications</i> , 2022, 13, .	12.8	14
149	Sequence of a canine cDNA clone encoding a Ran/TC4 GTP-binding protein. <i>Gene</i> , 1992, 120, 325-326.	2.2	13
150	Two conifer GUX clades are responsible for distinct glucuronic acid patterns on xylan. <i>New Phytologist</i> , 2021, 231, 1720-1733.	7.3	13
151	Determination of the N-Glycosylation Patterns of Seed Proteins: Applications To Determine the Authenticity and Substantial Equivalence of Genetically Modified (GM) Crops. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8779-8788.	5.2	12
152	Studies of Enzymatic Cleavage of Cellulose Using Polysaccharide Analysis by Carbohydrate gel Electrophoresis (PACE). <i>Methods in Enzymology</i> , 2012, 510, 51-67.	1.0	12
153	Action of an endo- β -1,3(4)-glucanase on cellobiosyl unit structure in barley β -1,3:1,4-glucan. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 1810-1817.	1.3	12
154	Secondary cell wall characterization in a BY-2 inductive system. <i>Plant Cell, Tissue and Organ Culture</i> , 2013, 115, 223-232.	2.3	11
155	Correlative FLIM-confocal-Raman mapping applied to plant lignin composition and autofluorescence. <i>Micron</i> , 2019, 126, 102733.	2.2	11
156	Plant embryogenesis: Cell division forms a pattern. <i>Current Biology</i> , 1996, 6, 683-685.	3.9	10
157	GARNet, the Genomic Arabidopsis Resource Network. <i>Trends in Plant Science</i> , 2002, 7, 145-147.	8.8	10
158	BdGT43B2 functions in xylan biosynthesis and is essential for seedling survival in <i>Brachypodium distachyon</i> . <i>Plant Direct</i> , 2020, 4, e00216.	1.9	10
159	Carbohydrate Gel Electrophoresis. <i>Methods in Molecular Biology</i> , 2011, 715, 81-92.	0.9	9
160	Galactoglucomannan structure of Arabidopsis seed coat mucilage in GDP-mannose synthesis impaired mutants. <i>Physiologia Plantarum</i> , 2021, 173, 1244-1252.	5.2	9
161	Secondary cell wall composition and candidate gene expression in developing willow (<i>Salix purpurea</i>) stems. <i>Planta</i> , 2014, 239, 1041-1053.	3.2	8
162	Characterisation of the enzyme transport path between shipworms and their bacterial symbionts. <i>BMC Biology</i> , 2021, 19, 233.	3.8	8

#	ARTICLE	IF	CITATIONS
163	Water deficit and abscisic acid treatments increase the expression of a glucomannan mannosyltransferase gene (GMMT) in <i>Aloe vera</i> Burm. F.. <i>Phytochemistry</i> , 2019, 159, 90-101.	2.9	7
164	The <i>Arabidopsis thaliana</i> nucleotide sugar transporter GONST2 is a functional homolog of GONST1. <i>Plant Direct</i> , 2021, 5, e00309.	1.9	7
165	Acetylated Xylan Degradation by Glycoside Hydrolase Family 10 and 11 Xylanases from the White-rot Fungus <i>Phanerochaete chrysosporium</i> . <i>Journal of Applied Glycoscience</i> (1999), 2022, 69, 35-43.	0.7	7
166	A Scaffold-Associated DNA Region Is Located Downstream of the Pea Plastocyanin Gene. <i>Plant Cell</i> , 1991, 3, 1239.	6.6	6
167	Plant cell wall architecture guided design of CBM3-GH11 chimeras with enhanced xylanase activity using a tandem repeat left-handed β^2 -3-prism scaffold. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 1108-1118.	4.1	6
168	Unlocking the structural features for the xylobiohydrolase activity of an unusual GH11 member identified in a compost-derived consortium. <i>Biotechnology and Bioengineering</i> , 2021, 118, 4052-4064.	3.3	5
169	[32] Use of antisense oligonucleotides to study Rab function in Vivo. <i>Methods in Enzymology</i> , 1995, 257, 302-312.	1.0	4
170	Internal fragmentation of proteins in polyacrylamide matrices for microsequencing. <i>The Protein Journal</i> , 1992, 11, 356-356.	1.1	2
171	Proteomic Complex Detection using Sedimentation (ProCoDeS): screening for proteins in stable complexes and their candidate interaction partners. <i>Biochemical Society Transactions</i> , 2010, 38, 923-927.	3.4	2
172	Compartmentalization of rab Proteins in Mammalian Cells. <i>Handbook of Experimental Pharmacology</i> , 1993, , 423-445.	1.8	2
173	Protein Sorting and Glycolipid-Enriched Detergent-Insoluble Complexes in Epithelial Cells. , 1994, , 107-114.		1
174	Identification and Characterization of GONST1, a Golgi-Localized GDP-Mannose Transporter in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2001, 13, 2283.	6.6	0
175	Modification of plant cell wall sugar composition for biorefining and bioenergy. <i>New Biotechnology</i> , 2009, 25, S246-S247.	4.4	0
176	Expression of a Pea Gene for Ferredoxin-NADP+ Oxidoreductase in Transgenic Tobacco Plants. , 1990, , 2531-2534.		0
177	Regulation of Expression of the Pea Plastocyanin Gene. , 1992, , 23-29.		0
178	Structure determination of lytic polysaccharide monoxygenases interactions with substrate. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e36-e36.	0.1	0
179	Carbohydrate Gel Electrophoresis. <i>Methods in Molecular Biology</i> , 2020, 2149, 33-44.	0.9	0