

Alem W Kahsai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2046663/publications.pdf>

Version: 2024-02-01

23
papers

2,669
citations

394421

19
h-index

642732

23
g-index

24
all docs

24
docs citations

24
times ranked

3280
citing authors

#	ARTICLE	IF	CITATIONS
1	GPCR-G Protein- β -Arrestin Super-Complex Mediates Sustained G Protein Signaling. <i>Cell</i> , 2016, 166, 907-919.	28.9	443
2	Visualization of arrestin recruitment by a G-protein-coupled receptor. <i>Nature</i> , 2014, 512, 218-222.	27.8	433
3	Allosteric nanobodies reveal the dynamic range and diverse mechanisms of G-protein-coupled receptor activation. <i>Nature</i> , 2016, 535, 448-452.	27.8	290
4	Distinct conformations of GPCR- β -arrestin complexes mediate desensitization, signaling, and endocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 2562-2567.	7.1	281
5	Multiple ligand-specific conformations of the β_2 -adrenergic receptor. <i>Nature Chemical Biology</i> , 2011, 7, 692-700.	8.0	229
6	Mechanism of intracellular allosteric β_2 AR antagonist revealed by X-ray crystal structure. <i>Nature</i> , 2017, 548, 480-484.	27.8	148
7	Allosteric β -blocker isolated from a DNA-encoded small molecule library. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1708-1713.	7.1	118
8	Arrestin-biased AT1R agonism induces acute catecholamine secretion through TRPC3 coupling. <i>Nature Communications</i> , 2017, 8, 14335.	12.8	85
9	Mechanism of β_2 AR regulation by an intracellular positive allosteric modulator. <i>Science</i> , 2019, 364, 1283-1287.	12.6	82
10	Small-Molecule Positive Allosteric Modulators of the β_2 -Adrenoceptor Isolated from DNA-Encoded Libraries. <i>Molecular Pharmacology</i> , 2018, 94, 850-861.	2.3	66
11	Gq activity- and β -arrestin-1 scaffolding-mediated ADGRG2/CFTR coupling are required for male fertility. <i>ELife</i> , 2018, 7, .	6.0	66
12	Discovery of β_2 Adrenergic Receptor Ligands Using Biosensor Fragment Screening of Tagged Wild-Type Receptor. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 1005-1010.	2.8	65
13	Conformationally selective RNA aptamers allosterically modulate the β_2 -adrenoceptor. <i>Nature Chemical Biology</i> , 2016, 12, 709-716.	8.0	65
14	Noncanonical scaffolding of G β and β -arrestin by G protein-coupled receptors. <i>Science</i> , 2021, 371, .	12.6	64
15	Monitoring protein conformational changes and dynamics using stable-isotope labeling and mass spectrometry. <i>Nature Protocols</i> , 2014, 9, 1301-1319.	12.0	49
16	GPCR-mediated β -arrestin activation deconvoluted with single-molecule precision. <i>Cell</i> , 2022, 185, 1661-1675.e16.	28.9	43
17	Adaptive Activation of a Stress Response Pathway Improves Learning and Memory Through Gs and β -Arrestin-1-Regulated Lactate Metabolism. <i>Biological Psychiatry</i> , 2017, 81, 654-670.	1.3	42
18	DeSiphoning receptor core-induced and ligand-dependent conformational changes in arrestin via genetic encoded trimethylsilyl ¹ H-NMR probe. <i>Nature Communications</i> , 2020, 11, 4857.	12.8	25

#	ARTICLE	IF	CITATIONS
19	β -Arrestinâ€“Biased Allosteric Modulator Potentiates Carvedilol-Stimulated β Adrenergic Receptor Cardioprotection. <i>Molecular Pharmacology</i> , 2021, 100, 568-579.	2.3	24
20	GPCR signaling: conformational activation of arrestins. <i>Cell Research</i> , 2018, 28, 783-784.	12.0	20
21	Unique Positive Cooperativity Between the β -Arrestinâ€“Biased β -Blocker Carvedilol and a Small Molecule Positive Allosteric Modulator of the β 2-Adrenergic Receptor. <i>Molecular Pharmacology</i> , 2021, 100, 513-525.	2.3	18
22	The GPCRâ€“ β -arrestin complex allosterically activates C-Raf by binding its amino terminus. <i>Journal of Biological Chemistry</i> , 2021, 297, 101369.	3.4	7
23	Design, synthesis, and functional assessment of Cmpd-15 derivatives as negative allosteric modulators for the β 2-adrenergic receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 2320-2330.	3.0	6