

# Liangyou Gu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2047999/publications.pdf>

Version: 2024-02-01

75  
papers

1,711  
citations

279798

23  
h-index

330143

37  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2741  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new index (A/G) associated with early complications of radical cystectomy and intestinal urinary diversion. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 301.e11-301.e16.	1.6	3
2	Prognostic role of bland thrombus in patients treated with resection of renal cell carcinoma with inferior vena cava tumor thrombus. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 302.e1-302.e7.	1.6	4
3	Sequential everolimus for angiomyolipoma associated with tuberous sclerosis complex: a prospective cohort study. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 277.	2.7	6
4	E2F1 promotes proliferation and metastasis of clear cell renal cell carcinoma via activation of SREBP1-dependent fatty acid biosynthesis. <i>Cancer Letters</i> , 2021, 514, 48-62.	7.2	25
5	Comparison of Transperitoneal and Retroperitoneal Robotic Partial Nephrectomy for Patients With Complete Upper Pole Renal Tumors. <i>Frontiers in Oncology</i> , 2021, 11, 773345.	2.8	9
6	Robotic versus Laparoscopic Retroperitoneal Lymph node Dissection for Clinical Stage I Non-seminomatous Germ Cell Tumor of Testis: A Comparative Analysis. <i>Urology Journal</i> , 2021, , .	0.4	3
7	Robot-assisted Level III-IV Inferior Vena Cava Thrombectomy: Initial Series with Step-by-step Procedures and 1-yr Outcomes. <i>European Urology</i> , 2020, 78, 77-86.	1.9	59
8	Sarcomatoid variant urothelial carcinoma of the bladder: a systematic review and meta-analysis of the clinicopathological features and survival outcomes. <i>Cancer Cell International</i> , 2020, 20, 550.	4.1	8
9	Robotic-assisted laparoscopic pyeloplasty as management for recurrent ureteropelvic junction obstruction: a comparison study with primary pyeloplasty. <i>Translational Andrology and Urology</i> , 2020, 9, 1278-1285.	1.4	8
10	SOX6 represses tumor growth of clear cell renal cell carcinoma by HMG domain-dependent regulation of Wnt/ $\beta$ -catenin signaling. <i>Molecular Carcinogenesis</i> , 2020, 59, 1159-1173.	2.7	8
11	miR-363 suppresses the proliferation, migration and invasion of clear cell renal cell carcinoma by downregulating S1PR1. <i>Cancer Cell International</i> , 2020, 20, 227.	4.1	10
12	The Mayo Adhesive Probability Score Predicts Longer Dissection Time During Laparoscopic Partial Nephrectomy. <i>Journal of Endourology</i> , 2020, 34, 594-599.	2.1	12
13	Comparison of Robot-Assisted and Laparoscopic Partial Nephrectomy for Completely Endophytic Renal Tumors: A High-Volume Center Experience. <i>Journal of Endourology</i> , 2020, 34, 581-587.	2.1	15
14	Prediction of pentapecta achievement following laparoscopic partial nephrectomy: Implications for robot-assisted surgery candidates. <i>Surgical Oncology</i> , 2020, 33, 32-37.	1.6	3
15	A modified sequential vascular control strategy in robot-assisted level III-IV inferior vena cava thrombectomy: initial series mimicking the open "milking" technique principle. <i>BJU International</i> , 2020, 126, 447-456.	2.5	13
16	A three-dimensional, anatomy-based nephrometry score to guide nephron-sparing surgery for renal sinus tumors. <i>Cancer</i> , 2020, 126, 2062-2072.	4.1	8
17	Robot-assisted Cavectomy Versus Thrombectomy for Level II Inferior Vena Cava Thrombus: Decision-making Scheme and Multi-institutional Analysis. <i>European Urology</i> , 2020, 78, 592-602.	1.9	23
18	Everolimus in Invasive Malignant Renal Epithelioid Angiomyolipoma. <i>Frontiers in Oncology</i> , 2020, 10, 610858.	2.8	5

#	ARTICLE	IF	CITATIONS
19	Comparison of Outcomes Between Transperitoneal and Retroperitoneal Robotic Partial Nephrectomy: A Meta-Analysis Based on Comparative Studies. <i>Frontiers in Oncology</i> , 2020, 10, 592193.	2.8	15
20	A video showing the procedures of RALP is available online. <i>Asvide</i> , 2020, 7, 187-187.	0.0	0
21	Initial Series of Robotic Segmental Inferior Vena Cava Resection in Left Renal Cell Carcinoma With Caval Tumor Thrombus. <i>Urology</i> , 2020, 142, 125-132.	1.0	6
22	Comparison of Laparoscopic and Robot-assisted Radical Cystectomy for Bladder Cancer: Perioperative and Oncologic Outcomes. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1048-e1053.	1.9	23
23	Intravenous infusion of ulinastatin attenuates acute kidney injury after cold ischemia/reperfusion. <i>International Urology and Nephrology</i> , 2019, 51, 1873-1881.	1.4	13
24	Radical Nephrectomy with or without Lymph Node Dissection for pT3 Renal Cell Carcinoma: A Propensity Score-based Analysis. <i>Journal of Cancer</i> , 2019, 10, 2369-2375.	2.5	2
25	Application of Everolimus in Preoperative Neoadjuvant Therapy of Tuberous Sclerosis Complex Associated With Renal Angiomyolipoma: A Single-Center Report of 5 Cases. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1099-e1103.	1.9	3
26	Robotic Radical Nephrectomy and Thrombectomy for Left Renal Cell Carcinoma with Renal Vein Tumor Thrombus: Superior Mesenteric Artery as an Important Strategic Dividing Landmark. <i>Journal of Endourology</i> , 2019, 33, 557-563.	2.1	2
27	&lt;p&gt;A Novel Preoperative Nomogram for Predicting Lymph Node Invasion in Renal Cell Carcinoma Patients Without Metastasis&lt;/p&gt;. <i>Cancer Management and Research</i> , 2019, Volume 11, 9961-9967.	1.9	7
28	Preoperative apolipoprotein B/A1 ratio is an independent prognostic factor in metastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 184.e9-184.e17.	1.6	13
29	Risk Factors Influencing the Thickness and Stranding of Perinephric Fat of Mayo Adhesive Probability Score in Minimally Invasive Nephrectomy. <i>Medical Science Monitor</i> , 2019, 25, 3825-3831.	1.1	14
30	GSTA1 Expression Is Correlated With Aldosterone Level in KCNJ5-Mutated Adrenal Aldosterone-Producing Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 813-823.	3.6	9
31	FOXK2 suppresses the malignant phenotype and induces apoptosis through inhibition of EGFR in clearâ€cell renal cell carcinoma. <i>International Journal of Cancer</i> , 2018, 142, 2543-2557.	5.1	32
32	Re: Predictive Nomogram for Recurrence following Surgery for Nonmetastatic Renal Cell Cancer with Tumor Thrombus. <i>Journal of Urology</i> , 2018, 199, 853-854.	0.4	0
33	Robot-assisted Retrohepatic Inferior Vena Cava Thrombectomy: First or Second Porta Hepatis as an Important Boundary Landmark. <i>European Urology</i> , 2018, 74, 512-520.	1.9	37
34	Clinical Characteristics of Aldosterone- and Cortisol-Coproducing Adrenal Adenoma in Primary Aldosteronism. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-9.	1.5	30
35	Role of presurgical targeted molecular therapy in renal cell carcinoma with an inferior vena cava tumor thrombus. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 1997-2005.	2.0	9
36	A systematic review and meta-analysis of clinicopathologic factors linked to oncologic outcomes for renal cell carcinoma with tumor thrombus treated by radical nephrectomy with thrombectomy. <i>Cancer Treatment Reviews</i> , 2018, 69, 112-120.	7.7	31

#	ARTICLE	IF	CITATIONS
37	Laparoscopic vs robotâ€ assisted partial nephrectomy for renal tumours of >4 cm: a propensity scoreâ€ based analysis. <i>BJU International</i> , 2018, 122, 449-455.	2.5	26
38	Pretreatment Lymphocyte to Monocyte Ratio is an Independent Prognostic Factor in Metastatic Clear Cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e369-e377.	1.9	12
39	A proposal of postâ€ operative nomogram for overall survival in patients with renal cell carcinoma and venous tumor thrombus. <i>Journal of Surgical Oncology</i> , 2017, 115, 905-912.	1.7	20
40	Re: Archie Fernando, James Pattison, Catherine Horsfield, David Dâ€™Cruz, Gary Cook, Tim Oâ€™Brien. [18F]-Fluorodeoxyglucose Positron Emission Tomography in the Diagnosis, Treatment Stratification, and Monitoring of Patients with Retroperitoneal Fibrosis: A Prospective Clinical Study. <i>Eur Urol</i> 2017;71:926â€“33. <i>European Urology</i> , 2017, 72, e43-e44.	1.9	1
41	The predictive and prognostic values of serum amino acid levels for clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 392-400.	1.6	13
42	External validation of the Arterial Based Complexity (ABC) scoring system in renal tumors treated by minimally invasive partial nephrectomy. <i>Journal of Surgical Oncology</i> , 2017, 116, 507-514.	1.7	12
43	Prognostic and clinicopathological role of high Ki-67 expression in patients with renal cell carcinoma: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 44281.	3.3	43
44	Postoperative Adjuvant Sorafenib or Sunitinib for Nonmetastatic Renal Cell Carcinoma with Venous Tumor Thrombus: a Prospective Cohort Study. <i>Translational Oncology</i> , 2017, 10, 949-955.	3.7	10
45	MicroRNAs with prognostic significance in bladder cancer: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 5619.	3.3	39
46	Robotic versus Open Level III Inferior Vena Cava Thrombectomy: A Matched Group Comparative Analysis. <i>Journal of Urology</i> , 2017, 198, 1241-1246.	0.4	38
47	Presence of sarcomatoid differentiation as a prognostic indicator for survival in surgically treated metastatic renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 499-508.	2.5	21
48	KLF6 Suppresses Metastasis of Clear Cell Renal Cell Carcinoma via Transcriptional Repression of E2F1. <i>Cancer Research</i> , 2017, 77, 330-342.	0.9	63
49	Retrospective evaluation of ultrasound-indeterminate renal multilocular cystic masses by using neutrophil-lymphocyte ratio and computed tomography. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 35.e7-35.e14.	1.6	0
50	Prognostic value of high IMP3 expression in solid tumors: a meta-analysis. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 2849-2863.	2.0	19
51	Prognostic Value of Clinical and Pathological Features in Chinese Patients with Chromophobe Renal Cell Carcinoma: A 10-Year Single-Center Study. <i>Journal of Cancer</i> , 2017, 8, 3474-3479.	2.5	17
52	Influence of tumor size on oncological outcomes of pathological T3aNOMO renal cell carcinoma treated by radical nephrectomy. <i>PLoS ONE</i> , 2017, 12, e0173953.	2.5	20
53	Phosphatase and tensin homolog (PTEN) expression on oncologic outcome in renal cell carcinoma: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0179437.	2.5	29
54	The values of neutrophil-lymphocyte ratio and/or prostate-specific antigen in discriminating real Gleason score 7 prostate cancer from group of biopsy-based Gleason score 6. <i>BMC Cancer</i> , 2017, 17, 26629.		7

#	ARTICLE	IF	CITATIONS
55	Prognostic value of a systemic inflammatory response index in metastatic renal cell carcinoma and construction of a predictive model. <i>Oncotarget</i> , 2017, 8, 52094-52103.	1.8	27
56	Reduced E-cadherin expression is correlated with poor prognosis in patients with bladder cancer: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 62489-62499.	1.8	26
57	Prognostic role of lymphocyte to monocyte ratio for patients with cancer: evidence from a systematic review and meta-analysis. <i>Oncotarget</i> , 2016, 7, 31926-31942.	1.8	113
58	RhoB Acts as a Tumor Suppressor That Inhibits Malignancy of Clear Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0157599.	2.5	25
59	Prognostic and Clinicopathological Significance of Survivin Expression in Renal Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>Scientific Reports</i> , 2016, 6, 29794.	3.3	19
60	Associating the learning curve and tumor anatomical complexity with the margins, ischemia, and complications rate after robot-assisted partial nephrectomy. <i>International Journal of Surgery</i> , 2016, 36, 219-224.	2.7	10
61	Comparison of oncologic outcomes between partial and radical nephrectomy for localized renal cell carcinoma: A systematic review and meta-analysis. <i>Surgical Oncology</i> , 2016, 25, 385-393.	1.6	20
62	Prognostic role of urinary collecting system invasion in renal cell carcinoma: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2016, 6, 21325.	3.3	13
63	Prognostic value of preoperative inflammatory response biomarkers in patients with sarcomatoid renal cell carcinoma and the establishment of a nomogram. <i>Scientific Reports</i> , 2016, 6, 23846.	3.3	33
64	Invasion of the urinary collecting system is an independent prognostic factor in pT3 renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 293.e11-293.e16.	1.6	12
65	Robot-assisted Laparoscopic Inferior Vena Cava Thrombectomy: Different Sides Require Different Techniques. <i>European Urology</i> , 2016, 69, 1112-1119.	1.9	93
66	Prognostic Value of Neutrophil-to-Lymphocyte Ratio in Localized and Advanced Prostate Cancer: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0153981.	2.5	51
67	LncRNAs act as prognostic and diagnostic biomarkers in renal cell carcinoma: a systematic review and meta-analysis. <i>Oncotarget</i> , 2016, 7, 74325-74336.	1.8	34
68	Prognostic value of CD44 expression in renal cell carcinoma: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2015, 5, 13157.	3.3	78
69	The Association of Platelet Count with Clinicopathological Significance and Prognosis in Renal Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0125538.	2.5	36
70	MicroRNAs as prognostic molecular signatures in renal cell carcinoma: a systematic review and meta-analysis. <i>Oncotarget</i> , 2015, 6, 32545-32560.	1.8	96
71	The Impact of Diabetes Mellitus on Renal Cell Carcinoma Prognosis. <i>Medicine (United States)</i> , 2015, 94, e1055.	1.0	46
72	High-Level S100A6 Promotes Metastasis and Predicts the Outcome of T1â€“T2 Stage in Clear Cell Renal Cell Carcinoma. <i>Cell Biochemistry and Biophysics</i> , 2015, 71, 279-290.	1.8	19

#	ARTICLE	IF	CITATIONS
73	Hypoxia-induced overexpression of stanniocalcin-1 is associated with the metastasis of early stage clear cell renal cell carcinoma. <i>Journal of Translational Medicine</i> , 2015, 13, 56.	4.4	48
74	MicroRNA-185 inhibits cell proliferation and induces cell apoptosis by targeting VEGFA directly in von Hippel-Lindau-inactivated clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 169.e1-169.e11.	1.6	54
75	Surgical Strategy for the Management of Renal Cell Carcinoma with Inferior Vena Cava Tumor Thrombus. , 0, , .		0