

Howard J Rosen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2051089/publications.pdf>

Version: 2024-02-01

180
papers

20,761
citations

19657

61
h-index

11607

135
g-index

187
all docs

187
docs citations

187
times ranked

17445
citing authors

#	ARTICLE	IF	CITATIONS
1	Proposed research criteria for prodromal behavioural variant frontotemporal dementia. <i>Brain</i> , 2022, 145, 1079-1097.	7.6	30
2	Cortical hypometabolism reflects local atrophy and tau pathology in symptomatic Alzheimer's disease. <i>Brain</i> , 2022, 145, 713-728.	7.6	43
3	Preventing amyotrophic lateral sclerosis: insights from pre-symptomatic neurodegenerative diseases. <i>Brain</i> , 2022, 145, 27-44.	7.6	38
4	The contribution of behavioral features to caregiver burden in FTL spectrum disorders. <i>Alzheimer's and Dementia</i> , 2022, 18, 1635-1649.	0.8	9
5	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. <i>JAMA Neurology</i> , 2022, 79, 228.	9.0	97
6	Cortical microstructure in primary progressive aphasia: a multicenter study. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 27.	6.2	10
7	Cerebrospinal Fluid Biomarkers in Autopsy-Confirmed Alzheimer Disease and Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2022, 98, .	1.1	49
8	Diminished preparatory physiological responses in frontotemporal lobar degeneration syndromes. <i>Brain Communications</i> , 2022, 4, fcac075.	3.3	2
9	The severity of neuropsychiatric symptoms is higher in early-onset than late-onset Alzheimer's disease. <i>European Journal of Neurology</i> , 2022, 29, 957-967.	3.3	16
10	Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders. <i>Cell Reports Medicine</i> , 2022, 3, 100607.	6.5	21
11	Diagnostic Accuracy of Magnetic Resonance Imaging Measures of Brain Atrophy Across the Spectrum of Progressive Supranuclear Palsy and Corticobasal Degeneration. <i>JAMA Network Open</i> , 2022, 5, e229588.	5.9	18
12	Sensitivity of the Social Behavior Observer Checklist to Early Symptoms of Patients With Frontotemporal Dementia. <i>Neurology</i> , 2022, , 10.1212/WNL.0000000000200582.	1.1	0
13	Right temporal degeneration and socioemotional semantics: semantic behavioural variant frontotemporal dementia. <i>Brain</i> , 2022, 145, 4080-4096.	7.6	34
14	Amyloid, tau and metabolic PET correlates of cognition in early and late-onset Alzheimer's disease. <i>Brain</i> , 2022, 145, 4489-4505.	7.6	23
15	Association of <i>APOE4</i> and Clinical Variability in Alzheimer Disease With the Pattern of Tau- and Amyloid-PET. <i>Neurology</i> , 2021, 96, e650-e661.	1.1	73
16	Brain volumetric deficits in <i>MAPT</i> mutation carriers: a multisite study. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 95-110.	3.7	21
17	Diagnostic Accuracy of Amyloid versus ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography in Autopsy-Confirmed Dementia. <i>Annals of Neurology</i> , 2021, 89, 389-401.	5.3	34
18	Development and validation of the Uniform Data Set (v3.0) executive function composite score (UDS3-EF). <i>Alzheimer's and Dementia</i> , 2021, 17, 574-583.	0.8	15

#	ARTICLE	IF	CITATIONS
19	Spatial Relationships between Molecular Pathology and Neurodegeneration in the Alzheimer's Disease Continuum. <i>Cerebral Cortex</i> , 2021, 31, 1-14.	2.9	34
20	Computationally derived anatomic subtypes of behavioral variant frontotemporal dementia show temporal stability and divergent patterns of longitudinal atrophy. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12183.	2.4	2
21	Clinical and Neuroimaging Aspects of Familial Frontotemporal Lobar Degeneration Associated with MAPT and GRN Mutations. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1281, 77-92.	1.6	3
22	Sex differences in the behavioral variant of frontotemporal dementia: A new window to executive and behavioral reserve. <i>Alzheimer's and Dementia</i> , 2021, 17, 1329-1341.	0.8	34
23	Diagnostic Utility of Measuring Cerebral Atrophy in the Behavioral Variant of Frontotemporal Dementia and Association With Clinical Deterioration. <i>JAMA Network Open</i> , 2021, 4, e211290.	5.9	12
24	Comorbid neuropathological diagnoses in early versus late-onset Alzheimer's disease. <i>Brain</i> , 2021, 144, 2186-2198.	7.6	100
25	APOE moderates the effect of hippocampal blood flow on memory pattern separation in clinically normal older adults. <i>Hippocampus</i> , 2021, 31, 845-857.	1.9	3
26	Plasma Neurofilament Light for Prediction of Disease Progression in Familial Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2021, 96, e2296-e2312.	1.1	52
27	Selective vulnerability to atrophy in sporadic Creutzfeldt-Jakob disease. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 1183-1199.	3.7	4
28	Recognition memory and divergent cognitive profiles in prodromal genetic frontotemporal dementia. <i>Cortex</i> , 2021, 139, 99-115.	2.4	12
29	Clinical, neuroimaging, and neuropathological characterization of a patient with Alzheimer's disease syndrome due to Pick's pathology. <i>Neurocase</i> , 2021, , 1-10.	0.6	2
30	Multimodal neuroimaging of sex differences in cognitively impaired patients on the Alzheimer's continuum: greater tau-PET retention in females. <i>Neurobiology of Aging</i> , 2021, 105, 86-98.	3.1	29
31	Rescue of a lysosomal storage disorder caused by Grn loss of function with a brain penetrant progranulin biologic. <i>Cell</i> , 2021, 184, 4651-4668.e25.	28.9	97
32	Plasma phosphorylated tau 217 and phosphorylated tau 181 as biomarkers in Alzheimer's disease and frontotemporal lobar degeneration: a retrospective diagnostic performance study. <i>Lancet Neurology</i> , The, 2021, 20, 739-752.	10.2	220
33	Plasma Tau and Neurofilament Light in Frontotemporal Lobar Degeneration and Alzheimer Disease. <i>Neurology</i> , 2021, 96, e671-e683.	1.1	84
34	Sex differences in the behavioral variant of frontotemporal dementia: A new window to executive and behavioral reserve. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	4
35	Assessment of executive function declines in presymptomatic and mildly symptomatic familial frontotemporal dementia: NIH-EXAMINER as a potential clinical trial endpoint. <i>Alzheimer's and Dementia</i> , 2020, 16, 11-21.	0.8	32
36	Evidence of corticofugal tau spreading in patients with frontotemporal dementia. <i>Acta Neuropathologica</i> , 2020, 139, 27-43.	7.7	29

#	ARTICLE	IF	CITATIONS
37	Individualized atrophy scores predict dementia onset in familial frontotemporal lobar degeneration. <i>Alzheimer's and Dementia</i> , 2020, 16, 37-48.	0.8	38
38	Reactions to Multiple Ascending Doses of the Microtubule Stabilizer TPI-287 in Patients With Alzheimer Disease, Progressive Supranuclear Palsy, and Corticobasal Syndrome. <i>JAMA Neurology</i> , 2020, 77, 215.	9.0	81
39	New directions in clinical trials for frontotemporal lobar degeneration: Methods and outcome measures. <i>Alzheimer's and Dementia</i> , 2020, 16, 131-143.	0.8	45
40	Plasma biomarkers of astrocytic and neuronal dysfunction in early and late onset Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, 681-695.	0.8	143
41	Prospective longitudinal atrophy in Alzheimer's disease correlates with the intensity and topography of baseline tau-PET. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	353
42	Clinical and volumetric changes with increasing functional impairment in familial frontotemporal lobar degeneration. <i>Alzheimer's and Dementia</i> , 2020, 16, 49-59.	0.8	27
43	Investigating the clinico-anatomical dissociation in the behavioral variant of Alzheimer disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 148.	6.2	17
44	Baseline neuropsychological profiles in prion disease predict survival time. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1535-1545.	3.7	4
45	¹⁸ F-flortaucipir PET to autopsy comparisons in Alzheimer's disease and other neurodegenerative diseases. <i>Brain</i> , 2020, 143, 3477-3494.	7.6	100
46	Rates of Brain Atrophy Across Disease Stages in Familial Frontotemporal Dementia Associated With MAPT, GRN, and C9orf72 Pathogenic Variants. <i>JAMA Network Open</i> , 2020, 3, e2022847.	5.9	19
47	Comparing two facets of emotion perception across multiple neurodegenerative diseases. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 511-522.	3.0	16
48	Salience Network Atrophy Links Neuron Type-Specific Pathobiology to Loss of Empathy in Frontotemporal Dementia. <i>Cerebral Cortex</i> , 2020, 30, 5387-5399.	2.9	37
49	Longitudinal structural and metabolic changes in frontotemporal dementia. <i>Neurology</i> , 2020, 95, e140-e154.	1.1	39
50	Language and spatial dysfunction in Alzheimer disease with white matter thorn-shaped astrocytes. <i>Neurology</i> , 2020, 94, e1353-e1364.	1.1	25
51	Tracking disease progression in familial and sporadic frontotemporal lobar degeneration: Recent findings from ARTFL and LEFFTDS. <i>Alzheimer's and Dementia</i> , 2020, 16, 71-78.	0.8	33
52	A β 2 deposition is associated with increases in soluble and phosphorylated tau that precede a positive Tau PET in Alzheimer's disease. <i>Science Advances</i> , 2020, 6, eaaz2387.	10.3	202
53	Revised Self-Monitoring Scale. <i>Neurology</i> , 2020, 94, e2384-e2395.	1.1	23
54	Alzheimer's disease clinical variants show distinct regional patterns of neurofibrillary tangle accumulation. <i>Acta Neuropathologica</i> , 2019, 138, 597-612.	7.7	75

#	ARTICLE	IF	CITATIONS
55	Patient-Tailored, Connectivity-Based Forecasts of Spreading Brain Atrophy. <i>Neuron</i> , 2019, 104, 856-868.e5.	8.1	85
56	Peripheral Innate Immune Activation Correlates With Disease Severity in GRN Haploinsufficiency. <i>Frontiers in Neurology</i> , 2019, 10, 1004.	2.4	7
57	Evaluating Patient Brain and Behavior Pathways to Caregiver Health in Neurodegenerative Diseases. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 47, 42-54.	1.5	15
58	Cortical developmental abnormalities in logopenic variant primary progressive aphasia with dyslexia. <i>Brain Communications</i> , 2019, 1, fcz027.	3.3	11
59	Preferential tau aggregation in von Economo neurons and fork cells in frontotemporal lobar degeneration with specific MAPT variants. <i>Acta Neuropathologica Communications</i> , 2019, 7, 159.	5.2	34
60	Longitudinal multimodal imaging and clinical endpoints for frontotemporal dementia clinical trials. <i>Brain</i> , 2019, 142, 443-459.	7.6	65
61	Association of Blood and Cerebrospinal Fluid Tau Level and Other Biomarkers With Survival Time in Sporadic Creutzfeldt-Jakob Disease. <i>JAMA Neurology</i> , 2019, 76, 969.	9.0	65
62	Factors that predict diagnostic stability in neurodegenerative dementia. <i>Journal of Neurology</i> , 2019, 266, 1998-2009.	3.6	14
63	A longitudinal characterization of perfusion in the aging brain and associations with cognition and neural structure. <i>Human Brain Mapping</i> , 2019, 40, 3522-3533.	3.6	47
64	Cortical microstructure in the behavioural variant of frontotemporal dementia: looking beyond atrophy. <i>Brain</i> , 2019, 142, 1121-1133.	7.6	45
65	Thalamo-cortical network hyperconnectivity in preclinical progranulin mutation carriers. <i>NeuroImage: Clinical</i> , 2019, 22, 101751.	2.7	30
66	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates AÎ ² , tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430.	21.4	1,962
67	Physiological, behavioral and subjective sadness reactivity in frontotemporal dementia subtypes. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 1453-1465.	3.0	9
68	Alzheimer Disease-associated Cortical Atrophy Does not Differ Between Chinese and Whites. <i>Alzheimer Disease and Associated Disorders</i> , 2019, 33, 186-193.	1.3	7
69	Multimodal imaging in familial FTLD: phenoconversion and planning for the future. <i>Brain</i> , 2019, 142, 8-11.	7.6	18
70	Multisite study of the relationships between <i>antemortem</i> [¹¹ C]PIB-PET Centiloid values and <i>postmortem</i> measures of Alzheimer's disease neuropathology. <i>Alzheimer's and Dementia</i> , 2019, 15, 205-216.	0.8	155
71	Grant Report on PREDICT-ADFTD: Multimodal Imaging Prediction of AD/FTD and Differential Diagnosis. <i>Journal of Psychiatry and Brain Science</i> , 2019, 4, .	0.5	3
72	A case of semantic variant primary progressive aphasia with Pick's pathology. <i>Neurocase</i> , 2018, 24, 90-94.	0.6	3

#	ARTICLE	IF	CITATIONS
73	Early vs late age at onset frontotemporal dementia and frontotemporal lobar degeneration. <i>Neurology</i> , 2018, 90, e1047-e1056.	1.1	36
74	Associations between [¹⁸ F]AV1451 tau PET and CSF measures of tau pathology in a clinical sample. <i>Neurology</i> , 2018, 90, e282-e290.	1.1	113
75	Rates of Amyloid Imaging Positivity in Patients With Primary Progressive Aphasia. <i>JAMA Neurology</i> , 2018, 75, 342.	9.0	76
76	Visuospatial Functioning in the Primary Progressive Aphasias. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 259-268.	1.8	53
77	Primary School Education May Be Sufficient to Moderate a Memory-Hippocampal Relationship. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 381.	3.4	18
78	Measurement of spinal cord atrophy using phase sensitive inversion recovery (PSIR) imaging in motor neuron disease. <i>PLoS ONE</i> , 2018, 13, e0208255.	2.5	10
79	Cognition and Incarceration: Cognitive Impairment and Its Associated Outcomes in Older Adults in Jail. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2065-2071.	2.6	36
80	Resting parasympathetic dysfunction predicts prosocial helping deficits in behavioral variant frontotemporal dementia. <i>Cortex</i> , 2018, 109, 141-155.	2.4	37
81	Tau Mutations as a Novel Risk Factor for Cancer—Letter. <i>Cancer Research</i> , 2018, 78, 6523-6524.	0.9	2
82	Mixed TDP-43 proteinopathy and tauopathy in frontotemporal lobar degeneration: nine case series. <i>Journal of Neurology</i> , 2018, 265, 2960-2971.	3.6	17
83	Network Architecture Underlying Basal Autonomic Outflow: Evidence from Frontotemporal Dementia. <i>Journal of Neuroscience</i> , 2018, 38, 8943-8955.	3.6	66
84	Enhanced Positive Emotional Reactivity Undermines Empathy in Behavioral Variant Frontotemporal Dementia. <i>Frontiers in Neurology</i> , 2018, 9, 402.	2.4	29
85	Deficits in physiological and self-conscious emotional response to errors in hoarding disorder. <i>Psychiatry Research</i> , 2018, 268, 157-164.	3.3	6
86	Altered topology of the functional speech production network in non-fluent/agrammatic variant of PPA. <i>Cortex</i> , 2018, 108, 252-264.	2.4	41
87	Immune-related genetic enrichment in frontotemporal dementia: An analysis of genome-wide association studies. <i>PLoS Medicine</i> , 2018, 15, e1002487.	8.4	111
88	Genome-wide association study identifies <i>MAPT</i> locus influencing human plasma tau levels. <i>Neurology</i> , 2017, 88, 669-676.	1.1	33
89	White matter hyperintensities correlate to cognition and fiber tract integrity in older adults with HIV. <i>Journal of NeuroVirology</i> , 2017, 23, 422-429.	2.1	55
90	Regional correlations between [¹¹ C]PIB PET and post-mortem burden of amyloid-beta pathology in a diverse neuropathological cohort. <i>NeuroImage: Clinical</i> , 2017, 13, 130-137.	2.7	50

#	ARTICLE	IF	CITATIONS
91	Frontotemporal dementia with the V337M <i>MAPT</i> mutation. <i>Neurology</i> , 2017, 88, 758-766.	1.1	76
92	Typical and atypical pathology in primary progressive aphasia variants. <i>Annals of Neurology</i> , 2017, 81, 430-443.	5.3	288
93	Shared genetic risk between corticobasal degeneration, progressive supranuclear palsy, and frontotemporal dementia. <i>Acta Neuropathologica</i> , 2017, 133, 825-837.	7.7	90
94	Data-driven regions of interest for longitudinal change in three variants of frontotemporal lobar degeneration. <i>Brain and Behavior</i> , 2017, 7, e00675.	2.2	22
95	Identification of a rare coding variant in <i>TREM2</i> in a Chinese individual with Alzheimer's disease. <i>Neurocase</i> , 2017, 23, 65-69.	0.6	8
96	Network degeneration and dysfunction in presymptomatic <i>C9ORF72</i> expansion carriers. <i>NeuroImage: Clinical</i> , 2017, 14, 286-297.	2.7	129
97	Reward deficits in behavioural variant frontotemporal dementia include insensitivity to negative stimuli. <i>Brain</i> , 2017, 140, 3346-3356.	7.6	34
98	Longitudinal white matter change in frontotemporal dementia subtypes and sporadic late onset Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2017, 16, 595-603.	2.7	45
99	Clinicopathological correlations in behavioural variant frontotemporal dementia. <i>Brain</i> , 2017, 140, 3329-3345.	7.6	226
100	Advancing functional dysconnectivity and atrophy in progressive supranuclear palsy. <i>NeuroImage: Clinical</i> , 2017, 16, 564-574.	2.7	26
101	Prosocial deficits in behavioral variant frontotemporal dementia relate to reward network atrophy. <i>Brain and Behavior</i> , 2017, 7, e00807.	2.2	27
102	Rare coding variants in <i>PLCG2</i> , <i>ABI3</i> , and <i>TREM2</i> implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	21.4	783
103	Systemic <i>klotho</i> is associated with <i>KLOTHO</i> variation and predicts intrinsic cortical connectivity in healthy human aging. <i>Brain Imaging and Behavior</i> , 2017, 11, 391-400.	2.1	48
104	Mistakes, Too Few to Mention? Impaired Self-conscious Emotional Processing of Errors in the Behavioral Variant of Frontotemporal Dementia. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 189.	2.0	14
105	Genetic assessment of age-associated Alzheimer disease risk: Development and validation of a polygenic hazard score. <i>PLoS Medicine</i> , 2017, 14, e1002258.	8.4	311
106	Neuroimaging in Dementia. <i>Seminars in Neurology</i> , 2017, 37, 510-537.	1.4	69
107	Decreased Self-Appraisal Accuracy on Cognitive Tests of Executive Functioning Is a Predictor of Decline in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 120.	3.4	14
108	Progression of Microstructural Degeneration in Progressive Supranuclear Palsy and Corticobasal Syndrome: A Longitudinal Diffusion Tensor Imaging Study. <i>PLoS ONE</i> , 2016, 11, e0157218.	2.5	40

#	ARTICLE	IF	CITATIONS
109	Association Between Genetic Traits for Immune-Mediated Diseases and Alzheimer Disease. <i>JAMA Neurology</i> , 2016, 73, 691.	9.0	151
110	Dominant hemisphere lateralization of cortical parasympathetic control as revealed by frontotemporal dementia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2430-9.	7.1	105
111	Healthy brain connectivity predicts atrophy progression in non-fluent variant of primary progressive aphasia. <i>Brain</i> , 2016, 139, 2778-2791.	7.6	108
112	Increased prevalence of autoimmune disease within C9 and FTD/MND cohorts. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e301.	6.0	78
113	Distinct Subtypes of Behavioral Variant Frontotemporal Dementia Based on Patterns of Network Degeneration. <i>JAMA Neurology</i> , 2016, 73, 1078.	9.0	115
114	Progression of brain atrophy in PSP and CBS over 6 months and 1 year. <i>Neurology</i> , 2016, 87, 2016-2025.	1.1	65
115	Data-driven regions of interest for longitudinal change in frontotemporal lobar degeneration. <i>NeuroImage: Clinical</i> , 2016, 12, 332-340.	2.7	22
116	Reading words and other people: A comparison of exception word, familiar face and affect processing in the left and right temporal variants of primary progressive aphasia. <i>Cortex</i> , 2016, 82, 147-163.	2.4	72
117	Cognition and neuropsychiatry in behavioral variant frontotemporal dementia by disease stage. <i>Neurology</i> , 2016, 86, 600-610.	1.1	73
118	Frontotemporal Dementia and Psychiatric Illness: Emerging Clinical and Biological Links in Gene Carriers. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 107-116.	1.2	32
119	Amyloid in dementia associated with familial FTL: not an innocent bystander. <i>Neurocase</i> , 2016, 22, 76-83.	0.6	12
120	Apolipoprotein μ 4 Is Associated with Lower Brain Volume in Cognitively Normal Chinese but Not White Older Adults. <i>PLoS ONE</i> , 2015, 10, e0118338.	2.5	12
121	Atrophy patterns in early clinical stages across distinct phenotypes of Alzheimer's disease. <i>Human Brain Mapping</i> , 2015, 36, 4421-4437.	3.6	196
122	Existing Pittsburgh Compound-B positron emission tomography thresholds are too high: statistical and pathological evaluation. <i>Brain</i> , 2015, 138, 2020-2033.	7.6	319
123	The Chinese Verbal Learning Test Specifically Assesses Hippocampal State. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2015, 30, 412-416.	1.9	3
124	The behavioural/dysexecutive variant of Alzheimer's disease: clinical, neuroimaging and pathological features. <i>Brain</i> , 2015, 138, 2732-2749.	7.6	397
125	Comparing CSF biomarkers and brain MRI in the diagnosis of sporadic Creutzfeldt-Jakob disease. <i>Neurology: Clinical Practice</i> , 2015, 5, 116-125.	1.6	53
126	Longitudinal gray matter contraction in three variants of primary progressive aphasia: A tensor-based morphometry study. <i>NeuroImage: Clinical</i> , 2015, 8, 345-355.	2.7	79

#	ARTICLE	IF	CITATIONS
127	Disorders of Frontal Lobe Function. , 2015, , 542-557.		9
128	Divergent CSF A β alterations in two common tauopathies: Alzheimer's disease and progressive supranuclear palsy. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 244-250.	1.9	101
129	Damage to left frontal regulatory circuits produces greater positive emotional reactivity in frontotemporal dementia. Cortex, 2015, 64, 55-67.	2.4	52
130	Self-awareness in neurodegenerative disease relies on neural structures mediating reward-driven attention. Brain, 2014, 137, 2368-2381.	7.6	95
131	O4-01-04: AMYLOID IN DEMENTIA ASSOCIATED WITH FAMILIAL FTL: NOT AN INNOCENT BYSTANDER. , 2014, 10, P249-P250.		0
132	Neural substrates of socioemotional self-awareness in neurodegenerative disease. Brain and Behavior, 2014, 4, 201-214.	2.2	55
133	Altered network connectivity in frontotemporal dementia with C9orf72 hexanucleotide repeat expansion. Brain, 2014, 137, 3047-3060.	7.6	140
134	Effects of Multiple Genetic Loci on Age at Onset in Late-Onset Alzheimer Disease. JAMA Neurology, 2014, 71, 1394.	9.0	166
135	NIH EXAMINER: Conceptualization and Development of an Executive Function Battery. Journal of the International Neuropsychological Society, 2014, 20, 11-19.	1.8	190
136	Anatomical correlates of reward-seeking behaviours in behavioural variant frontotemporal dementia. Brain, 2014, 137, 1621-1626.	7.6	84
137	Frontotemporal dementia and its subtypes: a genome-wide association study. Lancet Neurology, The, 2014, 13, 686-699.	10.2	302
138	Depressive Symptoms in Chinese-American Subjects with Cognitive Impairment. American Journal of Geriatric Psychiatry, 2014, 22, 642-652.	1.2	16
139	Metacognition in the behavioral variant of frontotemporal dementia and Alzheimer's disease.. Neuropsychology, 2014, 28, 436-447.	1.3	49
140	Interleukin-6, Age, and Corpus Callosum Integrity. PLoS ONE, 2014, 9, e106521.	2.5	48
141	Neuroimaging in frontotemporal dementia. International Review of Psychiatry, 2013, 25, 221-229.	2.8	70
142	The advantages of frontotemporal degeneration drug development (part 2 of frontotemporal) Tj ETQq0 0 0 rgBT JOverlock 10 Tf 50 14	0.8	48
143	Frontotemporal dementia in eight Chinese individuals. Neurocase, 2013, 19, 76-84.	0.6	8
144	Atypical, slowly progressive behavioural variant frontotemporal dementia associated with C9ORF72 hexanucleotide expansion. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 358-364.	1.9	172

#	ARTICLE	IF	CITATIONS
145	Neuroimaging features of C9ORF72 expansion. <i>Alzheimer's Research and Therapy</i> , 2012, 4, 45.	6.2	29
146	MRI patterns of atrophy and hypoperfusion associations across brain regions in frontotemporal dementia. <i>NeuroImage</i> , 2012, 59, 2098-2109.	4.2	14
147	MRI Signatures of Brain Macrostructural Atrophy and Microstructural Degradation in Frontotemporal Lobar Degeneration Subtypes. <i>Journal of Alzheimer's Disease</i> , 2012, 33, 431-444.	2.6	66
148	Know Thyself: Real-World Behavioral Correlates of Self-Appraisal Accuracy. <i>Clinical Neuropsychologist</i> , 2011, 25, 741-756.	2.3	18
149	Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. <i>Brain</i> , 2011, 134, 2456-2477.	7.6	3,913
150	Anosognosia in neurodegenerative disease. <i>Neurocase</i> , 2011, 17, 231-241.	0.6	94
151	Double dissociation in the anatomy of socioemotional disinhibition and executive functioning in dementia. <i>Neuropsychology</i> , 2011, 25, 249-259.	1.3	48
152	Neuroimaging in Dementia. <i>Neurotherapeutics</i> , 2011, 8, 82-92.	4.4	69
153	Behaviour, physiology and experience of pathological laughing and crying in amyotrophic lateral sclerosis. <i>Brain</i> , 2011, 134, 3458-3469.	7.6	46
154	Recruitment of Chinese American Elders into Dementia Research: The UCSF ADRC Experience. <i>Gerontologist</i> , The, 2011, 51, S125-S133.	3.9	32
155	Longitudinal Rates of Lobar Atrophy in Frontotemporal Dementia, Semantic Dementia, and Alzheimer's Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 43-48.	1.3	78
156	FRONTOTEMPORAL DEGENERATION. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2010, 16, 191-211.	0.8	7
157	Standardised measurement of self-awareness deficits in FTD and AD. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 140-145.	1.9	60
158	Neuroanatomical correlates of cognitive self-appraisal in neurodegenerative disease. <i>NeuroImage</i> , 2010, 49, 3358-3364.	4.2	96
159	Rule violation errors are associated with right lateral prefrontal cortex atrophy in neurodegenerative disease. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 354-364.	1.8	35
160	White matter damage in frontotemporal dementia and Alzheimer's disease measured by diffusion MRI. <i>Brain</i> , 2009, 132, 2579-2592.	7.6	318
161	The emotional brain: Combining insights from patients and basic science. <i>Neurocase</i> , 2009, 15, 173-181.	0.6	43
162	The causes and treatment of pseudobulbar affect in ischemic stroke. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2008, 10, 216-222.	0.9	15

#	ARTICLE	IF	CITATIONS
163	Chapter 3 Cortical neuroanatomy and cognition. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 88, 41-60.	1.8	1
164	Dextromethorphan/quinidine sulfate for pseudobulbar affect. Drugs of Today, 2008, 44, 661.	1.1	30
165	A real reason for patients with pseudobulbar affect to smile. Annals of Neurology, 2007, 61, 92-96.	5.3	36
166	Different regional patterns of cortical thinning in Alzheimer's disease and frontotemporal dementia. Brain, 2006, 130, 1159-1166.	7.6	391
167	Self-conscious emotion deficits in frontotemporal lobar degeneration. Brain, 2006, 129, 2508-2516.	7.6	160
168	Neuroanatomical correlates of impaired recognition of emotion in dementia. Neuropsychologia, 2006, 44, 365-373.	1.6	135
169	Frontotemporal Lobar Degeneration. Archives of Neurology, 2005, 62, 925-30.	4.5	354
170	Neuroanatomical correlates of behavioural disorders in dementia. Brain, 2005, 128, 2612-2625.	7.6	447
171	Cognition and anatomy in three variants of primary progressive aphasia. Annals of Neurology, 2004, 55, 335-346.	5.3	1,362
172	Recognition of Emotion in the Frontal and Temporal Variants of Frontotemporal Dementia. Dementia and Geriatric Cognitive Disorders, 2004, 17, 277-281.	1.5	192
173	Neuropsychological and functional measures of severity in Alzheimer disease, frontotemporal dementia, and semantic dementia. Alzheimer Disease and Associated Disorders, 2004, 18, 202-7.	1.3	54
174	Distinctive Neuropsychological Patterns in Frontotemporal Dementia, Semantic Dementia, And Alzheimer Disease. Cognitive and Behavioral Neurology, 2003, 16, 211-218.	0.9	442
175	Emotion comprehension in the temporal variant of frontotemporal dementia. Brain, 2002, 125, 2286-2295.	7.6	223
176	Utility of clinical criteria in differentiating frontotemporal lobar degeneration (FTLD) from AD. Neurology, 2002, 58, 1608-1615.	1.1	178
177	Patterns of cerebral atrophy in primary progressive aphasia. American Journal of Geriatric Psychiatry, 2002, 10, 89-97.	1.2	44
178	Neuroimaging in dementia. , 0, , 101-119.		1
179	Neuroimaging in dementia. , 0, , 19-43.		0
180	Default Mode Network quantitative diffusion and resting-state functional magnetic resonance imaging correlates in sporadic Creutzfeldt-Jakob disease. Human Brain Mapping, 0, , .	3.6	4