
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/205954/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The efficacy of psychotherapy and pharmacotherapy in treating depressive and anxiety disorders: a metaâ€analysis of direct comparisons. World Psychiatry, 2013, 12, 137-148.	10.4	388
2	Psychological treatment of generalized anxiety disorder: A meta-analysis. Clinical Psychology Review, 2014, 34, 130-140.	11.4	379
3	The GRoLTS-Checklist: Guidelines for Reporting on Latent Trajectory Studies. Structural Equation Modeling, 2017, 24, 451-467.	3.8	376
4	Adding psychotherapy to antidepressant medication in depression and anxiety disorders: a meta-analysis. World Psychiatry, 2014, 13, 56-67.	10.4	296
5	Effect of a Multicomponent Behavioral Intervention in Adults Impaired by Psychological Distress in a Conflict-Affected Area of Pakistan. JAMA - Journal of the American Medical Association, 2016, 316, 2609.	7.4	217
6	Pre-trauma individual differences in extinction learning predict posttraumatic stress. Behaviour Research and Therapy, 2013, 51, 63-67.	3.1	181
7	EFFECTIVENESS OF INTERNET-DELIVERED COGNITIVE BEHAVIORAL THERAPY FOR POSTTRAUMATIC STRESS DISORDER: A SYSTEMATIC REVIEW AND META-ANALYSIS. Depression and Anxiety, 2016, 33, 783-791.	4.1	178
8	Effectiveness of a brief behavioural intervention on psychological distress among women with a history of gender-based violence in urban Kenya: A randomised clinical trial. PLoS Medicine, 2017, 14, e1002371.	8.4	176
9	Strengthening mental health care systems for Syrian refugees in Europe and the Middle East: integrating scalable psychological interventions in eight countries. HA¶gre Utbildning, 2017, 8, 1388102.	3.0	175
10	Mobile Phone-Based Unobtrusive Ecological Momentary Assessment of Day-to-Day Mood: An Explorative Study. Journal of Medical Internet Research, 2016, 18, e72.	4.3	157
11	Efficacy and acceptability of psychosocial interventions in asylum seekers and refugees: systematic review and meta-analysis. Epidemiology and Psychiatric Sciences, 2019, 28, 376-388.	3.9	141
12	Emotional or educational debriefing after psychological trauma. British Journal of Psychiatry, 2006, 189, 150-155.	2.8	136
13	Treatment of Acute Posttraumatic Stress Disorder With Brief Cognitive Behavioral Therapy: A Randomized Controlled Trial. American Journal of Psychiatry, 2007, 164, 82-90.	7.2	132
14	Estimating the risk of PTSD in recent trauma survivors: results of the International Consortium to Predict PTSD (ICPP). World Psychiatry, 2019, 18, 77-87.	10.4	126
15	EMDR for Syrian refugees with posttraumatic stress disorder symptoms: results of a pilot randomized controlled trial. HA¶gre Utbildning, 2015, 6, 27414.	3.0	125
16	Pharmacological prevention of post-traumatic stress disorder and acute stress disorder: a systematic review and meta-analysis. Lancet Psychiatry,the, 2015, 2, 413-421.	7.4	109
17	Effectiveness of a brief group psychological intervention for women in a post-conflict setting in Pakistan: a single-blind, cluster, randomised controlled trial. Lancet, The, 2019, 393, 1733-1744.	13.7	108
18	The efficacy of eye movement desensitization and reprocessing for post-traumatic stress disorder and depression among Syrian refugees: results of a randomized controlled trial. Psychological Medicine, 2016, 46, 2583-2593.	4.5	102

#	Article	IF	CITATIONS
19	User-Centered App Adaptation of a Low-Intensity E-Mental Health Intervention for Syrian Refugees. Frontiers in Psychiatry, 2018, 9, 663.	2.6	95
20	The role of acute cortisol and DHEAS in predicting acute and chronic PTSD symptoms. Psychoneuroendocrinology, 2014, 45, 179-186.	2.7	75
21	Structural and socio-cultural barriers to accessing mental healthcare among Syrian refugees and asylum seekers in Switzerland. Högre Utbildning, 2020, 11, 1717825.	3.0	75
22	Eye movement desensitization and reprocessing for mental health problems: a systematic review and meta-analysis. Cognitive Behaviour Therapy, 2020, 49, 165-180.	3.5	74
23	Impaired fear inhibition learning predicts the persistence of symptoms of posttraumatic stress disorder (PTSD). Journal of Psychiatric Research, 2013, 47, 1991-1997.	3.1	69
24	Internet-Based Early Intervention to Prevent Posttraumatic Stress Disorder in Injury Patients: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e165.	4.3	69
25	The Effect of Psychological First Aid Training on Knowledge and Understanding about Psychosocial Support Principles: A Cluster-Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2020, 17, 484.	2.6	67
26	<scp>P</scp> roblem <scp>M</scp> anagement <scp>P</scp> lus (<scp>PM</scp> +): pilot trial of a <scp>WHO</scp> transdiagnostic psychological intervention in conflictâ€affected <scp>P</scp> akistan. World Psychiatry, 2016, 15, 182-183.	10.4	64
27	Pharmacological prevention and early treatment of post-traumatic stress disorder and acute stress disorder: a systematic review and meta-analysis. Translational Psychiatry, 2019, 9, 334.	4.8	62
28	Treatment gap and mental health service use among Syrian refugees in Sultanbeyli, Istanbul: a cross-sectional survey. Epidemiology and Psychiatric Sciences, 2020, 29, e70.	3.9	61
29	The effectiveness of interventions during and after residence in women's shelters: a meta-analysis. European Journal of Public Health, 2015, 25, 15-19.	0.3	60
30	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2021, 90, 403-414.	8.8	57
31	Peer-provided Problem Management Plus (PM+) for adult Syrian refugees: a pilot randomised controlled trial on effectiveness and cost-effectiveness. Epidemiology and Psychiatric Sciences, 2020, 29, .	3.9	52
32	Effectiveness of a <scp>WHO</scp> selfâ€help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial. World Psychiatry, 2022, 21, 88-95.	10.4	52
33	Evaluating feasibility and acceptability of a group WHO trans-diagnostic intervention for women with common mental disorders in rural Pakistan: a cluster randomised controlled feasibility trial. Epidemiology and Psychiatric Sciences, 2019, 28, 77-87.	3.9	47
34	Comparing Screening Instruments to Predict Posttraumatic Stress Disorder. PLoS ONE, 2014, 9, e97183.	2.5	47
35	Posttraumatic stress disorder under ongoing threat: a review of neurobiological and neuroendocrine findings. HĶgre Utbildning, 2016, 7, 30915.	3.0	41
36	Bayesian PTSD-Trajectory Analysis with Informed Priors Based on a Systematic Literature Search and Expert Elicitation. Multivariate Behavioral Research, 2018, 53, 267-291.	3.1	41

#	Article	IF	CITATIONS
37	Prevalence and predictors of common mental disorders among Syrian refugees in Istanbul, Turkey: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 475-484.	3.1	39
38	Effectiveness of a peer-refugee delivered psychological intervention to reduce psychological distress among adult Syrian refugees in the Netherlands: study protocol. HA¶gre Utbildning, 2020, 11, 1694347.	3.0	37
39	Changing for Better or Worse? Posttraumatic Growth Reported by Soldiers Deployed to Iraq. Clinical Psychological Science, 2015, 3, 789-796.	4.0	36
40	Group problem management plus (PM+) to decrease psychological distress among Syrian refugees in Turkey: a pilot randomised controlled trial. BMC Psychiatry, 2022, 22, 8.	2.6	35
41	Problem Management Plus (PM+) in the treatment of common mental disorders in women affected by gender-based violence and urban adversity in Kenya; study protocol for a randomized controlled trial. International Journal of Mental Health Systems, 2016, 10, 44.	2.7	34
42	Toward Needs Profiles of Shelter-Based Abused Women. Psychology of Women Quarterly, 2012, 36, 38-53.	2.0	31
43	Effectiveness of a brief group behavioral intervention for common mental disorders in Syrian refugees in Jordan: A randomized controlled trial. PLoS Medicine, 2022, 19, e1003949.	8.4	31
44	The structure of acute posttraumatic stress symptoms: â€~Reexperiencing', â€~Active avoidance', â€~Dysphoria', and â€~Hyperarousal'. Journal of Anxiety Disorders, 2009, 23, 656-659.	3.2	30
45	Treatment of Acute Posttraumatic Stress Disorder With Brief Cognitive Behavioral Therapy: A Randomized Controlled Trial. American Journal of Psychiatry, 2007, 164, 82.	7.2	30
46	Psychological Group-Treatments of Social Anxiety Disorder: A Meta-Analysis. PLoS ONE, 2013, 8, e79034.	2.5	29
47	Problem Management Plus (PM+) for common mental disorders in a humanitarian setting in Pakistan; study protocol for a randomised controlled trial (RCT). BMC Psychiatry, 2015, 15, 232.	2.6	28
48	Evaluating effectiveness and cost-effectiveness of a group psychological intervention using cognitive behavioural strategies for women with common mental disorders in conflict-affected rural Pakistan: study protocol for a randomised controlled trial. Trials, 2017, 18, 190.	1.6	27
49	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. BMJ Open, 2019, 9, e030259.	1.9	27
50	Preventing the onset of post traumatic stress disorder. Clinical Psychology Review, 2021, 86, 102004.	11.4	27
51	Feasibility trial of a scalable psychological intervention for women affected by urban adversity and gender-based violence in Nairobi. BMC Psychiatry, 2016, 16, 410.	2.6	26
52	Expanding the evidence: key priorities for research on mental health interventions for refugees in high-income countries. Epidemiology and Psychiatric Sciences, 2018, 27, 105-108.	3.9	26
53	Psychological and Psychosocial Interventions for PTSD, Depression and Anxiety Among Children and Adolescents in Low- and Middle-Income Countries: A Meta-Analysis. Frontiers in Psychiatry, 2019, 10, 933.	2.6	25
54	A network meta-analysis of psychosocial interventions for refugees and asylum seekers with PTSD. BMJ Global Health, 2021, 6, e005029.	4.7	24

MARIT SIJBRANDIJ

#	Article	IF	CITATIONS
55	Early prognostic screening for posttraumatic stress disorder with the Davidson Trauma Scale and the SPAN. Depression and Anxiety, 2008, 25, 1038-1045.	4.1	23
56	PTSD Symptom Trajectories in Disaster Volunteers: The Role of Selfâ€Efficacy, Social Acknowledgement, and Tasks Carried Out. Journal of Traumatic Stress, 2016, 29, 17-25.	1.8	23
57	Differences in psychiatric care utilization between refugees, non-refugee migrants and Swedish-born youth. Psychological Medicine, 2022, 52, 1365-1375.	4.5	23
58	Forecasting individual risk for long-term Posttraumatic Stress Disorder in emergency medical settings using biomedical data: A machine learning multicenter cohort study. Neurobiology of Stress, 2021, 14, 100297.	4.0	23
59	Adding Psychotherapy to Antidepressant Medication in Depression and Anxiety Disorders: a Meta-Analysis. Focus (American Psychiatric Publishing), 2014, 12, 347-358.	0.8	22
60	Problems faced by Syrian refugees and asylum seekers in Switzerland. Swiss Medical Weekly, 2020, 150, w20381.	1.6	22
61	Degrading traumatic memories with eye movements: a pilot functional MRI study in PTSD. Högre Utbildning, 2016, 7, 31371.	3.0	21
62	Trauma and trauma care in Europe. Högre Utbildning, 2018, 9, 1556553.	3.0	21
63	Planning the scale up of brief psychological interventions using theory of change. BMC Health Services Research, 2020, 20, 801.	2.2	21
64	The role of early pharmacotherapy in the development of posttraumatic stress disorder symptoms after traumatic injury: an observational cohort study in consecutive patients. General Hospital Psychiatry, 2015, 37, 230-235.	2.4	20
65	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2022, 221, 507-519.	2.8	20
66	Psychoeducation for breast cancer: A systematic review and meta-analysis. Breast, 2022, 62, 36-51.	2.2	20
67	Somatic distress among Syrian refugees in Istanbul, Turkey: A cross-sectional study. Journal of Psychosomatic Research, 2020, 132, 109993.	2.6	19
68	Common mental disorders among young refugees in Sweden: The role of education and duration of residency. Journal of Affective Disorders, 2020, 266, 563-571.	4.1	19
69	Internet-based prevention of posttraumatic stress symptoms in injured trauma patients: design of a randomized controlled trial. Högre Utbildning, 2011, 2, 8294.	3.0	18
70	Protocol for a randomized controlled trial: peer-to-peer Group Problem Management Plus (PM+) for adult Syrian refugees in Turkey. Trials, 2020, 21, 283.	1.6	18
71	Feasibility and acceptability of Problem Management Plus (PM+) among Syrian refugees and asylum seekers in Switzerland: a mixed-method pilot randomized controlled trial. Högre Utbildning, 2022, 13, 2002027.	3.0	18
72	Development and testing of TraumaGameplay: an iterative experimental approach using the trauma film paradigm. Högre Utbildning, 2018, 9, 1424447.	3.0	17

MARIT SIJBRANDIJ

#	Article	IF	CITATIONS
73	Early Adolescent Skills for Emotions (EASE) intervention for the treatment of psychological distress in adolescents: study protocol for randomised controlled trials in Lebanon and Jordan. Trials, 2019, 20, 545.	1.6	17
74	Group problem management plus (gPM+) in the treatment of common mental disorders in Syrian refugees in a Jordanian camp: study protocol for a randomized controlled trial. BMC Public Health, 2020, 20, 390.	2.9	16
75	Problem Management Plus (PM+) in the management of common mental disorders in a specialized mental healthcare facility in Pakistan; study protocol for a randomized controlled trial. International Journal of Mental Health Systems, 2017, 11, 40.	2.7	15
76	The Cultural and Contextual Adaptation Process of an Intervention to Reduce Psychological Distress in Young Adolescents Living in Lebanon. Frontiers in Psychiatry, 2020, 11, 212.	2.6	15
77	Problems after flight: understanding and comparing Syrians' perspectives in the Middle East and Europe. BMC Public Health, 2021, 21, 717.	2.9	15
78	Impact of Longitudinal Social Support and Loneliness Trajectories on Mental Health during the COVID-19 Pandemic in France. International Journal of Environmental Research and Public Health, 2021, 18, 12677.	2.6	14
79	Quality of life and health status of Indonesian women with breast cancer symptoms before the definitive diagnosis: A comparison with Indonesian women in general. PLoS ONE, 2018, 13, e0200966.	2.5	13
80	Factors Related To Depression and Post-Traumatic Stress Disorder in Shelter-Based Abused Women. Violence Against Women, 2019, 25, 401-420.	1.7	13
81	Post-traumatic growth and its predictors among Syrian refugees in Istanbul: A mental health population survey. Journal of Migration and Health, 2020, 1-2, 100010.	3.0	13
82	A qualitative evaluation of a brief multicomponent intervention provided by lay health workers for women affected by adversity in urban Kenya. Global Mental Health (Cambridge, England), 2018, 5, e6.	2.5	12
83	The risk of PTSD and depression after an airplane crash and its potential association with physical injury: A longitudinal study. Injury, 2016, 47, 250-256.	1.7	11
84	Pathways towards scaling up Problem Management Plus in Turkey: a theory of change workshop. Conflict and Health, 2020, 14, 22.	2.7	11
85	Coping with COVID: risk and resilience factors for mental health in a German representative panel study. Psychological Medicine, 2023, 53, 3897-3907.	4.5	11
86	Treatment of Intrusive Suicidal Imagery Using Eye Movements. International Journal of Environmental Research and Public Health, 2017, 14, 714.	2.6	10
87	Psychotherapy for depression and anxiety in low- and middle-income countries. , 2019, , 173-192.		10
88	Gender Differences in Traumatic Experiences, PTSD, and Relevant Symptoms among the Iraqi Internally Displaced Persons. International Journal of Environmental Research and Public Health, 2021, 18, 9779.	2.6	10
89	Treating repetitive suicidal intrusions using eye movements: study protocol for a multicenter randomized clinical trial. BMC Psychiatry, 2019, 19, 143.	2.6	9
90	A selfâ€help intervention for reducing time to diagnosis in Indonesian women with breast cancer symptoms. Psycho-Oncology, 2020, 29, 696-702.	2.3	9

#	Article	IF	CITATIONS
91	Cognitive therapy and interpersonal psychotherapy reduce suicidal ideation independent from their effect on depression. Depression and Anxiety, 2021, 38, 940-949.	4.1	9
92	lmpact of comorbid personality disorders on psychotherapy for post-traumatic stress disorder: systematic review and meta-analysis. Högre Utbildning, 2021, 12, 1929753.	3.0	9
93	Feasibility and acceptability of Problem Management Plus with Emotional Processing (PM+EP) for refugee youth living in the Netherlands: study protocol. Högre Utbildning, 2021, 12, 1947003.	3.0	9
94	A longitudinal study of mental health before and during the COVID-19 pandemic in Syrian refugees. Högre Utbildning, 2021, 12, 1991651.	3.0	9
95	The effects of psychological interventions on neurocognitive functioning in posttraumatic stress disorder: a systematic review. European Journal of Psychotraumatology, 2022, 13, .	2.5	9
96	Symptoms of anxiety and depression during the COVID-19 pandemic in six European countries and Australia – Differences by prior mental disorders and migration status. Journal of Affective Disorders, 2022, 311, 214-223.	4.1	9
97	The structure of peritraumatic dissociation: A cross validation in clinical and nonclinical samples. Journal of Traumatic Stress, 2012, 25, 475-479.	1.8	8
98	The Role of Injury and Trauma-Related Variables in the Onset and Course of Symptoms of Posttraumatic Stress Disorder. Journal of Clinical Psychology in Medical Settings, 2013, 20, 449-455.	1.4	8
99	Using Bayesian statistics for modeling PTSD through Latent Growth Mixture Modeling: implementation and discussion. Högre Utbildning, 2015, 6, 27516.	3.0	8
100	A systematic review and meta-analysis of diagnostic test accuracy studies of self-report screening instruments for common mental disorders in Arabic-speaking adults. Global Mental Health (Cambridge, England), 2021, 8, e43.	2.5	8
101	Feasibility trial of a brief scalable psychological intervention for Syrian refugee adolescents in Jordan. Högre Utbildning, 2021, 12, 1901408.	3.0	8
102	Trauma occurs in social contexts. Högre Utbildning, 2016, 7, 31389.	3.0	7
103	Initiation of antidepressant use among refugee and Swedish-born youth after diagnosis of a common mental disorder: findings from the REMAIN study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 463-474.	3.1	7
104	Scalable psychological interventions for Syrian refugees in Europe and the Middle East: STRENGTHS study protocol for a prospective individual participant data meta-analysis. BMJ Open, 2022, 12, e058101.	1.9	7
105	Mental health stigma at primary health care centres in Lebanon: qualitative study. International Journal of Mental Health Systems, 2022, 16, 23.	2.7	7
106	Editorial: Low-Intensity Interventions for Psychiatric Disorders. Frontiers in Psychiatry, 2020, 11, 619871.	2.6	6
107	Feasibility trial of a scalable transdiagnostic group psychological intervention for Syrians residing in a refugee camp. Högre Utbildning, 2021, 12, 1932295.	3.0	6
108	Residual posttraumatic stress disorder symptoms after provision of brief behavioral intervention in low―and middleâ€income countries: An individualâ€patient data metaâ€analysis. Depression and Anxiety, 2022, 39, 71-82.	4.1	6

MARIT SIJBRANDIJ

#	Article	IF	CITATIONS
109	Sex-differential PTSD symptom trajectories across one year following suspected serious injury. European Journal of Psychotraumatology, 2022, 13, 2031593.	2.5	6
110	Protocol for individual participant data meta-analysis of interventions for post-traumatic stress. BMJ Open, 2022, 12, e054830.	1.9	6
111	Scientists Against War: A Plea to World Leaders for Better Governance. Sleep and Vigilance, 2022, 6, 1-6.	0.8	6
112	Cost-effectiveness of the Self-Help Plus Intervention for Adult Syrian Refugees Hosted in Turkey. JAMA Network Open, 2022, 5, e2211489.	5.9	6
113	A protocol for a cluster-randomized controlled trial of a self-help psycho-education programme to reduce diagnosis delay in women with breast cancer symptoms in Indonesia. BMC Cancer, 2017, 17, 284.	2.6	5
114	Country of birth, time period of resettlement and subsequent treated common mental disorders in young refugees in Sweden. European Journal of Public Health, 2020, 30, 1169-1175.	0.3	5
115	Self-help plus for refugees and asylum seekers; study protocol for a series of individual participant data meta-analyses. HA¶gre Utbildning, 2021, 12, 1930690.	3.0	5
116	Eye Movement Desensitization (EMD) to reduce posttraumatic stress disorder-related stress reactivity in Indonesia PTSD patients: a study protocol for a randomized controlled trial. Trials, 2021, 22, 181.	1.6	5
117	Problem Management Plus (PM+) for Syrian refugees in the Netherlands. European Journal of Public Health, 2020, 30, .	0.3	5
118	The association between childhood maltreatment and suicidal intrusions: A crossâ€sectional study. Journal of Traumatic Stress, 2022, 35, 1273-1281.	1.8	5
119	Preventing the mental health consequences of war in refugee populations. Epidemiology and Psychiatric Sciences, 2022, 31, e24.	3.9	5
120	Self-report screening instruments for post-traumatic stress disorder (PTSD) in survivors of traumatic experiences. The Cochrane Library, 2013, , .	2.8	4
121	Persistence of antidepressant use among refugee youth with common mental disorder. Journal of Affective Disorders, 2021, 294, 831-837.	4.1	4
122	Exploratory and confirmatory factor analysis of the 12-item Arabic World Health Organization Disability Assessment Schedule (WHODAS 2.0) as a screening tool for Syrian refugees. BJPsych Open, 2021, 7, .	0.7	4
123	The Effectiveness of Eye Movement Desensitization for Post-traumatic Stress Disorder in Indonesia: A Randomized Controlled Trial. Frontiers in Psychology, 2022, 13, 845520.	2.1	4
124	A longitudinal evaluation of active outreach after an aeroplane crash: screening for post-traumatic stress disorder and depression and assessment of self-reported treatment needs. HA¶gre Utbildning, 2019, 10, 1554406.	3.0	3
125	The effects of retrieval versus rehearsal of online problem-solving therapy sessions on recall, problem-solving skills and distress in distressed individuals: An experimental study. Journal of Behavior Therapy and Experimental Psychiatry, 2020, 66, 101485.	1.2	3
126	A Self-Help Guided Psychoeducational Intervention for Indonesian Women with Breast Cancer Symptoms: Development and Pilot Feasibility Study. Asian Pacific Journal of Cancer Prevention, 2019, 20, 711-722.	1.2	3

#	Article	IF	CITATIONS
127	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. BMJ Open, 2020, 10, e038909.	1.9	3
128	Associations among traumatic experiences, threat exposure, and mental health in Pakistani journalists. Journal of Traumatic Stress, 2022, 35, 581-592.	1.8	3
129	Labour market marginalisation in young refugees and their majority peers in Denmark and Sweden: The role of common mental disorders and secondary school completion. PLoS ONE, 2022, 17, e0263450.	2.5	3
130	Associations between Multimorbidity Patterns and Subsequent Labor Market Marginalization among Refugees and Swedish-Born Young Adults—A Nationwide Registered-Based Cohort Study. Journal of Personalized Medicine, 2021, 11, 1305.	2.5	3
131	Long-term effectiveness of Self-Help Plus in refugees and asylum seekers resettled in Western Europe: 12-month outcomes of a randomised controlled trial. Epidemiology and Psychiatric Sciences, 2022, 31, .	3.9	2
132	CBT Treatment of PTSD Within the First Month. American Journal of Psychiatry, 2007, 164, 1267-1267.	7.2	1
133	Review: multiple session early psychological interventions after trauma do not prevent PTSD. Evidence-Based Mental Health, 2010, 13, 29-29.	4.5	1
134	Internet-delivered cognitive behavioral therapy for posttraumatic stress disorder in international humanitarian aid workers: Study protocol. Internet Interventions, 2017, 10, 23-28.	2.7	1
135	Trauma-TIPS: Eine internetgestützte Intervention zur PrÃ ¤ ention von posttraumatischen Belastungsstörungen bei Patienten mit körperlichen Verletzungen. , 2008, , 51-60.		1
136	Drs. Sijbrandij and Olff Reply. American Journal of Psychiatry, 2007, 164, 1267-1268.	7.2	0
137	Drs. Sijbrandij and Olff Reply. American Journal of Psychiatry, 2007, 164, 975-975.	7.2	0
138	Which psychotherapy is effective in panic disorder? Findings and reflections from a systematic network meta-analysis. European Psychiatry, 2021, 64, S118-S118.	0.2	0
139	Drs. Sijbrandij and Olff Reply. American Journal of Psychiatry, 2007, 164, 975-975.	7.2	0