MarÃ-a Elena I Medina-Mora

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2059834/publications.pdf

Version: 2024-02-01

226 papers

32,306 citations

54 h-index 173 g-index

252 all docs

252 docs citations

times ranked

252

42879 citing authors

#	Article	IF	CITATIONS
1	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	13.7	7,061
2	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	13.7	6,376
3	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
4	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
5	Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. Archives of General Psychiatry, 2011, 68, 241.	12.3	1,931
6	The Lancet Commission on global mental health and sustainable development. Lancet, The, 2018, 392, 1553-1598.	13.7	1,534
7	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
8	Social determinants of mental disorders and the Sustainable Development Goals: a systematic review of reviews. Lancet Psychiatry,the, 2018, 5, 357-369.	7.4	515
9	Innovations and changes in the ICDâ€11 classification of mental, behavioural and neurodevelopmental disorders. World Psychiatry, 2019, 18, 3-19.	10.4	505
10	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. World Psychiatry, 2017, 16, 30-40.	10.4	477
11	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	11.0	372
12	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	4.1	329
13	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	2.8	326
14	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
15	Evaluating the drug use "gateway―theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. Drug and Alcohol Dependence, 2010, 108, 84-97.	3.2	228
16	Mental disorders among persons with heart disease â€" results from World Mental Health surveys. General Hospital Psychiatry, 2007, 29, 325-334.	2.4	204
17	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
18	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	10.4	194

#	Article	IF	CITATIONS
19	Chronic childhood adversity and onset of psychopathology during three life stages: Childhood, adolescence and adulthood. Journal of Psychiatric Research, 2010, 44, 732-740.	3.1	189
20	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	11.0	179
21	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
22	Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. Psychological Medicine, 2005, 35, 1773-1783.	4.5	159
23	Universal health coverage and intersectoral action for health: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2018, 391, 1108-1120.	13.7	153
24	Developing a science of clinical utility in diagnostic classification systems: Field study strategies for ICD-11 mental and behavioral disorders American Psychologist, 2016, 71, 3-16.	4.2	140
25	Dissonant health transition in the states of Mexico, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 388, 2386-2402.	13.7	130
26	Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 386-395.	5.2	123
27	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	1.3	114
28	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	3.0	108
29	Psychiatric disorders in Mexico: Lifetime prevalence in a nationally representative sample. British Journal of Psychiatry, 2007, 190, 521-528.	2.8	102
30	Suicide Ideation, Plan, and Attempt in the Mexican Adolescent Mental Health Survey. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 41-52.	0.5	93
31	The ICDâ€11 developmental field study of reliability of diagnoses of highâ€burden mental disorders: results among adult patients in mental health settings of 13 countries. World Psychiatry, 2018, 17, 174-186.	10.4	89
32	Migration from Mexico to the United States and Subsequent Risk for Depressive and Anxiety Disorders. Archives of General Psychiatry, 2011, 68, 428.	12.3	88
33	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
34	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82
35	Validity of the posttraumatic stress disorders (PTSD) checklist in pregnant women. BMC Psychiatry, 2017, 17, 179.	2.6	82
36	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. Biological Psychiatry, 2010, 68, 465-473.	1.3	80

#	Article	IF	CITATIONS
37	Mental Health Professionals' Natural Taxonomies of Mental Disorders: Implications for the Clinical Utility of the ICDâ€11 and the DSMâ€5. Journal of Clinical Psychology, 2013, 69, 1191-1212.	1.9	77
38	The Effect of Migration to the United States on Substance Use Disorders Among Returned Mexican Migrants and Families of Migrants. American Journal of Public Health, 2007, 97, 1847-1851.	2.7	75
39	Lower-Risk Cannabis Use Guidelines (LRCUG) for reducing health harms from non-medical cannabis use: A comprehensive evidence and recommendations update. International Journal of Drug Policy, 2022, 99, 103381.	3.3	75
40	Youth who neither study nor work: mental health, education and employment. Salud Publica De Mexico, 2012, 54, 410-417.	0.4	75
41	La carga de enfermedad, lesiones, factores de riesgo y desafÃos para el sistema de salud en México. Salud Publica De Mexico, 2013, 55, 580.	0.4	75
42	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	6.3	69
43	Epidemiology of inhalant use. Current Opinion in Psychiatry, 2008, 21, 247-251.	6.3	67
44	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
45	Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. Journal of Psychiatric Research, 2017, 91, 74-82.	3.1	67
46	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	1.7	65
47	Intervention strategies to reduce the burden of non-communicable diseases in Mexico: cost effectiveness analysis. BMJ: British Medical Journal, 2012, 344, e355-e355.	2.3	64
48	Clinical utility of ICDâ€11 diagnostic guidelines for highâ€burden mental disorders: results from mental health settings in 13 countries. World Psychiatry, 2018, 17, 306-315.	10.4	62
49	Mental health problems among healthcare workers involved with the COVID-19 outbreak. Revista Brasileira De Psiquiatria, 2021, 43, 494-503.	1.7	62
50	Delay of First Treatment of Mental and Substance Use Disorders in Mexico. American Journal of Public Health, 2007, 97, 1638-1643.	2.7	61
51	Immigration and Suicidal Behavior Among Mexicans and Mexican Americans. American Journal of Public Health, 2009, 99, 728-733.	2.7	61
52	Mental disorders among English-speaking Mexican immigrants to the US compared to a national sample of Mexicans. Psychiatry Research, 2007, 151, 115-122.	3.3	60
53	WHO's Global Clinical Practice Network for mental health. Lancet Psychiatry, the, 2015, 2, 379-380.	7.4	58
54	Traumatic events and suicide-related outcomes among Mexico City adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 654-666.	5.2	56

#	Article	IF	Citations
55	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. Depression and Anxiety, 2014, 31, 765-777.	4.1	56
56	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
57	Descriptive Epidemiology of Chronic Childhood Adversity in Mexican Adolescents. Journal of Adolescent Health, 2009, 45, 483-489.	2.5	53
58	A global clinicians' map of mental disorders to improve ICD-11: Analysing meta-structure to enhance clinical utility. International Review of Psychiatry, 2012, 24, 578-590.	2.8	52
59	Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. European Child and Adolescent Psychiatry, 2016, 25, 163-173.	4.7	51
60	Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. Drug and Alcohol Dependence, 2007, 90, 128-134.	3.2	49
61	Prevalence and socioâ€demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. Addiction, 2007, 102, 1261-1268.	3.3	49
62	Drug Policy and the Public Good. , 2018, , .		48
63	Treatment and Adequacy of Treatment of Mental Disorders Among Respondents to the Mexico National Comorbidity Survey. American Journal of Psychiatry, 2006, 163, 1371-1378.	7.2	46
64	Mexican migration experiences to the US and risk for anxiety and depressive symptoms. Journal of Affective Disorders, $2011, 130, 83-91$.	4.1	46
65	The cross-national structure of mental disorders: results from the World Mental Health Surveys. Psychological Medicine, 2018, 48, 2073-2084.	4.5	46
66	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	3.3	45
67	Prevalence and correlates of drug use disorders in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2006, 19, 265-76.	1.1	45
68	The Mexican migration to the United States and substance use in northern Mexico. Addiction, 2009, 104, 603-611.	3.3	44
69	Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. Journal of Affective Disorders, 2017, 215, 1-8.	4.1	44
70	Adolescent drug use in Mexico and among Mexican American adolescents in the United States: Environmental influences and individual characteristics Cultural Diversity and Ethnic Minority Psychology, 2001, 7, 27-46.	2.0	42
71	Lifetime prevalence and age-of-onset of mental disorders in adults from the Argentinean Study of Mental Health Epidemiology. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 341-350.	3.1	41
72	Chronic childhood adversity and stages of substance use involvement in adolescents. Drug and Alcohol Dependence, 2013, 131, 85-91.	3.2	40

#	Article	IF	CITATIONS
73	Migration From Mexico to the United States and Conduct Disorder. Archives of General Psychiatry, 2011, 68, 1284.	12.3	38
74	Psychiatric disorders, comorbidity, and suicidality in Mexico. Journal of Affective Disorders, 2010, 124, 98-107.	4.1	37
75	NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. European Child and Adolescent Psychiatry, 2017, 26, 1459-1469.	4.7	37
76	Depression, gender, and the treatment gap in Mexico. Journal of Affective Disorders, 2012, 138, 165-169.	4.1	36
77	The Epidemiology of Suicideâ€Related Outcomes in Mexico. Suicide and Life-Threatening Behavior, 2007, 37, 627-640.	1.9	34
78	The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. European Child and Adolescent Psychiatry, 2011, 20, 459-468.	4.7	34
79	Mexican immigration to the US and alcohol and drug use opportunities: Does it make a difference in alcohol and/or drug use?. Drug and Alcohol Dependence, 2012, 125, S4-S11.	3.2	34
80	Draft diagnostic guidelines for ICDâ€11 mental and behavioural disorders available for review and comment. World Psychiatry, 2016, 15, 112-113.	10.4	34
81	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. BMC Psychiatry, 2016, 16, 257.	2.6	34
82	Fentanyl is used in Mexico's northern border: current challenges for drug health policies. Addiction, 2020, 115, 778-781.	3.3	32
83	Volatile Substance Misuse in Mexico: Correlates and Trends. Substance Use and Misuse, 2011, 46, 40-45.	1.4	31
84	Substance Use and Cumulative Exposure to American Society: Findings From Both Sides of the US–Mexico Border Region. American Journal of Public Health, 2016, 106, 119-127.	2.7	31
85	Change in binge eating and binge eating disorder associated with migration from Mexico to the US. Journal of Psychiatric Research, 2012, 46, 31-37.	3.1	30
86	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	11.0	27
87	Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. Journal of Affective Disorders, 2020, 263, 540-546.	4.1	27
88	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.5	27
89	Illicit drug use research in Latin America: Epidemiology, service use, and HIV. Drug and Alcohol Dependence, 2006, 84, S85-S93.	3.2	26
90	Diagnostic classification of irritability and oppositionality in youth: a global field study comparing ICDâ€11 with ICDâ€10 and DSMâ€5. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 303-312.	5.2	26

#	Article	IF	Citations
91	An international survey examining the impact of the COVID-19 pandemic on telehealth use among mental health professionals. Journal of Psychiatric Research, 2022, 148, 188-196.	3.1	26
92	A Cross-National Study on Prevalence of Mental Disorders, Service Use, and Adequacy of Treatment Among Mexican and Mexican American Populations. American Journal of Public Health, 2013, 103, 1610-1618.	2.7	25
93	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	2.6	25
94	Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. BMC Public Health, 2018, 18, 1201.	2.9	25
95	Psychopathology and self-harm among incoming first-year students in six Mexican universities. Salud Publica De Mexico, 2018, 61, 16.	0.4	25
96	Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. Journal of Psychiatric Research, 2011, 45, 596-602.	3.1	24
97	Co-Occurring Disorders: A Challenge for Mexican Community-Based Residential Care Facilities for Substance Use. Journal of Dual Diagnosis, 2016, 12, 261-270.	1.2	24
98	Suicide ideation and behavior in Mexico: Encodat 2016. Salud Publica De Mexico, 2018, 61, 6.	0.4	24
99	Problematic, absent and stigmatizing diagnoses in current mental disorders classifications: Results from the WHO-WPA and WHO-IUPsyS Global Surveys. International Journal of Clinical and Health Psychology, 2014, 14, 165-177.	5.1	23
100	Addiction-Related Stigma and Discrimination: A Qualitative Study in Treatment Centers in Mexico City. Substance Use and Misuse, 2017, 52, 594-603.	1.4	22
101	Binational Cultural Adaptation of the keepin' it REAL Substance Use Prevention Program for Adolescents in Mexico. Prevention Science, 2019, 20, 1125-1135.	2.6	22
102	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€W agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	4.1	22
103	Alcohol Use Disorders in National Samples of Mexicans and Mexican-Americans. Hispanic Journal of Behavioral Sciences, 2006, 28, 425-449.	0.5	21
104	Service use among Mexico City adolescents with suicidality. Journal of Affective Disorders, 2010, 120, 32-39.	4.1	21
105	Spanish version of the Substance Use Risk Profile Scale: Factor structure, reliability, and validity in Mexican adolescents. Psychiatry Research, 2014, 220, 1113-1117.	3.3	21
106	Adolescent alcohol use and alcohol use disorders in Mexico City. Drug and Alcohol Dependence, 2014, 136, 43-50.	3.2	21
107	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	4.5	21
108	A CASE-CONTROL STUDY OF ALCOHOL AND SUBSTANCE USE DISORDERS AS RISK FACTORS FOR NON-FATAL INJURY. Alcohol and Alcoholism, 2005, 40, 257-262.	1.6	20

#	Article	IF	CITATIONS
109	"Somebody Is Gonna Be Hurt― Involuntary Drug Treatment in Mexico. Medical Anthropology: Cross Cultural Studies in Health and Illness, 2020, 39, 139-152.	1.2	20
110	Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. Salud Publica De Mexico, 2008, 50, S29-37.	0.4	20
111	Prevalence of codependence in young women seeking primary health care and associated risk factors American Journal of Orthopsychiatry, 2008, 78, 199-210.	1.5	19
112	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
113	Patrones de consumo de heroÃna en una cárcel de la frontera norte de México: barreras de acceso a tratamiento. Salud Publica De Mexico, 2003, 45, 181-190.	0.4	19
114	Epidemiology of Fears and Specific Phobia in Adolescence. Journal of Clinical Psychiatry, 2012, 73, 152-158.	2.2	19
115	Measurement of problems in activities and participation in patients with anxiety, depression and schizophrenia using the ICF checklist. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 377-384.	3.1	18
116	Categories That Should Be Removed From Mental Disorders Classifications: Perspectives and Rationales of Clinicians From Eight Countries. Journal of Clinical Psychology, 2015, 71, 267-281.	1.9	17
117	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. Journal of Psychosomatic Research, 2015, 79, 130-136.	2.6	17
118	Where Is the Opioid Use Epidemic in Mexico? A Cautionary Tale for Policymakers South of the US–Mexico Border. American Journal of Public Health, 2019, 109, 73-82.	2.7	17
119	Mexicans and alcohol: patterns, problems and policies. Addiction, 2007, 102, 1041-1045.	3.3	16
120	A Transnational Study of Migration and Smoking Behavior in the Mexican-Origin Population. American Journal of Public Health, 2012, 102, 2116-2122.	2.7	16
121	DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. Journal of Behavioral Addictions, 2019, 8, 714-724.	3.7	16
122	Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. Journal of Affective Disorders, 2021, 281, 891-898.	4.1	16
123	(Internet) Gaming Disorder in <i>DSM</i> -5 and <i>ICD</i> -11: A Case of the Glass Half Empty or Half Full: (Internet) Le trouble du jeu dans le <i>DSM</i> -5 et la CIM-11: Un cas de verre à moitié vide et à moitié plein. Canadian Journal of Psychiatry, 2021, 66, 477-484.	1.9	16
124	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
125	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	4.1	15
126	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.4	15

#	Article	IF	CITATIONS
127	Risk of violence in drug rehabilitation centers: perceptions of people who inject drugs in Tijuana, Mexico. Substance Abuse Treatment, Prevention, and Policy, 2016, 11, 5.	2.2	15
128	Card Sorting Data Collection Methodology: How Many Participants Is Most Efficient?. Journal of Classification, 2019, 36, 649-658.	2.2	15
129	DSM-IV personality disorders in Mexico: results from a general population survey. Revista Brasileira De Psiquiatria, 2008, 30, 227-234.	1.7	14
130	Posttraumatic Stress Disorder in a Nationally Representative Mexican Community Sample. Journal of Traumatic Stress, 2014, 27, 323-330.	1.8	14
131	The global health and equity imperative for safe consumption facilities. Lancet, The, 2018, 392, 553-554.	13.7	14
132	Adolescent Predictors of Incidence and Persistence of Suicideâ€Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. Suicide and Life-Threatening Behavior, 2018, 48, 755-766.	1.9	14
133	High dead-space syringe use among people who inject drugs in Tijuana, Mexico. American Journal of Drug and Alcohol Abuse, 2015, 41, 220-225.	2.1	13
134	What Happened to Street Kids? An Analysis of the Mexican Experience. Substance Use and Misuse, 1997, 32, 293-316.	1.4	12
135	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
136	Traditional gender roles and substance-use behaviors, attitudes, exposure, and resistance among early adolescents in large cities of Mexico. Journal of Substance Use, 2018, 23, 471-480.	0.7	12
137	Development and evaluation of addiction treatment programs in Latin America. Current Opinion in Psychiatry, 2018, 31, 306-314.	6.3	12
138	Neuropsychiatric characterization of individuals with inhalant use disorder and polysubstance use according to latent profiles of executive functioning. Drug and Alcohol Dependence, 2018, 190, 104-111.	3.2	12
139	ICD-11 guidelines for psychotic, mood, anxiety and stress-related disorders in Mexico: Clinical utility and reliability. International Journal of Clinical and Health Psychology, 2019, 19, 1-11.	5.1	12
140	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	4.1	12
141	Keepinâ∈™ It REALâ∈"Mantente REAL in Mexico: a Cluster Randomized Controlled Trial of a Culturally Adapted Substance Use Prevention Curriculum for Early Adolescents. Prevention Science, 2021, 22, 645-657.	2.6	12
142	Alcohol Consumption in Emergency Room Patients and the General Population. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986.	2.4	12
143	An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135.	2.9	11
144	How Mental Health Interviews Conducted Alone, in the Presence of an Adult, a Child or Both Affects Adolescents' Reporting of Psychological Symptoms and Risky Behaviors. Journal of Youth and Adolescence, 2017, 46, 417-428.	3 . 5	11

#	Article	IF	CITATIONS
145	A Qualitative Study of the Acceptability of the Proposed ICD-11 Gender Incongruence of Childhood Diagnosis Among Transgender Adults Who Were Labeled Due to Their Gender Identity Since Childhood. Archives of Sexual Behavior, 2018, 47, 2363-2374.	1.9	11
146	WHO-mhGAP Training in Mexico: Increasing Knowledge and Readiness for the Identification and Management of Depression and Suicide Risk in Primary Care. Archives of Medical Research, 2019, 50, 558-566.	3.3	11
147	Modelling integrated antiretroviral treatment and harm reduction services on HIV and overdose among people who inject drugs in Tijuana, Mexico. Journal of the International AIDS Society, 2020, 23, e25493.	3.0	11
148	Treatment Delivery Preferences Associated With Type of Mental Disorder and Perceived Treatment Barriers Among Mexican University Students. Journal of Adolescent Health, 2020, 67, 232-238.	2.5	11
149	Mental Health Problems among COVID-19 Frontline Healthcare Workers and the Other Country-Level Epidemics: The Case of Mexico. International Journal of Environmental Research and Public Health, 2022, 19, 421.	2.6	11
150	Prevalence and correlates of â€~agua celeste' use among female sex workers who inject drugs in Ciudad Juarez, Mexico. Drug and Alcohol Dependence, 2011, 117, 219-225.	3.2	10
151	Crossâ€border migration and initiation of others into drug injecting in Tijuana, Mexico. Drug and Alcohol Review, 2018, 37, S277-S284.	2.1	10
152	Pathways to a Diagnosis of Autism Spectrum Disorder. Psychiatric Services, 2020, 71, 1120-1126.	2.0	10
153	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10
154	Persistence of Specific Phobia From Adolescence to Early Adulthood. Journal of Clinical Psychiatry, 2017, 78, 340-346.	2.2	10
155	Multidimensional Patterns of Sexual Risk Behavior and Psychiatric Disorders in Men with Substance Use Disorders. Archives of Sexual Behavior, 2019, 48, 599-607.	1.9	9
156	COVID â€19 and alcohol in Mexico: A serious health crisis, strong actions on alcohol in responseâ€"Commentary on Stockwell et al Drug and Alcohol Review, 2021, 40, 13-16.	2.1	9
157	A global field study of the international classification of diseases (ICD-11) mood disorders clinical descriptions and diagnostic guidelines. Journal of Affective Disorders, 2021, 295, 1138-1150.	4.1	9
158	Comprehensive analysis of alcohol policies in the Latin America and the Caribbean. Drug and Alcohol Review, 2021, 40, 385-401.	2.1	9
159	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.	4.1	9
160	Motivational enhancement treatment in outpatient addiction centers: A multisite randomized trial. International Journal of Clinical and Health Psychology, 2017, 17, 9-19.	5.1	8
161	The Identification of Admixture Patterns Could Refine Pharmacogenetic Counseling: Analysis of a Population-Based Sample in Mexico. Frontiers in Pharmacology, 2020, 11, 324.	3. 5	8
162	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.	4.1	8

#	Article	IF	Citations
163	Cross-national differences in clinically significant cannabis problems: epidemiologic evidence from 'cannabis-only' smokers in the United States, Mexico, and Colombia. BMC Public Health, 2010, 10, 152.	2.9	7
164	Implications of Science for Illicit Drug Use Policies for Adolescents in Low- and Middle-Income Countries. Journal of Adolescent Health, 2013, 52, S33-S35.	2.5	7
165	A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. Journal of Psychiatric Research, 2018, 105, 45-53.	3.1	7
166	<i>Drug Policy and the Public Good</i> : a summary of the second edition. Addiction, 2019, 114, 1941-1950.	3.3	7
167	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 157-170.	3.1	7
168	The Invisible Burden of Violence Against Girls and Young Women in Mexico: 1990 to 2015. Journal of Interpersonal Violence, 2021, 36, 2753-2771.	2.0	7
169	Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 247-257.	3.1	7
170	Comorbidity: Depression and Substance Abuse. Issues in Children's and Families' Lives, 2008, , 73-91.	0.2	7
171	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	3.1	7
172	Alcohol Use and Alcohol Use Disorders in Mexico. Contemporary Drug Problems, 2007, 34, 389-410.	1.6	6
173	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.6	6
174	Institutional stakeholder perceptions of barriers to addiction treatment under Mexico's drug policy reform. Global Public Health, 2017, 12, 519-530.	2.0	6
175	Latent Impulsivity Subtypes in Substance Use Disorders and Interactions with Internalizing and Externalizing Co-Occurring Disorders. Frontiers in Psychiatry, 2018, 9, 27.	2.6	6
176	Opioid Crisis Along Mexico's Northern Border: Treatment Needs Mexican Opioid Crisis. Archives of Medical Research, 2019, 50, 527-534.	3.3	6
177	The Drug Scene in Mexico and the Road Ahead. Revista De Psicologia De La Salud, 2013, 25, 294.	0.5	6
178	Impacto de los sismos de septiembre de 2017 en la salud mental de la poblaci \tilde{A}^3 n y acciones recomendadas. Salud Publica De Mexico, 2018, 60, 52.	0.4	6
179	Barriers to accessing substance abuse treatment in Mexico: national comparative analysis by migration status. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 30.	2.2	5
180	Legal and Policy Implications in Mexico of Changes in ICD-11 Paraphilic Disorders. Journal of Sexual Medicine, 2019, 16, 1623-1637.	0.6	5

#	Article	IF	CITATIONS
181	Chronic childhood adversity and speed of transition through stages of alcohol involvement. Drug and Alcohol Dependence, 2019, 205, 107669.	3.2	5
182	Psychopathic Disorder Subtypes Based on Temperament and Character Differences. International Journal of Environmental Research and Public Health, 2019, 16, 4761.	2.6	5
183	Technology transfer for the implementation of a clinical trials network on drug abuse and mental health treatment in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 233-42.	1.1	5
184	Adolescent Substance Abuse in Mexico, Puerto Rico and the United States: Effect of Anonymous versus Confidential Survey Formats. Journal of Child and Adolescent Substance Abuse, 2006, 16, 69-89.	0.5	4
185	Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. Journal of Psychiatric Research, 2021, 142, 171-178.	3.1	4
186	Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. Drug and Alcohol Dependence, 2021, 228, 109051.	3.2	4
187	Surveys That Work and What They Show in Mexico. Journal of Addictive Diseases, 1992, 11, 23-32.	1.3	3
188	PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. Social Behavior and Personality, 2002, 30, 223-234.	0.6	3
189	AN ALTERNATIVE TAXATION METHOD FOR LOW―TO MIDDLE―NCOME COUNTRIES. Addiction, 2012, 107, 1386-1387.	3.3	3
190	Global Collaborative Team Performance for the Revision of the International Classification of Diseases: A Case Study of the World Health Organization Field Studies Coordination Group. International Journal of Clinical and Health Psychology, 2018, 18, 189-200.	5.1	3
191	People who inject drugs (PWID) and HIV/aids cases in Mexico City: 1987–2015. Substance Abuse Treatment, Prevention, and Policy, 2019, 14, 59.	2.2	3
192	Genome-wide association study of psychiatric and substance use comorbidity in Mexican individuals. Scientific Reports, 2021, 11, 6771.	3.3	3
193	Cannabis Use in People With Obsessive-Compulsive Symptomatology: Results From a Mexican Epidemiological Sample. Frontiers in Psychiatry, 2021, 12, 664228.	2.6	3
194	Inhalant Addiction., 2015,, 597-619.		3
195	Alcohol Use and Alcohol Use Disorders. , 2016, , 127-143.		3
196	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
197	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
198	Changes in Attitudes toward People with Substance Use Disorder: A Comparative Study of the General Population in Mexico. International Journal of Environmental Research and Public Health, 2022, 19, 8538.	2.6	3

#	Article	IF	CITATIONS
199	The Meanings of Emotional Ailments in a Marginalized Community in Mexico City. Qualitative Health Research, 2008, 18, 830-842.	2.1	2
200	Mexican immigration to the U.S., the occurrence of violence and the impact of mental disorders. Revista Brasileira De Psiquiatria, 2013, 35, 161-168.	1.7	2
201	Social factors associated with drug use in the Mexican school-age population: A comparison of two national surveys. Drugs: Education, Prevention and Policy, 2017, 24, 170-178.	1.3	2
202	Agoraphobia., 0,, 106-119.		2
203	Rapid testing and counseling for HIV/STIs in Mexican community-based residential care facilities for substance use disorders: A prospective study protocol. Journal of Substance Use, 2019, 24, 329-335.	0.7	2
204	Accessibility, acceptability, and adequacy of schizophrenia definition according to experts by experience: an ICD-11 field study of patients and relative caregivers in Mexico. Psychosis, 2020, , 1-12.	0.8	2
205	Qualitative Study of the Processes of Transgender-Men Identity Development. Archives of Medical Research, 2020, 51, 95-101.	3.3	2
206	Association of MGAT4C with major neurocognitive disorder in the Mexican population. Gene, 2021, 778, 145484.	2.2	2
207	Identifying Risk Factors for Self-reported Mental Health Problems in Psychiatry Trainees and Psychiatrists in Mexico. Academic Psychiatry, 2021, 45, 698-707.	0.9	2
208	<i>ICD-11</i> Guidelines for Mental and Behavioral Disorders of Children and Adolescents: Reliability and Clinical Utility. Psychiatric Services, 2022, 73, 396-402.	2.0	2
209	Questões relacionadas ao gênero no diagnóstico e classificação de transtornos por uso de álcool entre pacientes mexicanos que buscam serviços especializados. Revista Brasileira De Psiquiatria, 2011, 33, s109-s116.	1.7	2
210	Tequila: A Natural and Cultural History. Addiction, 2005, 100, 1566-1566.	3.3	1
211	A SHORTAGE OF MEDICAL DOCTORS TO MEET THE CHALLENGES OF A GROWING ADDICTION PROBLEM IN LOW AND MIDDLE INCOME COUNTRIES: THE CASE IN MEXICO. Addiction, 2009, 104, 176-177.	3.3	1
212	CAN SCIENCE HELP CLOSE THE TREATMENT GAP?. Addiction, 2010, 105, 15-16.	3.3	1
213	The barriers separating low- and middle-income countries from legal painkillers. Addiction, 2012, 107, 863-864.	3.3	1
214	A Clinically Useful, Globally Applicable, Science-based Classification. Archives of Medical Research, 2019, 50, 556-557.	3.3	1
215	Testing the Synergistic Effects of Depression, Anxiety, and Substance Use in Unsafe Sex: a Cross-sectional Study. International Journal of Mental Health and Addiction, 2020, , 1.	7.4	1
216	Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. Issues in Children's and Families' Lives, 2008, , 53-71.	0.2	1

#	Article	IF	CITATIONS
217	Inhalant Addiction. , 2021, , 281-306.		1
218	Genome-Wide Analysis of Disordered Eating Behavior in the Mexican Population. Nutrients, 2022, 14, 394.	4.1	1
219	Diagnostic profiles in adolescence and emerging adulthood: Transition patterns and risk factors. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 42-50.	1.8	1
220	Study protocol for pragmatic trials of Internet-delivered guided and unguided cognitive behavior therapy for treating depression and anxiety in university students of two Latin American countries: the Yo Puedo Sentirme Bien study. Trials, 2022, 23, .	1.6	1
221	Attitudes to women and their mental health in Mexico. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2005, 2, 6-8.	0.1	O
222	Categories Related to Gender Identity in ICD- 11 and DSM-5 Sensitivity, Specificity and Ability to Predict Gender-Affirming Medical Procedures. SSRN Electronic Journal, 0 , , .	0.4	0
223	Community-Based Mental Health Services in Mexico. Consortium Psychiatricum, 2021, 2, 53-62.	0.7	O
224	Attitudes to women and their mental health in Mexico. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2005, 2, 6-8.	0.1	0
225	An estimate of the economic burden of schizophrenia in Mexico: a retrospective study in the psychiatric hospital setting. , 0, , .		O
226	The Influence of Clinician Gender and Attitudes on Judgments Related to Forensic Considerations in ICD-11 Paraphilic Disorders: An Internet-based Field Study. European Journal of Psychology Applied To Legal Context, 2022, 14, 83-91.	4.6	0