

# Jinghua Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/20630/publications.pdf>

Version: 2024-02-01

400  
papers

18,189  
citations

11651

70  
h-index

29157

104  
g-index

414  
all docs

414  
docs citations

414  
times ranked

14093  
citing authors

#	ARTICLE	IF	CITATIONS
1	Paper-based chemiluminescence ELISA: Lab-on-paper based on chitosan modified paper device and wax-screen-printing. <i>Biosensors and Bioelectronics</i> , 2012, 31, 212-218.	10.1	396
2	Three-dimensional paper-based electrochemiluminescence immunodevice for multiplexed measurement of biomarkers and point-of-care testing. <i>Biomaterials</i> , 2012, 33, 1024-1031.	11.4	344
3	Microfluidic paper-based chemiluminescence biosensor for simultaneous determination of glucose and uric acid. <i>Lab on A Chip</i> , 2011, 11, 1286.	6.0	296
4	3D Origami-based multifunction-integrated immunodevice: low-cost and multiplexed sandwich chemiluminescence immunoassay on microfluidic paper-based analytical device. <i>Lab on A Chip</i> , 2012, 12, 3150.	6.0	257
5	Flexible Electronics Based on Micro/Nanostructured Paper. <i>Advanced Materials</i> , 2018, 30, e1801588.	21.0	249
6	A Photoresponsive Rutile TiO <sub>2</sub> Heterojunction with Enhanced Electron-Hole Separation for High-Performance Hydrogen Evolution. <i>Advanced Materials</i> , 2019, 31, e1806596.	21.0	240
7	Electrochemical sensor based on gold nanoparticles fabricated molecularly imprinted polymer film at chitosan-platinum nanoparticles/graphene-gold nanoparticles double nanocomposites modified electrode for detection of erythromycin. <i>Biosensors and Bioelectronics</i> , 2012, 38, 163-169.	10.1	224
8	Electrochemical biosensor based on graphene oxide-Au nanoclusters composites for l-cysteine analysis. <i>Biosensors and Bioelectronics</i> , 2012, 31, 49-54.	10.1	205
9	Electrochemical immunoassay on a 3D microfluidic paper-based device. <i>Chemical Communications</i> , 2012, 48, 4683.	4.1	199
10	A novel chemiluminescence paper microfluidic biosensor based on enzymatic reaction for uric acid determination. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3284-3289.	10.1	178
11	Three-dimensional paper-based electrochemiluminescence device for simultaneous detection of Pb <sup>2+</sup> and Hg <sup>2+</sup> based on potential-control technique. <i>Biosensors and Bioelectronics</i> , 2013, 41, 544-550.	10.1	177
12	A novel label-free electrochemical aptasensor based on graphene-polyaniline composite film for dopamine determination. <i>Biosensors and Bioelectronics</i> , 2012, 36, 186-191.	10.1	176
13	Flexible paper-based ZnO nanorod light-emitting diodes induced multiplexed photoelectrochemical immunoassay. <i>Chemical Communications</i> , 2014, 50, 1417-1419.	4.1	166
14	Electrochemical DNA sensor based on three-dimensional folding paper device for specific and sensitive point-of-care testing. <i>Electrochimica Acta</i> , 2012, 80, 334-341.	5.2	161
15	Electrochemical sensor based on molecularly imprinted film at polypyrrole-sulfonated graphene/hyaluronic acid-multiwalled carbon nanotubes modified electrode for determination of tryptamine. <i>Biosensors and Bioelectronics</i> , 2012, 31, 277-283.	10.1	160
16	Paper-based three-dimensional electrochemical immunodevice based on multi-walled carbon nanotubes functionalized paper for sensitive point-of-care testing. <i>Biosensors and Bioelectronics</i> , 2012, 32, 238-243.	10.1	159
17	Ultrasensitive electrochemical immunosensor based on Au nanoparticles dotted carbon nanotube-graphene composite and functionalized mesoporous materials. <i>Biosensors and Bioelectronics</i> , 2012, 33, 29-35.	10.1	150
18	Photoelectrochemical Lab-on-Paper Device Based on an Integrated Paper Supercapacitor and Internal Light Source. <i>Analytical Chemistry</i> , 2013, 85, 3961-3970.	6.5	142

#	ARTICLE	IF	CITATIONS
19	Electrochemiluminescence of blue-luminescent graphene quantum dots and its application in ultrasensitive aptasensor for adenosine triphosphate detection. <i>Biosensors and Bioelectronics</i> , 2013, 47, 271-277.	10.1	137
20	Paper-Based Electrochemiluminescent 3D Immunodevice for Lab-on-a-Paper, Specific, and Sensitive Point-of-Care Testing. <i>Chemistry - A European Journal</i> , 2012, 18, 4938-4945.	3.3	132
21	Aptamer-based fluorescent and visual biosensor for multiplexed monitoring of cancer cells in microfluidic paper-based analytical devices. <i>Sensors and Actuators B: Chemical</i> , 2016, 229, 347-354.	7.8	129
22	Electrochemical sensor using neomycin-imprinted film as recognition element based on chitosan-silver nanoparticles/graphene-multiwalled carbon nanotubes composites modified electrode. <i>Biosensors and Bioelectronics</i> , 2013, 44, 70-76.	10.1	122
23	Ultrasensitive electrochemical paper-based biosensor for microRNA via strand displacement reaction and metal-organic frameworks. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 561-569.	7.8	118
24	DNAzyme-Triggered Visual and Ratiometric Electrochemiluminescence Dual-Readout Assay for Pb(II) Based on an Assembled Paper Device. <i>Analytical Chemistry</i> , 2020, 92, 3874-3881.	6.5	117
25	Molecularly Imprinted Polymer Grafted Porous Au-Paper Electrode for an Microfluidic Electro-Analytical Origami Device. <i>Advanced Functional Materials</i> , 2013, 23, 3115-3123.	14.9	115
26	Battery-triggered microfluidic paper-based multiplex electrochemiluminescence immunodevice based on potential-resolution strategy. <i>Lab on A Chip</i> , 2012, 12, 4489.	6.0	114
27	Ultrasensitive microfluidic paper-based electrochemical/visual biosensor based on spherical-like cerium dioxide catalyst for miR-21 detection. <i>Biosensors and Bioelectronics</i> , 2018, 105, 218-225.	10.1	108
28	Ultrasensitive electrochemiluminescence assay of tumor cells and evaluation of H <sub>2</sub> O <sub>2</sub> on a paper-based closed-bipolar electrode by in-situ hybridization chain reaction amplification. <i>Biosensors and Bioelectronics</i> , 2018, 102, 411-417.	10.1	108
29	Photoelectrochemical sensor for pentachlorophenol on microfluidic paper-based analytical device based on the molecular imprinting technique. <i>Biosensors and Bioelectronics</i> , 2014, 56, 97-103.	10.1	107
30	A novel microfluidic paper-based colorimetric sensor based on molecularly imprinted polymer membranes for highly selective and sensitive detection of bisphenol A. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 130-136.	7.8	107
31	An ultrasensitive electrochemical immunosensor based on the catalytical activity of MoS <sub>2</sub> -Au composite using Ag nanospheres as labels. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 30-36.	7.8	106
32	Paper-Based Device for Colorimetric and Photoelectrochemical Quantification of the Flux of H <sub>2</sub> O <sub>2</sub> Releasing from MCF-7 Cancer Cells. <i>Analytical Chemistry</i> , 2016, 88, 5369-5377.	6.5	105
33	Application of ZnO/graphene and S6 aptamers for sensitive photoelectrochemical detection of SK-BR-3 breast cancer cells based on a disposable indium tin oxide device. <i>Biosensors and Bioelectronics</i> , 2014, 51, 413-420.	10.1	103
34	Nanomaterials-modified cellulose paper as a platform for biosensing applications. <i>Nanoscale</i> , 2017, 9, 4366-4382.	5.6	102
35	A disposable electrochemical immunosensor based on carbon screen-printed electrodes for the detection of prostate specific antigen. <i>Biosensors and Bioelectronics</i> , 2012, 38, 355-361.	10.1	100
36	Carbon nanostructures in biology and medicine. <i>Journal of Materials Chemistry B</i> , 2017, 5, 6437-6450.	5.8	100

#	ARTICLE	IF	CITATIONS
37	In-situ synthesized polypyrrole-cellulose conductive networks for potential-tunable foldable power paper. <i>Nano Energy</i> , 2017, 31, 174-182.	16.0	100
38	A disposable paper-based electrochemical sensor with an addressable electrode array for cancer screening. <i>Chemical Communications</i> , 2012, 48, 9397.	4.1	99
39	Colorimetric assay of K-562 cells based on folic acid-conjugated porous bimetallic Pd@Au nanoparticles for point-of-care testing. <i>Chemical Communications</i> , 2014, 50, 475-477.	4.1	99
40	Growth of gold-manganese oxide nanostructures on a 3D origami device for glucose-oxidase label based electrochemical immunosensor. <i>Biosensors and Bioelectronics</i> , 2014, 61, 76-82.	10.1	96
41	An aptasensor for sensitive detection of human breast cancer cells by using porous GO/Au composites and porous PtFe alloy as effective sensing platform and signal amplification labels. <i>Analytica Chimica Acta</i> , 2013, 798, 33-39.	5.4	94
42	Robust and Universal SERS Sensing Platform for Multiplexed Detection of Alzheimer's Disease Core Biomarkers Using PAapt-AuNPs Conjugates. <i>ACS Sensors</i> , 2019, 4, 2140-2149.	7.8	94
43	A disposable electrochemiluminescence device for ultrasensitive monitoring of K562 leukemia cells based on aptamers and ZnO@carbon quantum dots. <i>Biosensors and Bioelectronics</i> , 2013, 49, 79-85.	10.1	92
44	Label-free and highly sensitive electrochemical detection of E. coli based on rolling circle amplifications coupled peroxidase-mimicking DNAzyme amplification. <i>Biosensors and Bioelectronics</i> , 2016, 75, 315-319.	10.1	92
45	Molecularly imprinted polymer grafted paper-based multi-disk micro-disk plate for chemiluminescence detection of pesticide. <i>Biosensors and Bioelectronics</i> , 2013, 50, 262-268.	10.1	91
46	Multiplexed sandwich immunoassays using flow-injection electrochemiluminescence with designed substrate spatial-resolved technique for detection of tumor markers. <i>Biosensors and Bioelectronics</i> , 2013, 41, 684-690.	10.1	91
47	Colorimetric and Electrochemiluminescence Dual-Mode Sensing of Lead Ion Based on Integrated Lab-on-Paper Device. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 3431-3440.	8.0	90
48	Ultrasensitive Microfluidic Paper-Based Electrochemical Biosensor Based on Molecularly Imprinted Film and Boronate Affinity Sandwich Assay for Glycoprotein Detection. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 16198-16206.	8.0	89
49	Porphyrin-Based Covalent Organic Framework Thin Films as Cathodic Materials for "Off-On" Photoelectrochemical Sensing of Lead Ions. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 20397-20404.	8.0	89
50	Paper-Based SERS Sensing Platform Based on 3D Silver Dendrites and Molecularly Imprinted Identifier Sandwich Hybrid for Neonicotinoid Quantification. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 8845-8854.	8.0	88
51	Paper-based electrochemical cyto-device for sensitive detection of cancer cells and in situ anticancer drug screening. <i>Analytica Chimica Acta</i> , 2014, 847, 1-9.	5.4	87
52	Microwave-assisted hydrothermal synthesis of Sn3O4 nanosheet/rGO planar heterostructure for efficient photocatalytic hydrogen generation. <i>Applied Catalysis B: Environmental</i> , 2018, 227, 470-476.	20.2	86
53	A novel microfluidic origami photoelectrochemical sensor based on CdTe quantum dots modified molecularly imprinted polymer and its highly selective detection of S-fenvalerate. <i>Electrochimica Acta</i> , 2013, 107, 147-154.	5.2	85
54	Colorimetric detection of the flux of hydrogen peroxide released from living cells based on the high peroxidase-like catalytic performance of porous PtPd nanorods. <i>Biosensors and Bioelectronics</i> , 2015, 71, 456-462.	10.1	85

#	ARTICLE	IF	CITATIONS
55	Visible light photoelectrochemical sensor based on Au nanoparticles and molecularly imprinted poly(o-phenylenediamine)-modified TiO <sub>2</sub> nanotubes for specific and sensitive detection chlorpyrifos. <i>Analyst, The</i> , 2013, 138, 939-945.	3.5	84
56	Paper-Based Bipolar Electrode Electrochemiluminescence Platform for Detection of Multiple miRNAs. <i>Analytical Chemistry</i> , 2021, 93, 1702-1708.	6.5	84
57	A paper-based photoelectrochemical immunoassay for low-cost and multiplexed point-of-care testing. <i>Chemical Communications</i> , 2013, 49, 3294.	4.1	83
58	Paper-based electrochemiluminescence origami cyto-device for multiple cancer cells detection using porous AuPd alloy as catalytically promoted nanolabels. <i>Biosensors and Bioelectronics</i> , 2015, 63, 450-457.	10.1	81
59	Simple and covalent fabrication of a paper device and its application in sensitive chemiluminescence immunoassay. <i>Analyst, The</i> , 2012, 137, 3821.	3.5	80
60	A microfluidic origami electrochemiluminescence aptamer-device based on a porous Au-paper electrode and a phenyleneethynylene derivative. <i>Chemical Communications</i> , 2013, 49, 1383-1385.	4.1	80
61	Ultrasensitive Photoelectrochemical Biosensing of Cell Surface N-Glycan Expression Based on the Enhancement of Nanogold-Assembled Mesoporous Silica Amplified by Graphene Quantum Dots and Hybridization Chain Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 6670-6678.	8.0	79
62	Electrochemical immunosensor based on graphene/polyaniline composites and carboxylated graphene oxide for estradiol detection. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 99-105.	7.8	77
63	Chemical and biochemical analysis on lab-on-a-chip devices fabricated using three-dimensional printing. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 85, 166-180.	11.4	77
64	Visible photoelectrochemical sensing platform by in situ generated CdS quantum dots decorated branched-TiO <sub>2</sub> nanorods equipped with Prussian blue electrochromic display. <i>Biosensors and Bioelectronics</i> , 2017, 89, 859-865.	10.1	77
65	Photoelectrochemical lab-on-paper device equipped with a porous Au-paper electrode and fluidic delay-switch for sensitive detection of DNA hybridization. <i>Lab on A Chip</i> , 2013, 13, 3945.	6.0	76
66	Facile and sensitive paper-based chemiluminescence DNA biosensor using carbon dots dotted nanoporous gold signal amplification label. <i>Analytical Methods</i> , 2013, 5, 1328.	2.7	76
67	A three-dimensional origami-based immuno-biofuel cell for self-powered, low-cost, and sensitive point-of-care testing. <i>Chemical Communications</i> , 2014, 50, 1947.	4.1	76
68	Sensitive and rapid detection of microRNAs using hairpin probes-mediated exponential isothermal amplification. <i>Biosensors and Bioelectronics</i> , 2017, 89, 710-714.	10.1	75
69	Addressable TiO <sub>2</sub> Nanotubes Functionalized Paper-Based Cyto-Sensor with Photocontrollable Switch for Highly-Efficient Evaluating Surface Protein Expressions of Cancer Cells. <i>Analytical Chemistry</i> , 2018, 90, 13882-13890.	6.5	74
70	Ultrasensitive Photoelectrochemical Detection of MicroRNA on Paper by Combining a Cascade Nanozyme-Engineered Biocatalytic Precipitation Reaction and Target-Triggerable DNA Motor. <i>ACS Sensors</i> , 2020, 5, 1482-1490.	7.8	74
71	Lab-on-paper-based devices using chemiluminescence and electrogenerated chemiluminescence detection. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5613-5630.	3.7	73
72	Paper-based electrochemiluminescence origami device for protein detection using assembled cascade DNA-carbon dots nanotags based on rolling circle amplification. <i>Biosensors and Bioelectronics</i> , 2015, 68, 413-420.	10.1	73

#	ARTICLE	IF	CITATIONS
73	Battery-triggered ultrasensitive electrochemiluminescence detection on microfluidic paper-based immunodevice based on dual-signal amplification strategy. <i>Analytica Chimica Acta</i> , 2013, 767, 66-74.	5.4	72
74	Polyhedral-AuPd nanoparticles-based dual-mode cytosensor with turn on enable signal for highly sensitive cell evaluation on lab-on-paper device. <i>Biosensors and Bioelectronics</i> , 2018, 117, 651-658.	10.1	71
75	Multiplex electrochemical origami immunodevice based on cuboid silver-paper electrode and metal ions tagged nanoporous silver-chitosan. <i>Biosensors and Bioelectronics</i> , 2014, 56, 167-173.	10.1	69
76	Applications of graphene and related nanomaterials in analytical chemistry. <i>New Journal of Chemistry</i> , 2015, 39, 2380-2395.	2.8	69
77	Microfluidic paper-based analytical device for photoelectrochemical immunoassay with multiplex signal amplification using multibranching hybridization chain reaction and PdAu enzyme mimetics. <i>Biosensors and Bioelectronics</i> , 2016, 79, 416-422.	10.1	66
78	3D origami electrochemical device for sensitive Pb <sup>2+</sup> testing based on DNA functionalized iron-porphyrinic metal-organic framework. <i>Biosensors and Bioelectronics</i> , 2017, 87, 108-115.	10.1	66
79	Ultrasensitive electrochemical immunoassay for carcinoembryonic antigen based on three-dimensional macroporous gold nanoparticles/graphene composite platform and multienzyme functionalized nanoporous silver label. <i>Analytica Chimica Acta</i> , 2013, 775, 85-92.	5.4	65
80	Electrophoretic separation in a microfluidic paper-based analytical device with an on-column wireless electrogenerated chemiluminescence detector. <i>Chemical Communications</i> , 2014, 50, 5699.	4.1	65
81	Photoelectrochemical/Visual Lab-on-Paper Sensing via Signal Amplification of CdS Quantum Dots@Leaf-Shape ZnO and Quenching of Au-Modified Prism-Anchored Octahedral CeO <sub>2</sub> Nanoparticles. <i>Analytical Chemistry</i> , 2018, 90, 11297-11304.	6.5	65
82	Synthesis and characterization of graphene nanosheets attached to spiky MnO <sub>2</sub> nanospheres and its application in ultrasensitive immunoassay. <i>Carbon</i> , 2013, 57, 22-33.	10.3	64
83	Paper-based colorimetric immunosensor for visual detection of carcinoembryonic antigen based on the high peroxidase-like catalytic performance of ZnFe <sub>2</sub> O <sub>4</sub> -multiwalled carbon nanotubes. <i>Analyst</i> , 2014, 139, 251-258.	3.5	64
84	Aptamer-Based electrochemiluminescent detection of MCF-7 cancer cells based on carbon quantum dots coated mesoporous silica nanoparticles. <i>Electrochimica Acta</i> , 2014, 146, 262-269.	5.2	64
85	Ultrasensitive electrochemical cancer cells sensor based on trimetallic dendritic Au@PtPd nanoparticles for signal amplification on lab-on-paper device. <i>Sensors and Actuators B: Chemical</i> , 2015, 220, 665-672.	7.8	64
86	Highly selective molecular recognition and high throughput detection of melamine based on molecularly imprinted sol-gel film. <i>Analytica Chimica Acta</i> , 2009, 651, 209-214.	5.4	63
87	Multiplexed enzyme-free electrochemical immunosensor based on ZnO nanorods modified reduced graphene oxide-paper electrode and silver deposition-induced signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015, 71, 30-36.	10.1	63
88	Photoelectrochemical sensor based on molecularly imprinted film modified hierarchical branched titanium dioxide nanorods for chlorpyrifos detection. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 1-8.	7.8	63
89	3D microfluidic origami electrochemiluminescence immunodevice for sensitive point-of-care testing of carcinoma antigen 125. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 1-8.	7.8	62
90	All-graphene composite materials for signal amplification toward ultrasensitive electrochemical immunosensing of tumor marker. <i>Biosensors and Bioelectronics</i> , 2015, 71, 108-114.	10.1	62

#	ARTICLE	IF	CITATIONS
91	Magnetic beads-based electrochemiluminescence immunosensor for determination of cancer markers using quantum dot functionalized PtRu alloys as labels. <i>Analyst, The</i> , 2012, 137, 2176.	3.5	61
92	In situ assembly of porous Au-paper electrode and functionalization of magnetic silica nanoparticles with HRP via click chemistry for Microcystin-LR immunoassay. <i>Biosensors and Bioelectronics</i> , 2013, 49, 111-117.	10.1	61
93	Sensitive origami dual-analyte electrochemical immunodevice based on polyaniline/Au-paper electrode and multi-labeled 3D graphene sheets. <i>Electrochimica Acta</i> , 2014, 120, 102-109.	5.2	61
94	A novel sandwich-type electrochemical aptasensor for sensitive detection of kanamycin based on GRâ€“PANI and PAMAMâ€“Au nanocomposites. <i>New Journal of Chemistry</i> , 2014, 38, 4931-4937.	2.8	61
95	3D origami electrochemical immunodevice for sensitive point-of-care testing based on dual-signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015, 63, 7-13.	10.1	60
96	A Graphene-enhanced imaging of microRNA with enzyme-free signal amplification of catalyzed hairpin assembly in living cells. <i>Biosensors and Bioelectronics</i> , 2016, 85, 909-914.	10.1	60
97	Ultrasensitive Enzyme-free Biosensor by Coupling Cyclodextrin Functionalized Au Nanoparticles and High-Performance Au-Paper Electrode. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 3333-3340.	8.0	60
98	Ultrasensitive electrochemiluminescence immunoassay for tumor marker detection using functionalized Ru-silica@nanoporous gold composite as labels. <i>Analyst, The</i> , 2012, 137, 680-685.	3.5	59
99	Paper-based electrochemiluminescence immunodevice for carcinoembryonic antigen using nanoporous gold-chitosan hybrids and graphene quantum dots functionalized Au@Pt. <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 314-322.	7.8	59
100	In situ grown COFs on 3D strutted graphene aerogel for electrochemical detection of NO released from living cells. <i>Chemical Engineering Journal</i> , 2021, 420, 127559.	12.7	59
101	3D DNA Walker-Assisted CRISPR/Cas12a Trans-Cleavage for Ultrasensitive Electrochemiluminescence Detection of miRNA-141. <i>Analytical Chemistry</i> , 2021, 93, 13373-13381.	6.5	59
102	Development of a novel deltamethrin sensor based on molecularly imprinted silica nanospheres embedded CdTe quantum dots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 79, 1704-1709.	3.9	58
103	Cyto-sensing in electrochemical lab-on-paper cyto-device for in-situ evaluation of multi-glycan expressions on cancer cells. <i>Biosensors and Bioelectronics</i> , 2015, 63, 232-239.	10.1	58
104	Paper-based closed Au-Bipolar electrode electrochemiluminescence sensing platform for the detection of miRNA-155. <i>Biosensors and Bioelectronics</i> , 2020, 150, 111917.	10.1	58
105	AgInSe <sub>2</sub> -Sensitized ZnO Nanoflower Wide-Spectrum Response Photoelectrochemical/Visual Sensing Platform via Au@Nanorod-Anchored CeO <sub>2</sub> Octahedron Regulated Signal. <i>Analytical Chemistry</i> , 2020, 92, 7604-7611.	6.5	58
106	A disposable immunosensor device for point-of-care test of tumor marker based on copper-mediated amplification. <i>Biosensors and Bioelectronics</i> , 2013, 43, 425-431.	10.1	56
107	Layer-by-layer self-assembly CdTe quantum dots and molecularly imprinted polymers modified chemiluminescence sensor for deltamethrin detection. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 222-227.	7.8	55
108	Goldâ€“silver nanocomposite-functionalized graphene based electrochemiluminescence immunosensor using graphene quantum dots coated porous PtPd nanochains as labels. <i>Electrochimica Acta</i> , 2014, 123, 470-476.	5.2	55

#	ARTICLE	IF	CITATIONS
109	Targetâ€‘aptamer binding triggered quadratic recycling amplification for highly specific and ultrasensitive detection of antibiotics at the attomole level. <i>Chemical Communications</i> , 2015, 51, 8377-8380.	4.1	55
110	Disposable electrochemical immunosensor based on peroxidase-like magnetic silicaâ€‘graphene oxide composites for detection of cancer antigen 153. <i>Sensors and Actuators B: Chemical</i> , 2014, 192, 317-326.	7.8	54
111	Electrochemical immunosensor assay (EIA) for sensitive detection of <i>E. coli</i> O157:H7 with signal amplification on a SGâ€‘PEDOTâ€‘AuNPs electrode interface. <i>Analyst, The</i> , 2015, 140, 551-559.	3.5	54
112	Paperâ€‘Based Electronics: Flexible Electronics Based on Micro/Nanostructured Paper ( <i>Adv. Mater.</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	21.0	54
113	A simple and rapid detection assay for peptides based on the specific recognition of aptamer and signal amplification of hybridization chain reaction. <i>Biosensors and Bioelectronics</i> , 2016, 83, 15-18.	10.1	53
114	Growth and accelerated differentiation of mesenchymal stem cells on graphene-oxide-coated titanate with dexamethasone on surface of titanium implants. <i>Dental Materials</i> , 2017, 33, 525-535.	3.5	53
115	Fluorescent carbon dots nanosensor for label-free determination of vitamin B12 based on inner filter effect. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 193, 305-309.	3.9	53
116	Graphene functionalized porous Au-paper based electrochemiluminescence device for detection of DNA using luminescent silver nanoparticles coated calcium carbonate/carboxymethyl chitosan hybrid microspheres as labels. <i>Biosensors and Bioelectronics</i> , 2014, 59, 307-313.	10.1	52
117	Metal-Enhanced Ratiometric Fluorescence/Naked Eye Bimodal Biosensor for Lead Ions Analysis with Bifunctional Nanocomposite Probes. <i>Analytical Chemistry</i> , 2017, 89, 3597-3605.	6.5	52
118	SnO <sub>2</sub> nanotube arrays grown via an in situ template-etching strategy for effective and stable perovskite solar cells. <i>Chemical Engineering Journal</i> , 2017, 325, 378-385.	12.7	52
119	Editable TiO <sub>2</sub> Nanomaterial-Modified Paper in Situ for Highly Efficient Detection of Carcinoembryonic Antigen by Photoelectrochemical Method. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 14594-14601.	8.0	52
120	Coreâ€‘shell Fe <sub>3</sub> O <sub>4</sub> â€‘Au magnetic nanoparticles based nonenzymatic ultrasensitive electrochemiluminescence immunosensor using quantum dots functionalized graphene sheet as labels. <i>Analytica Chimica Acta</i> , 2013, 770, 132-139.	5.4	51
121	Electrochemical K-562 cells sensor based on origami paper device for point-of-care testing. <i>Talanta</i> , 2015, 145, 12-19.	5.5	51
122	BSA activated CdTe quantum dot nanosensor for antimony ion detection. <i>Analyst, The</i> , 2010, 135, 111-115.	3.5	50
123	Multiplexed aptasensor for simultaneous detection of carcinoembryonic antigen and mucin-1 based on metal ion electrochemical labels and Ru(NH <sub>3</sub> ) <sub>6</sub> <sup>3+</sup> electronic wires. <i>Biosensors and Bioelectronics</i> , 2018, 99, 8-13.	10.1	50
124	A disposable simultaneous electrochemical sensor array based on a molecularly imprinted film at a NH <sub>2</sub> -graphene modified screen-printed electrode for determination of psychotropic drugs. <i>Analyst, The</i> , 2013, 138, 2704.	3.5	49
125	A paper-based electrochemiluminescence electrode as an aptamer-based cytosensor using PtNi@carbon dots as nanolabels for detection of cancer cells and for in-situ screening of anticancer drugs. <i>Mikrochimica Acta</i> , 2016, 183, 1873-1880.	5.0	49
126	Sudoku-like Lab-on-Paper Cyto-Device with Dual Enhancement of Electrochemiluminescence Intermediates Strategy. <i>Analytical Chemistry</i> , 2017, 89, 7511-7519.	6.5	49



#	ARTICLE	IF	CITATIONS
127	Donor/Acceptor-Induced Ratiometric Photoelectrochemical Paper Analytical Device with a Hollow Double-Hydrophilic-Walls Channel for microRNA Quantification. <i>Analytical Chemistry</i> , 2019, 91, 14577-14585.	6.5	49
128	Ultrasensitive Microfluidic Paper-Based Electrochemical/Visual Analytical Device via Signal Amplification of Pd@Hollow Zn/Co Core-Shell ZIF67/ZIF8 Nanoparticles for Prostate-Specific Antigen Detection. <i>Analytical Chemistry</i> , 2021, 93, 5459-5467.	6.5	49
129	Molecularly imprinted polymeric microspheres for determination of bovine serum albumin based on flow injection chemiluminescence sensor. <i>Biosensors and Bioelectronics</i> , 2010, 26, 632-637.	10.1	48
130	Magnetic graphene nanosheets based electrochemiluminescence immunoassay of cancer biomarker using CdTe quantum dots coated silica nanospheres as labels. <i>Talanta</i> , 2012, 99, 512-519.	5.5	48
131	An origami electrochemiluminescence immunosensor based on gold/graphene for specific, sensitive point-of-care testing of carcinoembryonic antigen. <i>Sensors and Actuators B: Chemical</i> , 2014, 193, 247-254.	7.8	48
132	A molecularly imprinted polypyrrole for ultrasensitive voltammetric determination of glyphosate. <i>Mikrochimica Acta</i> , 2017, 184, 1959-1967.	5.0	48
133	Paper-based biosensor for noninvasive detection of epidermal growth factor receptor mutations in non-small cell lung cancer patients. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 440-445.	7.8	48
134	Graphene-palladium nanowires based electrochemical sensor using ZnFe <sub>2</sub> O <sub>4</sub> -graphene quantum dots as an effective peroxidase mimic. <i>Analytica Chimica Acta</i> , 2014, 852, 181-188.	5.4	47
135	Hand-drawn&written pen-on-paper electrochemiluminescence immunodevice powered by rechargeable battery for low-cost point-of-care testing. <i>Biosensors and Bioelectronics</i> , 2014, 61, 21-27.	10.1	46
136	Microfluidic paper-based multiplex colorimetric immunodevice based on the catalytic effect of Pd/Fe <sub>3</sub> O <sub>4</sub> @C peroxidase mimetics on multiple chromogenic reactions. <i>Analytica Chimica Acta</i> , 2015, 862, 70-76.	5.4	46
137	Platelike WO <sub>3</sub> sensitized with CdS quantum dots heterostructures for photoelectrochemical dynamic sensing of H <sub>2</sub> O <sub>2</sub> based on enzymatic etching. <i>Biosensors and Bioelectronics</i> , 2016, 85, 205-211.	10.1	46
138	Fast response and highly selective detection of hydrogen sulfide with a ratiometric two-photon fluorescent probe and its application for bioimaging. <i>Sensors and Actuators B: Chemical</i> , 2018, 261, 51-57.	7.8	46
139	Stackable Lab-on-Paper Device with All-in-One Au Electrode for High-Efficiency Photoelectrochemical Cyto-Sensing. <i>Analytical Chemistry</i> , 2018, 90, 7212-7220.	6.5	46
140	Cathode Photoelectrochemical Paper Device for microRNA Detection Based on Cascaded Photoactive Structures and Hemin/Pt Nanoparticle-Decorated DNA Dendrimers. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 17177-17184.	8.0	46
141	Co <sub>3</sub> O <sub>4</sub> -Au polyhedron mimic peroxidase- and cascade enzyme-assisted cycling process-based photoelectrochemical biosensor for monitoring of miRNA-141. <i>Chemical Engineering Journal</i> , 2021, 406, 126892.	12.7	46
142	A Target-Driven Self-Feedback Paper-Based Photoelectrochemical Sensing Platform for Ultrasensitive Detection of Ochratoxin A with an In <sub>2</sub> S <sub>3</sub> /WO <sub>3</sub> Heterojunction Structure. <i>Analytical Chemistry</i> , 2022, 94, 1705-1712.	6.5	45
143	Development of a 3D origami multiplex electrochemical immunodevice using a nanoporous silver-paper electrode and metal ion functionalized nanoporous gold-chitosan. <i>Chemical Communications</i> , 2013, 49, 9540.	4.1	44
144	CuO-induced signal amplification strategy for multiplexed photoelectrochemical immunosensing using CdS sensitized ZnO nanotubes arrays as photoactive material and AuPd alloy nanoparticles as electron sink. <i>Biosensors and Bioelectronics</i> , 2015, 66, 565-571.	10.1	44

#	ARTICLE	IF	CITATIONS
145	Signal-on electrochemical detection of antibiotics at zeptomole level based on target-aptamer binding triggered multiple recycling amplification. <i>Biosensors and Bioelectronics</i> , 2016, 80, 471-476.	10.1	44
146	Paper-based biosensor relying on flower-like reduced graphene guided enzymatically deposition of polyaniline for Pb <sup>2+</sup> detection. <i>Biosensors and Bioelectronics</i> , 2016, 80, 215-221.	10.1	44
147	Label-free detection of microRNA based on the fluorescence quenching of silicon nanoparticles induced by catalyzed hairpin assembly coupled with hybridization chain reaction. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 370-376.	7.8	44
148	Ternary Electrochemiluminescence Biosensor Based on DNA Walkers and AuPd Nanomaterials as a Coreaction Accelerator for the Detection of miRNA-141. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 25783-25791.	8.0	44
149	Fluorescence "turn-on" determination of H <sub>2</sub> O <sub>2</sub> using multilayer porous SiO <sub>2</sub> /NGQDs and PdAu mimetics enzymatic/oxidative cleavage of single-stranded DNA. <i>Biosensors and Bioelectronics</i> , 2016, 82, 204-211.	10.1	43
150	Highly sensitive microfluidic paper-based photoelectrochemical sensing platform based on reversible photo-oxidation products and morphology-preferable multi-plate ZnO nanoflowers. <i>Biosensors and Bioelectronics</i> , 2018, 110, 58-64.	10.1	43
151	Ultrasensitive electrochemiluminescence immunosensor for tumor marker detection based on nanoporous silver@carbon dots as labels. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 761-767.	7.8	42
152	Self-Powered and Sensitive DNA Detection in a Three-Dimensional Origami-Based Biofuel Cell Based on a Porous Pt Paper Cathode. <i>Chemistry - A European Journal</i> , 2014, 20, 12453-12462.	3.3	42
153	Paper-based electrochemical immunosensor for carcinoembryonic antigen based on three dimensional flower-like gold electrode and gold-silver bimetallic nanoparticles. <i>Electrochimica Acta</i> , 2014, 147, 650-656.	5.2	42
154	A photoelectrochemical sensor for hydrogen sulfide in cancer cells based on the covalently and in situ grafting of CdS nanoparticles onto TiO <sub>2</sub> nanotubes. <i>Journal of Electroanalytical Chemistry</i> , 2016, 783, 176-181.	3.8	42
155	Dual-Mode Aptasensor Assembled by a WO <sub>3</sub> /Fe <sub>2</sub> O <sub>3</sub> Heterojunction for Paper-Based Colorimetric Prediction/Photoelectrochemical Multicomponent Analysis. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 3645-3652.	8.0	42
156	Determination of glyphosate in foodstuff by one novel chemiluminescence-molecular imprinting sensor. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 78, 1482-1486.	3.9	41
157	Electrochemical device based on a Pt nanosphere-paper working electrode for in situ and real-time determination of the flux of H <sub>2</sub> O <sub>2</sub> releasing from SK-BR-3 cancer cells. <i>Chemical Communications</i> , 2014, 50, 10315.	4.1	41
158	Gold nanorods-paper electrode based enzyme-free electrochemical immunoassay for prostate specific antigen using porous zinc oxide spheres-silver nanoparticles nanocomposites as labels. <i>New Journal of Chemistry</i> , 2015, 39, 6062-6067.	2.8	41
159	Metal-enhanced fluorescence/visual bimodal platform for multiplexed ultrasensitive detection of microRNA with reusable paper analytical devices. <i>Biosensors and Bioelectronics</i> , 2017, 95, 181-188.	10.1	41
160	Gold-silver nanocomposite-functionalized graphene sensing platform for an electrochemiluminescent immunoassay of a tumor marker. <i>RSC Advances</i> , 2013, 3, 14701.	3.6	40
161	Ultrasensitive and rapid detection of miRNA with three-way junction structure-based trigger-assisted exponential enzymatic amplification. <i>Biosensors and Bioelectronics</i> , 2016, 81, 236-241.	10.1	40
162	Solar driven electrochromic photoelectrochemical fuel cells for simultaneous energy conversion, storage and self-powered sensing. <i>Nanoscale</i> , 2018, 10, 3421-3428.	5.6	40

#	ARTICLE	IF	CITATIONS
163	A novel enzyme biosensor for glucose based on rhodanine derivative chemiluminescence system and mesoporous hollow silica microspheres receptor. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2065-2070.	10.1	39
164	3D synergistical rGO/Eu(TPyP)(Pc) hybrid aerogel for high-performance NO <sub>2</sub> gas sensor with enhanced immunity to humidity. <i>Journal of Hazardous Materials</i> , 2020, 384, 121426.	12.4	39
165	Electrochemiluminescence device for in-situ and accurate determination of CA153 at the MCF-7 cell surface based on graphene quantum dots loaded surface villous Au nanocage. <i>Biosensors and Bioelectronics</i> , 2015, 71, 286-293.	10.1	38
166	A self-powered origami paper analytical device with a pop-up structure for dual-mode electrochemical sensing of ATP assisted by glucose oxidase-triggered reaction. <i>Biosensors and Bioelectronics</i> , 2020, 148, 111839.	10.1	38
167	Ultrasensitive Paper-Based Photoelectrochemical Sensing Platform Enabled by the Polar Charge Carriers-Created Electric Field. <i>Analytical Chemistry</i> , 2020, 92, 2902-2906.	6.5	38
168	Paper-Based Bipolar Electrode Electrochemiluminescence Platform Combined with Pencil-Drawing Trace for the Detection of M.Sssl Methyltransferase. <i>Analytical Chemistry</i> , 2022, 94, 8327-8334.	6.5	38
169	A 3D origami multiple electrochemiluminescence immunodevice based on a porous silver-paper electrode and multi-labeled nanoporous gold-carbon spheres. <i>Chemical Communications</i> , 2013, 49, 7687.	4.1	37
170	Flexible and Biocompatibility Power Source for Electronics: A Cellulose Paper Based Hole-Transport Materials-Free Perovskite Solar Cell. <i>Solar Rrl</i> , 2018, 2, 1800175.	5.8	37
171	Photoelectrochemical biosensor of HIV-1 based on cascaded photoactive materials and triple-helix molecular switch. <i>Biosensors and Bioelectronics</i> , 2019, 139, 111325.	10.1	37
172	Molecular Threading-Dependent Mass Transport in Paper Origami for Single-Step Electrochemical DNA Sensors. <i>Nano Letters</i> , 2019, 19, 369-374.	9.1	37
173	Reversible electron storage in tandem photoelectrochemical cell for light driven unassisted overall water splitting. <i>Applied Catalysis B: Environmental</i> , 2020, 275, 119094.	20.2	37
174	Rechargeable battery-triggered electrochemiluminescence detection on microfluidic origami immunodevice based on two electrodes. <i>Chemical Communications</i> , 2012, 48, 9971.	4.1	36
175	Ultrasensitive electrochemiluminescence immunosensor using PtAg@carbon nanocrystals composites as labels and carbon nanotubes-chitosan/gold nanoparticles as enhancer. <i>Analyst, The</i> , 2012, 137, 2112.	3.5	36
176	Disposable electrochemical immunosensor for simultaneous assay of a panel of breast cancer tumor markers. <i>Analyst, The</i> , 2012, 137, 4727.	3.5	36
177	A 3D origami electrochemical immunodevice based on a Au@Pd alloy nanoparticle-paper electrode for the detection of carcinoembryonic antigen. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6669-6674.	5.8	36
178	Photoelectrochemical detection of tumor markers based on a CdS quantum dot/ZnO nanorod/Au@Pt-paper electrode 3D origami immunodevice. <i>Journal of Materials Chemistry B</i> , 2015, 3, 2426-2432.	5.8	36
179	Low-Power and High-Performance Trimethylamine Gas Sensor Based on n-n Heterojunction Microbelts of Perylene Diimide/CdS. <i>Analytical Chemistry</i> , 2019, 91, 5591-5598.	6.5	36
180	On-line molecular imprinted solid-phase extraction flow-injection fluorescence sensor for determination of florfenicol in animal tissues. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 615-619.	2.8	35

#	ARTICLE	IF	CITATIONS
181	Self-powered competitive immunosensor driven by biofuel cell based on hollow-channel paper analytical devices. <i>Biosensors and Bioelectronics</i> , 2015, 71, 18-24.	10.1	35
182	Bi <sub>2</sub> S <sub>3</sub> @MoS <sub>2</sub> Nanoflowers on Cellulose Fibers Combined with Octahedral CeO <sub>2</sub> for Dual-Mode Microfluidic Paper-Based miRNA-141 Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 32780-32789.	8.0	35
183	A dual amplification strategy for ultrasensitive electrochemiluminescence immunoassay based on a Pt nanoparticles dotted graphene-carbon nanotubes composite and carbon dots functionalized mesoporous Pt/Fe. <i>Analyst</i> , 2014, 139, 1713-1720.	3.5	34
184	Electrochemical biosensor for p53 gene based on HRP-mimicking DNAzyme-catalyzed deposition of polyaniline coupled with hybridization chain reaction. <i>Sensors and Actuators B: Chemical</i> , 2018, 268, 210-216.	7.8	34
185	A triply amplified electrochemical lead(II) sensor by using a DNAzyme and via formation of a DNA-gold nanoparticle network induced by a catalytic hairpin assembly. <i>Mikrochimica Acta</i> , 2019, 186, 559.	5.0	34
186	Auto-cleaning paper-based electrochemiluminescence biosensor coupled with binary catalysis of cubic Cu <sub>2</sub> O-Au and polyethyleneimine for quantification of Ni <sup>2+</sup> and Hg <sup>2+</sup> . <i>Biosensors and Bioelectronics</i> , 2019, 126, 339-345.	10.1	34
187	Two-dimensional black phosphorus nanoflakes: A coreactant-free electrochemiluminescence luminophors for selective Pb <sup>2+</sup> detection based on resonance energy transfer. <i>Journal of Hazardous Materials</i> , 2021, 403, 123601.	12.4	34
188	Ultrathin MoSe <sub>2</sub> nanosheet anchored CdS-ZnO functional paper chip as a highly efficient tandem Z-scheme heterojunction photoanode for scalable photoelectrochemical water splitting. <i>Applied Catalysis B: Environmental</i> , 2021, 292, 120184.	20.2	34
189	A disposable paper-based electrochemiluminescence device for ultrasensitive monitoring of CEA based on Ru(bpy) <sub>3</sub> <sup>2+</sup> @Au nanocages. <i>RSC Advances</i> , 2015, 5, 28324-28331.	3.6	33
190	Paper-Based Origami Photoelectrochemical Sensing Platform with TiO <sub>2</sub> /Bi <sub>4</sub> NbO <sub>8</sub> /Cl/Co-Pi Cascade Structure Enabling of Bidirectional Modulation of Charge Carrier Separation. <i>Analytical Chemistry</i> , 2018, 90, 14116-14120.	6.5	33
191	Multiple self-cleaning paper-based electrochemical ratiometric biosensor based on the inner reference probe and exonuclease III-assisted signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2020, 147, 111769.	10.1	33
192	Paper-based sandwich type SERS sensor based on silver nanoparticles and biomimetic recognizer. <i>Sensors and Actuators B: Chemical</i> , 2020, 313, 127989.	7.8	33
193	Photoelectrochemical lab-on-paper device based on molecularly imprinted polymer and porous Au-paper electrode. <i>Analyst</i> , 2013, 138, 4802.	3.5	32
194	Chemiluminescence excited photoelectrochemical competitive immunosensing lab-on-paper device using an integrated paper supercapacitor for signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2015, 208, 546-553.	7.8	32
195	Triggerable H <sub>2</sub> O <sub>2</sub> -Cleavable Switch of Paper-Based Biochips Endows Precision of Chemometer/Ratiometric Electrochemical Quantification of Analyte in High-Efficiency Point-of-Care Testing. <i>Analytical Chemistry</i> , 2019, 91, 10273-10281.	6.5	32
196	Paper-Supported Self-Powered System Based on a Glucose/O <sub>2</sub> Biofuel Cell for Visual MicroRNA-21 Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 5114-5122.	8.0	32
197	Paper-Based Constant Potential Electrochemiluminescence Sensing Platform with Black Phosphorus as a Luminophore Enabled by a Perovskite Solar Cell. <i>Analytical Chemistry</i> , 2020, 92, 6822-6826.	6.5	32
198	Cathode-Anode Spatial Division Photoelectrochemical Platform Based on a One-Step DNA Walker for Monitoring of miRNA-21. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 35389-35396.	8.0	32

#	ARTICLE	IF	CITATIONS
199	Dual-Engine Powered Paper Photoelectrochemical Platform Based on 3D DNA Nanomachine-Mediated CRISPR/Cas12a for Detection of Multiple miRNAs. <i>Analytical Chemistry</i> , 2022, 94, 8075-8084.	6.5	32
200	Aptamer based test stripe for ultrasensitive detection of mercury(II) using a phenylene-ethynylene reagent on nanoporous silver as a chemiluminescence reagent. <i>Mikrochimica Acta</i> , 2014, 181, 663-670.	5.0	31
201	Application of ZnO quantum dots dotted carbon nanotube for sensitive electrochemiluminescence immunoassay based on simply electrochemical reduced Pt/Au alloy and a disposable device. <i>Analytica Chimica Acta</i> , 2014, 818, 46-53.	5.4	31
202	Real-time visual determination of the flux of hydrogen sulphide using a hollow-channel paper electrode. <i>Chemical Communications</i> , 2015, 51, 14030-14033.	4.1	31
203	An enhanced photoelectrochemical platform: graphite-like carbon nitride nanosheet-functionalized ZnO nanotubes. <i>Journal of Materials Chemistry B</i> , 2016, 4, 4980-4987.	5.8	31
204	Non-covalent interaction-driven self-assembly of perylene diimide on rGO for room-temperature sensing of triethylamine with enhanced immunity to humidity. <i>Chemical Engineering Journal</i> , 2020, 385, 123397.	12.7	31
205	Electrogenerated Chemiluminescence from a Phenyleneethynylene Derivative and its Ultrasensitive Immunosensing Application Using a Nanotubular Mesoporous Pt@Ag Alloy for Signal Amplification. <i>Advanced Functional Materials</i> , 2012, 22, 3899-3906.	14.9	30
206	Electrochemiluminescence immunoassay using a paper electrode incorporating porous silver and modified with mesoporous silica nanoparticles functionalized with blue-luminescent carbon dots. <i>Mikrochimica Acta</i> , 2014, 181, 1415-1422.	5.0	30
207	A sensitive quenched electrochemiluminescent DNA sensor based on the catalytic activity of gold nanoparticle functionalized MoS <sub>2</sub> . <i>New Journal of Chemistry</i> , 2015, 39, 8100-8107.	2.8	30
208	Ultrasensitive detection of lead ion sensor based on gold nanodendrites modified electrode and electrochemiluminescent quenching of quantum dots by electrocatalytic silver/zinc oxide coupled structures. <i>Biosensors and Bioelectronics</i> , 2015, 65, 176-182.	10.1	30
209	Signal-switchable lab-on-paper photoelectrochemical aptasensing system integrated triple-helix molecular switch with charge separation and recombination regime of type-II CdTe@CdSe core-shell quantum dots. <i>Biosensors and Bioelectronics</i> , 2020, 147, 111786.	10.1	30
210	Peptide cleavage-mediated photoelectrochemical signal on-off via CuS electronic extinguisher for PSA detection. <i>Biosensors and Bioelectronics</i> , 2020, 150, 111958.	10.1	30
211	Toehold-mediated DNA strand displacement-driven super-fast tripedal DNA walker for ultrasensitive and label-free electrochemical detection of ochratoxin A. <i>Analytica Chimica Acta</i> , 2021, 1143, 21-30.	5.4	30
212	Fluorescence resonance energy transfer sensor between quantum dot donors and neutral red acceptors and its detection of BSA in micelles. <i>Dyes and Pigments</i> , 2011, 91, 304-308.	3.7	29
213	TiO <sub>2</sub> @graphene complex nanopaper for paper-based label-free photoelectrochemical immunoassay. <i>Electrochimica Acta</i> , 2013, 112, 620-628.	5.2	29
214	Ultrasensitive photoelectrochemical immunoassay based on CdS@Cu <sub>2</sub> O co-sensitized porous ZnO nanosheets and promoted by multiwalled carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2016, 234, 658-666.	7.8	29
215	Steric paper based ratio-type electrochemical biosensor with hollow-channel for sensitive detection of Zn <sup>2+</sup> . <i>Science Bulletin</i> , 2017, 62, 1114-1121.	9.0	29
216	Engineering organic/inorganic hierarchical photocathode for efficient and stable quasi-solid-state photoelectrochemical fuel cells. <i>Applied Catalysis B: Environmental</i> , 2019, 250, 171-180.	20.2	29

#	ARTICLE	IF	CITATIONS
217	SERS paper slip based on 3D dendritic gold nanomaterials coupling with urchin-like nanoparticles for rapid detection of thiram. <i>Sensors and Actuators B: Chemical</i> , 2022, 355, 131264.	7.8	29
218	Photoelectrochemical Sensor Based on Molecularly Imprinted Polymer-Coated TiO <sub>2</sub> Nanotubes for Lindane Specific Recognition and Detection. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 703-711.	3.7	28
219	3D origami electrochemiluminescence immunodevice based on porous silver-paper electrode and nanoporous silver double-assisted signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 417-424.	7.8	28
220	Three-dimensional nanoflower-like MnO <sub>2</sub> functionalized graphene as catalytically promoted nanolabels for ultrasensitive electrochemiluminescence immunoassay. <i>Electrochimica Acta</i> , 2013, 97, 333-340.	5.2	28
221	An enhanced photoelectrochemical immunosensing platform: Supramolecular donor-acceptor arrays by assembly of porphyrin and C <sub>60</sub> . <i>Biosensors and Bioelectronics</i> , 2015, 68, 604-610.	10.1	28
222	Visible-light driven biofuel cell based on hierarchically branched titanium dioxide nanorods photoanode for tumor marker detection. <i>Biosensors and Bioelectronics</i> , 2016, 83, 327-333.	10.1	28
223	Ultrasensitive electrochemiluminescence immunosensor based on nanoporous gold electrode and Ru-AuNPs/graphene as signal labels. <i>Sensors and Actuators B: Chemical</i> , 2013, 181, 50-56.	7.8	27
224	Ultrasensitive electrochemiluminescent immunosensor based on dual signal amplification strategy of gold nanoparticles-dotted graphene composites and CdTe quantum dots coated silica nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 4921-4929.	3.7	27
225	A chemiluminescence excited photoelectrochemistry aptamer-device equipped with a tin dioxide quantum dot/reduced graphene oxide nanocomposite modified porous Au-paper electrode. <i>Journal of Materials Chemistry B</i> , 2014, 2, 3462-3468.	5.8	27
226	Immunoassay for carcinoembryonic antigen based on the Zn <sup>2+</sup> -enhanced fluorescence of magnetic-fluorescent nanocomposites. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 43-49.	7.8	27
227	Multifunctional reduced graphene oxide triggered chemiluminescence resonance energy transfer: Novel signal amplification strategy for photoelectrochemical immunoassay of squamous cell carcinoma antigen. <i>Biosensors and Bioelectronics</i> , 2016, 79, 55-62.	10.1	27
228	Engineering anatase hierarchically cactus-like TiO <sub>2</sub> arrays for photoelectrochemical and visualized sensing platform. <i>Biosensors and Bioelectronics</i> , 2017, 90, 336-342.	10.1	27
229	Hierarchical hematite/TiO <sub>2</sub> nanorod arrays coupled with responsive mesoporous silica nanomaterial for highly sensitive photoelectrochemical sensing. <i>Biosensors and Bioelectronics</i> , 2018, 117, 515-521.	10.1	27
230	Paper-based photoelectrochemical immunosensing based on CdS QD sensitized multidimensional porous ZnO spheres promoted by carbon nanotubes. <i>Chemical Communications</i> , 2013, 49, 10400-10402.	4.1	26
231	A sensitive signal-off aptasensor for adenosine triphosphate based on the quenching of Ru(bpy) <sub>3</sub> <sup>2+</sup> -doped silica nanoparticles electrochemiluminescence by ferrocene. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 377-383.	7.8	26
232	Electrochemiluminescence of graphitic carbon nitride and its application in ultrasensitive detection of lead(II) ions. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 7181-7191.	3.7	26
233	Internal Light Source-Driven Photoelectrochemical 3D-rGO/Cellulose Device Based on Cascade DNA Amplification Strategy Integrating Target Analog Chain and DNA Mimic Enzyme. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 37839-37847.	8.0	26
234	Paper based modification-free photoelectrochemical sensing platform with single-crystalline aloe like TiO <sub>2</sub> as electron transporting material for cTnI detection. <i>Biosensors and Bioelectronics</i> , 2019, 131, 17-23.	10.1	26

#	ARTICLE	IF	CITATIONS
235	Primer remodeling amplification-activated multisite-catalytic hairpin assembly enabling the concurrent formation of Y-shaped DNA nanotorches for the fluorescence assay of ochratoxin A. <i>Analyst</i> , The, 2019, 144, 3389-3397.	3.5	26
236	Ultrasensitive sandwich-like electrochemical biosensor based on core-shell Pt@CeO <sub>2</sub> as signal tags and double molecular recognition for cerebral dopamine detection. <i>Talanta</i> , 2021, 223, 121719.	5.5	26
237	Application of indium tin oxide device in gold-coated magnetic iron solid support enhanced electrochemiluminescent immunosensor for determination of carcinoma embryonic antigen. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 891-898.	7.8	25
238	Highly sensitive chemiluminescence immunoassay on chitosan membrane modified paper platform using TiO <sub>2</sub> nanoparticles/multiwalled carbon nanotubes as label. <i>Luminescence</i> , 2013, 28, 496-502.	2.9	25
239	A 3D electrochemical immunodevice based on an Au paper electrode and using Au nanoflowers for amplification. <i>New Journal of Chemistry</i> , 2016, 40, 2835-2842.	2.8	25
240	Determination of glucose by using fluorescent silicon nanoparticles and an inner filter caused by peroxidase-induced oxidation of o-phenylenediamine by hydrogen peroxide. <i>Mikrochimica Acta</i> , 2017, 184, 4531-4536.	5.0	25
241	Electrochemiluminescence based detection of microRNA by applying an amplification strategy and Hg(II)-triggered disassembly of a metal organic frameworks functionalized with ruthenium(II)tris(bipyridine). <i>Mikrochimica Acta</i> , 2018, 185, 133.	5.0	25
242	Highly conductive and bendable gold networks attached on intertwined cellulose fibers for output controllable power paper. <i>Journal of Materials Chemistry A</i> , 2018, 6, 19611-19620.	10.3	25
243	Wide-Spectrum-Responsive Paper-Supported Photoelectrochemical Sensing Platform Based on Black Phosphorus-Sensitized TiO <sub>2</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 41062-41068.	8.0	25
244	A near-infrared light photoelectrochemical immunosensor based on a Au-paper electrode and naphthalocyanine sensitized ZnO nanorods. <i>Journal of Materials Chemistry B</i> , 2014, 2, 4811.	5.8	24
245	Real-time and in situ enzyme inhibition assay for the flux of hydrogen sulfide based on 3D interwoven AuPd-reduced graphene oxide network. <i>Biosensors and Bioelectronics</i> , 2017, 87, 53-58.	10.1	24
246	Noninvasive and Wearable Respiration Sensor Based on Organic Semiconductor Film with Strong Electron Affinity. <i>Analytical Chemistry</i> , 2019, 91, 10320-10327.	6.5	24
247	Molecular simulation of the interaction between novel type rhodanine derivative probe and bovine serum albumin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009, 74, 277-281.	3.9	23
248	Fluorescence immunosensor based on p-acid-encapsulated silica nanoparticles for tumor marker detection. <i>Analyst</i> , The, 2012, 137, 2834.	3.5	23
249	One novel chemiluminescence sensor for determination of fenpropathrin based on molecularly imprinted porous hollow microspheres. <i>Sensors and Actuators B: Chemical</i> , 2012, 162, 166-172.	7.8	23
250	Chemiluminescence excited paper-based photoelectrochemical competitive immunosensing based on porous ZnO spheres and CdS nanorods. <i>Journal of Materials Chemistry B</i> , 2014, 2, 7679-7684.	5.8	23
251	Paper-Based Analytical Devices Relying on Visible-Light-Enhanced Glucose/Air Biofuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 24330-24337.	8.0	23
252	Photoelectrochemical immunoassay based on chemiluminescence as internal excited light source. <i>Sensors and Actuators B: Chemical</i> , 2016, 234, 324-331.	7.8	23

#	ARTICLE	IF	CITATIONS
253	Electrochemiluminescence behavior of AgNCs and its application in immunosensors based on PANI/PPy-Ag dendrite-modified electrode. <i>Analyst, The</i> , 2017, 142, 2587-2594.	3.5	23
254	Self-powered sensing platform equipped with Prussian blue electrochromic display driven by photoelectrochemical cell. <i>Biosensors and Bioelectronics</i> , 2017, 89, 728-734.	10.1	23
255	Ultrasensitive lab-on-paper device via Cu/Co double-doped CeO <sub>2</sub> nanospheres as signal amplifiers for electrochemical/visual sensing of miRNA-155. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128499.	7.8	23
256	Multiple cooperative amplification paper SERS aptasensor based on AuNPs/3D succulent-like silver for okadaic acid quantization. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130174.	7.8	23
257	Photoswitchable CRISPR/Cas12a-Amplified and Co <sub>3</sub> O <sub>4</sub> @Au Nanoemitter Based Triple-Amplified Diagnostic Electrochemiluminescence Biosensor for Detection of miRNA-141. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 32960-32969.	8.0	23
258	A visible light photoelectrochemical sensor for tumor marker detection using tin dioxide quantum dot-graphene as labels. <i>Analyst, The</i> , 2013, 138, 7112.	3.5	22
259	Determination of Oxytetracycline with a Gold Electrode Modified by Chitosan-Multiwalled Carbon Nanotube Multilayer Films and Gold Nanoparticles. <i>Analytical Letters</i> , 2013, 46, 1117-1131.	1.8	22
260	A 3D electrochemical immunodevice based on a porous Pt-paper electrode and metal ion functionalized flower-like Au nanoparticles. <i>Journal of Materials Chemistry B</i> , 2015, 3, 2764-2769.	5.8	22
261	Paper analytical devices for dynamic evaluation of cell surface N-glycan expression via a bimodal biosensor based on multibranch hybridization chain reaction amplification. <i>Biosensors and Bioelectronics</i> , 2016, 86, 756-763.	10.1	22
262	A label-free electrochemical platform for the detection of antibiotics based on cascade enzymatic amplification coupled with a split G-quadruplex DNAzyme. <i>Analyst, The</i> , 2019, 144, 4995-5002.	3.5	22
263	Ultrasensitive and specific microRNA detection via dynamic light scattering of DNA network based on rolling circle amplification. <i>Sensors and Actuators B: Chemical</i> , 2020, 324, 128693.	7.8	22
264	Photoelectrochemical Detection of Exosomal miRNAs by Combining Target-Programmed Controllable Signal Quenching Engineering. <i>Analytical Chemistry</i> , 2022, 94, 3082-3090.	6.5	22
265	Cerium Dioxide-Mediated Signal "Off" by Resonance Energy Transfer on a Lab-On-Paper Device for Ultrasensitive Detection of Lead Ions. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 32591-32598.	8.0	21
266	Enhanced Catalytic Activity Induced by the Nanostructuring Effect in Pd Decoration onto Doped Ceria Enabling an Origami Paper Analytical Device for High Performance of Amyloid- $\beta$ Bioassay. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 33937-33947.	8.0	21
267	Facile Preparation and Characteristic Analysis of Sulfated Cellulose Nanofibril via the Pretreatment of Sulfamic Acid-Glycerol Based Deep Eutectic Solvents. <i>Nanomaterials</i> , 2021, 11, 2778.	4.1	21
268	An ultrasensitive HRP labeled competitive aptasensor for oxytetracycline detection based on grapheme oxide-polyaniline composites as the signal amplifiers. <i>RSC Advances</i> , 2014, 4, 10273.	3.6	20
269	Application of bimetallic PtPd alloy decorated graphene in peroxydisulfate electrochemiluminescence aptasensor based on Ag dendrites decorated indium tin oxide device. <i>Sensors and Actuators B: Chemical</i> , 2015, 209, 32-39.	7.8	20
270	A facile signal-on electrochemical DNA sensing platform for ultrasensitive detection of pathogenic bacteria based on Exo III-assisted autonomous multiple-cycle amplification. <i>Analyst, The</i> , 2019, 144, 3023-3029.	3.5	20



#	ARTICLE	IF	CITATIONS
271	Microfluidic paper-based photoelectrochemical sensing platform with electron-transfer tunneling distance regulation strategy for thrombin detection. <i>Biosensors and Bioelectronics</i> , 2019, 133, 1-7.	10.1	20
272	“Sugarcoated haws on a stick”-like MWNTs@Fe <sub>3</sub> O <sub>4</sub> @C coaxial nanomaterial: Synthesis, characterization and application in electrochemiluminescence immunoassays. <i>Biosensors and Bioelectronics</i> , 2013, 47, 68-74.	10.1	19
273	A photoelectrochemical biosensor using ruthenium complex-reduced graphene oxide hybrid as the photocurrent signal reporter assembled on rhombic TiO <sub>2</sub> nanocrystals driven by visible light. <i>Analytica Chimica Acta</i> , 2014, 828, 27-33.	5.4	19
274	Ultrasensitive chemiluminescence detection of DNA on a microfluidic paper-based analytical device. <i>Monatshefte für Chemie</i> , 2014, 145, 129-135.	1.8	19
275	Electrochemiluminescence PSA assay using an ITO electrode modified with gold and palladium, and flower-like titanium dioxide microparticles as ECL labels. <i>Mikrochimica Acta</i> , 2015, 182, 1009-1016.	5.0	19
276	High-Quality Perovskite Films Grown with a Fast Solvent-Assisted Molecule Inserting Strategy for Highly Efficient and Stable Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 22238-22245.	8.0	19
277	On-off fluorescence sensing of glutathione in food samples based on a graphitic carbon nitride (g-C <sub>3</sub> N <sub>4</sub> )@Cu <sup>2+</sup> strategy. <i>New Journal of Chemistry</i> , 2017, 41, 3374-3379.	2.8	19
278	Dual-mode fluorescence biosensor platform based on T-shaped duplex structure for detection of microRNA and folate receptor. <i>Sensors and Actuators B: Chemical</i> , 2018, 261, 44-50.	7.8	19
279	Electrochemiluminescence cytosensing platform based on Ru(bpy) <sub>3</sub> <sup>2+</sup> @silica-Au nanocomposite as luminophore and AuPd nanoparticles as coreaction accelerator for in situ evaluation of intracellular H <sub>2</sub> O <sub>2</sub> . <i>Talanta</i> , 2019, 199, 485-490.	5.5	19
280	Mimic peroxidase-transfer enhancement of photoelectrochemical aptasensing via CuO nanoflowers functionalized lab-on-paper device with a controllable fluid separator. <i>Biosensors and Bioelectronics</i> , 2019, 133, 32-38.	10.1	19
281	Self-Circulation Oxygen-Hydrogen Peroxide-Oxygen System for Ultrasensitive Cathode Photoelectrochemical Bioassay Using a Stacked Sealed Paper Device. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 19793-19802.	8.0	19
282	Accurate and Nonpurified Identification of Extracellular Vesicles Using Dual-Binding Recognition Mode. <i>Analytical Chemistry</i> , 2021, 93, 12383-12390.	6.5	19
283	A novel high selectivity chemiluminescence sensor for fenvalerate based on double-sided hollow molecularly imprinted materials. <i>Analyst, The</i> , 2012, 137, 4247.	3.5	18
284	Ultrasensitive electrochemiluminescence detection of DNA based on nanoporous gold electrode and PdCu@carbon nanocrystal composites as labels. <i>Analyst, The</i> , 2012, 137, 3314.	3.5	18
285	An RNA aptamer-based electrochemical biosensor for sensitive detection of malachite green. <i>RSC Advances</i> , 2014, 4, 60987-60994.	3.6	18
286	“Signal-off” photoelectrochemical DNA sensing strategy based on target dependent DNA probe conformational conversion using CdS quantum dots sensitized TiO <sub>2</sub> nanorods array as photoactive material. <i>Journal of Electroanalytical Chemistry</i> , 2015, 759, 38-45.	3.8	18
287	An electrochemiluminescence lab-on-paper device for sensitive detection of two antigens at the MCF-7 cell surface based on porous bimetallic AuPd nanoparticles. <i>RSC Advances</i> , 2016, 6, 16500-16506.	3.6	18
288	Simultaneous Voltammetric determination of E. coli and S. typhimurium based on target recycling amplification using self-assembled hairpin probes on a gold electrode. <i>Mikrochimica Acta</i> , 2017, 184, 745-752.	5.0	18

#	ARTICLE	IF	CITATIONS
289	Time-resolution addressable photoelectrochemical strategy based on hollow-channel paper analytical devices. <i>Biosensors and Bioelectronics</i> , 2018, 120, 64-70.	10.1	18
290	Photoelectrochemical detection of let-7a based on toehold-mediated strand displacement reaction and Bi <sub>2</sub> S <sub>3</sub> nanoflower for signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2020, 323, 128655.	7.8	18
291	A near-infrared fluorescent probe with large Stokes shift for accurate detection of $\beta$ -glucuronidase in living cells and mouse models. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 128849.	7.8	18
292	An electrochemiluminescence sensor for determination of durabolin based on CdTe QD films by layer-by-layer self-assembly. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 807-814.	3.7	17
293	Using carbon nanotubes-gold nanocomposites to quench energy from pinnate titanium dioxide nanorods array for signal-on photoelectrochemical aptasensing. <i>Biosensors and Bioelectronics</i> , 2016, 82, 132-139.	10.1	17
294	Label-free, homogeneous, and ultrasensitive detection of pathogenic bacteria based on target-triggered isothermally exponential amplification. <i>RSC Advances</i> , 2016, 6, 62031-62037.	3.6	17
295	Electrochemiluminescence DNA biosensor based on the use of gold nanoparticle modified graphite-like carbon nitride. <i>Mikrochimica Acta</i> , 2017, 184, 2587-2596.	5.0	17
296	Visible-light-driven renewable photoelectrochemical/synchronous visualized sensing platform based on Ni:FeOOH/BiVO <sub>4</sub> photoanode and enzymatic cascade amplification for carcinoembryonic antigen detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127301.	7.8	17
297	All-sealed paper-based electrochemiluminescence platform for on-site determination of lead ions. <i>Biosensors and Bioelectronics</i> , 2021, 192, 113524.	10.1	17
298	Facile and scalable synthesis of a novel rigid artificial superoxide dismutase based on modified hollow mesoporous silica microspheres. <i>Biosensors and Bioelectronics</i> , 2011, 26, 1936-1941.	10.1	16
299	Triple catalysis amplification strategy for simultaneous multiplexed electrochemical immunoassays based on cactus-like MnO <sub>2</sub> functionalized nanoporous gold. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 545-549.	7.8	16
300	Application of CuS-functionalized ZnO nanoflakes for a paper-based photoelectrochemical immunoassay using an in situ electron donor producing strategy. <i>New Journal of Chemistry</i> , 2015, 39, 7012-7018.	2.8	16
301	Microfluidic Paper-Based Analytical Device for Sensitive Detection of Peptides Based on Specific Recognition of Aptamer and Amplification Strategy of Hybridization Chain Reaction. <i>ChemElectroChem</i> , 2017, 4, 1744-1749.	3.4	16
302	Branched zinc oxide nanorods arrays modified paper electrode for electrochemical immunosensing by combining biocatalytic precipitation reaction and competitive immunoassay mode. <i>Biosensors and Bioelectronics</i> , 2015, 74, 823-829.	10.1	15
303	Label-free colorimetric logic gates based on free gold nanoparticles and the coordination strategy between cytosine and silver ions. <i>New Journal of Chemistry</i> , 2016, 40, 5516-5522.	2.8	15
304	A sensitive Pb <sup>2+</sup> testing method based on aptamer-functionalized peroxidase-like 3D-flower MoS <sub>2</sub> microspheres. <i>New Journal of Chemistry</i> , 2017, 41, 7052-7060.	2.8	15
305	Double signal amplification based on palladium nanoclusters and nucleic acid cycles on a $\beta$ -PAD for dual-model detection of microRNAs. <i>Journal of Materials Chemistry B</i> , 2018, 6, 5795-5801.	5.8	15
306	Spectrophotometric determination of the activity of alkaline phosphatase and detection of its inhibitors by exploiting the pyrophosphate-accelerated oxidase-like activity of nanoceria. <i>Mikrochimica Acta</i> , 2019, 186, 320.	5.0	15

#	ARTICLE	IF	CITATIONS
307	Efficient strand displacement amplification via stepwise movement of a bipedal DNA walker on an electrode surface for ultrasensitive detection of antibiotics. <i>Analyst, The</i> , 2020, 145, 2975-2981.	3.5	15
308	Flow injection electrochemiluminescence determination of L-lysine using tris(2,2'-bipyridyl) ruthenium(ii) (Ru(bpy) <sub>3</sub> <sup>2+</sup> ) on indium tin oxide (ITO) glass. <i>Analytical Methods</i> , 2011, 3, 1163.	2.7	14
309	Multi-branch chemiluminescence-molecular imprinting sensor for sequential determination of carbofuran and omethoate in foodstuff. <i>Analytical Methods</i> , 2012, 4, 3150.	2.7	14
310	Fluorescence-based immunoassay for human chorionic gonadotropin based on polyfluorene-coated silica nanoparticles and polyaniline-coated Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>Mikrochimica Acta</i> , 2013, 180, 1509-1516.	5.0	14
311	Ultrasensitive electrochemiluminescence detection of lengthy DNA molecules based on dual signal amplification. <i>Analyst, The</i> , 2013, 138, 3463.	3.5	14
312	Electropolymerized Poly(3,4-ethylenedioxythiophene)/Graphene Composite Film and its Application in Quantum Dots Electrochemiluminescence Immunoassay. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 719-725.	3.7	14
313	A dual functional analytical device for self-powered point of care testing and electric energy storage. <i>Chemical Communications</i> , 2015, 51, 9527-9530.	4.1	14
314	A single-interface photoelectrochemical sensor based on branched TiO <sub>2</sub> nanorods@strontium titanate for the detection of two biomarkers. <i>Journal of Materials Chemistry B</i> , 2018, 6, 4697-4703.	5.8	14
315	A Paper-Supported Photoelectrochemical Sensing Platform Based on Surface Plasmon Resonance Enhancement for Real-Time H <sub>2</sub> S Determination. <i>Journal of Analysis and Testing</i> , 2019, 3, 89-98.	5.1	14
316	Target dual-recycling-induced bipedal DNA walker and Bi <sub>2</sub> WO <sub>6</sub> /Bi <sub>2</sub> S <sub>3</sub> cascade amplification strategy in photoelectrochemical biosensor for TP53 detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 345, 130386.	7.8	14
317	FeOOH/Cu <sub>2</sub> O/CuS photocathode-enabled simultaneous promotion on charge carrier separation and electron acceptor reduction for lab-on-paper homogeneous cathodic photoelectrochemical bioassay. <i>Chemical Engineering Journal</i> , 2022, 430, 132846.	12.7	14
318	Monitoring of bovine serum albumin using ultrasensitive electrochemiluminescence biosensors based on multilayer CdTe quantum dots modified indium tin oxide electrodes. <i>Analytical Methods</i> , 2012, 4, 460-466.	2.7	13
319	A facile and robust SERS platform for highly sensitive and reproducible detection of uracil-DNA glycosylase using target-activated plasmonic coupling. <i>Sensors and Actuators B: Chemical</i> , 2019, 287, 535-543.	7.8	13
320	Quantification of fenfluramine with a molecularly imprinted chemiluminescence sensor and sulfonophenylazo rhodanine. <i>Journal of Separation Science</i> , 2009, 32, 2170-2179.	2.5	12
321	A novel conjugated polyfluorene: synthesis, characterization and application in label-free ECL immunoassays for biomarker detection. <i>Journal of Materials Chemistry</i> , 2012, 22, 5568.	6.7	12
322	Detection of L-phenylalanine using molecularly imprinted solid-phase extraction and flow injection electrochemiluminescence. <i>Journal of Separation Science</i> , 2012, 35, 320-326.	2.5	12
323	A FRET-based ratiometric two-photon fluorescent probe for superoxide anion detection and imaging in living cells and tissues. <i>Analyst, The</i> , 2019, 144, 1704-1710.	3.5	12
324	Ultrasensitive DNA Detection Based on Inorganic-Organic Nanocomposite Cosensitization and G-Quadruplex/Hemin Catalysis for Signal Amplification. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42604-42611.	8.0	12

#	ARTICLE	IF	CITATIONS
325	Metal-organic framework-enabled surface state passivation integrating with single-nuclease-propelled multistage amplification for ultrasensitive lab-on-paper photoelectrochemical biosensing. <i>Chemical Engineering Journal</i> , 2022, 450, 137955.	12.7	12
326	Determination of sibutramine with a new sensor based on luminol electrochemiluminescence. <i>Journal of Luminescence</i> , 2011, 131, 1515-1519.	3.1	11
327	Determination of l-proline based on anodic electrochemiluminescence of CdTe quantum dots. <i>Journal of Luminescence</i> , 2012, 132, 938-943.	3.1	11
328	A sensitive electrochemiluminescent immunosensor based on 3D-flower-like MoS <sub>2</sub> microspheres and using AuPt nanoparticles for signal amplification. <i>RSC Advances</i> , 2016, 6, 23411-23419.	3.6	11
329	Triple-helix molecular-switch-actuated exponential rolling circular amplification for ultrasensitive fluorescence detection of miRNAs. <i>Analyst</i> , 2019, 144, 5245-5253.	3.5	11
330	Origami-based "Book"-shaped three-dimensional electrochemical paper microdevice for sample-to-answer detection of pathogens. <i>RSC Advances</i> , 2020, 10, 25808-25816.	3.6	11
331	Dual-photocathode array propelled lab-on-paper ratiometric photoelectrochemical sensing platform for ultrasensitive microRNA bioassay. <i>Sensors and Actuators B: Chemical</i> , 2020, 316, 128093.	7.8	11
332	Electrochemiluminescence biosensor based on molybdenum disulfide-graphene quantum dots nanocomposites and DNA walker signal amplification for DNA detection. <i>Mikrochimica Acta</i> , 2021, 188, 353.	5.0	11
333	Strength Enhancement of Regenerated Cellulose Fibers by Adjustment of Hydrogen Bond Distribution in Ionic Liquid. <i>Polymers</i> , 2022, 14, 2030.	4.5	11
334	Ultrasensitive electrochemiluminescence immunoassay for tumor marker based on quantum dots coated carbon nanospheres. <i>Journal of Luminescence</i> , 2013, 144, 6-12.	3.1	10
335	Using "edioscorea batatas bean"-like silver nanoparticles based localized surface plasmon resonance to enhance the fluorescence signal of zinc oxide quantum dots in a DNA sensor. <i>Biosensors and Bioelectronics</i> , 2014, 61, 344-350.	10.1	10
336	Electrochemiluminescent molecular logic gates based on MCNTs for the multiplexed analysis of mercury( <sup>ii</sup> ) and silver( <sup>i</sup> ) ions. <i>RSC Advances</i> , 2016, 6, 26147-26154.	3.6	10
337	Highly efficient fluorescence sensing of kanamycin using Endo IV-powered DNA walker and hybridization chain reaction amplification. <i>Mikrochimica Acta</i> , 2020, 187, 193.	5.0	10
338	<i>In situ</i> growth of WO <sub>3</sub> /BiVO <sub>4</sub> nanoflowers onto cellulose fibers to construct photoelectrochemical/colorimetric lab-on-paper devices for the ultrasensitive detection of AFP. <i>Journal of Materials Chemistry B</i> , 2022, , .	5.8	10
339	Highly selective determination of phenolphthalein by flow injection chemiluminescence method based on a molecular imprinting polymer. <i>Luminescence</i> , 2009, 24, 444-447.	2.9	9
340	Quantification of Sorbic Acid Using the Molecularly Imprinted Chemiluminescence Method with Rhodanine Derivative. <i>Analytical Sciences</i> , 2009, 25, 1351-1356.	1.6	9
341	Molecular Self-Assembled Microcapsules Prepared by In Situ Polymerization Technology for Self-Healing Cement Materials. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011, 21, 841-845.	3.7	9
342	Application of SnO <sub>2</sub> nanocrystal as novel electrochemiluminescence signal reporter for sensitive immunoassay with nanoporous PtRu alloy enhancement. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 423-430.	7.8	9

#	ARTICLE	IF	CITATIONS
343	Ultrasensitive electrochemiluminescence aptasensor based on a graphene/polyaniline composite film modified electrode and CdS quantum dot coated platinum nanostructured networks as labels. <i>RSC Advances</i> , 2015, 5, 70345-70351.	3.6	9
344	A functional oligonucleotide probe from an encapsulated silver nanocluster assembled by rolling circle amplification and its application in label-free sensors. <i>RSC Advances</i> , 2016, 6, 88967-88973.	3.6	9
345	A novel fluorescence probe based on p-acid-Br and its application in thiourea detection. <i>RSC Advances</i> , 2016, 6, 45001-45008.	3.6	9
346	Turning Nonspecific Interference into Signal Amplification: Covalent Biosensing Nanoassembly Enabled by Metal-Catalyzed Cross-Coupling. <i>Analytical Chemistry</i> , 2017, 89, 6834-6839.	6.5	9
347	Graphene-Amplified Photoelectric Response of CdS Nanoparticles for Cu <sup>2+</sup> Sensor. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 7871-7878.	0.9	9
348	Ag Nanoparticles Anchored on Nanoporous Ge Skeleton as High-Performance Anode for Lithium-Ion Batteries. <i>Chinese Journal of Chemistry</i> , 2021, 39, 2881-2888.	4.9	9
349	Nuclease-propelled target dual-recycling amplification strategy integrated with cascaded sensitization effect of ZnO/CuInS <sub>2</sub> /Ag <sub>2</sub> Se photoactive structures for lab-on-paper photoelectrochemical microRNA bioassay. <i>Sensors and Actuators B: Chemical</i> , 2022, 369, 132374.	7.8	9
350	Electrochemical Sensor for Detection of Trichlorfon Based on Molecularly Imprinted Sol-Gel Films Modified Glassy Carbon Electrode. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2012, 22, 37-41.	3.7	8
351	Ultrasensitive Electrochemiluminescence Immunoassay for Protein Specific Detection Based on Dendrimer-Encapsulated Gold Nanoparticles Labels. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 1113-1121.	3.7	8
352	Electrochemiluminescence of peroxydisulfate using flower-like Ag@Au-paper electrode and Pd@Au-assisted multiple enzymatic labels. <i>Electrochimica Acta</i> , 2014, 141, 391-397.	5.2	8
353	Paper-based microfluidic devices in bioanalysis: how far have we come?. <i>Bioanalysis</i> , 2015, 7, 633-636.	1.5	8
354	Signal-on electrochemical detection of antibiotics based on exonuclease III-assisted autocatalytic DNA biosensing platform. <i>RSC Advances</i> , 2016, 6, 43501-43508.	3.6	8
355	Photoelectrochemical platform with tailorable anode-cathode activities based on semiconductors coupling DNA walker for detection of miRNA. <i>Sensors and Actuators B: Chemical</i> , 2022, 365, 131969.	7.8	8
356	SiO <sub>2</sub> beads with quantum dots: Preparation and stability investigation for bioapplications. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 385, 159-165.	4.7	7
357	Fluorescent sensor based on a novel conjugated polyfluorene derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 95, 218-223.	3.9	7
358	Rechargeable battery-based constant-potential electroluminescence multiplexed immunoassay on single working electrode for sequentially anodic and cathodic detection through a self-assembly toggle switch. <i>Sensors and Actuators B: Chemical</i> , 2013, 183, 488-495.	7.8	7
359	Analysis of the interaction of a new series of rhodanine derivatives with bovine serum albumin by fluorescence quenching. <i>Monatshfte für Chemie</i> , 2014, 145, 167-173.	1.8	7
360	DNA three-way junction-actuated strand displacement for miRNA detection using a fluorescence light-up Ag nanocluster probe. <i>Analyst</i> , 2019, 144, 3836-3842.	3.5	7

#	ARTICLE	IF	CITATIONS
361	Ratiometric electrochemiluminescence lab-on-paper device for DNA methylation determination based on highly conductive copper paper electrode. <i>Biosensors and Bioelectronics</i> , 2022, 214, 114522.	10.1	7
362	Highly sensitive hybridization assay using the electrochemiluminescence of an ITO electrode, CdTe quantum dots functionalized with hierarchical nanoporous PtFe nanoparticles, and magnetic graphene nanosheets. <i>Mikrochimica Acta</i> , 2014, 181, 213-222.	5.0	6
363	Application of nanoporous Pd as catalytically promoted nanolabels for ultrasensitive electrochemiluminescence immunosensor based on Ag/graphene nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2015, 210, 460-467.	7.8	6
364	Robust and highly specific fluorescence sensing of <i>Salmonella typhimurium</i> based on dual-functional phi29 DNA polymerase-mediated isothermal circular strand displacement polymerization. <i>Analyst</i> , The, 2019, 144, 4795-4802.	3.5	6
365	Visual distance readout to display the level of energy generation in paper-based biofuel cells: application to enzymatic sensing of glucose. <i>Mikrochimica Acta</i> , 2019, 186, 283.	5.0	6
366	Paper-based electrochemiluminescence determination of streptavidin using reticular DNA-functionalized PtCu nanoframes and analyte-triggered DNA walker. <i>Mikrochimica Acta</i> , 2020, 187, 530.	5.0	6
367	A three-dimensional dynamic DNA walker-mediated branching hybridization chain reaction for the ultrasensitive fluorescence sensing of ampicillin. <i>Analyst</i> , The, 2021, 146, 5413-5420.	3.5	6
368	Comparison of a Resonant Mirror Biosensor (IAsys) and a Quartz Crystal Microbalance (QCM) for the Study on Interaction between <i>Paeoniae Radix</i> 801 and Endothelin-1. <i>Sensors</i> , 2008, 8, 8275-8290.	3.8	5
369	Synthesis of polyaniline using electrochemical polymerization and application in a sensitive DNA biosensor with [Ru(bpy) <sub>3</sub> ] <sup>2+</sup> functionalized nanoporous gold composite as label. <i>Monatshefte für Chemie</i> , 2013, 144, 1759-1765.	1.8	5
370	One novel molecular imprinting nanowires chemiluminescence sensor: preparation and pendimethalin recognition. <i>Monatshefte für Chemie</i> , 2015, 146, 493-499.	1.8	5
371	Direct-readout photoelectrochemical lab-on-paper biosensing platform based on coupled electricity generating system and paper supercapacitors. <i>Talanta</i> , 2021, 222, 121517.	5.5	5
372	A High Throughput Chemiluminescence Method Based On Molecularly Imprinted Sol-gel Films For Determination Of Sibutramine. <i>Advanced Materials Letters</i> , 2010, 1, 164-169.	0.6	5
373	High selectivity chemiluminescence sensor for determination of puerarin in diet foods/weight loss promoters based on novel rhodanine and monodisperse molecularly imprinted microspheres. <i>Analytical Methods</i> , 2010, 2, 1506.	2.7	4
374	Synthesis, characterization of a novel phenyleneethynylene derivative and application in a fluorescence DNA sensor. <i>Analytical Methods</i> , 2012, 4, 4339.	2.7	4
375	A novel high selectivity sensor for tetradifon residues based on double-side hollow molecularly imprinted materials. <i>Analytical Methods</i> , 2012, 4, 177-182.	2.7	4
376	Preparation of Fe <sub>3</sub> O <sub>4</sub> @C@CNC multifunctional magnetic core/shell nanoparticles and their application in a signal-type flow-injection photoluminescence immunosensor. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 9555-9561.	3.7	4
377	Glucose oxidase-encapsulated nanogold hollow microspheres as labels based on a sensitive electroluminescent immunoassay. <i>RSC Advances</i> , 2014, 4, 52796-52803.	3.6	4
378	An electrochemical immunoassay based on trepang-like gold electrodes and nanogold functionalized flower-like hierarchical carbon materials with improved sensitivity. <i>New Journal of Chemistry</i> , 2015, 39, 3452-3460.	2.8	4

#	ARTICLE	IF	CITATIONS
379	Naked Eye, Ratiometric Absorption, and Ratiometric Fluorescence for Lead(II) Ion Analysis with a Triplex-Signal Chemosensor. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1877-1881.	2.0	4
380	Proximity-enabled bidirectional enzymatic repairing amplification for ultrasensitive fluorescence sensing of adenosine triphosphate. <i>Analytica Chimica Acta</i> , 2020, 1104, 156-163.	5.4	4
381	Determination of thallium(III) with novel arsenoxylphenylazo rhodanine after pre-concentration and separation. <i>International Journal of Environmental Analytical Chemistry</i> , 2010, 90, 1139-1147.	3.3	3
382	Photo-Degradation Study of CdTe Nanocrystals by Fluorescence Measurement. <i>Journal of Fluorescence</i> , 2011, 21, 1913-1919.	2.5	3
383	Synthesis of a Novel Rigid Artificial Superoxide Dismutase Based on Modified Hollow Mesoporous Silica Microspheres. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011, 21, 809-815.	3.7	3
384	A Novel Molecularly Imprinted Core-Shell Chemiluminescence Sensor: Preparation and Pendimethalin Recognition. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011, 21, 846-851.	3.7	3
385	Magnetic nanoparticle-based electrochemiluminescent immunosensor for detection of carcinoembryonic antigen based on silica nanosphere@gold nanoparticles-Ru as labels. <i>Monatshefte für Chemie</i> , 2014, 145, 113-120.	1.8	3
386	Bright lights yield drug readout. <i>Nature Chemical Biology</i> , 2014, 10, 490-491.	8.0	3
387	Target-swiped DNA lock for electrochemical sensing of miRNAs based on DNAzyme-assisted primer-generation amplification. <i>Mikrochimica Acta</i> , 2021, 188, 255.	5.0	3
388	Sandwich-type electrochemiluminescence immunosensor based on poly(acrylic acid) coated Fe <sub>3</sub> O <sub>4</sub> composite for human chorionic gonadotrophin detection using quantum dots functionalized CNTs as labels. <i>Monatshefte für Chemie</i> , 2014, 145, 147-154.	1.8	2
389	Au-Pt nanoparticle-based electrochemiluminescence immunoassay of a cancer biomarker using ZnO nanospheres coated with CdTe quantum dots as labels. <i>Monatshefte für Chemie</i> , 2014, 145, 121-127.	1.8	2
390	Fabrication of Lab-on-Paper Using Porous Au-Paper Electrode: Application to Tumor Marker Electrochemical Immunoassays. <i>Methods in Molecular Biology</i> , 2017, 1572, 125-134.	0.9	2
391	In situ controllable heterojunction conversion strategy driven by oriented paper-based fluid transfer for human immunoglobulin G detection. <i>Mikrochimica Acta</i> , 2021, 188, 373.	5.0	2
392	Study on the interaction among molecules and the determination of DNA by light scattering with a new type rhodanine derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009, 74, 875-880.	3.9	1
393	Ultrasensitive photoelectrochemical sensor enabled by a target-induced signal quencher release strategy. <i>New Journal of Chemistry</i> , 2020, 44, 13882-13888.	2.8	1
394	DETERMINATION OF BSA BY ITS ENHANCEMENT EFFECT ON SECOND-ORDER SCATTERING OF 3-(4'-METHYL) Tj ETQq0 0 0 rgBT /Overlo		
395	STUDIES ON DETERMINATION OF DEOXYRIBONUCLEIC ACID BY SECOND ORDER SCATTERING WITH A NOVEL RHODANINE. , 2008, , .		0
396	FLUORESCENCE CHARACTERISTICS OF NOVEL CHLOROPHENYL-ARSENOXYLPHENYLAZO RHODANINES AND APPLICATION IN THE DETERMINATION OF THALLIUM (I). , 2008, , .		0

#	ARTICLE	IF	CITATIONS
397	MICROEMULSION SENSITIZED DETERMINATION OF BSA WITH 3-(4'-METHYLPHENYL)-5-(2'-SULFOPHENYLAZO) RHODANINE BY RESONANCE RAYLEIGH SCATTERING METHOD. , 2008, , .		0
398	DETERMINATION OF ASCORBIC ACID BY A FLOW INJECTION CHEMILUMINESCENCE METHOD WITH A NOVEL RHODANINE. , 2008, , .		0
399	Laser ablative TiO <sub>2</sub> and tremella-like CuInS <sub>2</sub> nanocomposites for robust and ultrasensitive photoelectrochemical sensing of let-7a. <i>Mikrochimica Acta</i> , 2022, 189, 145.	5.0	0
400	Reprogramming thermodynamic-limiting oxidation cycle in NiFe-based oxygen evolution electrocatalyst through Mo doping induced surface reconstruction. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 443-451.	9.4	0