

# Yiping Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2064270/publications.pdf>

Version: 2024-02-01

78  
papers

2,836  
citations

172457

29  
h-index

189892

50  
g-index

79  
all docs

79  
docs citations

79  
times ranked

3404  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polydopamine nanoparticle-mediated, click chemistry triggered, microparticle-counting immunosensor for the sensitive detection of ochratoxin A. <i>Journal of Hazardous Materials</i> , 2022, 428, 128206.	12.4	14
2	Click Chemistry-Mediated Particle Counting Sensing via Cu(II)-Polyglutamic Acid Coordination Chemistry and Enzymatic Reaction. <i>Analytical Chemistry</i> , 2022, 94, 5293-5300.	6.5	5
3	Gold core @ platinum shell nanozyme-mediated magnetic relaxation switching DNA sensor for the detection of <i>Listeria monocytogenes</i> in chicken samples. <i>Food Control</i> , 2022, 137, 108916.	5.5	21
4	Magnetic relaxation switching biosensor via polydopamine nanoparticle mediated click chemistry for detection of chlorpyrifos. <i>Biosensors and Bioelectronics</i> , 2022, 207, 114127.	10.1	19
5	One-step homogeneous micro-orifice resistance immunoassay for detection of chlorpyrifos in orange samples. <i>Food Chemistry</i> , 2022, 386, 132712.	8.2	3
6	Structure identification and toxicity evaluation of one newly-discovered dechlorinated photoproducts of chlorpyrifos. <i>Chemosphere</i> , 2022, 301, 134822.	8.2	8
7	Enzyme-modulated photothermal immunoassay of chloramphenicol residues in milk and egg using a self-calibrated thermal imager. <i>Food Chemistry</i> , 2022, 392, 133232.	8.2	11
8	Enzyme-free catalytic hairpin assembly reaction-mediated micro-orifice resistance assay for the ultrasensitive and low-cost detection of <i>Listeria monocytogenes</i> . <i>Biosensors and Bioelectronics</i> , 2022, 214, 114490.	10.1	14
9	Integrating magnetic metal-organic frameworks-based sample preparation with microchannel resistance biosensor for rapid and quantitative detection of aflatoxin B1. <i>Journal of Hazardous Materials</i> , 2022, 438, 129425.	12.4	9
10	A homogeneous microchannel resistance sensor based on target-induced aggregation of polystyrene microspheres. <i>Sensors and Actuators B: Chemical</i> , 2022, 369, 132277.	7.8	1
11	Double-enzymes-mediated Fe <sup>2+</sup> /Fe <sup>3+</sup> conversion as magnetic relaxation switch for pesticide residues sensing. <i>Journal of Hazardous Materials</i> , 2021, 403, 123619.	12.4	34
12	One-step and DNA amplification-free detection of <i>Listeria monocytogenes</i> in ham samples: Combining magnetic relaxation switching and DNA hybridization reaction. <i>Food Chemistry</i> , 2021, 338, 127837.	8.2	38
13	Versatile Biosensing Toolkit Using an Electronic Particle Counter. <i>Analytical Chemistry</i> , 2021, 93, 6178-6187.	6.5	20
14	Direct Transverse Relaxation Time Biosensing Strategy for Detecting Foodborne Pathogens through Enzyme-Mediated Sol-Gel Transition of Hydrogels. <i>Analytical Chemistry</i> , 2021, 93, 6613-6619.	6.5	37
15	Development of nanosensor by bioorthogonal reaction for multi-detection of the biomarkers of hepatocellular carcinoma. <i>Sensors and Actuators B: Chemical</i> , 2021, 334, 129653.	7.8	20
16	A magnetic relaxation DNA biosensor for rapid detection of <i>Listeria monocytogenes</i> using phosphatase-mediated Mn(VII)/Mn(II) conversion. <i>Food Control</i> , 2021, 125, 107959.	5.5	22
17	Horseradish peroxidase-catalyzed formation of polydopamine for ultra-sensitive magnetic relaxation sensing of aflatoxin B1. <i>Journal of Hazardous Materials</i> , 2021, 419, 126403.	12.4	21
18	Highly sensitive magnetic relaxation sensing method for aflatoxin B1 detection based on Au NP-assisted triple self-assembly cascade signal amplification. <i>Biosensors and Bioelectronics</i> , 2021, 192, 113489.	10.1	27

#	ARTICLE	IF	CITATIONS
19	Low-Cost and Convenient Microchannel Resistance Biosensing Platform by Directly Translating Biorecognition into a Current Signal. <i>Analytical Chemistry</i> , 2021, 93, 15049-15057.	6.5	12
20	Magnetic Relaxation Switching Immunoassay Based on Hydrogen Peroxide-Mediated Assembly of Ag@Au-Fe <sub>3</sub> O <sub>4</sub> Nanoprobe for Detection of Aflatoxin B1. <i>Small</i> , 2021, 17, e2104596.	10.0	23
21	Unveiling the reaction process of the amine in direct amidation of aromatic ketones in H <sub>2</sub> O. <i>ChemistryOpen</i> , 2020, 9, 996-1000.	1.9	1
22	Microwave-Assisted Synthesis of Hollow Microspheres with Multicomponent Nanocores for Heavy-Metal Removal and Magnetic Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 46779-46787.	8.0	12
23	Carbon nanotube-mediated antibody-free suspension array for determination of typical endocrine-disrupting chemicals. <i>Mikrochimica Acta</i> , 2020, 187, 202.	5.0	3
24	Gd <sup>3+</sup> -nanoparticle-enhanced multivalent biosensing that combines magnetic relaxation switching and magnetic separation. <i>Biosensors and Bioelectronics</i> , 2020, 155, 112106.	10.1	25
25	Bioorthogonal Reactions Amplify Magnetic Nanoparticles Binding and Assembly for Ultrasensitive Magnetic Resonance Sensing. <i>Analytical Chemistry</i> , 2020, 92, 2787-2793.	6.5	15
26	Open Surface Droplet Microfluidic Magnetosensor for Microcystin-LR Monitoring in Reservoir. <i>Analytical Chemistry</i> , 2020, 92, 3409-3416.	6.5	14
27	DNA enzyme mediated ratiometric fluorescence assay for Pb(II) ion using magnetic nanosphere-loaded gold nanoparticles and CdSe/ZnS quantum dots. <i>Mikrochimica Acta</i> , 2020, 187, 273.	5.0	7
28	Fluorescence Resonance Energy Transfer-Mediated Immunosensor Based on Design and Synthesis of the Substrate of Amp Cephalosporinase for Biosensing. <i>Analytical Chemistry</i> , 2019, 91, 11316-11323.	6.5	10
29	Click Reaction-Mediated <i>TiO<sub>2</sub></i> Immunosensor for Ultrasensitive Detection of Pesticide Residues via Brush-like Nanostructure-Triggered Coordination Chemistry. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9942-9949.	5.2	25
30	Broad-Range Magnetic Relaxation Switching Bioassays Using Click Chemistry-Mediated Assembly of Polystyrene Beads and Magnetic Nanoparticles. <i>ACS Sensors</i> , 2019, 4, 1942-1949.	7.8	42
31	Ultra-sensitive capillary immunosensor combining porous-layer surface modification and biotin-streptavidin nano-complex signal amplification: Application for sensing of procalcitonin in serum. <i>Talanta</i> , 2019, 205, 120089.	5.5	14
32	Background Signal-Free Magnetic Bioassay for Food-Borne Pathogen and Residue of Veterinary Drug via Mn(VII)/Mn(II) Interconversion. <i>ACS Sensors</i> , 2019, 4, 2771-2777.	7.8	39
33	Fibroblast growth factor 21 is required for the therapeutic effects of <i>Lactobacillus rhamnosus</i> GG against fructose-induced fatty liver in mice. <i>Molecular Metabolism</i> , 2019, 29, 145-157.	6.5	26
34	Optical Fiber-Mediated Immunosensor with a Tunable Detection Range for Multiplexed Analysis of Veterinary Drug Residues. <i>ACS Sensors</i> , 2019, 4, 1864-1872.	7.8	26
35	Simultaneous and Ultrasensitive Detection of Foodborne Bacteria by Gold Nanoparticles-Amplified Microcantilever Array Biosensor. <i>Frontiers in Chemistry</i> , 2019, 7, 232.	3.6	41
36	Nanoparticles-Enabled Surface-Enhanced Imaging Ellipsometry for Amplified Biosensing. <i>Analytical Chemistry</i> , 2019, 91, 6769-6774.	6.5	13

#	ARTICLE	IF	CITATIONS
37	A Highly Sensitive Capillary-Based Immunosensor by Combining with Peroxidase Nanocomplex-Mediated Signal Amplification for Detection of Procalcitonin in Human Serum. <i>ACS Omega</i> , 2019, 4, 6210-6217.	3.5	26
38	Amplified Magnetic Resonance Sensing via Enzyme-Mediated Click Chemistry and Magnetic Separation. <i>Analytical Chemistry</i> , 2019, 91, 15555-15562.	6.5	36
39	Clinical Value of Dorsal Medulla Oblongata Involvement Detected With Conventional Magnetic Resonance Imaging for Prediction of Outcome in Children With Enterovirus 71-Related Brainstem Encephalitis. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 99-103.	2.0	2
40	Enzyme-Free Amplification Strategy for Biosensing Using Fe <sup>3+</sup> -Poly(glutamic acid) Coordination Chemistry. <i>Analytical Chemistry</i> , 2018, 90, 4725-4732.	6.5	27
41	Controllable Assembly of Enzymes for Multiplexed Lab-on-a-Chip Bioassays with a Tunable Detection Range. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7503-7507.	13.8	77
42	Controllable Assembly of Enzymes for Multiplexed Lab-on-a-Chip Bioassays with a Tunable Detection Range. <i>Angewandte Chemie</i> , 2018, 130, 7625-7629.	2.0	10
43	T <sub>1</sub> -Mediated Nanosensor for Immunoassay Based on an Activatable MnO <sub>2</sub> Nanoassembly. <i>Analytical Chemistry</i> , 2018, 90, 2765-2771.	6.5	21
44	Cu-T <sub>1</sub> Sensor for Versatile Analysis. <i>Analytical Chemistry</i> , 2018, 90, 2833-2838.	6.5	25
45	Versatile T <sub>1</sub> -Based Chemical Analysis Platform Using Fe <sup>3+</sup> /Fe <sup>2+</sup> Interconversion. <i>Analytical Chemistry</i> , 2018, 90, 1234-1240.	6.5	30
46	Cascade Reaction-Mediated Assembly of Magnetic/Silver Nanoparticles for Amplified Magnetic Biosensing. <i>Analytical Chemistry</i> , 2018, 90, 6906-6912.	6.5	48
47	Label-Free Sandwich Imaging Ellipsometry Immunosensor for Serological Detection of Procalcitonin. <i>Analytical Chemistry</i> , 2018, 90, 8002-8010.	6.5	44
48	Fe-T <sub>1</sub> Sensor Based on Coordination Chemistry for Sensitive and Versatile Bioanalysis. <i>Analytical Chemistry</i> , 2018, 90, 9148-9155.	6.5	22
49	Magnetic particles-enabled biosensors for point-of-care testing. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 106, 213-224.	11.4	127
50	Multiplex immunoassays using surface modification-mediated porous layer open tubular capillary. <i>Analytica Chimica Acta</i> , 2018, 1043, 1-10.	5.4	11
51	Peptide-Mediated Controllable Cross-Linking of Gold Nanoparticles for Immunoassays with Tunable Detection Range. <i>Analytical Chemistry</i> , 2018, 90, 8234-8240.	6.5	35
52	Photonic crystal fiber-based immunosensor for high-performance detection of alpha fetoprotein. <i>Biosensors and Bioelectronics</i> , 2017, 91, 431-435.	10.1	36
53	Surface Modification of Gold Nanoparticles with Small Molecules for Biochemical Analysis. <i>Accounts of Chemical Research</i> , 2017, 50, 310-319.	15.6	380
54	Double-Enzymes-Mediated Bioluminescent Sensor for Quantitative and Ultrasensitive Point-of-Care Testing. <i>Analytical Chemistry</i> , 2017, 89, 5422-5427.	6.5	72

#	ARTICLE	IF	CITATIONS
55	Bioorthogonal Reaction-Mediated ELISA Using Peroxide Test Strip as Signal Readout for Point-of-Care Testing. <i>Analytical Chemistry</i> , 2017, 89, 6113-6119.	6.5	51
56	Manganese dioxide nanoparticle-based colorimetric immunoassay for the detection of alpha-fetoprotein. <i>Mikrochimica Acta</i> , 2017, 184, 2767-2774.	5.0	21
57	Streptavidin-biotin-peroxidase nanocomplex-amplified microfluidics immunoassays for simultaneous detection of inflammatory biomarkers. <i>Analytica Chimica Acta</i> , 2017, 982, 138-147.	5.4	66
58	Catalyst-Free and One-Pot Procedure for Fast Formation of $\alpha$ -Ketoamides Using $\alpha$ -Oxocarboxylic Acids and Amines at Room Temperature. <i>ChemistrySelect</i> , 2017, 2, 4638-4641.	1.5	8
59	Catalyst-free aerobic oxidation of aldehydes into acids in water under mild conditions. <i>Green Chemistry</i> , 2017, 19, 5708-5713.	9.0	52
60	Skiving stacked sheets of paper into test paper for rapid and multiplexed assay. <i>Science Advances</i> , 2017, 3, eaao4862.	10.3	71
61	An enzyme-mediated competitive colorimetric sensor based on Au@Ag bimetallic nanoparticles for highly sensitive detection of disease biomarkers. <i>Analyst</i> , 2017, 142, 2954-2960.	3.5	42
62	Detection of Hepatitis B Virus M204I Mutation by Quantum Dot-Labeled DNA Probe. <i>Sensors</i> , 2017, 17, 961.	3.8	17
63	Magnetic Lateral Flow Strip for the Detection of Cocaine in Urine by Naked Eyes and Smart Phone Camera. <i>Sensors</i> , 2017, 17, 1286.	3.8	36
64	Polymorphisms and features of cytomegalovirus UL144 and UL146 in congenitally infected neonates with hepatic involvement. <i>PLoS ONE</i> , 2017, 12, e0171959.	2.5	5
65	Click Chemistry-Mediated Nanosensors for Biochemical Assays. <i>Theranostics</i> , 2016, 6, 969-985.	10.0	83
66	Point-of-Care Detection of $\beta$ -Lactamase in Milk with a Universal Fluorogenic Probe. <i>Analytical Chemistry</i> , 2016, 88, 5605-5609.	6.5	19
67	Microfluidic Chip-Based Immunoassay for Reliable Detection of Cloxacillin in Poultry. <i>Food Analytical Methods</i> , 2016, 9, 3163-3169.	2.6	12
68	One-step multiplexed detection of foodborne pathogens: Combining a quantum dot-mediated reverse assaying strategy and magnetic separation. <i>Biosensors and Bioelectronics</i> , 2016, 86, 996-1002.	10.1	46
69	A dual-readout chemiluminescent-gold lateral flow test for multiplex and ultrasensitive detection of disease biomarkers in real samples. <i>Nanoscale</i> , 2016, 8, 15205-15212.	5.6	93
70	Quantitative Detection of MicroRNA in One Step via Next Generation Magnetic Relaxation Switch Sensing. <i>ACS Nano</i> , 2016, 10, 6685-6692.	14.6	127
71	One-step detection of pathogens and cancer biomarkers by the naked eye based on aggregation of immunomagnetic beads. <i>Nanoscale</i> , 2016, 8, 1100-1107.	5.6	44
72	A colorimetric and ultrasensitive immunosensor for one-step pathogen detection via the combination of nanoparticle-triggered signal amplification and magnetic separation. <i>RSC Advances</i> , 2015, 5, 100633-100637.	3.6	9

#	ARTICLE	IF	CITATIONS
73	One-Step Detection of Pathogens and Viruses: Combining Magnetic Relaxation Switching and Magnetic Separation. <i>ACS Nano</i> , 2015, 9, 3184-3191.	14.6	182
74	Horseradish Peroxidase-Mediated, Iodide-Catalyzed Cascade Reaction for Plasmonic Immunoassays. <i>Analytical Chemistry</i> , 2015, 87, 10688-10692.	6.5	83
75	A magnetic relaxation switching immunosensor for one-step detection of salbutamol based on gold nanoparticle-streptavidin conjugate. <i>RSC Advances</i> , 2015, 5, 95401-95404.	3.6	10
76	A Fluoroimmunoassay Based on Quantum Dot-Streptavidin Conjugate for the Detection of Chlorpyrifos. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 8895-8903.	5.2	54
77	Study on Chemiluminescence Assay of Surfactant PEG-400 Using Luminol-Hydrogen Peroxide System. <i>Analytical Letters</i> , 2008, 41, 1279-1289.	1.8	2
78	Advances in the Bacteriophage-Based Precise Identification and Magnetic Relaxation Switch Sensor for Rapid Detection of Foodborne Pathogens. , 0, , .		0