

Gordon M Keller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2064584/publications.pdf>

Version: 2024-02-01

177
papers

31,596
citations

6840

81
h-index

5622

168
g-index

182
all docs

182
docs citations

182
times ranked

31365
citing authors

#	ARTICLE	IF	CITATIONS
1	Differentiation of Embryonic Stem Cells to Clinically Relevant Populations: Lessons from Embryonic Development. <i>Cell</i> , 2008, 132, 661-680.	13.5	1,567
2	An early haematopoietic defect in mice lacking the transcription factor GATA-2. <i>Nature</i> , 1994, 371, 221-226.	13.7	1,314
3	Human cardiovascular progenitor cells develop from a KDR+ embryonic-stem-cell-derived population. <i>Nature</i> , 2008, 453, 524-528.	13.7	1,299
4	Stage-Specific Optimization of Activin/Nodal and BMP Signaling Promotes Cardiac Differentiation of Mouse and Human Pluripotent Stem Cell Lines. <i>Cell Stem Cell</i> , 2011, 8, 228-240.	5.2	1,034
5	Embryonic stem cell differentiation: emergence of a new era in biology and medicine. <i>Genes and Development</i> , 2005, 19, 1129-1155.	2.7	1,022
6	Single cell RNA sequencing of human liver reveals distinct intrahepatic macrophage populations. <i>Nature Communications</i> , 2018, 9, 4383.	5.8	958
7	In vitro differentiation of embryonic stem cells. <i>Current Opinion in Cell Biology</i> , 1995, 7, 862-869.	2.6	857
8	Biowire: a platform for maturation of human pluripotent stem cell-derived cardiomyocytes. <i>Nature Methods</i> , 2013, 10, 781-787.	9.0	784
9	Development of definitive endoderm from embryonic stem cells in culture. <i>Development (Cambridge)</i> , 2004, 131, 1651-1662.	1.2	756
10	Multipotent Flk-1+ Cardiovascular Progenitor Cells Give Rise to the Cardiomyocyte, Endothelial, and Vascular Smooth Muscle Lineages. <i>Developmental Cell</i> , 2006, 11, 723-732.	3.1	674
11	Production of De Novo Cardiomyocytes: Human Pluripotent Stem Cell Differentiation and Direct Reprogramming. <i>Cell Stem Cell</i> , 2012, 10, 16-28.	5.2	616
12	Expression of a foreign gene in myeloid and lymphoid cells derived from multipotent haematopoietic precursors. <i>Nature</i> , 1985, 318, 149-154.	13.7	598
13	Haemangioblast commitment is initiated in the primitive streak of the mouse embryo. <i>Nature</i> , 2004, 432, 625-630.	13.7	595
14	Ductal pancreatic cancer modeling and drug screening using human pluripotent stem cell- and patient-derived tumor organoids. <i>Nature Medicine</i> , 2015, 21, 1364-1371.	15.2	591
15	A common precursor for primitive erythropoiesis and definitive haematopoiesis. <i>Nature</i> , 1997, 386, 488-493.	13.7	572
16	Dynamic and Coordinated Epigenetic Regulation of Developmental Transitions in the Cardiac Lineage. <i>Cell</i> , 2012, 151, 206-220.	13.5	555
17	Wnt and TGF-beta signaling are required for the induction of an in vitro model of primitive streak formation using embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16806-16811.	3.3	507
18	SIRPA is a specific cell-surface marker for isolating cardiomyocytes derived from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2011, 29, 1011-1018.	9.4	500

#	ARTICLE	IF	CITATIONS
19	Biodegradable scaffold with built-in vasculature for organ-on-a-chip engineering and direct surgical anastomosis. <i>Nature Materials</i> , 2016, 15, 669-678.	13.3	471
20	Defined Engineered Human Myocardium With Advanced Maturation for Applications in Heart Failure Modeling and Repair. <i>Circulation</i> , 2017, 135, 1832-1847.	1.6	462
21	Tracking mesoderm induction and its specification to the hemangioblast during embryonic stem cell differentiation. <i>Development (Cambridge)</i> , 2003, 130, 4217-4227.	1.2	444
22	Development of the hemangioblast defines the onset of hematopoiesis in human ES cell differentiation cultures. <i>Blood</i> , 2007, 109, 2679-2687.	0.6	399
23	A Platform for Generation of Chamber-Specific Cardiac Tissues and Disease Modeling. <i>Cell</i> , 2019, 176, 913-927.e18.	13.5	398
24	Metformin Activates an Atypical PKC-CBP Pathway to Promote Neurogenesis and Enhance Spatial Memory Formation. <i>Cell Stem Cell</i> , 2012, 11, 23-35.	5.2	396
25	BMP-4 is required for hepatic specification of mouse embryonic stem cell-derived definitive endoderm. <i>Nature Biotechnology</i> , 2006, 24, 1402-1411.	9.4	395
26	Haematopoietic stem and progenitor cells from human pluripotent stem cells. <i>Nature</i> , 2017, 545, 432-438.	13.7	395
27	Stage-specific signaling through TGF β family members and WNT regulates patterning and pancreatic specification of human pluripotent stem cells. <i>Development (Cambridge)</i> , 2011, 138, 861-871.	1.2	350
28	Wnt signaling controls the specification of definitive and primitive hematopoiesis from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2014, 32, 554-561.	9.4	348
29	T Lymphocyte Potential Marks the Emergence of Definitive Hematopoietic Progenitors in Human Pluripotent Stem Cell Differentiation Cultures. <i>Cell Reports</i> , 2012, 2, 1722-1735.	2.9	341
30	Generation of anterior foregut endoderm from human embryonic and induced pluripotent stem cells. <i>Nature Biotechnology</i> , 2011, 29, 267-272.	9.4	337
31	Human Pluripotent Stem Cell-Derived Atrial and Ventricular Cardiomyocytes Develop from Distinct Mesoderm Populations. <i>Cell Stem Cell</i> , 2017, 21, 179-194.e4.	5.2	329
32	A Temporal Chromatin Signature in Human Embryonic Stem Cells Identifies Regulators of Cardiac Development. <i>Cell</i> , 2012, 151, 221-232.	13.5	306
33	Sinoatrial node cardiomyocytes derived from human pluripotent cells function as a biological pacemaker. <i>Nature Biotechnology</i> , 2017, 35, 56-68.	9.4	280
34	Wnt, Activin, and BMP Signaling Regulate Distinct Stages in the Developmental Pathway from Embryonic Stem Cells to Blood. <i>Cell Stem Cell</i> , 2008, 2, 60-71.	5.2	275
35	Identification and targeting of the ROSA26 locus in human embryonic stem cells. <i>Nature Biotechnology</i> , 2007, 25, 1477-1482.	9.4	270
36	Runx1 is essential for hematopoietic commitment at the hemangioblast stage of development in vitro. <i>Blood</i> , 2002, 100, 458-466.	0.6	266

#	ARTICLE	IF	CITATIONS
37	Efficient Generation of NKX6-1+ Pancreatic Progenitors from Multiple Human Pluripotent Stem Cell Lines. <i>Stem Cell Reports</i> , 2015, 4, 591-604.	2.3	258
38	Rescue of erythroid development in gene targeted GATA ¹ mouse embryonic stem cells. <i>Nature Genetics</i> , 1992, 1, 92-98.	9.4	255
39	Directed differentiation of cholangiocytes from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2015, 33, 853-861.	9.4	254
40	Design and formulation of functional pluripotent stem cell-derived cardiac microtissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E4698-707.	3.3	252
41	Human definitive haemogenic endothelium and arterial vascular endothelium represent distinct lineages. <i>Nature Cell Biology</i> , 2015, 17, 580-591.	4.6	243
42	FOXO1 is an essential regulator of pluripotency in human embryonic stem cells. <i>Nature Cell Biology</i> , 2011, 13, 1092-1099.	4.6	231
43	Retrovirus transfer of a bacterial gene into mouse haematopoietic progenitor cells. <i>Nature</i> , 1983, 305, 556-558.	13.7	226
44	The effect of cyclic stretch on maturation and 3D tissue formation of human embryonic stem cell-derived cardiomyocytes. <i>Biomaterials</i> , 2014, 35, 2798-2808.	5.7	222
45	Simple and High Yielding Method for Preparing Tissue Specific Extracellular Matrix Coatings for Cell Culture. <i>PLoS ONE</i> , 2010, 5, e13039.	1.1	217
46	Human Embryonic Stem Cell-Derived Cardiomyocytes Regenerate the Infarcted Pig Heart but Induce Ventricular Tachyarrhythmias. <i>Stem Cell Reports</i> , 2019, 12, 967-981.	2.3	207
47	Engraftment and Development of Human CD34+ Enriched Cells From Umbilical Cord Blood in NOD/LtSz-scid/scid Mice. <i>Blood</i> , 1997, 90, 85-96.	0.6	197
48	Induced pluripotent stem cells used to reveal drug actions in a long QT syndrome family with complex genetics. <i>Journal of General Physiology</i> , 2013, 141, 61-72.	0.9	189
49	The β -Globin LCR Is Not Necessary for an Open Chromatin Structure or Developmentally Regulated Transcription of the Native Mouse β -Globin Locus. <i>Molecular Cell</i> , 1998, 2, 447-455.	4.5	186
50	Generation of articular chondrocytes from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2015, 33, 638-645.	9.4	171
51	Retinoic Acid Signaling Is Essential for Embryonic Hematopoietic Stem Cell Development. <i>Cell</i> , 2013, 155, 215-227.	13.5	170
52	Sequential development of hematopoietic and cardiac mesoderm during embryonic stem cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13170-13175.	3.3	164
53	Mechanism-Based Facilitated Maturation of Human Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 191-201.	2.1	164
54	Distinct Roles of MicroRNA-1 and -499 in Ventricular Specification and Functional Maturation of Human Embryonic Stem Cell-Derived Cardiomyocytes. <i>PLoS ONE</i> , 2011, 6, e27417.	1.1	153

#	ARTICLE	IF	CITATIONS
55	Generation of the epicardial lineage from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2014, 32, 1026-1035.	9.4	152
56	Differential long-term and multilineage engraftment potential from subfractions of human CD34+ cord blood cells transplanted into NOD/SCID mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 413-418.	3.3	151
57	Generating ring-shaped engineered heart tissues from ventricular and atrial human pluripotent stem cell-derived cardiomyocytes. <i>Nature Communications</i> , 2020, 11, 75.	5.8	148
58	Ankrd11 Is a Chromatin Regulator Involved in Autism that Is Essential for Neural Development. <i>Developmental Cell</i> , 2015, 32, 31-42.	3.1	147
59	Mouse Embryonic Stem Cellâ€Derived Embryoid Bodies Generate Progenitors That Integrate Long Term into Renal Proximal Tubules In Vivo. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1709-1720.	3.0	145
60	The expression of Sox17 identifies and regulates haemogenic endothelium. <i>Nature Cell Biology</i> , 2013, 15, 502-510.	4.6	143
61	Development of the hematopoietic system in the mouse. <i>Experimental Hematology</i> , 1999, 27, 777-787.	0.2	140
62	Autonomous beating rate adaptation in human stem cell-derived cardiomyocytes. <i>Nature Communications</i> , 2016, 7, 10312.	5.8	140
63	Three-dimensional culture and cAMP signaling promote the maturation of human pluripotent stem cell-derived hepatocytes. <i>Development (Cambridge)</i> , 2013, 140, 3285-3296.	1.2	138
64	Leptin Stimulates Fetal and Adult Erythroid and Myeloid Development. <i>Blood</i> , 1997, 89, 1507-1512.	0.6	135
65	Directed differentiation of hematopoietic precursors and functional osteoclasts from human ES and iPS cells. <i>Blood</i> , 2010, 115, 2769-2776.	0.6	135
66	Development and Function of Myeloid-Derived Suppressor Cells Generated From Mouse Embryonic and Hematopoietic Stem Cells. <i>Stem Cells</i> , 2010, 28, 620-632.	1.4	134
67	Hypoxia affects mesoderm and enhances hemangioblast specification during early development. <i>Development (Cambridge)</i> , 2004, 131, 4623-4634.	1.2	128
68	Developmental regulation of yolk sac hematopoiesis by Krul`ppel-like factor 6. <i>Blood</i> , 2006, 107, 1357-1365.	0.6	126
69	Microfabricated perfusable cardiac biowire: a platform that mimics native cardiac bundle. <i>Lab on A Chip</i> , 2014, 14, 869-882.	3.1	121
70	Germ layer induction from embryonic stem cells. <i>Experimental Hematology</i> , 2005, 33, 955-964.	0.2	119
71	SCL/Tal-1 is essential for hematopoietic commitment of the hemangioblast but not for its development. <i>Blood</i> , 2005, 105, 3862-3870.	0.6	116
72	Committing Embryonic Stem Cells to Early Endocrine Pancreas In Vitro. <i>Stem Cells</i> , 2004, 22, 1205-1217.	1.4	113

#	ARTICLE	IF	CITATIONS
73	A view of human haematopoietic development from the Petri dish. <i>Nature Reviews Molecular Cell Biology</i> , 2017, 18, 56-67.	16.1	110
74	Human Pluripotent Stem Cell-Derived Cardiovascular Cells: From Developmental Biology to Therapeutic Applications. <i>Cell Stem Cell</i> , 2019, 25, 311-327.	5.2	106
75	Mechanical Stress Promotes Maturation of Human Myocardium From Pluripotent Stem Cell-Derived Progenitors. <i>Stem Cells</i> , 2015, 33, 2148-2157.	1.4	105
76	Specification of chondrocytes and cartilage tissues from embryonic stem cells. <i>Development (Cambridge)</i> , 2013, 140, 2597-2610.	1.2	103
77	Human embryonic stem cells: The future is now. <i>Nature Medicine</i> , 1999, 5, 151-152.	15.2	100
78	Comparison of Human Embryonic Stem Cell-Derived Cardiomyocytes, Cardiovascular Progenitors, and Bone Marrow Mononuclear Cells for Cardiac Repair. <i>Stem Cell Reports</i> , 2015, 5, 753-762.	2.3	98
79	Parthenogenetic stem cells for tissue-engineered heart repair. <i>Journal of Clinical Investigation</i> , 2013, 123, 1285-1298.	3.9	96
80	Generation of mature compact ventricular cardiomyocytes from human pluripotent stem cells. <i>Nature Communications</i> , 2021, 12, 3155.	5.8	93
81	Generation of beta cells from human pluripotent stem cells: Potential for regenerative medicine. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 701-710.	2.3	92
82	Identification of a Fetal Hematopoietic Precursor with B Cell, T Cell, and Macrophage Potential. <i>Immunity</i> , 1998, 9, 827-838.	6.6	85
83	Essential Gene Profiles for Human Pluripotent Stem Cells Identify Uncharacterized Genes and Substrate Dependencies. <i>Cell Reports</i> , 2019, 27, 599-615.e12.	2.9	85
84	Interrogating functional integration between injected pluripotent stem cell-derived cells and surrogate cardiac tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 3329-3334.	3.3	83
85	The in vitro production and characterization of neutrophils from embryonic stem cells. <i>Blood</i> , 2004, 103, 852-859.	0.6	81
86	Notch signaling respecifies the hemangioblast to a cardiac fate. <i>Nature Biotechnology</i> , 2008, 26, 1169-1178.	9.4	77
87	Modeling Atrial Fibrillation using Human Embryonic Stem Cell-Derived Atrial Tissue. <i>Scientific Reports</i> , 2017, 7, 5268.	1.6	77
88	Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hematopoietic Potential. <i>Blood</i> , 1998, 92, 877-887.	0.6	76
89	Specification of Multipotential Cardiovascular Progenitor Cells During Embryonic Stem Cell Differentiation and Embryonic Development. <i>Trends in Cardiovascular Medicine</i> , 2007, 17, 240-246.	2.3	75
90	Numb mediates the interaction between Wnt and Notch to modulate primitive erythropoietic specification from the hemangioblast. <i>Development (Cambridge)</i> , 2008, 135, 3447-3458.	1.2	75

#	ARTICLE	IF	CITATIONS
91	Regulation of Hemangioblast Development. <i>Annals of the New York Academy of Sciences</i> , 2001, 938, 96-108.	1.8	72
92	Temporal specification of blood progenitors from mouse embryonic stem cells and induced pluripotent stem cells. <i>Development (Cambridge)</i> , 2010, 137, 2829-2839.	1.2	70
93	Committing Embryonic Stem Cells to Differentiate into Thyrocyte-Like Cells in Vitro. <i>Endocrinology</i> , 2003, 144, 2644-2649.	1.4	68
94	Apoptosis in human glioblastoma cells produced using embryonic stem cell-derived astrocytes expressing tumor necrosis factor-related apoptosis-inducing ligand. <i>Journal of Neurosurgery</i> , 2006, 105, 88-95.	0.9	68
95	Directed Differentiation of Mouse Embryonic Stem Cells into Thyroid Follicular Cells. <i>Endocrinology</i> , 2006, 147, 3007-3015.	1.4	68
96	Haploinsufficiency of Runx1 results in the acceleration of mesodermal development and hemangioblast specification upon in vitro differentiation of ES cells. <i>Blood</i> , 2004, 103, 886-889.	0.6	65
97	Fetal Reprogramming and Senescence in Hypoplastic Left Heart Syndrome and in Human Pluripotent Stem Cells during Cardiac Differentiation. <i>American Journal of Pathology</i> , 2013, 183, 720-734.	1.9	65
98	Alternative Induced Pluripotent Stem Cell Characterization Criteria for In Vitro Applications. <i>Cell Stem Cell</i> , 2009, 4, 198-199.	5.2	64
99	Site-specific integration of adeno-associated virus involves partial duplication of the target locus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7571-7576.	3.3	62
100	Hedgehog inhibits β -catenin activity in synovial joint development and osteoarthritis. <i>Journal of Clinical Investigation</i> , 2016, 126, 1649-1663.	3.9	62
101	The homeobox gene HEX regulates proliferation and differentiation of hemangioblasts and endothelial cells during ES cell differentiation. <i>Blood</i> , 2005, 105, 4590-4597.	0.6	61
102	Serial in vivo positive contrast MRI of iron oxide-labeled embryonic stem cell-derived cardiac precursor cells in a mouse model of myocardial infarction. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 73-81.	1.9	60
103	Transplanted microvessels improve pluripotent stem cell-derived cardiomyocyte engraftment and cardiac function after infarction in rats. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	56
104	Generation of purified stromal cell cultures that support lymphoid and myeloid precursors. <i>Journal of Immunological Methods</i> , 1986, 89, 37-47.	0.6	54
105	Rational bioprocess design for human pluripotent stem cell expansion and endoderm differentiation based on cellular dynamics. <i>Biotechnology and Bioengineering</i> , 2012, 109, 853-866.	1.7	51
106	Generation of Functional Liver Sinusoidal Endothelial Cells from Human Pluripotent Stem-Cell-Derived Venous Angioblasts. <i>Cell Stem Cell</i> , 2020, 27, 254-269.e9.	5.2	50
107	Defining the path to hematopoietic stem cells. <i>Nature Biotechnology</i> , 2013, 31, 416-418.	9.4	47
108	Modeling altered T-cell development with induced pluripotent stem cells from patients with RAG1-dependent immune deficiencies. <i>Blood</i> , 2016, 128, 783-793.	0.6	45

#	ARTICLE	IF	CITATIONS
109	Hematopoietic Commitment of ES Cells in Culture. <i>Methods in Enzymology</i> , 2003, 365, 39-59.	0.4	44
110	Tracking Mesoderm Formation and Specification to the Hemangioblast in Vitro. <i>Trends in Cardiovascular Medicine</i> , 2004, 14, 314-317.	2.3	44
111	An Endothelial Cell Niche Induces Hepatic Specification Through Dual Repression of Wnt and Notch Signaling. <i>Stem Cells</i> , 2011, 29, 217-228.	1.4	44
112	Ibrutinib Displays Atrial-Specific Toxicity in Human Stem Cell-Derived Cardiomyocytes. <i>Stem Cell Reports</i> , 2019, 12, 996-1006.	2.3	43
113	BMP10 Signaling Promotes the Development of Endocardial Cells from Human Pluripotent Stem Cell-Derived Cardiovascular Progenitors. <i>Cell Stem Cell</i> , 2021, 28, 96-111.e7.	5.2	43
114	In Vitro Matured Human Pluripotent Stem Cell-Derived Cardiomyocytes Form Grafts With Enhanced Structure and Function in Injured Hearts. <i>Circulation</i> , 2022, 145, 1412-1426.	1.6	42
115	Pdx1 and Ngn3 Overexpression Enhances Pancreatic Differentiation of Mouse ES Cell-Derived Endoderm Population. <i>PLoS ONE</i> , 2011, 6, e24058.	1.1	41
116	Biophysical properties of slow potassium channels in human embryonic stem cell derived cardiomyocytes implicate subunit stoichiometry. <i>Journal of Physiology</i> , 2011, 589, 6093-6104.	1.3	41
117	The homeobox gene <i>Hex</i> regulates hepatocyte differentiation from embryonic stem cell-derived endoderm. <i>Hepatology</i> , 2010, 51, 633-641.	3.6	40
118	Hematopoietic Commitment during Embryogenesis. <i>Annals of the New York Academy of Sciences</i> , 1999, 872, 9-16.	1.8	39
119	Acceleration of mesoderm development and expansion of hematopoietic progenitors in differentiating ES cells by the mouse Mix-like homeodomain transcription factor. <i>Blood</i> , 2006, 107, 3122-3130.	0.6	39
120	Smad1 expands the hemangioblast population within a limited developmental window. <i>Blood</i> , 2007, 109, 516-523.	0.6	39
121	Hematopoietic stem cells. <i>Current Opinion in Immunology</i> , 1992, 4, 133-139.	2.4	38
122	Generation of Monoclonal Antibodies Specific for Cell Surface Molecules Expressed on Early Mouse Endoderm. <i>Stem Cells</i> , 2009, 27, 2103-2113.	1.4	38
123	Primitive Erythropoiesis Is Regulated by miR-126 via Nonhematopoietic Vcam-1+ Cells. <i>Developmental Cell</i> , 2012, 23, 45-57.	3.1	38
124	Cardioprotective GLP-1 metabolite prevents ischemic cardiac injury by inhibiting mitochondrial trifunctional protein. <i>Journal of Clinical Investigation</i> , 2020, 130, 1392-1404.	3.9	37
125	Evolutionarily conserved intercalated disc protein Tmem65 regulates cardiac conduction and connexin 43 function. <i>Nature Communications</i> , 2015, 6, 8391.	5.8	35
126	SCL interacts with VEGF to suppress apoptosis at the onset of hematopoiesis. <i>Development (Cambridge)</i> , 2004, 131, 693-702.	1.2	34

#	ARTICLE	IF	CITATIONS
127	Serum-free differentiation of functional human coronary-like vascular smooth muscle cells from embryonic stem cells. <i>Cardiovascular Research</i> , 2013, 98, 125-135.	1.8	33
128	Embryonic stem cell-derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain. <i>Journal of Neurosurgery</i> , 2005, 103, 115-123.	0.9	32
129	FZD4 Marks Lateral Plate Mesoderm and Signals with NORRIN to Increase Cardiomyocyte Induction from Pluripotent Stem Cell-Derived Cardiac Progenitors. <i>Stem Cell Reports</i> , 2018, 10, 87-100.	2.3	32
130	Functional arrays of human pluripotent stem cell-derived cardiac microtissues. <i>Scientific Reports</i> , 2020, 10, 6919.	1.6	32
131	MouseMix gene is activated early during differentiation of ES and F9 stem cells and induces endoderm in frog embryos. <i>Developmental Dynamics</i> , 2003, 226, 446-459.	0.8	31
132	Enzymatically degradable poly(ethylene glycol) hydrogels for the 3D culture and release of human embryonic stem cell derived pancreatic precursor cell aggregates. <i>Acta Biomaterialia</i> , 2015, 22, 103-110.	4.1	30
133	Enhanced proapoptotic effects of tumor necrosis factor-related apoptosis-inducing ligand on temozolomide-resistant glioma cells. <i>Journal of Neurosurgery</i> , 2007, 106, 646-651.	0.9	28
134	Ultrasensitive and rapid quantification of rare tumorigenic stem cells in hPSC-derived cardiomyocyte populations. <i>Science Advances</i> , 2020, 6, eaay7629.	4.7	28
135	Transforming the Promise of Pluripotent Stem Cell-Derived Cardiomyocytes to a Therapy: Challenges and Solutions for Clinical Trials. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1335-1349.	0.8	27
136	Expression of Fcγ3RIII defines distinct subpopulations of fetal liver B cell and myeloid precursors. <i>European Journal of Immunology</i> , 1995, 25, 2308-2317.	1.6	26
137	In vivo gene delivery by embryonic-stem-cell-derived astrocytes for malignant gliomas. <i>Neuro-Oncology</i> , 2009, 11, 102-108.	0.6	26
138	Micro-Arrayed Human Embryonic Stem Cells-Derived Cardiomyocytes for In Vitro Functional Assay. <i>PLoS ONE</i> , 2012, 7, e48483.	1.1	26
139	Modeling human yolk sac hematopoiesis with pluripotent stem cells. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	25
140	Substrate and mechanotransduction influence SERCA2a localization in human pluripotent stem cell-derived cardiomyocytes affecting functional performance. <i>Stem Cell Research</i> , 2017, 25, 107-114.	0.3	24
141	In Vivo Detection of Embryonic Stem Cell-Derived Cardiovascular Progenitor Cells Using Cy3-Labeled Gadofluorine M in Murine Myocardium. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1114-1122.	2.3	23
142	New markers for tracking endoderm induction and hepatocyte differentiation from human pluripotent stem cells. <i>Development (Cambridge)</i> , 2015, 142, 4253-65.	1.2	22
143	The heart LIM protein gene (Hlp), expressed in the developing and adult heart, defines a new tissue-specific LIM-only protein family. <i>Mechanisms of Development</i> , 2002, 116, 187-192.	1.7	20
144	Human Stem Cell-Derived Cardiac Model of Chronic Drug Exposure. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 1911-1921.	2.6	20

#	ARTICLE	IF	CITATIONS
145	The cardiomyocyte lineage is critical for optimization of stem cell therapy in a mouse model of myocardial infarction. <i>FASEB Journal</i> , 2010, 24, 1073-1081.	0.2	16
146	A 3-D human model of complex cardiac arrhythmias. <i>Acta Biomaterialia</i> , 2021, 132, 149-161.	4.1	15
147	Clonal generation of multipotent and unipotent hemopoietic blast cell colonies in vitro. <i>Journal of Cellular Physiology</i> , 1984, 120, 29-35.	2.0	14
148	Gene delivery by embryonic stem cells for malignant glioma therapy: hype or hope?. <i>Cancer Biology and Therapy</i> , 2008, 7, 1341-1347.	1.5	14
149	Embryonic stem cell-derived astrocytes: a novel gene therapy vector for brain tumors. <i>Neurosurgical Focus</i> , 2005, 19, 1-6.	1.0	13
150	Looking inwards: opening a window onto human development. <i>Development (Cambridge)</i> , 2015, 142, 1-2.	1.2	13
151	Single-Cell Mechanical Analysis of Human Pluripotent Stem Cell-Derived Cardiomyocytes for Drug Testing and Pathophysiological Studies. <i>Stem Cell Reports</i> , 2020, 15, 587-596.	2.3	13
152	Photochemically Activated Notch Signaling Hydrogel Preferentially Differentiates Human Derived Hepatoblasts to Cholangiocytes. <i>Advanced Functional Materials</i> , 2021, 31, 2006116.	7.8	13
153	Hematopoietic Development of ES Cells in Culture. , 2002, 63, 209-230.		12
154	Regulated Expression and Role of c-Myb in the Cardiovascular-Directed Differentiation of Mouse Embryonic Stem Cells. <i>Circulation Research</i> , 2012, 110, 253-264.	2.0	12
155	A Quantitative Proteomic Analysis of Hemogenic Endothelium Reveals Differential Regulation of Hematopoiesis by SOX17. <i>Stem Cell Reports</i> , 2015, 5, 291-304.	2.3	12
156	The In Vitro Differentiation of Mouse Embryonic Stem Cells into Neutrophils. <i>Methods in Enzymology</i> , 2003, 365, 129-142.	0.4	10
157	Therapeutic correction of hemophilia A by transplantation of hPSC-derived liver sinusoidal endothelial cell progenitors. <i>Cell Reports</i> , 2022, 39, 110621.	2.9	9
158	Unsuspected role of the brain morphogenetic gene Otx1 in hematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10299-10303.	3.3	8
159	Silent IL2RG Gene Editing in Human Pluripotent Stem Cells. <i>Molecular Therapy</i> , 2016, 24, 582-591.	3.7	8
160	Introduction of a selectable gene into murine T-lymphoblasts by a retroviral vector. <i>Journal of Immunological Methods</i> , 1986, 89, 93-101.	0.6	7
161	Hemopoiesis in spleen and bone marrow cultures. <i>Journal of Cellular Physiology</i> , 1983, 116, 7-15.	2.0	6
162	Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hemopoietic Potential. <i>Blood</i> , 1998, 92, 877-887.	0.6	6

#	ARTICLE	IF	CITATIONS
163	Hemopoietic colonies on the chorioallantoic membrane of the chick embryo: Induction by embryonic, adherent, non-hemopoietic spleen cells. <i>Journal of Cellular Physiology</i> , 1980, 102, 351-365.	2.0	5
164	One-Step Formation of Protein-Based Tubular Structures for Functional Devices and Tissues. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001746.	3.9	5
165	The Introduction of Genes into Mouse Embryos and Stem Cells. , 1992, , 440-458.		4
166	Establishment of ES Cells Secreting Human Factor VIII for Hemophilia A-Targeted Cell Therapy.. <i>Blood</i> , 2006, 108, 1012-1012.	0.6	4
167	Stem cells and regeneration: a special issue. <i>Development (Cambridge)</i> , 2013, 140, 2445-2445.	1.2	3
168	Transcriptional Control of Hematopoietic Development. , 1995, , 23-34.		3
169	Leptin Stimulates Fetal and Adult Erythroid and Myeloid Development. <i>Blood</i> , 1997, 89, 1507-1512.	0.6	2
170	Highlights from Philadelphia: ISSCR 2008. <i>Cell Stem Cell</i> , 2008, 3, 259-264.	5.2	1
171	Hematopoietic stem/progenitor cell conversion from human pluripotent stem cells. <i>Protocol Exchange</i> , 0, , .	0.3	1
172	Induced pluripotent stem cells used to reveal drug actions in a long QT syndrome family with complex genetics. <i>Journal of Cell Biology</i> , 2013, 200, i3-i3.	2.3	1
173	Specificity of Smad Signaling during Primitive Erythropoiesis.. <i>Blood</i> , 2004, 104, 2785-2785.	0.6	0
174	Serum Free Induction of a Lympho-Hematopoietic Precursor Population from Murine Embryonic Stem Cells.. <i>Blood</i> , 2005, 106, 3605-3605.	0.6	0
175	Knockdown of the Fanconi Anemia Gene FANCD2 Directly Affects Hematopoiesis in Human Embryonic Stem Cells.. <i>Blood</i> , 2006, 108, 1318-1318.	0.6	0
176	Generation of Megakaryocytes from Human Embryonic Stem Cells.. <i>Blood</i> , 2007, 110, 1265-1265.	0.6	0
177	Stage-specific signaling through TGF β family members and WNT regulates patterning and pancreatic specification of human pluripotent stem cells. <i>Journal of Cell Science</i> , 2011, 124, e1-e1.	1.2	0