Shigehisa Uchiyama

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2065801/publications.pdf

Version: 2024-02-01

567281 888059 1,158 17 15 17 citations g-index h-index papers 17 17 17 1479 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Spatial Variations of Indoor Air Chemicals in an Apartment Unit and Personal Exposure of Residents. International Journal of Environmental Research and Public Health, 2021, 18, 11511.	2.6	2
2	Determination of Thermal Decomposition Products Generated from E-Cigarettes. Chemical Research in Toxicology, 2020, 33, 576-583.	3.3	51
3	Simple Determination of Gaseous and Particulate Compounds Generated from Heated Tobacco Products. Chemical Research in Toxicology, 2018, 31, 585-593.	3.3	90
4	Comparison of Chemicals in Mainstream Smoke in Heat-not-burn Tobacco and Combustion Cigarettes. Journal of UOEH, 2017, 39, 201-207.	0.6	159
5	Assessment of inhalation exposure to indoor air pollutants: Screening for health risks of multiple pollutants in Japanese dwellings. Environmental Research, 2016, 145, 39-49.	7.5	66
6	Determination of nicotine, tar, volatile organic compounds and carbonyls in mainstream cigarette smoke using a glass filter and a sorbent cartridge followed by the two-phase/one-pot elution method with carbon disulfide and methanol. Journal of Chromatography A, 2015, 1426, 48-55.	3.7	25
7	Gaseous chemical compounds in indoor and outdoor air of 602 houses throughout Japan in winter and summer. Environmental Research, 2015, 137, 364-372.	7.5	81
8	Carbonyl Compounds Generated from Electronic Cigarettes. International Journal of Environmental Research and Public Health, 2014, 11, 11192-11200.	2.6	198
9	Simultaneous determination of volatile organic compounds and carbonyls in mainstream cigarette smoke using a sorbent cartridge followed by two-step elution. Journal of Chromatography A, 2013, 1314, 31-37.	3.7	29
10	Determination of Carbonyl Compounds Generated from the E-cigarette Using Coupled Silica Cartridges Impregnated with Hydroquinone and 2,4-Dinitrophenylhydrazine, Followed by High-Performance Liquid Chromatography. Analytical Sciences, 2013, 29, 1219-1222.	1.6	165
11	Reductive amination of glutaraldehyde 2,4-dinitrophenylhydrazone using 2-picoline borane and high-performance liquid chromatographic analysis. Analyst, The, 2012, 137, 4274.	3.5	14
12	Ozone removal in the collection of carbonyl compounds in air. Journal of Chromatography A, 2012, 1229, 293-297.	3.7	21
13	A diffusive sampling device for simultaneous determination of ozone and carbonyls. Analytica Chimica Acta, 2011, 691, 119-124.	5.4	19
14	Derivatization of carbonyl compounds with 2,4-dinitrophenylhydrazine and their subsequent determination by high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1282-1289.	2.3	100
15	Determination of acrolein and other carbonyls in cigarette smoke using coupled silica cartridges impregnated with hydroquinone and 2,4-dinitrophenylhydrazine. Journal of Chromatography A, 2010, 1217, 4383-4388.	3.7	73
16	Reductive Amination of Aldehyde 2,4-Dinitorophenylhydrazones Using 2-Picoline Borane and High-Performance Liquid Chromatographic Analysis. Analytical Chemistry, 2009, 81, 485-489.	6.5	36
17	Improved Measurement of Ozone and Carbonyls Using a Dual-Bed Sampling Cartridge Containing <i>trans</i> -1,2-Bis(2-pyridyl)ethylene and 2,4-Dinitrophenylhydrazine-Impregnated Silica. Analytical Chemistry, 2009, 81, 6552-6557.	6.5	29