

Anton Pottegård

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2066791/publications.pdf>

Version: 2024-02-01

454
papers

15,070
citations

26610

56
h-index

32815

100
g-index

464
all docs

464
docs citations

464
times ranked

16909
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Danish National Prescription Registry. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 38-41. | 1.2 | 1,859 |
| 2 | Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , 2017, 46, dyw213. | 0.9 | 649 |
| 3 | The Danish Medical Birth Register. <i>European Journal of Epidemiology</i> , 2018, 33, 27-36. | 2.5 | 432 |
| 4 | Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ: British Medical Journal</i> , 2006, 333, 726. | 2.4 | 324 |
| 5 | Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , 2021, 373, n1114. | 3.0 | 298 |
| 6 | Evidence of Depression Provoked by Cardiovascular Medication: A Prescription Sequence Symmetry Analysis. <i>Epidemiology</i> , 1996, 7, 478-484. | 1.2 | 228 |
| 7 | Characteristics and predictors of hospitalization and death in the first 11 122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020, 49, 1468-1481. | 0.9 | 219 |
| 8 | Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 673-681.e9. | 0.6 | 218 |
| 9 | Effect of an In-Hospital Multifaceted Clinical Pharmacist Intervention on the Risk of Readmission. <i>JAMA Internal Medicine</i> , 2018, 178, 375. | 2.6 | 203 |
| 10 | Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases, The</i> , 2021, 21, 1373-1382. | 4.6 | 194 |
| 11 | Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry, the</i> , 2018, 5, 824-835. | 3.7 | 187 |
| 12 | Mortality Rate in Type 2 Myocardial Infarction: Observations from an Unselected Hospital Cohort. <i>American Journal of Medicine</i> , 2014, 127, 295-302. | 0.6 | 140 |
| 13 | The mephenytoin oxidation polymorphism is partially responsible for the N-demethylation of imipramine. <i>Clinical Pharmacology and Therapeutics</i> , 1991, 49, 18-23. | 2.3 | 138 |
| 14 | Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473. | 1.0 | 133 |
| 15 | Hydrochlorothiazide use is strongly associated with risk of lip cancer. <i>Journal of Internal Medicine</i> , 2017, 282, 322-331. | 2.7 | 128 |
| 16 | Reduced prevalence of SARS-CoV-2 infection in ABO blood group O. <i>Blood Advances</i> , 2020, 4, 4990-4993. | 2.5 | 125 |
| 17 | Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836. | 3.8 | 121 |
| 18 | Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3633-3640. | 1.8 | 118 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Use of self-controlled designs in pharmacoepidemiology. <i>Journal of Internal Medicine</i> , 2014, 275, 581-589. | 2.7 | 111 |
| 20 | Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 757-763. | 0.8 | 108 |
| 21 | Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 671-678. | 1.4 | 105 |
| 22 | Abuse Potential of Pregabalin. <i>CNS Drugs</i> , 2016, 30, 9-25. | 2.7 | 104 |
| 23 | Potential of prescription registries to capture individual-level use of aspirin and other nonsteroidal anti-inflammatory drugs in Denmark: trends in utilization 1999–2012. <i>Clinical Epidemiology</i> , 2014, 6, 155. | 1.5 | 100 |
| 24 | Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 483-491. | 0.9 | 99 |
| 25 | Persistence of antimuscarinic drug use. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 309-314. | 0.8 | 97 |
| 26 | Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use—A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140197. | 1.1 | 95 |
| 27 | Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , 2001, 56, 931-933. | 0.8 | 94 |
| 28 | Data Resource Profile: Danish online drug use statistics (MEDSTAT). <i>International Journal of Epidemiology</i> , 2016, 45, 1401-1402g. | 0.9 | 92 |
| 29 | Proton-pump inhibitors among adults: a nationwide drug-utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 175628481877794. | 1.4 | 92 |
| 30 | An Association Between Selective Serotonin Reuptake Inhibitor Use and Serious Upper Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1314-1321. | 2.4 | 91 |
| 31 | Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003, 34, 379-386. | 1.0 | 86 |
| 32 | Alcohol and Breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 168-173. | 1.2 | 86 |
| 33 | A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation –) <i>Tj ETQq1 1 0.784314 gBT /Over</i> | | |
| 34 | Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. <i>Thorax</i> , 2015, 70, 33-40. | 2.7 | 80 |
| 35 | Tools for Deprescribing in Frail Older Persons and Those with Limited Life Expectancy: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 172-180. | 1.3 | 80 |
| 36 | Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. <i>American Journal of Medicine</i> , 2015, 128, 1351-1361. | 0.6 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Increasing use of antibiotics in pregnancy during the period 2000–2010: prevalence, timing, category, and demographics. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 988-996. | 1.1 | 76 |
| 38 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003308. | 3.9 | 76 |
| 39 | The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1443-1450. | 0.8 | 74 |
| 40 | Association of Hydrochlorothiazide Use and Risk of Malignant Melanoma. <i>JAMA Internal Medicine</i> , 2018, 178, 1120. | 2.6 | 74 |
| 41 | The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666-670. | 1.2 | 73 |
| 42 | Incidence Rate of Community-Acquired Sepsis Among Hospitalized Acute Medical Patients—A Population-Based Survey*. <i>Critical Care Medicine</i> , 2015, 43, 13-21. | 0.4 | 73 |
| 43 | Templates for Analysis of Individual-Level Prescription Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 260-265. | 1.2 | 72 |
| 44 | Increased short- and long-term mortality among patients with infectious spondylodiscitis compared with a reference population. <i>Spine Journal</i> , 2015, 15, 1233-1240. | 0.6 | 72 |
| 45 | Considerations for Pharmacoepidemiological Studies of Drug–Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 451-459. | 1.2 | 70 |
| 46 | Postdiagnosis Statin Use and Mortality in Danish Patients With Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 3290-3297. | 0.8 | 69 |
| 47 | Interaction between warfarin and cannabis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 28-31. | 1.2 | 68 |
| 48 | Acetaminophen for Chronic Pain: A Systematic Review on Efficacy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 184-189. | 1.2 | 65 |
| 49 | Conducting pharmacoepidemiologic research in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2001, 10, 619. | 0.9 | 63 |
| 50 | Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. <i>American Journal of Medicine</i> , 2016, 129, 299-306.e2. | 0.6 | 63 |
| 51 | New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 223-227. | 0.9 | 63 |
| 52 | A smartphone application supporting patients with psoriasis improves adherence to topical treatment: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2018, 179, 1062-1071. | 1.4 | 61 |
| 53 | Drug utilization statistics for individual-level pharmacy dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 455-463. | 0.9 | 60 |
| 54 | Long term use of drugs affecting the renin–angiotensin system and the risk of cancer: a population-based case–control study. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 180-188. | 1.1 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3851. | 2.4 | 60 |
| 56 | Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 803-809. | 0.9 | 59 |
| 57 | Hypokalemia in Acute Medical Patients: Risk Factors and Prognosis. <i>American Journal of Medicine</i> , 2015, 128, 60-67.e1. | 0.6 | 58 |
| 58 | Randomized trial of switching from prescribed non-selective non-steroidal anti-inflammatory drugs to prescribed celecoxib: the Standard care vs. Celecoxib Outcome Trial (SCOT). <i>European Heart Journal</i> , 2017, 38, ehw387. | 1.0 | 58 |
| 59 | Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017, 32, 567-582. | 2.5 | 58 |
| 60 | Statin use and survival following glioblastoma multiforme. <i>Cancer Epidemiology</i> , 2014, 38, 722-727. | 0.8 | 57 |
| 61 | The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 554. | 0.7 | 57 |
| 62 | Use of Antibiotics in Children. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e16-e22. | 1.1 | 53 |
| 63 | Comparable COVID-19 outcomes with current use of GLP-1 receptor agonists, DPP-4 inhibitors or SGLT-2 inhibitors among patients with diabetes who tested positive for SARS-CoV-2. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1397-1401. | 2.2 | 53 |
| 64 | Inappropriate use of sumatriptan: population based register and interview study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1352-1353. | 2.4 | 52 |
| 65 | Screening for drug related dyspepsia. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 27-32. | 0.8 | 50 |
| 66 | Î-adrenoreceptors and the risk of Parkinson's disease. <i>Lancet Neurology</i> , The, 2020, 19, 247-254. | 4.9 | 49 |
| 67 | Are young adults with asthma treated sufficiently with inhaled steroids? A population-based study of prescription data from 1991 and 1994. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 285-289. | 1.1 | 48 |
| 68 | Use of sumatriptan in Denmark in 1994-5: an epidemiological analysis of nationwide prescription data. <i>British Journal of Clinical Pharmacology</i> , 1997, 43, 429-433. | 1.1 | 48 |
| 69 | Use of Pregabalin – A Nationwide Pharmacoepidemiological Drug Utilization Study with Focus on Abuse Potential. <i>Pharmacopsychiatry</i> , 2016, 49, 155-161. | 1.7 | 48 |
| 70 | The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666. | 1.2 | 47 |
| 71 | Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2008, 168, 966-973. | 1.6 | 47 |
| 72 | Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , 2019, 249, 242-252. | 2.0 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The effect of statins on average survival in randomised trials, an analysis of end point postponement: Table 1. <i>BMJ Open</i> , 2015, 5, e007118. | 0.8 | 45 |
| 74 | Use of Non-vitamin K Antagonist Oral Anticoagulants 2008-2016: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 452-463. | 1.2 | 45 |
| 75 | First-Trimester Exposure to Methylphenidate. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e88-e93. | 1.1 | 45 |
| 76 | The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 589-598. | 0.8 | 44 |
| 77 | Venous Thromboembolism and Major Bleeding in Patients With Coronavirus Disease 2019 (COVID-19): A Nationwide, Population-Based Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 2283-2293. | 2.9 | 44 |
| 78 | Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 197-199. | 5.5 | 44 |
| 79 | Nurses and Physicians in a Medical Admission Unit Can Accurately Predict Mortality of Acutely Admitted Patients: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e101739. | 1.1 | 44 |
| 80 | Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , 2021, 157, 275. | 2.0 | 42 |
| 81 | Association of Glycolysis-Enhancing α -1 Blockers With Risk of Developing Parkinson Disease. <i>JAMA Neurology</i> , 2021, 78, 407. | 4.5 | 42 |
| 82 | Health care professionals' attitudes towards deprescribing in older patients with limited life expectancy: A systematic review. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 868-892. | 1.1 | 41 |
| 83 | Drug prescribing among Danish children: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 159-165. | 0.8 | 40 |
| 84 | Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. <i>Breast Cancer Research</i> , 2016, 18, 119. | 2.2 | 40 |
| 85 | Trends in Use of Paracetamol in the Nordic Countries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 301-307. | 1.2 | 40 |
| 86 | Use of hydrochlorothiazide and risk of skin cancer: a nationwide Taiwanese case-control study. <i>British Journal of Cancer</i> , 2019, 121, 973-978. | 2.9 | 40 |
| 87 | Morbidity and mortality among older people admitted to nursing home. <i>Age and Ageing</i> , 2020, 49, 67-73. | 0.7 | 39 |
| 88 | How Well Do Discharge Diagnoses Identify Hospitalised Patients with Community-Acquired Infections? A Validation Study. <i>PLoS ONE</i> , 2014, 9, e92891. | 1.1 | 39 |
| 89 | Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1356-1364. | 1.1 | 38 |
| 90 | Long-term use of metformin and colorectal cancer risk in type II diabetics: a population-based case-control study. <i>Cancer Medicine</i> , 2014, 3, 1458-1466. | 1.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Children's relative age in class and use of medication for <scp>ADHD</scp>: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1244-1250. | 3.1 | 38 |
| 92 | Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish caseâ€control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 618-625. | 1.9 | 38 |
| 93 | Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1598-1606. | 1.1 | 38 |
| 94 | Hydrochlorothiazide use and risk for Merkel cell carcinoma and malignant adnexal skin tumors: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 460-465.e9. | 0.6 | 38 |
| 95 | Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , 2014, 63, 1544-1549. | 6.1 | 37 |
| 96 | Bacteremia is associated with excess long-term mortality: A 12-year population-based cohort study. <i>Journal of Infection</i> , 2015, 70, 111-126. | 1.7 | 37 |
| 97 | Use of drugs for ADHD among adultsâ€a multinational study among 15.8 million adults in the Nordic countries. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1507-1514. | 0.8 | 37 |
| 98 | Use of antipsychotics and risk of breast cancer: a Danish nationwide caseâ€control study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2152-2161. | 1.1 | 37 |
| 99 | <p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 875-881. | 1.5 | 37 |
| 100 | Multifaceted Intervention Including Motivational Interviewing to Support Medication Adherence after Stroke/Transient Ischemic Attack: A Randomized Trial. <i>Cerebrovascular Diseases Extra</i> , 2014, 4, 221-234. | 0.5 | 36 |
| 101 | Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075. | 1.8 | 36 |
| 102 | Considerations for pharmacoepidemiological analyses in the <scp>SARSâ€CoV</scp>â€2 pandemic. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 825-831. | 0.9 | 36 |
| 103 | Control yourself: <scp>ISPEâ€endorsed</scp> guidance in the application of <scp>selfâ€controlled</scp> study designs in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 671-684. | 0.9 | 36 |
| 104 | Treatment Changes among Users of Nonâ€Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 187-194. | 1.2 | 35 |
| 105 | Use of antibiotics in childhood and risk of Type 1 diabetes: a populationâ€based caseâ€control study. <i>Diabetic Medicine</i> , 2017, 34, 272-277. | 1.2 | 35 |
| 106 | The Influence of Antidepressants on the Disease Course Among Patients With Crohnâ€TM's Disease and Ulcerative Colitisâ€A Danish Nationwide Registerâ€Based Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 886-893. | 0.9 | 35 |
| 107 | Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 187-189. | 5.5 | 35 |
| 108 | Characteristics of Undertreatment in COPD in the General Population. <i>Chest</i> , 2013, 144, 1811-1818. | 0.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. <i>British Journal of Cancer</i> , 2016, 115, 895-900. | 2.9 | 34 |
| 110 | Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 249-255. | 3.0 | 34 |
| 111 | Is Shock Index a Valid Predictor of Mortality in Emergency Department Patients With Hypertension, Diabetes, High Age, or Receipt of β - or Calcium Channel Blockers?. <i>Annals of Emergency Medicine</i> , 2016, 67, 106-113.e6. | 0.3 | 34 |
| 112 | Inhalation or total intravenous anaesthesia and recurrence after colorectal cancer surgery: a propensity score matched Danish registry-based study. <i>British Journal of Anaesthesia</i> , 2021, 126, 921-930. | 1.5 | 34 |
| 113 | Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2136802. | 2.8 | 33 |
| 114 | First Trimester <i>In Utero</i> Exposure to Methylphenidate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 73-76. | 1.2 | 32 |
| 115 | Persistent User Bias in Case-Crossover Studies in Pharmacoepidemiology. <i>American Journal of Epidemiology</i> , 2016, 184, 761-769. | 1.6 | 32 |
| 116 | Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 66, 768-774.e2. | 0.6 | 32 |
| 117 | Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689. | 2.4 | 32 |
| 118 | Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018, 13, e0196122. | 1.1 | 32 |
| 119 | Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , 2019, 24, 1183-1190. | 1.3 | 32 |
| 120 | Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 376-380. | 1.2 | 31 |
| 121 | Short- and long-term mortality in patients with community-acquired severe sepsis and septic shock. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 577-583. | 1.5 | 30 |
| 122 | Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016, 6, e010880. | 0.8 | 30 |
| 123 | Multifaceted Pharmacist-led Interventions in the Hospital Setting: A Systematic Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 363-379. | 1.2 | 30 |
| 124 | Does Appendectomy Reduce the Risk of Ulcerative Colitis?. <i>Epidemiology</i> , 2004, 15, 173-178. | 1.2 | 29 |
| 125 | Risk of non-melanoma skin cancer in myasthenia patients treated with azathioprine. <i>European Journal of Neurology</i> , 2014, 21, 454-458. | 1.7 | 29 |
| 126 | Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , 2016, 7, 73-79. | 2.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Real-Life and RCT Participants: Alendronate Users Versus FITs™ Trial Eligibility Criterion. <i>Calcified Tissue International</i> , 2016, 99, 243-249. | 1.5 | 29 |
| 128 | Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , 2017, 19, euw241. | 0.7 | 29 |
| 129 | Use of β -adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2019, 93, e135-e142. | 1.5 | 29 |
| 130 | Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1714-1719. | 1.1 | 28 |
| 131 | Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1451-1459. | 0.9 | 28 |
| 132 | Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262. | 0.9 | 28 |
| 133 | Medication errors in pediatric inpatients: a study based on a national mandatory reporting system. <i>European Journal of Pediatrics</i> , 2017, 176, 1697-1705. | 1.3 | 28 |
| 134 | Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 547-553. | 2.3 | 27 |
| 135 | Statin use and mortality among ovarian cancer patients: A population-based cohort study. <i>International Journal of Cancer</i> , 2017, 141, 279-286. | 2.3 | 27 |
| 136 | Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018, 33, 545-555. | 2.5 | 27 |
| 137 | Using the proportion of patients covered and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 867-871. | 0.9 | 27 |
| 138 | Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018, Volume 10, 941-948. | 1.5 | 27 |
| 139 | Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 293-299. | 0.5 | 27 |
| 140 | Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors: a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , 2019, 285, 553-561. | 2.7 | 27 |
| 141 | Use of Hydrochlorothiazide and Risk of Melanoma and Nonmelanoma Skin Cancer. <i>Drug Safety</i> , 2021, 44, 245-254. | 1.4 | 27 |
| 142 | Risk Factors for Hospitalization Due to Community-Acquired Sepsis: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0124838. | 1.1 | 27 |
| 143 | Cholesterol-lowering drugs and antidepressants: A study of prescription symmetry. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1998, 7, 399-402. | | 26 |
| 144 | Cancer risk in long-term users of vitamin K antagonists: A population-based case-control study. <i>International Journal of Cancer</i> , 2013, 132, 2606-2612. | 2.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association of Pre-Pregnancy Body Mass Index, Pregnancy-Related Weight Changes, and Parity With the Risk of Developing Degenerative Musculoskeletal Conditions. <i>Arthritis and Rheumatology</i> , 2016, 68, 1156-1164. | 2.9 | 25 |
| 146 | Use of proton pump inhibitors among Danish children: A 16-year register-based nationwide study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 704-710. | 1.2 | 25 |
| 147 | Use of azathioprine for non-thymoma myasthenia and risk of cancer: a nationwide case-control study in Denmark. <i>European Journal of Neurology</i> , 2013, 20, 942-948. | 1.7 | 24 |
| 148 | Early Discontinuation of Attention-Deficit/Hyperactivity Disorder Drug Treatment: A Danish Nationwide Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 349-353. | 1.2 | 24 |
| 149 | Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. <i>Respiratory Medicine</i> , 2015, 109, 1562-1568. | 1.3 | 24 |
| 150 | Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. <i>Cancer Causes and Control</i> , 2016, 27, 1067-1079. | 0.8 | 24 |
| 151 | Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 419-425. | 1.2 | 24 |
| 152 | Examining Nonparticipation in the Maternal Follow-up Within the Danish National Birth Cohort. <i>American Journal of Epidemiology</i> , 2018, 187, 1511-1519. | 1.6 | 24 |
| 153 | Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. <i>Journal of the National Cancer Institute</i> , 2020, 112, 964-967. | 3.0 | 24 |
| 154 | Attitudes Towards Deprescribing Among Older Adults with Limited Life Expectancy and Their Relatives: A Systematic Review. <i>Drugs and Aging</i> , 2020, 37, 503-520. | 1.3 | 24 |
| 155 | Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021, 64, 1563-1571. | 2.9 | 24 |
| 156 | Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , 2021, 23, 1722-1730. | 0.7 | 24 |
| 157 | Risk of adverse events after covid-19 in Danish children and adolescents and effectiveness of BNT162b2 in adolescents: cohort study. <i>BMJ, The</i> , 2022, 377, e068898. | 3.0 | 24 |
| 158 | Dicloxacillin induces CYP2C19, CYP2C9 and CYP3A4 <i>in vivo</i> and <i>in vitro</i> . <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 510-519. | 1.1 | 23 |
| 159 | Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , 2019, 33, 383-395. | 2.7 | 23 |
| 160 | Use of prescription drugs in the older adult population—a nationwide pharmacoepidemiological study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1125-1133. | 0.8 | 23 |
| 161 | Risk of squamous cell carcinoma of the lip and cutaneous melanoma in older Australians using hydrochlorothiazide: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 320-328. | 1.2 | 23 |
| 162 | Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1631-1637. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Seven-Day Mortality Can Be Predicted in Medical Patients by Blood Pressure, Age, Respiratory Rate, Loss of Independence, and Peripheral Oxygen Saturation (the PARIS Score): A Prospective Cohort Study with External Validation. <i>PLoS ONE</i> , 2015, 10, e0122480. | 1.1 | 22 |
| 164 | Effect of copayment policies on initial medication non-adherence according to income: a population-based study. <i>BMJ Quality and Safety</i> , 2018, 27, 878-891. | 1.8 | 22 |
| 165 | Trends of Opioid Utilisation in Denmark: A Nationwide Study. <i>Drugs - Real World Outcomes</i> , 2019, 6, 155-164. | 0.7 | 22 |
| 166 | Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide caseâ€control study. <i>International Journal of Cancer</i> , 2020, 146, 1930-1936. | 2.3 | 22 |
| 167 | Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1845-1854.e6. | 2.4 | 22 |
| 168 | Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. <i>European Heart Journal</i> , 2022, 43, 3528-3538. | 1.0 | 22 |
| 169 | Antidepressant treatment in general practice - An interview study. <i>Scandinavian Journal of Primary Health Care</i> , 1995, 13, 281-286. | 0.6 | 21 |
| 170 | Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1211-1218. | 2.8 | 21 |
| 171 | Statins and polyneuropathy revisited: caseâ€control study in Denmark, 1999â€2013. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2087-2095. | 1.1 | 21 |
| 172 | Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 900-908. | 0.9 | 21 |
| 173 | Association between use of phthalate-containing medication and semen quality among men in couples referred for assisted reproduction. <i>Human Reproduction</i> , 2018, 33, 503-511. | 0.4 | 21 |
| 174 | Use of Psychotropic Drugs among Children and Adolescents with Autism Spectrum Disorders in Denmark: A Nationwide Drug Utilization Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 339. | 1.0 | 21 |
| 175 | Dynamics of vitamin K antagonist and new oral anticoagulants use in atrial fibrillation: a Danish drug utilization study. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1413-1418. | 1.9 | 20 |
| 176 | Generic Switching and Non-Persistence among Medicine Users: A Combined Population-Based Questionnaire and Register Study. <i>PLoS ONE</i> , 2015, 10, e0119688. | 1.1 | 20 |
| 177 | Utilization of Stimulants and Atomoxetine for Attentionâ€Deficit/Hyperactivity Disorder among 5.4 Million Children Using Populationâ€Based Longitudinal Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 373-379. | 1.2 | 20 |
| 178 | Low-dose oral corticosteroids in asthma associates with increased morbidity and mortality. <i>European Respiratory Journal</i> , 2022, 60, 2103054. | 3.1 | 20 |
| 179 | Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 296. | 3.8 | 19 |
| 180 | Use of tricyclic antidepressants and risk of glioma: a nationwide caseâ€control study. <i>British Journal of Cancer</i> , 2016, 114, 1265-1268. | 2.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Therapeutic Drug Monitoring of Venlafaxine in an Everyday Clinical Setting: Analysis of Age, Sex and Dose Concentration Relationships. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 298-302. | 1.2 | 19 |
| 182 | Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 312-317. | 1.2 | 19 |
| 183 | Use of direct oral anticoagulants in the first year after market entry of edoxaban: A Danish nationwide drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 174-181. | 0.9 | 19 |
| 184 | How Common is Statin Use in the Oldest Old?. <i>Drugs and Aging</i> , 2018, 35, 679-686. | 1.3 | 19 |
| 185 | Nonaspirin Nonsteroidal Antiinflammatory Drug Use in the Nordic Countries from a Cardiovascular Risk Perspective, 2000-2016: A Drug Utilization Study. <i>Pharmacotherapy</i> , 2019, 39, 150-160. | 1.2 | 19 |
| 186 | Use of medication among nursing home residents: a Danish drug utilisation study. <i>Age and Ageing</i> , 2020, 49, 814-820. | 0.7 | 19 |
| 187 | Sodium-glucose cotransporter 2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1391-1395. | 0.9 | 19 |
| 188 | Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 460-465. | 1.1 | 18 |
| 189 | Increased use of inhaled corticosteroids among young Danish adult asthmatics: An observational study. <i>Respiratory Medicine</i> , 2010, 104, 1817-1824. | 1.3 | 18 |
| 190 | Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. <i>Critical Care</i> , 2015, 19, 158. | 2.5 | 18 |
| 191 | Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , 2016, 69, 877-882. | 0.9 | 18 |
| 192 | Validity of ICD-9 and ICD-10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 965-975. | 0.9 | 18 |
| 193 | Adherence to Prescribed Drugs Among 65-74 Year Old Men Diagnosed with Abdominal Aortic Aneurysm or Peripheral Arterial Disease in a Screening Trial: A VIVA Substudy. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 442-450. | 0.8 | 18 |
| 194 | Use of ACE (Angiotensin-Converting Enzyme) Inhibitors and Risk of Lung Cancer. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e006687. | 0.9 | 18 |
| 195 | Attitudes towards deprescribing: The perspectives of geriatric patients and nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1508-1518. | 1.3 | 18 |
| 196 | The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , 2021, Volume 13, 569-579. | 1.5 | 18 |
| 197 | Evaluating the use of prescription sequence symmetry analysis as a pharmacovigilance tool: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 3079-3093. | 1.5 | 18 |
| 198 | Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0146172. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101. | 0.6 | 17 |
| 200 | Identifying Patients with Myasthenia for Epidemiological Research by Linkage of Automated Registers. <i>Neuroepidemiology</i> , 2011, 37, 120-128. | 1.1 | 17 |
| 201 | Do patients initiate therapy? Primary non-adherence to statins and antidepressants in Iceland. <i>International Journal of Clinical Practice</i> , 2015, 69, 597-603. | 0.8 | 17 |
| 202 | Mental disorders in motherhood according to prepregnancy BMI and pregnancy-related weight changes—A Danish cohort study. <i>Journal of Affective Disorders</i> , 2015, 183, 322-329. | 2.0 | 17 |
| 203 | Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 368-372. | 1.2 | 17 |
| 204 | Sixteen years of creatinine measurements among 460 000 individuals—The Funen Laboratory Cohort (FLaC), a population-based pharmacoepidemiological resource to study drug-induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 582-590. | 1.2 | 17 |
| 205 | Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020, 3, e2013880. | 2.8 | 17 |
| 206 | Use of tramadol and other analgesics following media attention and risk minimization actions from regulators: a Danish nationwide drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 617-624. | 0.8 | 17 |
| 207 | Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380. | 2.8 | 17 |
| 208 | Use of hypnotic drugs among children, adolescents, and young adults in Scandinavia. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 100-112. | 2.2 | 17 |
| 209 | The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2022, 59, 2100769. | 3.1 | 17 |
| 210 | A Nationwide Study of Attention-Deficit/Hyperactivity Disorder Drug Use among Adults in Iceland 2003–2012. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 417-422. | 1.2 | 16 |
| 211 | Use of disulfiram and risk of cancer. <i>European Journal of Cancer Prevention</i> , 2014, 23, 225-232. | 0.6 | 16 |
| 212 | Generic switching of warfarin and risk of excessive anticoagulation: a Danish nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 336-343. | 0.9 | 16 |
| 213 | Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016, 114, 571-575. | 2.9 | 16 |
| 214 | Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , 2016, 161, 258-264. | 1.6 | 16 |
| 215 | Differences Between Randomized Clinical Trial Patients and Real-World Initiators of the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Diabetes Care</i> , 2018, 41, e133-e135. | 4.3 | 16 |
| 216 | Use of proton pump inhibitors and risk of pancreatic cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 926-930. | 0.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Trends in antidepressant use among children and adolescents: a Scandinavian drug utilization study. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 34-42. | 2.2 | 16 |
| 218 | Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 1019-1027. | 1.0 | 15 |
| 219 | Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 641-646. | 0.8 | 15 |
| 220 | Myasthenia and risk of cancer: a population-based case-control study. <i>European Journal of Neurology</i> , 2014, 21, 773-778. | 1.7 | 15 |
| 221 | Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1160-1167. | 0.9 | 15 |
| 222 | Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , 2018, 13, e0204456. | 1.1 | 15 |
| 223 | Associations between adult height and type 2 diabetes mellitus: a systematic review and meta-analysis of observational studies. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 681-688. | 2.0 | 15 |
| 224 | Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis. <i>Annals of Internal Medicine</i> , 2019, 170, 443. | 2.0 | 15 |
| 225 | Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry. <i>Epidemiology</i> , 2020, 31, 599-603. | 1.2 | 15 |
| 226 | Drug-drug interaction between warfarin and statins: A Danish cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 694-699. | 1.1 | 15 |
| 227 | SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021, 76, 370-379. | 2.7 | 15 |
| 228 | Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2982-2987. | 1.1 | 15 |
| 229 | <p>Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1371-1380. | 1.5 | 15 |
| 230 | Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504. | 0.8 | 15 |
| 231 | Information on risk of constipation for Danish users of opioids, and their laxative use. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 291-294. | 1.0 | 14 |
| 232 | The potential drug-drug interaction between proton pump inhibitors and warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1337-1340. | 0.9 | 14 |
| 233 | Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. <i>British Journal of Cancer</i> , 2015, 112, 153-156. | 2.9 | 14 |
| 234 | Reduced ability to work both before and after infectious spondylodiscitis in working-age patients. <i>Infectious Diseases</i> , 2017, 49, 95-103. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Melanoma of the Skin in the Danish Cancer Registry and the Danish Melanoma Database. <i>Epidemiology</i> , 2018, 29, 442-447. | 1.2 | 14 |
| 236 | Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1798-1805. | 1.1 | 14 |
| 237 | Validation of a comorbidity index for use in obstetric patients: A nationwide cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 399-405. | 1.3 | 14 |
| 238 | Association of aortic valve calcification and vitamin K antagonist treatment. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 718-724. | 0.5 | 14 |
| 239 | Association of Low-Dose Quetiapine and Diabetes. <i>JAMA Network Open</i> , 2021, 4, e213209. | 2.8 | 14 |
| 240 | Long-term oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 644-651. | 1.9 | 14 |
| 241 | Pharmacovigilance Based on Prescription Databases. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000, 86, 13-15. | 0.0 | 13 |
| 242 | Statins and nonsteroidal anti-inflammatory drugs—an analysis of prescription symmetry. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 510-511. | 0.9 | 13 |
| 243 | Search for humorous and Extravagant acronyms and Thoroughly Inappropriate names For Important Clinical trials (SCIENTIFIC): qualitative and quantitative systematic study. <i>BMJ, The</i> , 2014, 349, g7092-g7092. | 3.0 | 13 |
| 244 | Cardiovascular drugs and erectile dysfunction—a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1219-1223. | 1.1 | 13 |
| 245 | Social Adversity and Regional Differences in Prescribing of ADHD Medication for School-Age Children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2015, 36, 330-341. | 0.6 | 13 |
| 246 | Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 153-158. | 1.2 | 13 |
| 247 | External validity of a cardiovascular screening including a coronary artery calcium examination in middle-aged individuals from the general population. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1156-1166. | 0.8 | 13 |
| 248 | Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1742-1749. | 1.4 | 13 |
| 249 | Explaining trends in coronary heart disease mortality in different socioeconomic groups in Denmark 1991-2007 using the IMPACTSEC model. <i>PLoS ONE</i> , 2018, 13, e0194793. | 1.1 | 13 |
| 250 | Hormone replacement therapy and the risk of melanoma in post-menopausal women. <i>Human Reproduction</i> , 2019, 34, 2418-2429. | 0.4 | 13 |
| 251 | Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and meta-analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 21-31. | 1.2 | 13 |
| 252 | Differences Between Randomized Clinical Trial Participants and Real-World Empagliflozin Users and the Changes in Their Glycated Hemoglobin Levels. <i>JAMA Network Open</i> , 2020, 3, e1920949. | 2.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Sex differences in text-mined possible adverse drug events associated with drugs for psychosis. <i>Journal of Psychopharmacology</i> , 2020, 34, 532-539. | 2.0 | 13 |
| 254 | Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). <i>Clinical Epidemiology</i> , 2021, Volume 13, 1141-1153. | 1.5 | 13 |
| 255 | Measures of "exposure needed for one additional patient to be harmed"™ in population-based case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 868-874. | 0.9 | 12 |
| 256 | Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal</i> , 2015, 32, 846-853. | 0.4 | 12 |
| 257 | Clinical Pharmacology in Denmark in 2016 " 40 Years with the Danish Society of Clinical Pharmacology and 20 Years as a Medical Speciality. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 523-532. | 1.2 | 12 |
| 258 | Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. <i>European Journal of Emergency Medicine</i> , 2017, 24, 404-410. | 0.5 | 12 |
| 259 | Stability of the frequent COPD exacerbator in the general population: A Danish nationwide register-based study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 25. | 1.1 | 12 |
| 260 | Estimating medication stopping fraction and real-time prevalence of drug use in pharmacoepidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 909-916. | 0.9 | 12 |
| 261 | Comparison of cardiovascular events among treatments for overactive bladder: a Danish nationwide cohort study. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 193-199. | 0.8 | 12 |
| 262 | Identifying and assessing potential harm of medication errors and potentially unsafe medication practices in paediatric hospital settings: a field study. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 509-522. | 1.0 | 12 |
| 263 | Treatment with montelukast and antidepressive medication "a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1409-1415. | 0.9 | 12 |
| 264 | Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 296-305. | 0.9 | 12 |
| 265 | –The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry–. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325. | 1.5 | 12 |
| 266 | Translation, cross-cultural adaptation, and validation of the Danish version of the revised Patients'™ Attitudes Towards Deprescribing (rPATD) questionnaire: Version for older people with limited life expectancy. <i>Research in Social and Administrative Pharmacy</i> , 2021, 17, 1444-1452. | 1.5 | 12 |
| 267 | Use of hydrochlorothiazide and risk of skin cancer in a large nested case-control study in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1269-1278. | 0.9 | 12 |
| 268 | Extent of arterial calcification by conventional vitamin K antagonist treatment. <i>PLoS ONE</i> , 2020, 15, e0241450. | 1.1 | 12 |
| 269 | Core concepts in pharmacoepidemiology: Measures of drug utilization based on individual-level drug dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 1015-1026. | 0.9 | 12 |
| 270 | Pharmacist-led medication review in an acute admissions unit: a systematic procedure description. <i>European Journal of Hospital Pharmacy</i> , 2015, 22, 202-206. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , 2018, 41, 685-695. | 1.4 | 11 |
| 272 | Reuse of data sources to evaluate drug safety signals: When is it appropriate?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 567-569. | 0.9 | 11 |
| 273 | Use of topical antipsoriatic drugs in Denmark: a nationwide drug utilization study. <i>British Journal of Dermatology</i> , 2019, 180, 157-164. | 1.4 | 11 |
| 274 | A review of the Ghana National Health Insurance Scheme claims database: possibilities and limits for drug utilization research. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 18-27. | 1.2 | 11 |
| 275 | Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. <i>Age and Ageing</i> , 2021, 50, 554-558. | 0.7 | 11 |
| 276 | The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021, 190, 2181-2187. | 1.6 | 11 |
| 277 | Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. <i>Clinical Epidemiology</i> , 2022, Volume 14, 567-579. | 1.5 | 11 |
| 278 | Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214. | 0.8 | 10 |
| 279 | Comparison of Mortality in Patients With Acute Myocardial Infarction Accidentally Admitted to Non-cardiology Departments Versus That in Patients Admitted to Coronary Care Units. <i>American Journal of Cardiology</i> , 2014, 114, 1151-1157. | 0.7 | 10 |
| 280 | Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1189-1196. | 0.9 | 10 |
| 281 | Switching, Adverse Effects and Use of Over-the-Counter Analgesics among Users of Oral Anticoagulants: A Pharmacy-based Survey. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 37-43. | 1.2 | 10 |
| 282 | Treatment Failure of TNF- α Inhibitors in Obese Patients With Inflammatory Bowel Disease—A Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 2628-2633. | 0.9 | 10 |
| 283 | Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. <i>Journal of General Internal Medicine</i> , 2019, 34, 1607-1614. | 1.3 | 10 |
| 284 | Bias in case-crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1079-1085. | 0.9 | 10 |
| 285 | Prescriber responsibility, predictors for initiation, and 20-year trends in use of non-aspirin non-steroidal anti-inflammatory drugs in patients with cardiovascular contraindications: a nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 496-506. | 1.4 | 10 |
| 286 | Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 719-722. | 0.8 | 10 |
| 287 | Drug Use and Cancer Risk: A Drug-Wide Association Study (DWAS) in Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 682-689. | 1.1 | 10 |
| 288 | Opioid prescriptions before and after high-energy trauma. <i>Journal of Opioid Management</i> , 2015, 11, 313-318. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Excessive anticoagulation with warfarin or phenprocoumon may have multiple causes. Danish Medical Journal, 2012, 59, A4383. | 0.5 | 10 |
| 290 | Perception of drug teratogenicity among general practitioners and specialists in obstetrics/gynecology: a regional and national questionnaire-based survey. BMC Pregnancy and Childbirth, 2016, 16, 226. | 0.9 | 9 |
| 291 | Initiation of glucose-lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a self-controlled register study. Journal of Thrombosis and Haemostasis, 2016, 14, 129-133. | 1.9 | 9 |
| 292 | Outcome of revascularisation in stable coronary artery disease without ischaemia: a Danish registry-based follow-up study. BMJ Open, 2017, 7, e016169. | 0.8 | 9 |
| 293 | Identifying signals of interest when screening for drug-outcome associations in health care data. British Journal of Clinical Pharmacology, 2018, 84, 1865-1867. | 1.1 | 9 |
| 294 | Cohort selection in register-based studies of direct oral anticoagulant users with atrial fibrillation: An inevitable trade-off between selection bias and misclassification. Basic and Clinical Pharmacology and Toxicology, 2020, 127, 3-5. | 1.2 | 9 |
| 295 | Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries: Interrupted time series regression analysis. British Journal of Clinical Pharmacology, 2021, 87, 1129-1140. | 1.1 | 9 |
| 296 | Association of Long-term Statin Use With the Risk of Intracerebral Hemorrhage. Neurology, 2022, 99, . | 1.5 | 9 |
| 297 | Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. Arthritis Research and Therapy, 2015, 17, 304. | 1.6 | 8 |
| 298 | Characteristics and drug utilization patterns for heavy users of prescription drugs among the elderly: a Danish register-based drug utilization study. European Journal of Clinical Pharmacology, 2015, 71, 751-758. | 0.8 | 8 |
| 299 | Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. Basic and Clinical Pharmacology and Toxicology, 2016, 118, 487-495. | 1.2 | 8 |
| 300 | Ophthalmic nepafenac use in the Netherlands and Denmark. Acta Ophthalmologica, 2017, 95, 509-517. | 0.6 | 8 |
| 301 | Association between QTc prolongation and mortality in patients with suspected poisoning in the emergency department: a transnational propensity score matched cohort study. BMJ Open, 2018, 8, e020036. | 0.8 | 8 |
| 302 | Use of topical ocular antibiotics in young children: a Scandinavian drug utilization study. Acta Ophthalmologica, 2018, 96, 789-794. | 0.6 | 8 |
| 303 | Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. Journal of the American Geriatrics Society, 2019, 67, 2050-2057. | 1.3 | 8 |
| 304 | Cost-consequence analysis evaluating multifaceted clinical pharmacist intervention targeting patient transitions of care from hospital to primary care. JACCP Journal of the American College of Clinical Pharmacy, 2019, 2, 123-130. | 0.5 | 8 |
| 305 | Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. Clinical Pharmacology and Therapeutics, 2020, 107, 607-616. | 2.3 | 8 |
| 306 | Use of antiepileptic drugs and risk of skin cancer: A nationwide case-control study. Journal of the American Academy of Dermatology, 2020, 82, 326-335. | 0.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327. | 1.9 | 8 |
| 308 | Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1. | 2.8 | 8 |
| 309 | Hydrochlorothiazide and risk of melanoma subtypes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1396-1401. | 0.9 | 8 |
| 310 | Low-dose aspirin for primary and secondary prevention of cardiovascular events in Denmark 1998â€“2018. <i>Scientific Reports</i> , 2021, 11, 13603. | 1.6 | 8 |
| 311 | Risk of Appendicitis After mRNA COVID-19 Vaccination in a Danish Population. <i>JAMA Internal Medicine</i> , 2022, 182, 684. | 2.6 | 8 |
| 312 | The Danish National Prescription Registry in studies of a biological pharmaceutical: palivizumab – validation against two external data sources. <i>Clinical Epidemiology</i> , 2015, 7, 305. | 1.5 | 7 |
| 313 | Psoriasis patients’ experiences concerning medical adherence to treatment with topical corticosteroids. <i>Psoriasis: Targets and Therapy</i> , 2016, Volume 6, 113-119. | 1.2 | 7 |
| 314 | Montelukast useâ€”a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1297-1304. | 0.8 | 7 |
| 315 | Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 152-161. | 0.9 | 7 |
| 316 | Use of non-antiretroviral drugs among individuals with and without HIV-infection: a Danish nationwide study. <i>Infectious Diseases</i> , 2017, 49, 42-54. | 1.4 | 7 |
| 317 | Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1011-1018. | 0.9 | 7 |
| 318 | Identification of potential carcinogenic and chemopreventive effects of prescription drugs: a protocol for a Norwegian registry-based study. <i>BMJ Open</i> , 2019, 9, e028504. | 0.8 | 7 |
| 319 | Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , 2019, 120, 47-52. | 1.0 | 7 |
| 320 | Use of vitamin K antagonists and risk of prostate cancer: Metaâ€”analysis and nationwide caseâ€”control study. <i>International Journal of Cancer</i> , 2019, 144, 1522-1529. | 2.3 | 7 |
| 321 | â€œAbove All, Itâ€™s a Matter ofâ€” This Personâ€™s Quality of Lifeâ€” Health Care Professionalsâ€™ Perspectives on Deprescribing in Older Patients With Limited Life Expectancy. <i>Gerontologist</i> , The, 2020, 60, 439-449. | 2.3 | 7 |
| 322 | Statin use and peripheral nerve functionâ€”A prospective followâ€”up study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 203-211. | 1.2 | 7 |
| 323 | A model to predict the risk of aspirin/nonâ€”steroidal antiâ€”inflammatory drugsâ€”related upper gastrointestinal bleeding for the individual patient. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 437-443. | 1.2 | 7 |
| 324 | Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1072-1078. | 0.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | â€œI simply don't know, because I don't know which drugs I getâ€ Perspectives on deprescribing among older adults with limited life expectancy and their relatives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 115-127. | 1.2 | 7 |
| 326 | Fluoroquinolones as a trigger for rupture of abdominal aortic aneurysm: A caseâ€crossover analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 44-51. | 1.2 | 7 |
| 327 | Non-vitamin K antagonist oral anticoagulants, proton pump inhibitors and gastrointestinal bleeds. <i>Heart</i> , 2022, 108, 613-618. | 1.2 | 7 |
| 328 | Strengthening international surveillance of vaccine safety. <i>BMJ, The</i> , 2021, 374, n1994. | 3.0 | 7 |
| 329 | Use of hydrochlorothiazide in Denmark following publication of skin cancer risk findings. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1611-1616. | 0.9 | 7 |
| 330 | Reninâ€Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e017297. | 1.6 | 7 |
| 331 | Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , 2014, 12, 0-0. | 0.8 | 7 |
| 332 | Melatonin use among children, adolescents, and young adults: a Danish nationwide drug utilization study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 2021-2029. | 2.8 | 7 |
| 333 | Process- and patient-reported outcomes of a multifaceted medication adherence intervention for hypertensive patients in secondary care. <i>Research in Social and Administrative Pharmacy</i> , 2016, 12, 302-318. | 1.5 | 6 |
| 334 | External adjustment of unmeasured confounders in a caseâ€control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2517-2527. | 1.1 | 6 |
| 335 | Likelihood of reporting medication errors in hospitalized children: a survey of nurses and physicians. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 179-192. | 1.0 | 6 |
| 336 | Switching Between Antibiotics Among Danish Children 0â€4 Years of Age. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 1112-1117. | 1.1 | 6 |
| 337 | Use of attentionâ€deficit/hyperactivity disorder medication among older adults in Denmark. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1505-1513. | 1.1 | 6 |
| 338 | Incidence of Common Cancers in Users of Antimuscarinic Medications for Overactive Bladder: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 612-619. | 1.2 | 6 |
| 339 | Association between diabetes and oncological outcomes in patients undergoing neoadjuvant chemo-radiotherapy for rectal cancer. <i>Surgical Oncology</i> , 2019, 28, 62-66. | 0.8 | 6 |
| 340 | New-Onset Atrial Fibrillation Among Patients With Infection in the Emergency Department: A Multicenter Cohort Study of 1-Year Stroke Risk. <i>American Journal of Medicine</i> , 2020, 133, 352-359.e3. | 0.6 | 6 |
| 341 | Randomised trial of telephone counselling to improve participants' adherence to prescribed drugs in a vascular screening trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 477-487. | 1.2 | 6 |
| 342 | End-of-life anticancer treatment â€ a nationwide registry-based study of trends in the use of chemo-, endocrine, immune-, and targeted therapies. <i>Acta Oncol3gica</i> , 2021, 60, 961-967. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. <i>Drug Safety</i> , 2021, 44, 899-915. | 1.4 | 6 |
| 344 | Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 257-259. | 0.9 | 6 |
| 345 | Who prescribes quetiapine in Denmark?. <i>British Journal of Clinical Pharmacology</i> , 2022, , . | 1.1 | 6 |
| 346 | Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 919-924. | 0.8 | 5 |
| 347 | Inconsistencies in reporting of renal elimination among NOACs: the case of apixaban. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 346-348. | 0.9 | 5 |
| 348 | Methodological challenges when evaluating potential off-label prescribing of drugs using electronic health care databases: A case study of dabigatran etexilate in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 713-723. | 0.9 | 5 |
| 349 | Seventeen-Year Nationwide Trends in Use of Long-Acting Bronchodilators and Inhaled Corticosteroids among Adults – A Danish Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 58-64. | 1.2 | 5 |
| 350 | Qualitative exploration of practices to prevent medication errors in neonatal intensive care units: a focus group study. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 343-353. | 1.0 | 5 |
| 351 | The Effect of Flucloxacillin on Warfarin Anticoagulation: A Swedish Register-Based Nationwide Cohort Study. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1617-1623. | 1.8 | 5 |
| 352 | Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , 2020, 46, 704-708. | 0.4 | 5 |
| 353 | Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms – Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 36-42. | 0.8 | 5 |
| 354 | Antimycotic Treatment of Oral Candidiasis in Warfarin Users. <i>American Journal of Medicine</i> , 2021, 134, e308-e312. | 0.6 | 5 |
| 355 | Considerations regarding choice of primary outcome in clinical trials in deprescribing. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3032-3034. | 1.1 | 5 |
| 356 | <p><p>Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes</p></p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 447-455. | 1.5 | 5 |
| 357 | Decreased plasma lipid levels in a statin-free Danish primary health care cohort between 2001 and 2018. <i>Lipids in Health and Disease</i> , 2021, 20, 147. | 1.2 | 5 |
| 358 | Lithium and the risk of chronic kidney disease: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 131, 129-137. | 1.2 | 5 |
| 359 | Patient characteristics among users of analgesic over-the-counter aspirin in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 693-696. | 1.0 | 4 |
| 360 | Depressive symptoms in women's midlife in relation to their body weight before, during and after childbearing years. <i>Obesity Science and Practice</i> , 2016, 2, 415-425. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Individual-level drug utilization analyses. , 2016, , 68-76. | | 4 |
| 362 | Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 314-319. | 1.2 | 4 |
| 363 | Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. Acta Obstetrica Et Gynecologica Scandinavica, 2018, 97, 1332-1338. | 1.3 | 4 |
| 364 | Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. Acta Oncologica, 2019, 58, 852-858. | 0.8 | 4 |
| 365 | Patient Involvement in Evaluation of Safety in Oral Antineoplastic Treatment: A Failure Mode and Effects Analysis in Patients and Health Care Professionals. Quality Management in Health Care, 2019, 28, 33-38. | 0.4 | 4 |
| 366 | Association of Statin Use and Oncological Outcomes After Neoadjuvant Radiotherapy in Patients With Rectal Cancer. Anticancer Research, 2019, 39, 2177-2182. | 0.5 | 4 |
| 367 | Outcome postponement as a potential patient centred measure of therapeutic benefit: examples in cardiovascular medicine. Acta Cardiologica, 2020, 75, 10-19. | 0.3 | 4 |
| 368 | Use of proton pump inhibitors and mortality among Icelandic patients with prostate cancer. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 484-491. | 1.2 | 4 |
| 369 | Customers' information seeking behavior prior to community pharmacy visits: A community pharmacy survey. Research in Social and Administrative Pharmacy, 2020, 16, 1442-1446. | 1.5 | 4 |
| 370 | Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. Epidemiology, 2020, 31, 860-871. | 1.2 | 4 |
| 371 | Association between inhaled corticosteroid use and COVID-19 outcomes. Pharmacoepidemiology and Drug Safety, 2021, 30, 1486-1492. | 0.9 | 4 |
| 372 | Changes in oral corticosteroid use in asthma treatment – a 20-year Danish nationwide drug utilization study. Basic and Clinical Pharmacology and Toxicology, 2021, , . | 1.2 | 4 |
| 373 | High Validity of the Danish National Patient Registry for Systemic Anticancer Treatment Registration from 2009 to 2019. Clinical Epidemiology, 2021, Volume 13, 1085-1094. | 1.5 | 4 |
| 374 | International Society for Pharmacoepidemiology (ISPE) statement on American Society of Clinical Oncology's new policy for relationships with companies. Pharmacoepidemiology and Drug Safety, 2014, 23, 1-2. | 0.9 | 3 |
| 375 | Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study – An application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 1520-1526. | 0.9 | 3 |
| 376 | Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. Clinical Epidemiology, 2017, Volume 9, 591-600. | 1.5 | 3 |
| 377 | Disproportionality Analysis Used to Identify Patterns in Medication Error Reports Involving Hospitalized Children. Basic and Clinical Pharmacology and Toxicology, 2018, 122, 531-533. | 1.2 | 3 |
| 378 | Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 288-293. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996–2013. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 486-493. | 1.2 | 3 |
| 380 | Clinical characteristics and glucose-lowering drug utilization among patients initiating liraglutide in Denmark: a routine clinical care prescription study. <i>Journal of Diabetes</i> , 2019, 11, 690-694. | 0.8 | 3 |
| 381 | Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020, 31, 139-151. | 0.8 | 3 |
| 382 | Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020, 6, 00479-2020. | 1.1 | 3 |
| 383 | Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. <i>American Journal of Medicine</i> , 2020, 133, e280-e289. | 0.6 | 3 |
| 384 | Using the Case-Crossover Design to Assess Short-Term Risks of Bleeding and Arterial Thromboembolism After Switching Between Oral Anticoagulants in a Population-Based Cohort of Patients With Atrial Fibrillation. <i>American Journal of Epidemiology</i> , 2020, 189, 1467-1477. | 1.6 | 3 |
| 385 | Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 482-491. | 0.9 | 3 |
| 386 | Prenatal exposure to nitrofurantoin and risk of childhood leukaemia: a registry-based cohort study in four Nordic countries. <i>International Journal of Epidemiology</i> , 2022, 51, 778-788. | 0.9 | 3 |
| 387 | A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. <i>Current Medical Research and Opinion</i> , 2021, 37, 867-877. | 0.9 | 3 |
| 388 | Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1291.e1-1291.e5. | 2.8 | 3 |
| 389 | Core concepts in pharmacoepidemiology: Fundamentals of the cohort and case-control study designs. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 817-826. | 0.9 | 3 |
| 390 | Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 5269-5294. | 1.1 | 3 |
| 391 | Reply to "Evidence for harm, comment on" by <sc>K</sc>ripke & <sc>L</sc>anger. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 188-189. | 1.1 | 2 |
| 392 | Use of acid-suppressive therapy before anti-reflux surgery in 2922 patients: a nationwide register-based study in Denmark. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 84-90. | 1.9 | 2 |
| 393 | Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , 2018, 5, 109-116. | 0.7 | 2 |
| 394 | The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) •EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1640-1641. | 0.9 | 2 |
| 395 | Unavailable prescriptions at Danish community pharmacies: A descriptive study. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 672-676. | 1.0 | 2 |
| 396 | Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1025-1032. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Exposure to phthalate-containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 528-535. | 0.9 | 2 |
| 398 | Conization and healthcare use: a population-based register study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 124-130. | 0.6 | 2 |
| 399 | Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 648-652. | 2.2 | 2 |
| 400 | Drug-drug interactions between vitamin K antagonists and statins: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1435-1441. | 0.8 | 2 |
| 401 | Does administration of vaginal estrogens increase the risk of venous thromboembolism: a case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 385-388. | 1.2 | 2 |
| 402 | Medication-Focused Patient Counseling Upon Discharge: A Feasibility Study of Effect on Patient Satisfaction. <i>Pharmacy (Basel, Switzerland)</i> , 2020, 8, 8. | 0.6 | 2 |
| 403 | Comment on "Hydrochlorothiazide use and the risk of skin cancer in patients with hypertensive disorder: a nationwide retrospective cohort study from Korea". <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1014-1015. | 0.7 | 2 |
| 404 | Prescription rates for commonly used drugs before and after a prostate cancer diagnosis. <i>Cancer Causes and Control</i> , 2022, , 1. | 0.8 | 2 |
| 405 | Use of chlorprothixene and the risk of diabetes and major adverse cardiovascular events: a nationwide cohort study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, , . | 1.2 | 2 |
| 406 | PR interval prolongation and 1-year mortality among emergency department patients: a multicentre transnational cohort study. <i>BMJ Open</i> , 2021, 11, e054238. | 0.8 | 2 |
| 407 | Trends and predictors of specialist assessments in oral corticosteroid treated asthma among young adults. <i>ERJ Open Research</i> , 2022, 8, 00142-2022. | 1.1 | 2 |
| 408 | Epidural analgesia and postoperative complications in colorectal cancer surgery. An observational registry-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 869-879. | 0.7 | 2 |
| 409 | Abnormal cervical cytology and health care use: A population-based register study. <i>Gynecologic Oncology</i> , 2015, 139, 63-69. | 0.6 | 1 |
| 410 | Re: Pregabalin prescriptions in the United Kingdom - a drug utilisation study of The Health Improvement Network (THIN) primary care database by Asomaning et al.. <i>International Journal of Clinical Practice</i> , 2016, 70, 696-696. | 0.8 | 1 |
| 411 | Time for integrating clinical, lifestyle and molecular data to predict drug responses " Authors' reply. <i>EBioMedicine</i> , 2016, 7, 11. | 2.7 | 1 |
| 412 | Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 919-929. | 1.4 | 1 |
| 413 | P720 Use of proton pump inhibitors associated with a markedly increased risk of microscopic colitis. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S448-S449. | 0.6 | 1 |
| 414 | Hydrochlorothiazide and the Risk of Malignant Melanoma"Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 1425. | 2.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Re: "Association Between Thionamides and Acute Pancreatitis: A Case-Control Study" by Guo <i>et al.</i> . <i>Thyroid</i> , 2021, 31, 147-147. | 2.4 | 1 |
| 416 | Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 619-625. | 0.9 | 1 |
| 417 | Online tool to create publication ready graphical depictions of longitudinal study design implemented in healthcare databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 982-982. | 0.9 | 1 |
| 418 | Multidisciplinary telephone conferences about medication therapy after discharge of older inpatients: a feasibility study. <i>International Journal of Clinical Pharmacy</i> , 2021, 43, 1381-1393. | 1.0 | 1 |
| 419 | Use of non-insulin antidiabetic drugs in children and young adults " A Scandinavian drug utilization study from 2010-2019. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 4470-4475. | 1.1 | 1 |
| 420 | Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1566-1575. | 0.9 | 1 |
| 421 | Use of sedating medications around nursing home admission in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1560-1565. | 0.9 | 1 |
| 422 | Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1727-1734. | 0.9 | 1 |
| 423 | High-dose non-sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab. <i>Clinical and Translational Allergy</i> , 2021, 11, e12085. | 1.4 | 1 |
| 424 | Title is missing!. , 2020, 17, e1003308. | | 1 |
| 425 | The neurological safety of covid-19 vaccines. <i>BMJ, The</i> , 2022, 376, o522. | 3.0 | 1 |
| 426 | Health care professionals' perspectives on medication safety among older migrants with cognitive impairment exposed to polypharmacy " A qualitative explorative study. <i>Exploratory Research in Clinical and Social Pharmacy</i> , 2022, 5, 100128. | 0.6 | 1 |
| 427 | Characteristics of New Users of Acclidinium Bromide, Acclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. <i>Clinical Drug Investigation</i> , 2022, 42, 319-331. | 1.1 | 1 |
| 428 | Inhalation anaesthesia compared with total intravenous anaesthesia and postoperative complications in colorectal cancer surgery: an observational registry-based study". <i>British Journal of Anaesthesia</i> , 2022, , . | 1.5 | 1 |
| 429 | Analysis of Antiemetic Use After Initiation of Hormone Therapy. <i>JAMA Network Open</i> , 2022, 5, e2211883. | 2.8 | 1 |
| 430 | Prescription rates for drugs used in treatment of benign prostatic hyperplasia and erectile dysfunction before and after prostate cancer diagnosis. <i>Acta Oncologica</i> , 2022, 61, 931-938. | 0.8 | 1 |
| 431 | Psychopharmacological treatment patterns prior to a schizophrenia diagnosis: A Danish nationwide study. <i>Schizophrenia Research</i> , 2022, 246, 268-276. | 1.1 | 1 |
| 432 | Letter to the Editor: Danish ADHD data sets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, e6. | 3.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | Editorial: anti-secretory therapy prior to anti-reflux surgery. Does dose matter? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 627-627. | 1.9 | 0 |
| 434 | AB0921...Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1208.2-1208. | 0.5 | 0 |
| 435 | Enough Power to Build a Strong Case for Clinical Pharmacy Services? Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 864. | 2.6 | 0 |
| 436 | Reply to "Comment on "Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark". <i>Journal of the American Academy of Dermatology</i> , 2021, 85, e359-e360. | 0.6 | 0 |
| 437 | Reply to: "Thiazides and nonmelanoma skin cancer: Is it a class effect?". <i>Journal of the American Academy of Dermatology</i> , 2020, 82, e27. | 0.6 | 0 |
| 438 | Use of Tic-Suppressing Medication and Other Psychotropic Drugs in Children and Adolescents with Newly Diagnosed Tic Disorders in Denmark. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 476-485. | 0.7 | 0 |
| 439 | No association between hydrochlorothiazide use and uveal melanoma. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1343-1344. | 0.8 | 0 |
| 440 | Author response: Use of Î²2-adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2020, 94, 899-899. | 1.5 | 0 |
| 441 | Postponement of cardiovascular outcomes by statin use: A systematic review and meta-analysis of randomized clinical trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 286-296. | 1.2 | 0 |
| 442 | Cervical cancer survivors and health care use: A Danish population-based register study. <i>Gynecologic Oncology</i> , 2021, 161, 565-572. | 0.6 | 0 |
| 443 | A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , 2021, 21, 144. | 1.4 | 0 |
| 444 | Letter to the Editor Reply in response to "COVID-19 mortality " The culprit may not be proton pump inhibitors" (CGH-D-21-01887). <i>Clinical Gastroenterology and Hepatology</i> , 2021, , . | 2.4 | 0 |
| 445 | Retinoids are not linked to risk of multiple sclerosis: A Danish nationwide cohort study. <i>European Journal of Neurology</i> , 2022, 29, 247-256. | 1.7 | 0 |
| 446 | Hospital Physicians' Influence on Gastrointestinal Protection during Treatment with Non-Steroidal Anti-Inflammatory Drugs and Acetylsalicylic Acid and the Impact on Prescribing in Primary Care. <i>PLoS ONE</i> , 2013, 8, e81845. | 1.1 | 0 |
| 447 | <sc>RE</sc>: Gout and sodium-glucose cotransporter 2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 114-115. | 0.9 | 0 |
| 448 | Translational pharmacology: Closing the mechanistic gap. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, , . | 1.2 | 0 |
| 449 | Sampling in the case-time-control design among drug users when outcome prevents further treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, , . | 0.9 | 0 |
| 450 | Title is missing!. , 2020, 17, e1003308. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Title is missing!. , 2020, 17, e1003308. | | 0 |
| 452 | Title is missing!. , 2020, 17, e1003308. | | 0 |
| 453 | Title is missing!.. , 2020, 17, e1003308. | | 0 |
| 454 | Identification of Drug-Cancer Associations: A Nationwide Screening Study. Cancer Research Communications, 2022, 2, 552-560. | 0.7 | 0 |