

Anton Pottegård

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2066791/publications.pdf>

Version: 2024-02-01

454
papers

15,070
citations

26610

56
h-index

32815

100
g-index

464
all docs

464
docs citations

464
times ranked

16909
citing authors

#	ARTICLE	IF	CITATIONS
1	Melatonin use among children, adolescents, and young adults: a Danish nationwide drug utilization study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 2021-2029.	2.8	7
2	Prenatal exposure to nitrofurantoin and risk of childhood leukaemia: a registry-based cohort study in four Nordic countries. <i>International Journal of Epidemiology</i> , 2022, 51, 778-788.	0.9	3
3	Non-vitamin K antagonist oral anticoagulants, proton pump inhibitors and gastrointestinal bleeds. <i>Heart</i> , 2022, 108, 613-618.	1.2	7
4	Evaluating the use of prescription sequence symmetry analysis as a pharmacovigilance tool: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 3079-3093.	1.5	18
5	Considerations regarding choice of primary outcome in clinical trials in deprescribing. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3032-3034.	1.1	5
6	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2022, 59, 2100769.	3.1	17
7	Retinoids are not linked to risk of multiple sclerosis: A Danish nationwide cohort study. <i>European Journal of Neurology</i> , 2022, 29, 247-256.	1.7	0
8	<sc>RE</sc>: Gout and sodium-glucose cotransporter-2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 114-115.	0.9	0
9	Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 257-259.	0.9	6
10	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504.	0.8	15
11	Prescription rates for commonly used drugs before and after a prostate cancer diagnosis. <i>Cancer Causes and Control</i> , 2022, , 1.	0.8	2
12	Sampling in the case-time-control design among drug users when outcome prevents further treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, , .	0.9	0
13	Low-dose oral corticosteroids in asthma associates with increased morbidity and mortality. <i>European Respiratory Journal</i> , 2022, 60, 2103054.	3.1	20
14	Use of chlorprothixene and the risk of diabetes and major adverse cardiovascular events: a nationwide cohort study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, , .	1.2	2
15	The neurological safety of covid-19 vaccines. <i>BMJ, The</i> , 2022, 376, o522.	3.0	1
16	Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. <i>European Heart Journal</i> , 2022, 43, 3528-3538.	1.0	22
17	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1291.e1-1291.e5.	2.8	3
18	Health care professionals' perspectives on medication safety among older migrants with cognitive impairment exposed to polypharmacy â€“ A qualitative explorative study. <i>Exploratory Research in Clinical and Social Pharmacy</i> , 2022, 5, 100128.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Characteristics of New Users of Acclidinium Bromide, Acclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. <i>Clinical Drug Investigation</i> , 2022, 42, 319-331.	1.1	1
20	Risk of adverse events after covid-19 in Danish children and adolescents and effectiveness of BNT162b2 in adolescents: cohort study. <i>BMJ</i> , The, 2022, 377, e068898.	3.0	24
21	Risk of Appendicitis After mRNA COVID-19 Vaccination in a Danish Population. <i>JAMA Internal Medicine</i> , 2022, 182, 684.	2.6	8
22	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. <i>Clinical Epidemiology</i> , 2022, Volume 14, 567-579.	1.5	11
23	Inhalation anaesthesia compared with total intravenous anaesthesia and postoperative complications in colorectal cancer surgery: an observational registry-based study. <i>British Journal of Anaesthesia</i> , 2022, , .	1.5	1
24	Analysis of Antiemetic Use After Initiation of Hormone Therapy. <i>JAMA Network Open</i> , 2022, 5, e2211883.	2.8	1
25	Who prescribes quetiapine in Denmark?. <i>British Journal of Clinical Pharmacology</i> , 2022, , .	1.1	6
26	Association of Long-term Statin Use With the Risk of Intracerebral Hemorrhage. <i>Neurology</i> , 2022, 99, .	1.5	9
27	Core concepts in pharmacoepidemiology: Fundamentals of the cohort and case-control study designs. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 817-826.	0.9	3
28	Lithium and the risk of chronic kidney disease: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 131, 129-137.	1.2	5
29	Trends and predictors of specialist assessments in oral corticosteroid treated asthma among young adults. <i>ERJ Open Research</i> , 2022, 8, 00142-2022.	1.1	2
30	Identification of Drug-Cancer Associations: A Nationwide Screening Study. <i>Cancer Research Communications</i> , 2022, 2, 552-560.	0.7	0
31	Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 5269-5294.	1.1	3
32	Prescription rates for drugs used in treatment of benign prostatic hyperplasia and erectile dysfunction before and after prostate cancer diagnosis. <i>Acta Oncologica</i> , 2022, 61, 931-938.	0.8	1
33	Epidural analgesia and postoperative complications in colorectal cancer surgery. An observational registry-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 869-879.	0.7	2
34	Core concepts in pharmacoepidemiology: Measures of drug utilization based on individual-level drug dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 1015-1026.	0.9	12
35	Psychopharmacological treatment patterns prior to a schizophrenia diagnosis: A Danish nationwide study. <i>Schizophrenia Research</i> , 2022, 246, 268-276.	1.1	1
36	Reply to "Comment on "Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark". <i>Journal of the American Academy of Dermatology</i> , 2021, 85, e359-e360.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Translation, cross-cultural adaptation, and validation of the Danish version of the revised Patients' Attitudes Towards Deprescribing (rPATD) questionnaire: Version for older people with limited life expectancy. <i>Research in Social and Administrative Pharmacy</i> , 2021, 17, 1444-1452.	1.5	12
38	Prescriber responsibility, predictors for initiation, and 20-year trends in use of non-aspirin non-steroidal anti-inflammatory drugs in patients with cardiovascular contraindications: a nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 496-506.	1.4	10
39	Drug-drug interaction between warfarin and statins: A Danish cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 694-699.	1.1	15
40	I don't simply don't know, because I don't know which drugs I get: Perspectives on deprescribing among older adults with limited life expectancy and their relatives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 115-127.	1.2	7
41	Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries: Interrupted time series regression analysis. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1129-1140.	1.1	9
42	Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 648-652.	2.2	2
43	Antimycotic Treatment of Oral Candidiasis in Warfarin Users. <i>American Journal of Medicine</i> , 2021, 134, e308-e312.	0.6	5
44	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021, 76, 370-379.	2.7	15
45	Drug Use and Cancer Risk: A Drug-Wide Association Study (DWAS) in Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 682-689.	1.1	10
46	Use of Hydrochlorothiazide and Risk of Melanoma and Nonmelanoma Skin Cancer. <i>Drug Safety</i> , 2021, 44, 245-254.	1.4	27
47	Use of tramadol and other analgesics following media attention and risk minimization actions from regulators: a Danish nationwide drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 617-624.	0.8	17
48	Postponement of cardiovascular outcomes by statin use: A systematic review and meta-analysis of randomized clinical trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 286-296.	1.2	0
49	Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. <i>Age and Ageing</i> , 2021, 50, 554-558.	0.7	11
50	Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 482-491.	0.9	3
51	Use of ACE (Angiotensin-Converting Enzyme) Inhibitors and Risk of Lung Cancer. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e006687.	0.9	18
52	Venous Thromboembolism and Major Bleeding in Patients With Coronavirus Disease 2019 (COVID-19): A Nationwide, Population-Based Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 2283-2293.	2.9	44
53	Re: "Association Between Thionamides and Acute Pancreatitis: A Case-Control Study" by Guo <i>et al.</i> <i>Thyroid</i> , 2021, 31, 147-147.	2.4	1
54	Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2982-2987.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Attitudes towards deprescribing: The perspectives of geriatric patients and nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1508-1518.	1.3	18
56	Comparable COVID-19 outcomes with current use of GLP-1 receptor agonists, DPP-4 inhibitors or SGLT-2 inhibitors among patients with diabetes who tested positive for SARS-CoV-2. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1397-1401.	2.2	53
57	Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 619-625.	0.9	1
58	End-of-life anticancer treatment – a nationwide registry-based study of trends in the use of chemo-, endocrine, immune-, and targeted therapies. <i>Acta Oncologica</i> , 2021, 60, 961-967.	0.8	6
59	A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. <i>Current Medical Research and Opinion</i> , 2021, 37, 867-877.	0.9	3
60	Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021, 64, 1563-1571.	2.9	24
61	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , 2021, 157, 275.	2.0	42
62	Control yourself: ISPE-endorsed guidance in the application of self-controlled study designs in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 671-684.	0.9	36
63	Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 197-199.	5.5	44
64	Online tool to create publication ready graphical depictions of longitudinal study design implemented in healthcare databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 982-982.	0.9	1
65	Multidisciplinary telephone conferences about medication therapy after discharge of older inpatients: a feasibility study. <i>International Journal of Clinical Pharmacy</i> , 2021, 43, 1381-1393.	1.0	1
66	The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021, 190, 2181-2187.	1.6	11
67	Use of non-insulin antidiabetic drugs in children and young adults – A Scandinavian drug utilization study from 2010–2019. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 4470-4475.	1.1	1
68	Fluoroquinolones as a trigger for rupture of abdominal aortic aneurysm: A case-crossover analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 44-51.	1.2	7
69	Association of Glycolysis-Enhancing β -1 Blockers With Risk of Developing Parkinson Disease. <i>JAMA Neurology</i> , 2021, 78, 407.	4.5	42
70	Drug-drug interactions between vitamin K antagonists and statins: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1435-1441.	0.8	2
71	Inhalation or total intravenous anaesthesia and recurrence after colorectal cancer surgery: a propensity score matched Danish registry-based study. <i>British Journal of Anaesthesia</i> , 2021, 126, 921-930.	1.5	34
72	Association of Low-Dose Quetiapine and Diabetes. <i>JAMA Network Open</i> , 2021, 4, e213209.	2.8	14

#	ARTICLE	IF	CITATIONS
73	Cervical cancer survivors and health care use: A Danish population-based register study. <i>Gynecologic Oncology</i> , 2021, 161, 565-572.	0.6	0
74	Sodium-glucose cotransporter 2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1391-1395.	0.9	19
75	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380.	2.8	17
76	Hydrochlorothiazide and risk of melanoma subtypes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1396-1401.	0.9	8
77	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , 2021, 373, n1114.	3.0	298
78	Use of hydrochlorothiazide and risk of skin cancer in a large nested case-control study in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1269-1278.	0.9	12
79	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , 2021, 23, 1722-1730.	0.7	24
80	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1566-1575.	0.9	1
81	Use of hypnotic drugs among children, adolescents, and young adults in Scandinavia. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 100-112.	2.2	17
82	Low-dose aspirin for primary and secondary prevention of cardiovascular events in Denmark 1998-2018. <i>Scientific Reports</i> , 2021, 11, 13603.	1.6	8
83	A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , 2021, 21, 144.	1.4	0
84	Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. <i>Drug Safety</i> , 2021, 44, 899-915.	1.4	6
85	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , 2021, Volume 13, 569-579.	1.5	18
86	Use of sedating medications around nursing home admission in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1560-1565.	0.9	1
87	Strengthening international surveillance of vaccine safety. <i>BMJ, The</i> , 2021, 374, n1994.	3.0	7
88	Association between inhaled corticosteroid use and COVID-19 outcomes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1486-1492.	0.9	4
89	Does administration of vaginal estrogens increase the risk of venous thromboembolism: a case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 385-388.	1.2	2
90	Use of hydrochlorothiazide in Denmark following publication of skin cancer risk findings. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1611-1616.	0.9	7

#	ARTICLE	IF	CITATIONS
91	Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1727-1734.	0.9	1
92	Letter to the Editor Reply in response to "COVID-19 mortality" The culprit may not be proton pump inhibitors (CGH-D-21-01887). <i>Clinical Gastroenterology and Hepatology</i> , 2021, , .	2.4	0
93	Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1845-1854.e6.	2.4	22
94	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1373-1382.	4.6	194
95	Changes in oral corticosteroid use in asthma treatment – a 20-year Danish nationwide drug utilization study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, , .	1.2	4
96	Decreased plasma lipid levels in a statin-free Danish primary health care cohort between 2001 and 2018. <i>Lipids in Health and Disease</i> , 2021, 20, 147.	1.2	5
97	High Validity of the Danish National Patient Registry for Systemic Anticancer Treatment Registration from 2009 to 2019. <i>Clinical Epidemiology</i> , 2021, Volume 13, 1085-1094.	1.5	4
98	Translational pharmacology: Closing the mechanistic gap. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, , .	1.2	0
99	Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2136802.	2.8	33
100	High-dose non-sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab. <i>Clinical and Translational Allergy</i> , 2021, 11, e12085.	1.4	1
101	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). <i>Clinical Epidemiology</i> , 2021, Volume 13, 1141-1153.	1.5	13
102	PR interval prolongation and 1-year mortality among emergency department patients: a multicentre transnational cohort study. <i>BMJ Open</i> , 2021, 11, e054238.	0.8	2
103	Outcome postponement as a potential patient centred measure of therapeutic benefit: examples in cardiovascular medicine. <i>Acta Cardiologica</i> , 2020, 75, 10-19.	0.3	4
104	Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and meta-analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 21-31.	1.2	13
105	Reply to: "Thiazides and nonmelanoma skin cancer: Is it a class effect?" <i>Journal of the American Academy of Dermatology</i> , 2020, 82, e27.	0.6	0
106	New-Onset Atrial Fibrillation Among Patients With Infection in the Emergency Department: A Multicenter Cohort Study of 1-Year Stroke Risk. <i>American Journal of Medicine</i> , 2020, 133, 352-359.e3.	0.6	6
107	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 607-616.	2.3	8
108	Trends in antidepressant use among children and adolescents: a Scandinavian drug utilization study. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 34-42.	2.2	16

#	ARTICLE	IF	CITATIONS
109	“Above All, It’s a Matter of% This Person’s Quality of Life” Health Care Professionals’ Perspectives on Deprescribing in Older Patients With Limited Life Expectancy. <i>Gerontologist</i> , The, 2020, 60, 439-449.	2.3	7
110	Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. <i>Journal of the National Cancer Institute</i> , 2020, 112, 964-967.	3.0	24
111	Use of antiepileptic drugs and risk of skin cancer: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 326-335.	0.6	8
112	Statin use and peripheral nerve function—A prospective follow-up study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 203-211.	1.2	7
113	Validation of a comorbidity index for use in obstetric patients: A nationwide cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 399-405.	1.3	14
114	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	1.9	8
115	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case-control study. <i>International Journal of Cancer</i> , 2020, 146, 1930-1936.	2.3	22
116	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020, 31, 139-151.	0.8	3
117	Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , 2020, 46, 704-708.	0.4	5
118	Morbidity and mortality among older people admitted to nursing home. <i>Age and Ageing</i> , 2020, 49, 67-73.	0.7	39
119	A model to predict the risk of aspirin/non-steroidal anti-inflammatory drugs-related upper gastrointestinal bleeding for the individual patient. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 437-443.	1.2	7
120	Use of proton pump inhibitors and mortality among Icelandic patients with prostate cancer. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 484-491.	1.2	4
121	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 296-305.	0.9	12
122	Customers’ information seeking behavior prior to community pharmacy visits: A community pharmacy survey. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 1442-1446.	1.5	4
123	Reduced prevalence of SARS-CoV-2 infection in ABO blood group O. <i>Blood Advances</i> , 2020, 4, 4990-4993.	2.5	125
124	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1072-1078.	0.9	7
125	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	2.8	8
126	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020, 6, 00479-2020.	1.1	3

#	ARTICLE	IF	CITATIONS
127	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020, 3, e2013880.	2.8	17
128	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. <i>Epidemiology</i> , 2020, 31, 860-871.	1.2	4
129	Characteristics and predictors of hospitalization and death in the first 11 122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020, 49, 1468-1481.	0.9	219
130	<p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 875-881.	1.5	37
131	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003308.	3.9	76
132	Use of Tic-Suppressing Medication and Other Psychotropic Drugs in Children and Adolescents with Newly Diagnosed Tic Disorders in Denmark. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 476-485.	0.7	0
133	<p>The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325.	1.5	12
134	Cohort selection in registerâ€based studies of direct oral anticoagulant users with atrial fibrillation: An inevitable tradeâ€off between selection bias and misclassification. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 3-5.	1.2	9
135	Considerations for pharmacoepidemiological analyses in the <scp>SARSâ€CoV</scp>â€2 pandemic. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 825-831.	0.9	36
136	Association of aortic valve calcification and vitamin K antagonist treatment. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 718-724.	0.5	14
137	No association between hydrochlorothiazide use and uveal melanoma. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1343-1344.	0.8	0
138	Attitudes Towards Deprescribing Among Older Adults with Limited Life Expectancy and Their Relatives: A Systematic Review. <i>Drugs and Aging</i> , 2020, 37, 503-520.	1.3	24
139	Randomised trial of telephone counselling to improve participants' adherence to prescribed drugs in a vascular screening trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 477-487.	1.2	6
140	Bias in caseâ€crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1079-1085.	0.9	10
141	Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry. <i>Epidemiology</i> , 2020, 31, 599-603.	1.2	15
142	Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. <i>American Journal of Medicine</i> , 2020, 133, e280-e289.	0.6	3
143	Use of medication among nursing home residents: a Danish drug utilisation study. <i>Age and Ageing</i> , 2020, 49, 814-820.	0.7	19
144	Using the Case-Crossover Design to Assess Short-Term Risks of Bleeding and Arterial Thromboembolism After Switching Between Oral Anticoagulants in a Population-Based Cohort of Patients With Atrial Fibrillation. <i>American Journal of Epidemiology</i> , 2020, 189, 1467-1477.	1.6	3

#	ARTICLE	IF	CITATIONS
145	Author response: Use of β -adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2020, 94, 899-899.	1.5	0
146	Risk of squamous cell carcinoma of the lip and cutaneous melanoma in older Australians using hydrochlorothiazide: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 320-328.	1.2	23
147	Differences Between Randomized Clinical Trial Participants and Real-World Empagliflozin Users and the Changes in Their Glycated Hemoglobin Levels. <i>JAMA Network Open</i> , 2020, 3, e1920949.	2.8	13
148	Sex differences in text-mined possible adverse drug events associated with drugs for psychosis. <i>Journal of Psychopharmacology</i> , 2020, 34, 532-539.	2.0	13
149	Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 187-189.	5.5	35
150	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 719-722.	0.8	10
151	β -adrenoreceptors and the risk of Parkinson's disease. <i>Lancet Neurology</i> , 2020, 19, 247-254.	4.9	49
152	Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms – Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 36-42.	0.8	5
153	Long-term oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 644-651.	1.9	14
154	Renin-Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e017297.	1.6	7
155	Extent of arterial calcification by conventional vitamin K antagonist treatment. <i>PLoS ONE</i> , 2020, 15, e0241450.	1.1	12
156	Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes. <i>Clinical Epidemiology</i> , 2020, Volume 12, 447-455.	1.5	5
157	Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1371-1380.	1.5	15
158	Medication-Focused Patient Counseling Upon Discharge: A Feasibility Study of Effect on Patient Satisfaction. <i>Pharmacy (Basel, Switzerland)</i> , 2020, 8, 8.	0.6	2
159	Comment on "Hydrochlorothiazide use and the risk of skin cancer in patients with hypertensive disorder: a nationwide retrospective cohort study from Korea". <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1014-1015.	0.7	2
160	Title is missing!. , 2020, 17, e1003308.		1
161	Title is missing!. , 2020, 17, e1003308.		0
162	Title is missing!. , 2020, 17, e1003308.		0

#	ARTICLE	IF	CITATIONS
163	Title is missing!. , 2020, 17, e1003308.		0
164	Title is missing!. , 2020, 17, e1003308.		0
165	Use of topical antipsoriatic drugs in Denmark: a nationwide drug utilization study. <i>British Journal of Dermatology</i> , 2019, 180, 157-164.	1.4	11
166	Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2050-2057.	1.3	8
167	The Effect of Flucloxacillin on Warfarin Anticoagulation: A Swedish Register-Based Nationwide Cohort Study. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1617-1623.	1.8	5
168	Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 293-299.	0.5	27
169	Validity of ICDâ€9 and ICDâ€10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 965-975.	0.9	18
170	Use of hydrochlorothiazide and risk of skin cancer: a nationwide Taiwanese caseâ€control study. <i>British Journal of Cancer</i> , 2019, 121, 973-978.	2.9	40
171	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) â€EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1640-1641.	0.9	2
172	Trends of Opioid Utilisation in Denmark: A Nationwide Study. <i>Drugs - Real World Outcomes</i> , 2019, 6, 155-164.	0.7	22
173	Sixteen years of creatinine measurements among 460 000 individualsâ€The Funen Laboratory Cohort (FLaC), a populationâ€based pharmacoepidemiological resource to study drugâ€induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 582-590.	1.2	17
174	Use of Î²2-adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2019, 93, e135-e142.	1.5	29
175	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , 2019, 24, 1183-1190.	1.3	32
176	Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. <i>Journal of General Internal Medicine</i> , 2019, 34, 1607-1614.	1.3	10
177	Unavailable prescriptions at Danish community pharmacies: A descriptive study. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 672-676.	1.0	2
178	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. <i>Acta OncolÃ³gica</i> , 2019, 58, 852-858.	0.8	4
179	Clinical characteristics and glucoseâ€lowering drug utilization among patients initiating liraglutide in Denmark: a routine clinical care prescription study. <i>Journal of Diabetes</i> , 2019, 11, 690-694.	0.8	3
180	Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1025-1032.	0.8	2

#	ARTICLE	IF	CITATIONS
181	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , 2019, 33, 383-395.	2.7	23
182	Patient Involvement in Evaluation of Safety in Oral Antineoplastic Treatment: A Failure Mode and Effects Analysis in Patients and Health Care Professionals. <i>Quality Management in Health Care</i> , 2019, 28, 33-38.	0.4	4
183	Associations between adult height and type 2 diabetes mellitus: a systematic review and meta-analysis of observational studies. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 681-688.	2.0	15
184	Identification of potential carcinogenic and chemopreventive effects of prescription drugs: a protocol for a Norwegian registry-based study. <i>BMJ Open</i> , 2019, 9, e028504.	0.8	7
185	Association of Statin Use and Oncological Outcomes After Neoadjuvant Radiotherapy in Patients With Rectal Cancer. <i>Anticancer Research</i> , 2019, 39, 2177-2182.	0.5	4
186	Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1598-1606.	1.1	38
187	Use of prescription drugs in the older adult population—a nationwide pharmacoepidemiological study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1125-1133.	0.8	23
188	Exposure to phthalate-containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 528-535.	0.9	2
189	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , 2019, 249, 242-252.	2.0	47
190	Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis. <i>Annals of Internal Medicine</i> , 2019, 170, 443.	2.0	15
191	Hormone replacement therapy and the risk of melanoma in post-menopausal women. <i>Human Reproduction</i> , 2019, 34, 2418-2429.	0.4	13
192	The Influence of Antidepressants on the Disease Course Among Patients With Crohn's Disease and Ulcerative Colitis—A Danish Nationwide Register-Based Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 886-893.	0.9	35
193	Use of proton pump inhibitors among Danish children: A 16-year register-based nationwide study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 704-710.	1.2	25
194	Hydrochlorothiazide use and risk for Merkel cell carcinoma and malignant adnexal skin tumors: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 460-465.e9.	0.6	38
195	Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , 2019, 120, 47-52.	1.0	7
196	Health care professionals' attitudes towards deprescribing in older patients with limited life expectancy: A systematic review. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 868-892.	1.1	41
197	Nonaspirin Nonsteroidal Antiinflammatory Drug Use in the Nordic Countries from a Cardiovascular Risk Perspective, 2000–2016: A Drug Utilization Study. <i>Pharmacotherapy</i> , 2019, 39, 150-160.	1.2	19
198	Adherence to Prescribed Drugs Among 65–74-Year Old Men Diagnosed with Abdominal Aortic Aneurysm or Peripheral Arterial Disease in a Screening Trial: A VIVA Substudy. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 442-450.	0.8	18

#	ARTICLE	IF	CITATIONS
199	Tools for Deprescribing in Frail Older Persons and Those with Limited Life Expectancy: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 172-180.	1.3	80
200	Interaction between warfarin and cannabis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 28-31.	1.2	68
201	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors â€” a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , 2019, 285, 553-561.	2.7	27
202	Association between diabetes and oncological outcomes in patients undergoing neoadjuvant chemo-radiotherapy for rectal cancer. <i>Surgical Oncology</i> , 2019, 28, 62-66.	0.8	6
203	Use of vitamin K antagonists and risk of prostate cancer: Meta-analysis and nationwide case-control study. <i>International Journal of Cancer</i> , 2019, 144, 1522-1529.	2.3	7
204	Cost-consequence analysis evaluating multifaceted clinical pharmacist intervention targeting patient transitions of care from hospital to primary care. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2019, 2, 123-130.	0.5	8
205	A review of the Ghana National Health Insurance Scheme claims database: possibilities and limits for drug utilization research. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 18-27.	1.2	11
206	Conization and healthcare use: a population-based register study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 124-130.	0.6	2
207	Likelihood of reporting medication errors in hospitalized children: a survey of nurses and physicians. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 179-192.	1.0	6
208	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , 2018, 41, 685-695.	1.4	11
209	Switching Between Antibiotics Among Danish Children 0-4 Years of Age. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 1112-1117.	1.1	6
210	Use of attention-deficit/hyperactivity disorder medication among older adults in Denmark. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1505-1513.	1.1	6
211	A smartphone application supporting patients with psoriasis improves adherence to topical treatment: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2018, 179, 1062-1071.	1.4	61
212	Use of Non-vitamin K Antagonist Oral Anticoagulants 2008-2016: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 452-463.	1.2	45
213	Methodological challenges when evaluating potential off-label prescribing of drugs using electronic health care databases: A case study of dabigatran etexilate in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 713-723.	0.9	5
214	Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 314-319.	1.2	4
215	Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689.	2.4	32
216	Examining Nonparticipation in the Maternal Follow-up Within the Danish National Birth Cohort. <i>American Journal of Epidemiology</i> , 2018, 187, 1511-1519.	1.6	24

#	ARTICLE	IF	CITATIONS
217	The Danish Medical Birth Register. <i>European Journal of Epidemiology</i> , 2018, 33, 27-36.	2.5	432
218	Effect of an In-Hospital Multifaceted Clinical Pharmacist Intervention on the Risk of Readmission. <i>JAMA Internal Medicine</i> , 2018, 178, 375.	2.6	203
219	Melanoma of the Skin in the Danish Cancer Registry and the Danish Melanoma Database. <i>Epidemiology</i> , 2018, 29, 442-447.	1.2	14
220	Association between use of phthalate-containing medication and semen quality among men in couples referred for assisted reproduction. <i>Human Reproduction</i> , 2018, 33, 503-511.	0.4	21
221	Considerations for Pharmacoepidemiological Studies of Drug-Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 451-459.	1.2	70
222	Incidence of Common Cancers in Users of Antimuscarinic Medications for Overactive Bladder: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 612-619.	1.2	6
223	Disproportionality Analysis Used to Identify Patterns in Medication Error Reports Involving Hospitalized Children. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 531-533.	1.2	3
224	Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1798-1805.	1.1	14
225	Multifaceted Pharmacist-led Interventions in the Hospital Setting: A Systematic Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 363-379.	1.2	30
226	External validity of a cardiovascular screening including a coronary artery calcium examination in middle-aged individuals from the general population. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1156-1166.	0.8	13
227	Reuse of data sources to evaluate drug safety signals: When is it appropriate?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 567-569.	0.9	11
228	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018, 33, 545-555.	2.5	27
229	Seventeen-Year Nationwide Trends in Use of Long-Acting Bronchodilators and Inhaled Corticosteroids among Adults - A Danish Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 58-64.	1.2	5
230	Effect of copayment policies on initial medication non-adherence according to income: a population-based study. <i>BMJ Quality and Safety</i> , 2018, 27, 878-891.	1.8	22
231	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 288-293.	1.2	3
232	Trends in Use of Paracetamol in the Nordic Countries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 301-307.	1.2	40
233	Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 673-681.e9.	0.6	218
234	Dicloxacillin induces CYP2C19, CYP2C9 and CYP3A4 <i>in vivo</i> and <i>in vitro</i> . <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 510-519.	1.1	23

#	ARTICLE	IF	CITATIONS
235	Use of direct oral anticoagulants in the first year after market entry of edoxaban: A Danish nationwide drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 174-181.	0.9	19
236	Comparison of cardiovascular events among treatments for overactive bladder: a Danish nationwide cohort study. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 193-199.	0.8	12
237	Identifying signals of interest when screening for drug-outcome associations in health care data. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1865-1867.	1.1	9
238	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , 2018, 13, e0204456.	1.1	15
239	Hydrochlorothiazide and the Risk of Malignant Melanoma—Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 1425.	2.6	1
240	Use of Psychotropic Drugs among Children and Adolescents with Autism Spectrum Disorders in Denmark: A Nationwide Drug Utilization Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 339.	1.0	21
241	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1742-1749.	1.4	13
242	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3851.	2.4	60
243	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , 2018, 5, 824-835.	3.7	187
244	Identifying and assessing potential harm of medication errors and potentially unsafe medication practices in paediatric hospital settings: a field study. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 509-522.	1.0	12
245	Explaining trends in coronary heart disease mortality in different socioeconomic groups in Denmark 1991-2007 using the IMPACTSEC model. <i>PLoS ONE</i> , 2018, 13, e0194793.	1.1	13
246	Association of Hydrochlorothiazide Use and Risk of Malignant Melanoma. <i>JAMA Internal Medicine</i> , 2018, 178, 1120.	2.6	74
247	Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996–2013. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 486-493.	1.2	3
248	Treatment Failure of TNF-Î± Inhibitors in Obese Patients With Inflammatory Bowel Disease—A Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 2628-2633.	0.9	10
249	Use of antipsychotics and risk of breast cancer: a Danish nationwide case-control study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2152-2161.	1.1	37
250	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018, 13, e0196122.	1.1	32
251	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation –) <i>Tj ETQq1 1 0.784314 88BT /Over</i>	0.7	14
252	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1011-1018.	0.9	7

#	ARTICLE	IF	CITATIONS
253	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1332-1338.	1.3	4
254	Qualitative exploration of practices to prevent medication errors in neonatal intensive care units: a focus group study. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 343-353.	1.0	5
255	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 618-625.	1.9	38
256	Using the proportion of patients covered and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 867-871.	0.9	27
257	How Common is Statin Use in the Oldest Old?. <i>Drugs and Aging</i> , 2018, 35, 679-686.	1.3	19
258	Proton-pump inhibitors among adults: a nationwide drug-utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 175628481877794.	1.4	92
259	Association between QTc prolongation and mortality in patients with suspected poisoning in the emergency department: a transnational propensity score matched cohort study. <i>BMJ Open</i> , 2018, 8, e020036.	0.8	8
260	Differences Between Randomized Clinical Trial Patients and Real-World Initiators of the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Diabetes Care</i> , 2018, 41, e133-e135.	4.3	16
261	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , 2018, 5, 109-116.	0.7	2
262	Treatment with montelukast and antidepressive medication—a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1409-1415.	0.9	12
263	Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018, Volume 10, 941-948.	1.5	27
264	Use of topical ocular antibiotics in young children: a Scandinavian drug utilization study. <i>Acta Ophthalmologica</i> , 2018, 96, 789-794.	0.6	8
265	Enough Power to Build a Strong Case for Clinical Pharmacy Services?—Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 864.	2.6	0
266	Use of proton pump inhibitors and risk of pancreatic cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 926-930.	0.9	16
267	Randomized trial of switching from prescribed non-selective non-steroidal anti-inflammatory drugs to prescribed celecoxib: the Standard care vs. Celecoxib Outcome Trial (SCOT). <i>European Heart Journal</i> , 2017, 38, ehw387.	1.0	58
268	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , 2017, 19, euw241.	0.7	29
269	Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , 2017, 46, dyw213.	0.9	649
270	Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. <i>European Journal of Emergency Medicine</i> , 2017, 24, 404-410.	0.5	12

#	ARTICLE	IF	CITATIONS
271	Switching, Adverse Effects and Use of Over-the-Counter Analgesics among Users of Oral Anticoagulants: A Pharmacy-based Survey. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 37-43.	1.2	10
272	Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 547-553.	2.3	27
273	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	3.8	121
274	Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 419-425.	1.2	24
275	Therapeutic Drug Monitoring of Venlafaxine in an Everyday Clinical Setting: Analysis of Age, Sex and Dose Concentration Relationships. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 298-302.	1.2	19
276	Statin use and mortality among ovarian cancer patients: A population-based cohort study. <i>International Journal of Cancer</i> , 2017, 141, 279-286.	2.3	27
277	Hydrochlorothiazide use is strongly associated with risk of lip cancer. <i>Journal of Internal Medicine</i> , 2017, 282, 322-331.	2.7	128
278	Ophthalmic nepafenac use in the Netherlands and Denmark. <i>Acta Ophthalmologica</i> , 2017, 95, 509-517.	0.6	8
279	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 66, 768-774.e2.	0.6	32
280	Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 153-158.	1.2	13
281	Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 368-372.	1.2	17
282	External adjustment of unmeasured confounders in a case-control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2517-2527.	1.1	6
283	Statins and polyneuropathy revisited: case-control study in Denmark, 1999-2013. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2087-2095.	1.1	21
284	Utilization of Stimulants and Atomoxetine for Attention-Deficit/Hyperactivity Disorder among 5.4 Million Children Using Population-Based Longitudinal Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 373-379.	1.2	20
285	Medication errors in pediatric inpatients: a study based on a national mandatory reporting system. <i>European Journal of Pediatrics</i> , 2017, 176, 1697-1705.	1.3	28
286	Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study: An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1520-1526.	0.9	3
287	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 919-929.	1.4	1
288	P720 Use of proton pump inhibitors associated with a markedly increased risk of microscopic colitis. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S448-S449.	0.6	1

#	ARTICLE	IF	CITATIONS
289	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017, 32, 567-582.	2.5	58
290	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 900-908.	0.9	21
291	Stability of the frequent COPD exacerbator in the general population: A Danish nationwide register-based study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 25.	1.1	12
292	Estimating medication stopping fraction and real-time prevalence of drug use in pharmacoepidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 909-916.	0.9	12
293	Outcome of revascularisation in stable coronary artery disease without ischaemia: a Danish registry-based follow-up study. <i>BMJ Open</i> , 2017, 7, e016169.	0.8	9
294	Montelukast use—a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1297-1304.	0.8	7
295	Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 152-161.	0.9	7
296	Use of non-antiretroviral drugs among individuals with and without HIV-infection: a Danish nationwide study. <i>Infectious Diseases</i> , 2017, 49, 42-54.	1.4	7
297	Treatment Changes among Users of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 187-194.	1.2	35
298	Use of antibiotics in childhood and risk of Type 1 diabetes: a population-based case-control study. <i>Diabetic Medicine</i> , 2017, 34, 272-277.	1.2	35
299	New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 223-227.	0.9	63
300	Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 312-317.	1.2	19
301	Reduced ability to work both before and after infectious spondylodiscitis in working-age patients. <i>Infectious Diseases</i> , 2017, 49, 95-103.	1.4	14
302	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , 2017, Volume 9, 591-600.	1.5	3
303	Postdiagnosis Statin Use and Mortality in Danish Patients With Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 3290-3297.	0.8	69
304	Association of Pre-Pregnancy Body Mass Index, Pregnancy-Related Weight Changes, and Parity With the Risk of Developing Degenerative Musculoskeletal Conditions. <i>Arthritis and Rheumatology</i> , 2016, 68, 1156-1164.	2.9	25
305	Psoriasis patients' experiences concerning medical adherence to treatment with topical corticosteroids. <i>Psoriasis: Targets and Therapy</i> , 2016, Volume 6, 113-119.	1.2	7
306	Perception of drug teratogenicity among general practitioners and specialists in obstetrics/gynecology: a regional and national questionnaire-based survey. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 226.	0.9	9

#	ARTICLE	IF	CITATIONS
307	Inconsistencies in reporting of renal elimination among NOACs: the case of apixaban. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 346-348.	0.9	5
308	Generic switching of warfarin and risk of excessive anticoagulation: a Danish nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 336-343.	0.9	16
309	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 487-495.	1.2	8
310	Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 376-380.	1.2	31
311	Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016, 6, e010880.	0.8	30
312	Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. <i>Breast Cancer Research</i> , 2016, 18, 119.	2.2	40
313	Use of tricyclic antidepressants and risk of glioma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016, 114, 1265-1268.	2.9	19
314	Depressive symptoms in women's midlife in relation to their body weight before, during and after childbearing years. <i>Obesity Science and Practice</i> , 2016, 2, 415-425.	1.0	4
315	Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1451-1459.	0.9	28
316	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , 2016, 7, 73-79.	2.7	29
317	Real-Life and RCT Participants: Alendronate Users Versus FITs™ Trial Eligibility Criterion. <i>Calcified Tissue International</i> , 2016, 99, 243-249.	1.5	29
318	Use of drugs for ADHD among adults—a multinational study among 15.8 million adults in the Nordic countries. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1507-1514.	0.8	37
319	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 671-678.	1.4	105
320	Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. <i>Cancer Causes and Control</i> , 2016, 27, 1067-1079.	0.8	24
321	Acetaminophen for Chronic Pain: A Systematic Review on Efficacy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 184-189.	1.2	65
322	Initiation of glucose-lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a self-controlled register study. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 129-133.	1.9	9
323	Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. <i>British Journal of Cancer</i> , 2016, 115, 895-900.	2.9	34
324	Individual-level drug utilization analyses. , 2016, , 68-76.		4

#	ARTICLE	IF	CITATIONS
325	Re: Pregabalin prescriptions in the United Kingdom - a drug utilisation study of The Health Improvement Network (THIN) primary care database by Asomaning et al.. International Journal of Clinical Practice, 2016, 70, 696-696.	0.8	1
326	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. Pharmacoepidemiology and Drug Safety, 2016, 25, 1253-1262.	0.9	28
327	Data Resource Profile: Danish online drug use statistics (MEDSTAT). International Journal of Epidemiology, 2016, 45, 1401-1402g.	0.9	92
328	Persistent User Bias in Case-Crossover Studies in Pharmacoepidemiology. American Journal of Epidemiology, 2016, 184, 761-769.	1.6	32
329	Clinical Pharmacology in Denmark in 2016 – 40 Years with the Danish Society of Clinical Pharmacology and 20 Years as a Medical Speciality. Basic and Clinical Pharmacology and Toxicology, 2016, 119, 523-532.	1.2	12
330	Time for integrating clinical, lifestyle and molecular data to predict drug responses – Authors' reply. EBioMedicine, 2016, 7, 11.	2.7	1
331	Abuse Potential of Pregabalin. CNS Drugs, 2016, 30, 9-25.	2.7	104
332	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. European Urology, 2016, 69, 877-882.	0.9	18
333	Process- and patient-reported outcomes of a multifaceted medication adherence intervention for hypertensive patients in secondary care. Research in Social and Administrative Pharmacy, 2016, 12, 302-318.	1.5	6
334	Use of Pregabalin – A Nationwide Pharmacoepidemiological Drug Utilization Study with Focus on Abuse Potential. Pharmacopsychiatry, 2016, 49, 155-161.	1.7	48
335	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case-control study. British Journal of Cancer, 2016, 114, 571-575.	2.9	16
336	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. Drug and Alcohol Dependence, 2016, 161, 258-264.	1.6	16
337	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. Journal of the American Society of Nephrology: JASN, 2016, 27, 249-255.	3.0	34
338	Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. American Journal of Medicine, 2016, 129, 299-306.e2.	0.6	63
339	Is Shock Index a Valid Predictor of Mortality in Emergency Department Patients With Hypertension, Diabetes, High Age, or Receipt of β - or Calcium Channel Blockers?. Annals of Emergency Medicine, 2016, 67, 106-113.e6.	0.3	34
340	Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. PLoS ONE, 2016, 11, e0146172.	1.1	18
341	Editorial: anti-secretory therapy prior to anti-reflux surgery. Does dose matter? Authors' reply. Alimentary Pharmacology and Therapeutics, 2015, 42, 627-627.	1.9	0
342	Early Discontinuation of Attention-Deficit/Hyperactivity Disorder Drug Treatment: A Danish Nationwide Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 349-353.	1.2	24

#	ARTICLE	IF	CITATIONS
343	Pharmacist-led medication review in an acute admissions unit: a systematic procedure description. <i>European Journal of Hospital Pharmacy</i> , 2015, 22, 202-206.	0.5	11
344	AB0921â€¦Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1208.2-1208.	0.5	0
345	Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. <i>Arthritis Research and Therapy</i> , 2015, 17, 304.	1.6	8
346	The potential drugâ€“drug interaction between proton pump inhibitors and warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1337-1340.	0.9	14
347	Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. <i>Critical Care</i> , 2015, 19, 158.	2.5	18
348	The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 554.	0.7	57
349	Use of acidâ€“suppressive therapy before antiâ€“reflux surgery in 2922 patients: a nationwide registerâ€“based study in Denmark. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 84-90.	1.9	2
350	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1189-1196.	0.9	10
351	Cardiovascular drugs and erectile dysfunction â€“ a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1219-1223.	1.1	13
352	Social Adversity and Regional Differences in Prescribing of ADHD Medication for School-Age Children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2015, 36, 330-341.	0.6	13
353	The Danish National Prescription Registry in studies of a biological pharmaceutical: palivizumab – validation against two external data sources. <i>Clinical Epidemiology</i> , 2015, 7, 305.	1.5	7
354	Generic Switching and Non-Persistence among Medicine Users: A Combined Population-Based Questionnaire and Register Study. <i>PLoS ONE</i> , 2015, 10, e0119688.	1.1	20
355	Seven-Day Mortality Can Be Predicted in Medical Patients by Blood Pressure, Age, Respiratory Rate, Loss of Independence, and Peripheral Oxygen Saturation (the PARIS Score): A Prospective Cohort Study with External Validation. <i>PLoS ONE</i> , 2015, 10, e0122480.	1.1	22
356	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Useâ€“A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140197.	1.1	95
357	Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075.	1.8	36
358	Use of Antibiotics in Children. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e16-e22.	1.1	53
359	Characteristics and drug utilization patterns for heavy users of prescription drugs among the elderly: a Danish register-based drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 751-758.	0.8	8
360	Do patients initiate therapy? Primary non-adherence to statins and antidepressants in Iceland. <i>International Journal of Clinical Practice</i> , 2015, 69, 597-603.	0.8	17

#	ARTICLE	IF	CITATIONS
361	Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. <i>Respiratory Medicine</i> , 2015, 109, 1562-1568.	1.3	24
362	Abnormal cervical cytology and health care use: A population-based register study. <i>Gynecologic Oncology</i> , 2015, 139, 63-69.	0.6	1
363	Bacteremia is associated with excess long-term mortality: A 12-year population-based cohort study. <i>Journal of Infection</i> , 2015, 70, 111-126.	1.7	37
364	Increased short- and long-term mortality among patients with infectious spondylodiscitis compared with a reference population. <i>Spine Journal</i> , 2015, 15, 1233-1240.	0.6	72
365	Mental disorders in motherhood according to prepregnancy BMI and pregnancy-related weight changes—A Danish cohort study. <i>Journal of Affective Disorders</i> , 2015, 183, 322-329.	2.0	17
366	Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 296.	3.8	19
367	Incidence Rate of Community-Acquired Sepsis Among Hospitalized Acute Medical Patients—A Population-Based Survey*. <i>Critical Care Medicine</i> , 2015, 43, 13-21.	0.4	73
368	Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal</i> , 2015, 32, 846-853.	0.4	12
369	The effect of statins on average survival in randomised trials, an analysis of end point postponement: Table 1. <i>BMJ Open</i> , 2015, 5, e007118.	0.8	45
370	Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3633-3640.	1.8	118
371	Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. <i>American Journal of Medicine</i> , 2015, 128, 1351-1361.	0.6	78
372	Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. <i>British Journal of Cancer</i> , 2015, 112, 153-156.	2.9	14
373	Hypokalemia in Acute Medical Patients: Risk Factors and Prognosis. <i>American Journal of Medicine</i> , 2015, 128, 60-67.e1.	0.6	58
374	Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. <i>Thorax</i> , 2015, 70, 33-40.	2.7	80
375	Risk Factors for Hospitalization Due to Community-Acquired Sepsis—A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0124838.	1.1	27
376	Opioid prescriptions before and after high-energy trauma. <i>Journal of Opioid Management</i> , 2015, 11, 313-318.	0.2	10
377	Potential of prescription registries to capture individual-level use of aspirin and other nonsteroidal anti-inflammatory drugs in Denmark: trends in utilization 1999–2012. <i>Clinical Epidemiology</i> , 2014, 6, 155.	1.5	100
378	Search for Humorous and Extravagant Acronyms and Thoroughly Inappropriate Names for Important Clinical Trials (SCIENTIFIC): qualitative and quantitative systematic study. <i>BMJ</i> , 2014, 349, g7092-g7092.	3.0	13

#	ARTICLE	IF	CITATIONS
379	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , 2014, 63, 1544-1549.	6.1	37
380	Use of self-controlled designs in pharmacoepidemiology. <i>Journal of Internal Medicine</i> , 2014, 275, 581-589.	2.7	111
381	Dynamics of vitamin K antagonist and new oral anticoagulants use in atrial fibrillation: a Danish drug utilization study. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1413-1418.	1.9	20
382	Statin use and survival following glioblastoma multiforme. <i>Cancer Epidemiology</i> , 2014, 38, 722-727.	0.8	57
383	Reply to "Evidence for harm, comment on" by <sc>K</sc>ripke & <sc>L</sc>anger. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 188-189.	1.1	2
384	Long-term use of metformin and colorectal cancer risk in type II diabetics: a population-based case-control study. <i>Cancer Medicine</i> , 2014, 3, 1458-1466.	1.3	38
385	Alcohol and Breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 168-173.	1.2	86
386	Children's relative age in class and use of medication for <sc>ADHD</sc>: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1244-1250.	3.1	38
387	Measures of "exposure needed for one additional patient to be harmed" in population-based case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 868-874.	0.9	12
388	A Nationwide Study of Attention Deficit/Hyperactivity Disorder Drug Use among Adults in <sc>Iceland 2003-2012</sc>. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 417-422.	1.2	16
389	Use of disulfiram and risk of cancer. <i>European Journal of Cancer Prevention</i> , 2014, 23, 225-232.	0.6	16
390	Multifaceted Intervention Including Motivational Interviewing to Support Medication Adherence after Stroke/Transient Ischemic Attack: A Randomized Trial. <i>Cerebrovascular Diseases Extra</i> , 2014, 4, 221-234.	0.5	36
391	Letter to the Editor: Danish <sc>ADHD</sc> data sets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, e6.	3.1	0
392	Mortality Rate in Type 2 Myocardial Infarction: Observations from an Unselected Hospital Cohort. <i>American Journal of Medicine</i> , 2014, 127, 295-302.	0.6	140
393	Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214.	0.8	10
394	Information on risk of constipation for Danish users of opioids, and their laxative use. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 291-294.	1.0	14
395	Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1211-1218.	2.8	21
396	Myasthenia and risk of cancer: a population-based case-control study. <i>European Journal of Neurology</i> , 2014, 21, 773-778.	1.7	15

#	ARTICLE	IF	CITATIONS
397	Risk of non-melanoma skin cancer in myasthenia patients treated with azathioprine. <i>European Journal of Neurology</i> , 2014, 21, 454-458.	1.7	29
398	International Society for Pharmacoepidemiology (ISPE) statement on American Society of Clinical Oncology's new policy for relationships with companies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1-2.	0.9	3
399	Increasing use of antibiotics in pregnancy during the period 2000-2010: prevalence, timing, category, and demographics. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 988-996.	1.1	76
400	Comparison of Mortality in Patients With Acute Myocardial Infarction Accidentally Admitted to Non-cardiology Departments Versus That in Patients Admitted to Coronary Care Units. <i>American Journal of Cardiology</i> , 2014, 114, 1151-1157.	0.7	10
401	Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 757-763.	0.8	108
402	Patient characteristics among users of analgesic over-the-counter aspirin in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 693-696.	1.0	4
403	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1160-1167.	0.9	15
404	How Well Do Discharge Diagnoses Identify Hospitalised Patients with Community-Acquired Infections? - A Validation Study. <i>PLoS ONE</i> , 2014, 9, e92891.	1.1	39
405	Nurses and Physicians in a Medical Admission Unit Can Accurately Predict Mortality of Acutely Admitted Patients: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e101739.	1.1	44
406	First-Trimester Exposure to Methylphenidate. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e88-e93.	1.1	45
407	Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , 2014, 12, 0-0.	0.8	7
408	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 589-598.	0.8	44
409	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 641-646.	0.8	15
410	First Trimester <i>In Utero</i> Exposure to Methylphenidate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 73-76.	1.2	32
411	Short- and long-term mortality in patients with community-acquired severe sepsis and septic shock. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 577-583.	1.5	30
412	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1356-1364.	1.1	38
413	Use of azathioprine for non-thymoma myasthenia and risk of cancer: a nationwide case-control study in Denmark. <i>European Journal of Neurology</i> , 2013, 20, 942-948.	1.7	24
414	Cancer risk in long-term users of vitamin K antagonists: A population-based case-control study. <i>International Journal of Cancer</i> , 2013, 132, 2606-2612.	2.3	25

#	ARTICLE	IF	CITATIONS
415	Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 803-809.	0.9	59
416	Characteristics of Undertreatment in COPD in the General Population. <i>Chest</i> , 2013, 144, 1811-1818.	0.4	34
417	Hospital Physicians' Influence on Gastrointestinal Protection during Treatment with Non-Steroidal Anti-Inflammatory Drugs and Acetylsalicylic Acid and the Impact on Prescribing in Primary Care. <i>PLoS ONE</i> , 2013, 8, e81845.	1.1	0
418	Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1631-1637.	0.8	22
419	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1443-1450.	0.8	74
420	Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 180-188.	1.1	60
421	Excessive anticoagulation with warfarin or phenprocoumon may have multiple causes. <i>Danish Medical Journal</i> , 2012, 59, A4383.	0.5	10
422	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 1019-1027.	1.0	15
423	Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 919-924.	0.8	5
424	The Danish National Prescription Registry. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 38-41.	1.2	1,859
425	Identifying Patients with Myasthenia for Epidemiological Research by Linkage of Automated Registers. <i>Neuroepidemiology</i> , 2011, 37, 120-128.	1.1	17
426	Increased use of inhaled corticosteroids among young Danish adult asthmatics: An observational study. <i>Respiratory Medicine</i> , 2010, 104, 1817-1824.	1.3	18
427	Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1714-1719.	1.1	28
428	Persistence of antimuscarinic drug use. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 309-314.	0.8	97
429	Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 483-491.	0.9	99
430	Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 460-465.	1.1	18
431	An Association Between Selective Serotonin Reuptake Inhibitor Use and Serious Upper Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1314-1321.	2.4	91
432	Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2008, 168, 966-973.	1.6	47

#	ARTICLE	IF	CITATIONS
433	Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ: British Medical Journal</i> , 2006, 333, 726.	2.4	324
434	Statins and nonsteroidal anti-inflammatory drugs – an analysis of prescription symmetry. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 510-511.	0.9	13
435	Templates for Analysis of Individual-Level Prescription Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 260-265.	1.2	72
436	Drug utilization statistics for individual-level pharmacy dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 455-463.	0.9	60
437	Does Appendectomy Reduce the Risk of Ulcerative Colitis?. <i>Epidemiology</i> , 2004, 15, 173-178.	1.2	29
438	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003, 34, 379-386.	1.0	86
439	Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.	0.6	17
440	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473.	1.0	133
441	Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , 2001, 56, 931-933.	0.8	94
442	Drug prescribing among Danish children: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 159-165.	0.8	40
443	Conducting pharmacoepidemiologic research in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2001, 10, 619.	0.9	63
444	Pharmacovigilance Based on Prescription Databases. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000, 86, 13-15.	0.0	13
445	Cholesterol-lowering drugs and antidepressants – A study of prescription symmetry. , 1998, 7, 399-402.		26
446	Screening for drug related dyspepsia. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 27-32.	0.8	50
447	Inappropriate use of sumatriptan: population based register and interview study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1352-1353.	2.4	52
448	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666.	1.2	47
449	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666-670.	1.2	73
450	Use of sumatriptan in Denmark in 1994-5: an epidemiological analysis of nationwide prescription data. <i>British Journal of Clinical Pharmacology</i> , 1997, 43, 429-433.	1.1	48

#	ARTICLE	IF	CITATIONS
451	Are young adults with asthma treated sufficiently with inhaled steroids? A population-based study of prescription data from 1991 and 1994. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 285-289.	1.1	48
452	Evidence of Depression Provoked by Cardiovascular Medication: A Prescription Sequence Symmetry Analysis. <i>Epidemiology</i> , 1996, 7, 478-484.	1.2	228
453	Antidepressant treatment in general practice - An interview study. <i>Scandinavian Journal of Primary Health Care</i> , 1995, 13, 281-286.	0.6	21
454	The mephenytoin oxidation polymorphism is partially responsible for the N-demethylation of imipramine. <i>Clinical Pharmacology and Therapeutics</i> , 1991, 49, 18-23.	2.3	138