

# Waqas Ullah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2068315/publications.pdf>

Version: 2024-02-01

31  
papers

1,222  
citations

516710

16  
h-index

501196

28  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1787  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized Controlled Trial of Catheter Ablation Versus Medical Treatment of Atrial Fibrillation in Heart Failure (The CAMTAF Trial). <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 31-38.	4.8	387
2	Randomized trial comparing pulmonary vein isolation using the SmartTouch catheter with or without real-time contact force data. <i>Heart Rhythm</i> , 2016, 13, 1761-1767.	0.7	134
3	Point-by-Point Radiofrequency Ablation Versus the Cryoballoon or a Novel Combined Approach: A Randomized Trial Comparing 3 Methods of Pulmonary Vein Isolation for Paroxysmal Atrial Fibrillation (The Cryo Versus RF Trial). <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1307-1314.	1.7	79
4	A Novel Mapping System for Panoramic Mapping of the Left Atrium. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 124-134.	3.2	79
5	Relationship Between Contact Force Sensing Technology and Medium-Term Outcome of Atrial Fibrillation Ablation: A Multicenter Study of 600 Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 378-384.	1.7	63
6	Catheter ablation of atrial fibrillation in patients with heart failure: impact of maintaining sinus rhythm on heart failure status and long-term rates of stroke and death. <i>Europace</i> , 2016, 18, 679-686.	1.7	61
7	Target Indices for Clinical Ablation in Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 63-68.	4.8	59
8	Local catheter impedance drop during pulmonary vein isolation predicts acute conduction block in patients with paroxysmal atrial fibrillation: initial results of the LOCALIZE clinical trial. <i>Europace</i> , 2021, 23, 1042-1051.	1.7	42
9	Use of a contact force-sensing ablation catheter with advanced catheter location significantly reduces fluoroscopy time and radiation dose in catheter ablation of atrial fibrillation. <i>Europace</i> , 2016, 18, 211-218.	1.7	41
10	Ablation Index and Surround Flow Catheter Irrigation. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1080-1088.	3.2	37
11	Comparison of Robotic and Manual Persistent AF Ablation Using Catheter Contact Force Sensing: An International Multicenter Registry Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1427-1435.	1.2	27
12	Factors Affecting Catheter Contact in the Human Left Atrium and Their Impact on Ablation Efficacy. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 129-136.	1.7	26
13	The Impact of Known Heart Disease on Long-Term Outcomes of Catheter Ablation in Patients with Atrial Fibrillation and Left Ventricular Systolic Dysfunction: A Multicenter International Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 281-289.	1.7	25
14	Randomized trial comparing robotic to manual ablation for atrial fibrillation. <i>Heart Rhythm</i> , 2014, 11, 1862-1869.	0.7	23
15	Impact of Steerable Sheaths on Contact Forces and Reconnection Sites in Ablation for Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 266-273.	1.7	20
16	Natural history of an atrial myxoma. <i>Age and Ageing</i> , 2005, 34, 186-188.	1.6	17
17	Impact of Catheter Contact Force on Human Left Atrial Electrogram Characteristics in Sinus Rhythm and Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 1030-1039.	4.8	16
18	Secundum Atrial Septal Defect. <i>Journal of the American College of Cardiology</i> , 2009, 53, 893.	2.8	15

#	ARTICLE	IF	CITATIONS
19	Pulmonary vein reconnections or substrate in the left atrium: what is the reason for atrial fibrillation recurrences? A dialogue on a pressing clinical situation. <i>Europace</i> , 2019, 21, i12-i20.	1.7	12
20	Ventricular tachycardia ablation in structural heart disease: Impact of ablation strategy and non-inducibility as an end-point on long term outcome. <i>International Journal of Cardiology</i> , 2019, 277, 110-117.	1.7	12
21	Epicardial catheter ablation for ventricular tachycardia on uninterrupted warfarin: A safe approach for those with a strong indication for peri-procedural anticoagulation?. <i>International Journal of Cardiology</i> , 2016, 222, 57-61.	1.7	11
22	Local Impedance Drop Predicts Durable Conduction Block in Patients With Paroxysmal Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 595-604.	3.2	11
23	Panoramic characterization of endocardial left atrial activation during human persistent AF: Insights from non-contact mapping. <i>International Journal of Cardiology</i> , 2017, 228, 406-411.	1.7	9
24	Validation of a High-Fidelity Electrophysiology Simulator and Development of a Proficiency-Based Simulator Training Program. <i>Simulation in Healthcare</i> , 2017, 12, 41-46.	1.2	7
25	Pacemaker-mediated tachycardia. <i>Heart</i> , 2010, 96, 1062-1062.	2.9	5
26	Massive thrombi on an implantable cardioverter-defibrillator lead in a patient with the antiphospholipid syndrome. <i>Europace</i> , 2011, 13, 1205-1206.	1.7	2
27	Percutaneous Closure and "Push-Pull" Technique to Repair Arterial Lead and Sheath Placement Complicating Cardiac Resynchronization Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, e35-7.	1.2	1
28	UK multicenter retrospective comparison of novel active versus conventional passive fixation coronary sinus leads. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2948-2953.	1.7	1
29	51...Contact Force Data Availability Reduces Acute Pulmonary Vein Reconnection: Early Results from the Smart AF Trial: Abstract 51 Table 1. <i>Heart</i> , 2015, 101, A29.1-A29.	2.9	0
30	Two zebras and a cardiac arrest: a case report of concomitant Brugada syndrome and an anomalous coronary artery. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	0
31	The doctor-patient relationship in reverse. <i>BMJ: British Medical Journal</i> , 2006, 332, 58.2.	2.3	0