

Seppo Vainio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2069084/publications.pdf>

Version: 2024-02-01

153
papers

10,078
citations

57681

46
h-index

42259

96
g-index

163
all docs

163
docs citations

163
times ranked

11071
citing authors

#	ARTICLE	IF	CITATIONS
1	Female development in mammals is regulated by Wnt-4 signalling. <i>Nature</i> , 1999, 397, 405-409.	13.7	1,115
2	Epithelial transformation of metanephric mesenchyme in the developing kidney regulated by Wnt-4. <i>Nature</i> , 1994, 372, 679-683.	13.7	973
3	Identification of BMP-4 as a signal mediating secondary induction between epithelial and mesenchymal tissues during early tooth development. <i>Cell</i> , 1993, 75, 45-58.	13.5	833
4	Wnt11 and Ret/Gdnf pathways cooperate in regulating ureteric branching during metanephric kidney development. <i>Development (Cambridge)</i> , 2003, 130, 3175-3185.	1.2	415
5	Inactivation of FGF8 in early mesoderm reveals an essential role in kidney development. <i>Development (Cambridge)</i> , 2005, 132, 3859-3871.	1.2	301
6	Associations of FGF-3 and FGF-10 with signaling networks regulating tooth morphogenesis. <i>Developmental Dynamics</i> , 2000, 219, 322-332.	0.8	236
7	Kidney morphogenesis: cellular and molecular regulation. <i>Mechanisms of Development</i> , 2000, 92, 31-45.	1.7	230
8	Wnt-4 Deficiency Alters Mouse Adrenal Cortex Function, Reducing Aldosterone Production. <i>Endocrinology</i> , 2002, 143, 4358-4365.	1.4	204
9	Coordinating early kidney development: lessons from gene targeting. <i>Nature Reviews Genetics</i> , 2002, 3, 533-543.	7.7	195
10	Wnt signaling is required for thymocyte development and activates Tcf-1 mediated transcription. <i>European Journal of Immunology</i> , 2001, 31, 285-293.	1.6	182
11	Reduction of BMP4 activity by gremlin 1 enables ureteric bud outgrowth and GDNF/WNT11 feedback signalling during kidney branching morphogenesis. <i>Development (Cambridge)</i> , 2007, 134, 2397-2405.	1.2	174
12	Cell surface proteoglycan expression correlates with epithelial-mesenchymal interaction during tooth morphogenesis. <i>Developmental Biology</i> , 1988, 129, 565-572.	0.9	161
13	Transplanted astrocytes internalize deposited β -amyloid peptides in a transgenic mouse model of Alzheimer's disease. <i>Glia</i> , 2008, 56, 154-163.	2.5	148
14	Epithelial-mesenchymal interactions regulate the stage-specific expression of a cell surface proteoglycan, syndecan, in the developing kidney. <i>Developmental Biology</i> , 1989, 134, 382-391.	0.9	143
15	Inductive Tissue Interactions, Cell Signaling, and the Control of Kidney Organogenesis. <i>Cell</i> , 1997, 90, 975-978.	13.5	126
16	Expression of Sprouty genes 1, 2 and 4 during mouse organogenesis. <i>Mechanisms of Development</i> , 2001, 109, 367-370.	1.7	122
17	Expression of syndecan gene is induced early, is transient, and correlates with changes in mesenchymal cell proliferation during tooth organogenesis. <i>Developmental Biology</i> , 1991, 147, 322-333.	0.9	111
18	Wnt5a cooperates with canonical Wnts to generate midbrain dopaminergic neurons in vivo and in stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E602-10.	3.3	107

#	ARTICLE	IF	CITATIONS
19	HNF1B controls proximal-intermediate nephron segment identity in vertebrates by regulating Notch signalling components and <i>Irx1/2</i> . <i>Development (Cambridge)</i> , 2013, 140, 873-885.	1.2	101
20	Molecular mechanisms of cell and tissue interactions during early tooth development. , 1996, 245, 151-161.		98
21	Sprouty proteins regulate ureteric branching by coordinating reciprocal epithelial Wnt11, mesenchymal Gdnf and stromal Fgf7 signalling during kidney development. <i>Development (Cambridge)</i> , 2004, 131, 3345-3356.	1.2	97
22	Wnt-6 is expressed in the ureter bud and induces kidney tubule development in vitro. <i>Genesis</i> , 2002, 32, 259-268.	0.8	96
23	Induction of ureter branching as a response to Wnt-2b signaling during early kidney organogenesis. <i>Developmental Dynamics</i> , 2001, 222, 26-39.	0.8	91
24	The Partial Female to Male Sex Reversal in Wnt-4-Deficient Females Involves Induced Expression of Testosterone Biosynthetic Genes and Testosterone Production, and Depends on Androgen Action. <i>Endocrinology</i> , 2005, 146, 4016-4023.	1.4	91
25	Progesterone and Wnt4 control mammary stem cells via myoepithelial crosstalk. <i>EMBO Journal</i> , 2015, 34, 641-652.	3.5	90
26	PKA inhibits WNT signalling in adrenal cortex zonation and prevents malignant tumour development. <i>Nature Communications</i> , 2016, 7, 12751.	5.8	86
27	Wnt4/5a signalling coordinates cell adhesion and entry into meiosis during presumptive ovarian follicle development. <i>Human Molecular Genetics</i> , 2010, 19, 1539-1550.	1.4	85
28	Transient expression of syndecan in mesenchymal cell aggregates of the embryonic kidney. <i>Developmental Biology</i> , 1992, 152, 221-232.	0.9	83
29	A mouse model for \pm -methylacyl-CoA racemase deficiency: adjustment of bile acid synthesis and intolerance to dietary methyl-branched lipids. <i>Human Molecular Genetics</i> , 2004, 13, 955-965.	1.4	81
30	Wnt signaling in kidney development and disease. <i>Organogenesis</i> , 2008, 4, 55-59.	0.4	81
31	The adrenal capsule is a signaling center controlling cell renewal and zonation through <i>Rspo3</i> . <i>Genes and Development</i> , 2016, 30, 1389-1394.	2.7	79
32	Novel perspectives for investigating congenital anomalies of the kidney and urinary tract (CAKUT). <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3843-3851.	0.4	78
33	Wnt-11 signalling controls ventricular myocardium development by patterning N-cadherin and β -catenin expression. <i>Cardiovascular Research</i> , 2010, 85, 100-109.	1.8	74
34	Coordination of trigeminal axon navigation and patterning with tooth organ formation: epithelial-mesenchymal interactions, and epithelial Wnt4 and Tgfr1 regulate semaphorin 3a expression in the dental mesenchyme. <i>Development (Cambridge)</i> , 2005, 132, 323-334.	1.2	73
35	Wnt Signaling in Renal Cell Carcinoma. <i>Cancers</i> , 2016, 8, 57.	1.7	70
36	Deficiency in crumbs homolog 2 (<i>Crb2</i>) affects gastrulation and results in embryonic lethality in mice. <i>Developmental Dynamics</i> , 2011, 240, 2646-2656.	0.8	69

#	ARTICLE	IF	CITATIONS
37	Coordination of kidney organogenesis by Wnt signaling. <i>Pediatric Nephrology</i> , 2014, 29, 737-744.	0.9	69
38	Synthesis of cationized nanofibrillated cellulose and its antimicrobial properties. <i>European Polymer Journal</i> , 2016, 75, 116-124.	2.6	66
39	Skin equivalents: skin from reconstructions as models to study skin development and diseases. <i>British Journal of Dermatology</i> , 2015, 173, 391-403.	1.4	65
40	Lexical Access Routes to Nouns in a Morphologically Rich Language. <i>Journal of Memory and Language</i> , 1999, 40, 109-135.	1.1	64
41	Sequential induction of syndecan, tenascin and cell proliferation associated with mesenchymal cell condensation during early tooth development. <i>Differentiation</i> , 1992, 50, 97-105.	1.0	63
42	Mouse model of proximal tubule endocytic dysfunction. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3446-3451.	0.4	62
43	The Signaling Protein Wnt4 Enhances Thymopoiesis and Expands Multipotent Hematopoietic Progenitors through β^2 -Catenin-Independent Signaling. <i>Immunity</i> , 2008, 29, 57-67.	6.6	58
44	Molecular Genetic Studies of Wnt Signaling in the Mouse. <i>Experimental Cell Research</i> , 1999, 253, 336-348.	1.2	55
45	Wnt4 coordinates directional cell migration and extension of the Müllerian duct essential for ontogenesis of the female reproductive tract. <i>Human Molecular Genetics</i> , 2016, 25, 1059-1073.	1.4	55
46	ErbB4 Modulates Tubular Cell Polarity and Lumen Diameter during Kidney Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 112-122.	3.0	54
47	Loss of the Podocyte-Expressed Transcription Factor Tcf21/Pod1 Results in Podocyte Differentiation Defects and FSGS. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2459-2470.	3.0	52
48	Extracellular Vesicles as Innovative Tool for Diagnosis, Regeneration and Protection against Neurological Damage. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6859.	1.8	52
49	Wnt-4 signaling is involved in the control of smooth muscle cell fate via Bmp-4 in the medullary stroma of the developing kidney. <i>Developmental Biology</i> , 2006, 293, 473-483.	0.9	51
50	Wnts and the female reproductive system. <i>The Journal of Experimental Zoology</i> , 2001, 290, 616-623.	1.4	50
51	Signaling during Kidney Development. <i>Cells</i> , 2015, 4, 112-132.	1.8	50
52	Secreted Wnt antagonist Dickkopf-1 controls kidney papilla development coordinated by Wnt-7b signalling. <i>Developmental Biology</i> , 2011, 353, 50-60.	0.9	48
53	CD146 + cells are essential for kidney vasculature development. <i>Kidney International</i> , 2016, 90, 311-324.	2.6	47
54	Wnt4 regulates thymic cellularity through the expansion of thymic epithelial cells and early thymic progenitors. <i>Blood</i> , 2011, 118, 5163-5173.	0.6	46

#	ARTICLE	IF	CITATIONS
55	BMP7 Induces Uterine Receptivity and Blastocyst Attachment. <i>Endocrinology</i> , 2017, 158, 979-992.	1.4	46
56	Exosomes as renal inductive signals in health and disease, and their application as diagnostic markers and therapeutic agents. <i>Frontiers in Cell and Developmental Biology</i> , 2015, 3, 65.	1.8	45
57	Mapping of the fate of cell lineages generated from cells that express the Wnt4 gene by time-lapse during kidney development. <i>Differentiation</i> , 2010, 79, 57-64.	1.0	44
58	Wnt4, a pleiotropic signal for controlling cell polarity, basement membrane integrity, and antimüllerian hormone expression during oocyte maturation in the female follicle. <i>FASEB Journal</i> , 2014, 28, 1568-1581.	0.2	44
59	Polyion complex hydrogels from chemically modified cellulose nanofibrils: Structure-function relationship and potential for controlled and pH-responsive release of doxorubicin. <i>Acta Biomaterialia</i> , 2018, 75, 346-357.	4.1	43
60	Functional Genetic Targeting of Embryonic Kidney Progenitor Cells Ex Vivo. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1126-1137.	3.0	39
61	Actin-Based Mechanism of <i>Holospora obtusa</i> Trafficking in <i>Paramecium caudatum</i> . <i>Protist</i> , 2009, 160, 205-219.	0.6	38
62	Crosstalk between Jagged1 and GDNF/Ret/GFR α 1 signalling regulates ureteric budding and branching. <i>Mechanisms of Development</i> , 2005, 122, 765-780.	1.7	37
63	In vitro studies toward noninvasive glucose monitoring with optical coherence tomography. <i>Applied Optics</i> , 2006, 45, 2251.	2.1	37
64	WNT4 is expressed in human fetal and adult ovaries and its signaling contributes to ovarian cell survival. <i>Molecular and Cellular Endocrinology</i> , 2010, 317, 106-111.	1.6	37
65	HNF1B controls epithelial organization and cell polarity during ureteric bud branching and collecting duct morphogenesis. <i>Development (Cambridge)</i> , 2017, 144, 4704-4719.	1.2	37
66	Exosomes as secondary inductive signals involved in kidney organogenesis. <i>Journal of Extracellular Vesicles</i> , 2018, 7, 1422675.	5.5	37
67	Coordinated induction of cell proliferation and syndecan expression in dental mesenchyme by epithelium: Evidence for diffusible signals. <i>Developmental Dynamics</i> , 1992, 194, 105-117.	0.8	35
68	Organ <i>In Vitro</i> Culture: What Have We Learned about Early Kidney Development?. <i>Stem Cells International</i> , 2015, 2015, 1-16.	1.2	35
69	The lysyl hydroxylase isoforms are widely expressed during mouse embryogenesis, but obtain tissue- and cell-specific patterns in the adult. <i>Matrix Biology</i> , 2006, 25, 475-483.	1.5	34
70	Generation of an allele to inactivate <i>Wnt4</i> gene function conditionally in the mouse. <i>Genesis</i> , 2009, 47, 782-788.	0.8	34
71	Identification of the genes regulated by Wnt-4, a critical signal for commitment of the ovary. <i>Experimental Cell Research</i> , 2015, 332, 163-178.	1.2	34
72	A Secreted BMP Antagonist, Cer1, Fine Tunes the Spatial Organization of the Ureteric Bud Tree during Mouse Kidney Development. <i>PLoS ONE</i> , 2011, 6, e27676.	1.1	34

#	ARTICLE	IF	CITATIONS
73	ATGme: Open-source web application for rare codon identification and custom DNA sequence optimization. <i>BMC Bioinformatics</i> , 2015, 16, 303.	1.2	33
74	Patterning parameters associated with the branching of the ureteric bud regulated by epithelial-mesenchymal interactions. <i>International Journal of Developmental Biology</i> , 2003, 47, 3-13.	0.3	33
75	Nephrogenesis regulated by Wnt signaling. <i>Journal of Nephrology</i> , 2003, 16, 279-85.	0.9	32
76	Wnt-11 signaling leads to down-regulation of the Wnt/ β -catenin, JNK/AP-1 and NF- κ B pathways and promotes viability in the CHO-K1 cells. <i>Experimental Cell Research</i> , 2008, 314, 2389-2399.	1.2	31
77	Transient and recurrent expression of the Egr-1 gene in epithelial and mesenchymal cells during tooth morphogenesis suggests involvement in tissue interactions and in determination of cell fate. <i>Mechanisms of Development</i> , 1992, 39, 41-50.	1.7	30
78	Detecting glucose-induced changes in in vitro and in vivo experiments with optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2008, 13, 021111.	1.4	30
79	Placenta Defects and Embryonic Lethality Resulting from Disruption of Mouse Hydroxysteroid (17 β) Dehydrogenase 2 Gene. <i>Molecular Endocrinology</i> , 2008, 22, 665-675.	3.7	27
80	Ontogeny of 17 β -hydroxysteroid dehydrogenase type 2 mRNA expression in the developing mouse placenta and fetus. <i>Molecular and Cellular Endocrinology</i> , 1997, 134, 33-40.	1.6	26
81	Wnt5a Deficiency Leads to Anomalies in Ureteric Tree Development, Tubular Epithelial Cell Organization and Basement Membrane Integrity Pointing to a Role in Kidney Collecting Duct Patterning. <i>PLoS ONE</i> , 2016, 11, e0147171.	1.1	26
82	Genomic response to Wnt signalling is highly context-dependent – Evidence from DNA microarray and chromatin immunoprecipitation screens of Wnt/TCF targets. <i>Experimental Cell Research</i> , 2009, 315, 2690-2704.	1.2	25
83	WT1 and Sox11 regulate synergistically the promoter of the Wnt4 gene that encodes a critical signal for nephrogenesis. <i>Experimental Cell Research</i> , 2012, 318, 1134-1145.	1.2	25
84	Renal blood flow and oxygenation drive nephron progenitor differentiation. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F337-F345.	1.3	25
85	Biodegradable Nanocarriers Resembling Extracellular Vesicles Deliver Genetic Material with the Highest Efficiency to Various Cell Types. <i>Small</i> , 2020, 16, e1904880.	5.2	25
86	Kidney Development: An Overview. <i>Nephron Experimental Nephrology</i> , 2014, 126, 40-44.	2.4	24
87	Vps34/PI3KC3 deletion in kidney proximal tubules impairs apical trafficking and blocks autophagic flux, causing a Fanconi-like syndrome and renal insufficiency. <i>Scientific Reports</i> , 2018, 8, 14133.	1.6	24
88	Expression of Wnt and TGF- β pathway components and key adrenal transcription factors in adrenocortical tumors: Association to carcinoma aggressiveness. <i>Pathology Research and Practice</i> , 2013, 209, 503-509.	1.0	23
89	Plasmon-Resonant Gold Nanostars With Variable Size as Contrast Agents for Imaging Applications. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016, 22, 13-20.	1.9	23
90	Sprouty2 Is Involved in Male Sex Organogenesis by Controlling Fibroblast Growth Factor 9-Induced Mesonephric Cell Migration to the Developing Testis. <i>Endocrinology</i> , 2006, 147, 3777-3788.	1.4	22

#	ARTICLE	IF	CITATIONS
91	MicroRNAs in Extracellular Vesicles in Sweat Change in Response to Endurance Exercise. <i>Frontiers in Physiology</i> , 2020, 11, 676.	1.3	22
92	Optical properties of plasmon-resonant bare and silica-coated nanostars used for cell imaging. <i>Journal of Biomedical Optics</i> , 2015, 20, 076017.	1.4	21
93	Characterization of nucleic acids from extracellular vesicle-enriched human sweat. <i>BMC Genomics</i> , 2021, 22, 425.	1.2	21
94	Characterization and expression of the human WNT4; lack of associated germline mutations in high-to moderate-risk breast and ovarian cancer. <i>Cancer Letters</i> , 2004, 213, 83-90.	3.2	20
95	Syndecan and tenascin: Induction during early tooth morphogenesis and possible interactions. <i>Cell Differentiation and Development</i> , 1990, 32, 383-389.	0.4	19
96	The embryonic aorta-gonad-mesonephros region as a generator of haematopoietic stem cells. <i>Apmis</i> , 2005, 113, 804-812.	0.9	19
97	Titania nanofibers in gypsum composites: an antibacterial and cytotoxicology study. <i>Journal of Materials Chemistry B</i> , 2014, 2, 1307.	2.9	19
98	Deducing the stage of origin of Wilms' tumours from a developmental series of <i>Wt1</i> mutants. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 903-17.	1.2	19
99	3D bioprinting of the kidney—hype or hope?. <i>AIMS Cell and Tissue Engineering</i> , 2018, 2, 119-162.	0.4	19
100	Impairment of Wnt11 function leads to kidney tubular abnormalities and secondary glomerular cystogenesis. <i>BMC Developmental Biology</i> , 2016, 16, 30.	2.1	18
101	Embryonic Stem Cells Derived Kidney Organoids as Faithful Models to Target Programmed Nephrogenesis. <i>Scientific Reports</i> , 2018, 8, 16618.	1.6	18
102	Expression of cytosolic acetyl-CoA synthetase gene is developmentally regulated. <i>Mechanisms of Development</i> , 2002, 115, 139-141.	1.7	16
103	Novel fixed Z-dimension (FiZD) kidney primordia and an organoid culture system for time-lapse confocal imaging. <i>Development (Cambridge)</i> , 2017, 144, 1113-1117.	1.2	16
104	Kidney development and perspectives for organ engineering. <i>Cell and Tissue Research</i> , 2017, 369, 171-183.	1.5	16
105	Erb4 regulates the oocyte microenvironment during folliculogenesis. <i>Human Molecular Genetics</i> , 2020, 29, 2813-2830.	1.4	16
106	Molecular Communications in Viral Infections Research: Modeling, Experimental Data, and Future Directions. <i>IEEE Transactions on Molecular, Biological, and Multi-Scale Communications</i> , 2021, 7, 121-141.	1.4	16
107	Time-gated Raman spectroscopy and proteomics analyses of hypoxic and normoxic renal carcinoma extracellular vesicles. <i>Scientific Reports</i> , 2021, 11, 19594.	1.6	16
108	Differential expression of mouse laminin β 2 and β 2* chain transcripts. <i>Cell and Tissue Research</i> , 2000, 300, 129-137.	1.5	14

#	ARTICLE	IF	CITATIONS
109	Self-assembled nanofibrils from RGD-functionalized cellulose nanocrystals to improve the performance of PEI/DNA polyplexes. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 71-82.	5.0	14
110	Impact of Nanocapsules on Red Blood Cells Interplay Jointly Assessed by Optical Tweezers and Microscopy. <i>Micromachines</i> , 2020, 11, 19.	1.4	14
111	Induced Repatterning of Type XVIII Collagen Associates with Ectopic Sonic Hedgehog and Lung Surfactant C Gene Expression and Changes in Epithelial Epigenesis in the Ureteric Bud. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, S3-S8.	3.0	13
112	Mouse Embryonic Stem Cell-Derived Ureteric Bud Progenitors Induce Nephrogenesis. <i>Cells</i> , 2020, 9, 329.	1.8	13
113	Secreted Extracellular Vesicle Molecular Cargo as a Novel Liquid Biopsy Diagnostics of Central Nervous System Diseases. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3267.	1.8	13
114	Biomedical applications of multifunctional magnetoelectric nanoparticles. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1368-1390.	3.2	13
115	Lumbo-sacral neural crest derivatives fate mapped with the aid of Wnt-1 promoter integrate but are not essential to kidney development. <i>Differentiation</i> , 2009, 77, 199-208.	1.0	12
116	Protection of Cystinotic Mice by Kidney-Specific Megalin Ablation Supports an Endocytosis-Based Mechanism for Nephropathic Cystinosis Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2177-2190.	3.0	12
117	Optical Studies of Nanodiamond-Tissue Interaction: Skin Penetration and Localization. <i>Materials</i> , 2019, 12, 3762.	1.3	12
118	The Wnt inhibitor Dkk1 is required for maintaining the normal cardiac differentiation program in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 2019, 449, 1-13.	0.9	11
119	Murine Wnt-1 with an Internal c-myc Tag Recombinantly Produced in <i>Escherichia coli</i> Can Induce Intracellular Signaling of the Canonical Wnt Pathway in Eukaryotic Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 47520-47527.	1.6	10
120	Conditional tamoxifen Cre induced mutagenesis in the embryonic kidney in organ culture. <i>Genesis</i> , 2007, 45, 757-761.	0.8	9
121	ErbB4, a Receptor Tyrosine Kinase, Coordinates Organization of the Seminiferous Tubules in the Developing Testis. <i>Molecular Endocrinology</i> , 2014, 28, 1534-1546.	3.7	8
122	Renal carcinoma/kidney progenitor cell chimera organoid as a novel tumourigenesis gene discovery model. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 1503-1515.	1.2	8
123	Identification of extracellular nanoparticle subsets by nuclear magnetic resonance. <i>Chemical Science</i> , 2021, 12, 8311-8319.	3.7	8
124	Role of the extracellular matrix-located Mac-2 binding protein as an interactor of the Wnt proteins. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 953-957.	1.0	7
125	Clustering and classification of virus sequence through music communication protocol and wavelet transform. <i>Genomics</i> , 2021, 113, 778-784.	1.3	7
126	Potential strategies to prevent encrustations on urinary stents and catheters – thinking outside the box: a European network of multidisciplinary research to improve urinary stents (ENIUS) initiative. <i>Expert Review of Medical Devices</i> , 2021, 18, 1-9.	1.4	7

#	ARTICLE	IF	CITATIONS
127	Molecular genetic analysis of Wnt signals in mouse development. <i>Seminars in Developmental Biology</i> , 1995, 6, 267-274.	1.3	6
128	Polyamines are involved in murine kidney development controlling expression of c-ret, E-cadherin, and Pax2/8 genes. <i>Differentiation</i> , 2005, 73, 303-312.	1.0	6
129	Improving signal detection in emission optical projection tomography via single source multi-exposure image fusion. <i>Optics Express</i> , 2013, 21, 16584.	1.7	6
130	Nephrogenesis in organoids to develop novel drugs and progenitor cell based therapies. <i>European Journal of Pharmacology</i> , 2016, 790, 3-11.	1.7	6
131	Detection of intra-family coronavirus genome sequences through graphical representation and artificial neural network. <i>Expert Systems With Applications</i> , 2022, 194, 116559.	4.4	6
132	Plasmon-resonant gold nanoparticles with variable morphology as optical labels and drug carriers for cytological research. , 2013, , .		5
133	Optimization of Renal Organoid and Organotypic Culture for Vascularization, Extended Development, and Improved Microscopy Imaging. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	5
134	Wnt signaling is required for thymocyte development and activates Tcf-1 mediated transcription. <i>European Journal of Immunology</i> , 2001, 31, 285-293.	1.6	5
135	The modulatory role of internet-supported mindfulness-based cognitive therapy on extracellular vesicles and psychological distress in people who have had cancer: a protocol for a two-armed randomized controlled study. <i>Trials</i> , 2022, 23, 118.	0.7	5
136	Intercellular adhesion and induction of epithelialization in the metanephric mesenchyme. <i>Cell Differentiation and Development</i> , 1988, 25, 111-117.	0.4	4
137	In Vitro Induction of Nephrogenesis in Mouse Metanephric Mesenchyme with Lithium Introduction and Ureteric Bud Recombination. <i>Methods in Molecular Biology</i> , 2012, 886, 23-30.	0.4	4
138	Deciphering the minimal quantity of mouse primary cells to undergo nephrogenesis ex vivo. <i>Developmental Dynamics</i> , 2021, , .	0.8	3
139	Computational modelling of nephron progenitor cell movement and aggregation during kidney organogenesis. <i>Mathematical Biosciences</i> , 2022, 344, 108759.	0.9	3
140	Molecular Changes in Dental Mesenchyme During Tooth Development. <i>Frontiers of Oral Biology</i> , 1991, 8, 42-56.	1.5	2
141	How the Developing Mammalian Kidney Assembles Its Thousands of Nephrons: Fgfs as Stemness Signals. <i>Developmental Cell</i> , 2012, 22, 1125-1126.	3.1	2
142	The effect of laser irradiation on living cells incubated with gold nanoparticles. , 2015, , .		2
143	The CapZ interacting protein Rcsd1 is required for cardiogenesis downstream of Wnt11a in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 2017, 424, 28-39.	0.9	2
144	Protein kinase A drives paracrine crisis and WNT4-dependent testis tumor in Carney complex. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	2

#	ARTICLE	IF	CITATIONS
145	Production of monoclonal antibodies against murine dental papilla. <i>European Journal of Oral Sciences</i> , 1988, 96, 177-187.	0.7	1
146	Conditional expression of Lodavin, an avidinâ€tagged LDL receptor, for biotinâ€mediated applications in vivo. <i>Genesis</i> , 2012, 50, 693-699.	0.8	1
147	Reaction Time and Visual Memory in Connection to Alcohol Use in Persons with Bipolar Disorder. <i>Brain Sciences</i> , 2021, 11, 1154.	1.1	1
148	Deducing the stage of origin of Wilms' tumours from a developmental series of Wt1-mutant mice. <i>Development (Cambridge)</i> , 2015, 142, e1.2-e1.2.	1.2	1
149	Syndecan from embryonic tooth mesenchyme binds tenascin. <i>Cell Differentiation and Development</i> , 1989, 27, 80.	0.4	0
150	Haar wavelet based approach for Short Tandem Repeats (STR) Detection. , 2019, , .		0
151	Trisk 95 as a novel skin mirror for normal and diabetic systemic glucose level. <i>Scientific Reports</i> , 2020, 10, 12246.	1.6	0
152	Molecular Mediators and Models of Kidney Tubule Induction.. <i>Trends in Glycoscience and Glycotechnology</i> , 1998, 10, 335-347.	0.0	0
153	Reaction Time and Visual Memory in Connection to Hazardous Drinking Polygenic Scores in Schizophrenia, Schizoaffective Disorder and Bipolar Disorder. <i>Brain Sciences</i> , 2021, 11, 1422.	1.1	0