

Jurgen A Marteiijn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2070129/publications.pdf>

Version: 2024-02-01

54
papers

4,509
citations

186265

28
h-index

168389

53
g-index

61
all docs

61
docs citations

61
times ranked

6132
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding nucleotide excision repair and its roles in cancer and ageing. <i>Nature Reviews Molecular Cell Biology</i> , 2014, 15, 465-481.	37.0	865
2	RNF168 ubiquitinates K13-15 on H2A/H2AX to Drive DNA Damage Signaling. <i>Cell</i> , 2012, 150, 1182-1195.	28.9	516
3	Human USP3 Is a Chromatin Modifier Required for S Phase Progression and Genome Stability. <i>Current Biology</i> , 2007, 17, 1972-1977.	3.9	251
4	UV-sensitive syndrome protein UVSSA recruits USP7 to regulate transcription-coupled repair. <i>Nature Genetics</i> , 2012, 44, 598-602.	21.4	213
5	The core spliceosome as target and effector of non-canonical ATM signalling. <i>Nature</i> , 2015, 523, 53-58.	27.8	212
6	PARP1 promotes nucleotide excision repair through DDB2 stabilization and recruitment of ALC1. <i>Journal of Cell Biology</i> , 2012, 199, 235-249.	5.2	197
7	The DNA damage response to transcription stress. <i>Nature Reviews Molecular Cell Biology</i> , 2019, 20, 766-784.	37.0	184
8	Nucleotide excision repair-induced H2A ubiquitination is dependent on MDC1 and RNF8 and reveals a universal DNA damage response. <i>Journal of Cell Biology</i> , 2009, 186, 835-847.	5.2	167
9	Live-cell analysis of endogenous GFP-RPB1 uncovers rapid turnover of initiating and promoter-paused RNA Polymerase II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E4368-E4376.	7.1	166
10	ATP-dependent chromatin remodeling in the DNA-damage response. <i>Epigenetics and Chromatin</i> , 2012, 5, 4.	3.9	152
11	RNF111/Arkadia is a SUMO-targeted ubiquitin ligase that facilitates the DNA damage response. <i>Journal of Cell Biology</i> , 2013, 201, 797-807.	5.2	129
12	Enhanced Chromatin Dynamics by FACT Promotes Transcriptional Restart after UV-Induced DNA Damage. <i>Molecular Cell</i> , 2013, 51, 469-479.	9.7	127
13	Poly(ADP-ribosylation) links the chromatin remodeler SMARCA5/SNF2H to RNF168-dependent DNA damage signaling. <i>Journal of Cell Science</i> , 2013, 126, 889-903.	2.0	113
14	Involvement of Global Genome Repair, Transcription Coupled Repair, and Chromatin Remodeling in UV DNA Damage Response Changes during Development. <i>PLoS Genetics</i> , 2010, 6, e1000941.	3.5	111
15	SUMO and ubiquitin-dependent XPC exchange drives nucleotide excision repair. <i>Nature Communications</i> , 2015, 6, 7499.	12.8	90
16	Role of curcumin and the inhibition of NF- κ B in the onset of chemotherapy-induced mucosal barrier injury. <i>Leukemia</i> , 2004, 18, 276-284.	7.2	63
17	Human ISWI complexes are targeted by SMARCA5 ATPase and SLIDE domains to help resolve lesion-stalled transcription. <i>Nucleic Acids Research</i> , 2014, 42, 8473-8485.	14.5	54
18	DNA damage-induced histone H1 ubiquitylation is mediated by HUWE1 and stimulates the RNF8-RNF168 pathway. <i>Scientific Reports</i> , 2017, 7, 15353.	3.3	54

#	ARTICLE	IF	CITATIONS
19	The transcription-coupled DNA repair-initiating protein CSB promotes XRCC1 recruitment to oxidative DNA damage. <i>Nucleic Acids Research</i> , 2018, 46, 7747-7756.	14.5	54
20	The E3 ubiquitin-protein ligase Triad1 inhibits clonogenic growth of primary myeloid progenitor cells. <i>Blood</i> , 2005, 106, 4114-4123.	1.4	52
21	<scp>DNA</scp> damage-induced replication stress results in <scp>PA</scp> 200-proteasome-mediated degradation of acetylated histones. <i>EMBO Reports</i> , 2018, 19, .	4.5	42
22	Elongation factor ELOF1 drives transcription-coupled repair and prevents genome instability. <i>Nature Cell Biology</i> , 2021, 23, 608-619.	10.3	41
23	UVSSA and USP7, a new couple in transcription-coupled DNA repair. <i>Chromosoma</i> , 2013, 122, 275-284.	2.2	39
24	Ubiquitin and TFIIH-stimulated DDB2 dissociation drives DNA damage handover in nucleotide excision repair. <i>Nature Communications</i> , 2020, 11, 4868.	12.8	39
25	Trichothiodystrophy causative TFIIH ² mutation affects transcription in highly differentiated tissue. <i>Human Molecular Genetics</i> , 2017, 26, 4689-4698.	2.9	38
26	What happens at the lesion does not stay at the lesion: Transcription-coupled nucleotide excision repair and the effects of DNA damage on transcription in cis and trans. <i>DNA Repair</i> , 2018, 71, 56-68.	2.8	37
27	FACT subunit Spt16 controls UVSSA recruitment to lesion-stalled RNA Pol II and stimulates TC-NER. <i>Nucleic Acids Research</i> , 2019, 47, 4011-4025.	14.5	33
28	WDR82/PNUTS-PP1 Prevents Transcription-Replication Conflicts by Promoting RNA Polymerase II Degradation on Chromatin. <i>Cell Reports</i> , 2020, 33, 108469.	6.4	33
29	Disruption of TTDA Results in Complete Nucleotide Excision Repair Deficiency and Embryonic Lethality. <i>PLoS Genetics</i> , 2013, 9, e1003431.	3.5	32
30	A CSB-PAF1C axis restores processive transcription elongation after DNA damage repair. <i>Nature Communications</i> , 2021, 12, 1342.	12.8	31
31	Gfi1 ubiquitination and proteasomal degradation is inhibited by the ubiquitin ligase Triad1. <i>Blood</i> , 2007, 110, 3128-3135.	1.4	28
32	The ubiquitin ligase Triad1 inhibits myelopoiesis through UbcH7 and Ubc13 interacting domains. <i>Leukemia</i> , 2009, 23, 1480-1489.	7.2	28
33	Ubiquitin at work: The ubiquitous regulation of the damage recognition step of NER. <i>Experimental Cell Research</i> , 2014, 329, 101-109.	2.6	27
34	An immunoaffinity purification method for the proteomic analysis of ubiquitinated protein complexes. <i>Analytical Biochemistry</i> , 2013, 440, 227-236.	2.4	25
35	DNA damage sensitivity of SWI/SNF-deficient cells depends on TFIIH subunit p62/GTF2H1. <i>Nature Communications</i> , 2018, 9, 4067.	12.8	25
36	Diminished proteasomal degradation results in accumulation of Gfi1 protein in monocytes. <i>Blood</i> , 2007, 109, 100-108.	1.4	22

#	ARTICLE	IF	CITATIONS
37	Traveling Rocky Roads: The Consequences of Transcription-Blocking DNA Lesions on RNA Polymerase II. <i>Journal of Molecular Biology</i> , 2017, 429, 3146-3155.	4.2	22
38	DNA damage-induced transcription stress triggers the genome-wide degradation of promoter-bound Pol II. <i>Nature Communications</i> , 2022, 13, .	12.8	21
39	Gearing up chromatin. <i>Nucleus</i> , 2014, 5, 203-210.	2.2	19
40	Fluorescently-labelled CPD and 6-4PP photolyases: new tools for live-cell DNA damage quantification and laser-assisted repair. <i>Nucleic Acids Research</i> , 2019, 47, 3536-3549.	14.5	19
41	Ubiquitylation in normal and malignant hematopoiesis: novel therapeutic targets. <i>Leukemia</i> , 2006, 20, 1511-1518.	7.2	16
42	Amplification of unscheduled DNA synthesis signal enables fluorescence-based single cell quantification of transcription-coupled nucleotide excision repair. <i>Nucleic Acids Research</i> , 2017, 45, gkw1360.	14.5	16
43	Active DNA damage eviction by HLTf stimulates nucleotide excision repair. <i>Molecular Cell</i> , 2022, 82, 1343-1358.e8.	9.7	16
44	SMARCAD1-mediated active replication fork stability maintains genome integrity. <i>Science Advances</i> , 2021, 7, .	10.3	15
45	Bidirectional coupling of splicing and ATM signaling in response to transcription-blocking DNA damage. <i>RNA Biology</i> , 2016, 13, 272-278.	3.1	14
46	Histone H1 eviction by the histone chaperone SET reduces cell survival following DNA damage. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	11
47	Erythropoietic Defect Associated with Reduced Cell Proliferation in Mice Lacking the 26S Proteasome Shutting Factor Rad23b. <i>Molecular and Cellular Biology</i> , 2013, 33, 3879-3892.	2.3	9
48	Ultra-soft X-ray system for imaging the early cellular responses to X-ray induced DNA damage. <i>Nucleic Acids Research</i> , 2019, 47, e100-e100.	14.5	9
49	UV-induced G2 checkpoint depends on p38 MAPK and minimal activation of ATR-Chk1 pathway. <i>Journal of Cell Science</i> , 2013, 126, 1923-30.	2.0	8
50	Check, Check â€¦ Triple Check: Multi-Step DNA Lesion Identification by Nucleotide Excision Repair. <i>Molecular Cell</i> , 2015, 59, 885-886.	9.7	8
51	Noncanonical ATM Activation and Signaling in Response to Transcription-Blocking DNA Damage. <i>Methods in Molecular Biology</i> , 2017, 1599, 347-361.	0.9	5
52	USP44 Stabilizes DDB2 to Facilitate Nucleotide Excision Repair and Prevent Tumors. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 663411.	3.7	5
53	Differential binding kinetics of replication protein A during replication and the pre- and post-incision steps of nucleotide excision repair. <i>DNA Repair</i> , 2014, 24, 46-56.	2.8	3
54	Triad1 Regulates Myelopoiesis through Different Ubiquitin Ligase Activities.. <i>Blood</i> , 2007, 110, 3292-3292.	1.4	0