

# Ho Yeong Lim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2071929/publications.pdf>

Version: 2024-02-01

199  
papers

13,694  
citations

101543

36  
h-index

24982

109  
g-index

202  
all docs

202  
docs citations

202  
times ranked

13815  
citing authors

#	ARTICLE	IF	CITATIONS
1	Atezolizumab plus Bevacizumab in Unresectable Hepatocellular Carcinoma. <i>New England Journal of Medicine</i> , 2020, 382, 1894-1905.	27.0	3,828
2	Pembrolizumab As Second-Line Therapy in Patients With Advanced Hepatocellular Carcinoma in KEYNOTE-240: A Randomized, Double-Blind, Phase III Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 193-202.	1.6	1,255
3	Ramucirumab after sorafenib in patients with advanced hepatocellular carcinoma and increased $\alpha$ -fetoprotein concentrations (REACH-2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 282-296.	10.7	1,202
4	Comprehensive molecular characterization of clinical responses to PD-1 inhibition in metastatic gastric cancer. <i>Nature Medicine</i> , 2018, 24, 1449-1458.	30.7	1,071
5	Updated efficacy and safety data from IMbrave150: Atezolizumab plus bevacizumab vs. sorafenib for unresectable hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 76, 862-873.	3.7	568
6	Effect of Everolimus on Survival in Advanced Hepatocellular Carcinoma After Failure of Sorafenib. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 57.	7.4	515
7	Phase 1 study of MRX34, a liposomal miR-34a mimic, in patients with advanced solid tumours. <i>British Journal of Cancer</i> , 2020, 122, 1630-1637.	6.4	472
8	Phase III Trial to Compare Adjuvant Chemotherapy With Capecitabine and Cisplatin Versus Concurrent Chemoradiotherapy in Gastric Cancer: Final Report of the Adjuvant Chemoradiotherapy in Stomach Tumors Trial, Including Survival and Subset Analyses. <i>Journal of Clinical Oncology</i> , 2015, 33, 3130-3136.	1.6	370
9	Safety, Efficacy, and Pharmacodynamics of Tremelimumab Plus Durvalumab for Patients With Unresectable Hepatocellular Carcinoma: Randomized Expansion of a Phase I/II Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 2991-3001.	1.6	257
10	IMbrave150: Updated overall survival (OS) data from a global, randomized, open-label phase III study of atezolizumab (atezo) + bevacizumab (bev) versus sorafenib (sor) in patients (pts) with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 267-267.	1.6	226
11	Patient-reported outcomes with atezolizumab plus bevacizumab versus sorafenib in patients with unresectable hepatocellular carcinoma (IMbrave150): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 991-1001.	10.7	179
12	Tumor Genomic Profiling Guides Patients with Metastatic Gastric Cancer to Targeted Treatment: The VIKTORY Umbrella Trial. <i>Cancer Discovery</i> , 2019, 9, 1388-1405.	9.4	155
13	Hyperprogressive disease during PD-1 blockade in patients with advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021, 74, 350-359.	3.7	122
14	Aggressive Intra-segmental Recurrence of Hepatocellular Carcinoma after Radiofrequency Ablation: Risk Factors and Clinical Significance. <i>Radiology</i> , 2015, 276, 274-285.	7.3	113
15	A Phase II Study of the Efficacy and Safety of the Combination Therapy of the MEK Inhibitor Refametinib (BAY 86-9766) Plus Sorafenib for Asian Patients with Unresectable Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2014, 20, 5976-5985.	7.0	95
16	Efficacy, tolerability, and biologic activity of a novel regimen of tremelimumab (T) in combination with durvalumab (D) for patients (pts) with advanced hepatocellular carcinoma (aHCC).. <i>Journal of Clinical Oncology</i> , 2020, 38, 4508-4508.	1.6	86
17	Prospective blinded study of somatic mutation detection in cell-free DNA utilizing a targeted 54-gene next generation sequencing panel in metastatic solid tumor patients. <i>Oncotarget</i> , 2015, 6, 40360-40369.	1.8	85
18	Simvastatin plus capecitabine+ cisplatin versus placebo plus capecitabine+ cisplatin in patients with previously untreated advanced gastric cancer: A double-blind randomised phase 3 study. <i>European Journal of Cancer</i> , 2014, 50, 2822-2830.	2.8	79

#	ARTICLE	IF	CITATIONS
19	Randomized, open-label phase 2 study comparing frontline dovitinib versus sorafenib in patients with advanced hepatocellular carcinoma. <i>Hepatology</i> , 2016, 64, 774-784.	7.3	77
20	REACH-2: A randomized, double-blind, placebo-controlled phase 3 study of ramucirumab versus placebo as second-line treatment in patients with advanced hepatocellular carcinoma (HCC) and elevated baseline alpha-fetoprotein (AFP) following first-line sorafenib. <i>Journal of Clinical Oncology</i> , 2018, 36, 4003-4003.	1.6	77
21	Gemcitabine Plus Cisplatin for Advanced Biliary Tract Cancer: A Systematic Review. <i>Cancer Research and Treatment</i> , 2015, 47, 343-361.	3.0	75
22	An Open-Label, Multicenter, Phase I, Dose Escalation Study with Phase II Expansion Cohort to Determine the Safety, Pharmacokinetics, and Preliminary Antitumor Activity of Intravenous TKM-080301 in Subjects with Advanced Hepatocellular Carcinoma. <i>Oncologist</i> , 2019, 24, 747-e218.	3.7	72
23	c-MET Overexpression in Colorectal Cancer: A Poor Prognostic Factor for Survival. <i>Clinical Colorectal Cancer</i> , 2018, 17, 165-169.	2.3	71
24	Correlating programmed death ligand 1 (PD-L1) expression, mismatch repair deficiency, and outcomes across tumor types: implications for immunotherapy. <i>Oncotarget</i> , 2017, 8, 77415-77423.	1.8	68
25	Hepatocellular carcinoma patients with high circulating cytotoxic T cells and intra-tumoral immune signature benefit from pembrolizumab: results from a single-arm phase 2 trial. <i>Genome Medicine</i> , 2022, 14, 1.	8.2	68
26	Multidisciplinary approach is associated with improved survival of hepatocellular carcinoma patients. <i>PLoS ONE</i> , 2019, 14, e0210730.	2.5	64
27	Phase II Studies with Refametinib or Refametinib plus Sorafenib in Patients with <i>RAS</i> -Mutated Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 4650-4661.	7.0	63
28	Gastrointestinal malignancies harbor actionable MET exon 14 deletions. <i>Oncotarget</i> , 2015, 6, 28211-28222.	1.8	57
29	Genomic characterization of intrinsic and acquired resistance to cetuximab in colorectal cancer patients. <i>Scientific Reports</i> , 2019, 9, 15365.	3.3	54
30	Phase I Study of Ceralasertib (AZD6738), a Novel DNA Damage Repair Agent, in Combination with Weekly Paclitaxel in Refractory Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4700-4709.	7.0	54
31	NTRK1 rearrangement in colorectal cancer patients: evidence for actionable target using patient-derived tumor cell line. <i>Oncotarget</i> , 2015, 6, 39028-39035.	1.8	53
32	Second-line cabozantinib after sorafenib treatment for advanced hepatocellular carcinoma: a subgroup analysis of the phase 3 CELESTIAL trial. <i>ESMO Open</i> , 2020, 5, e000714.	4.5	51
33	Sorafenib therapy for hepatocellular carcinoma with extrahepatic spread: Treatment outcome and prognostic factors. <i>Journal of Hepatology</i> , 2015, 62, 1112-1121.	3.7	50
34	Patient-derived cell models as preclinical tools for genome-directed targeted therapy. <i>Oncotarget</i> , 2015, 6, 25619-25630.	1.8	48
35	MCT4 as a potential therapeutic target for metastatic gastric cancer with peritoneal carcinomatosis. <i>Oncotarget</i> , 2016, 7, 43492-43503.	1.8	45
36	Safety and efficacy of tigatuzumab plus sorafenib as first-line therapy in subjects with advanced hepatocellular carcinoma: A phase 2 randomized study. <i>Journal of Hepatology</i> , 2015, 63, 896-904.	3.7	44

#	ARTICLE	IF	CITATIONS
37	Multicenter retrospective analysis of the safety and efficacy of regorafenib after progression on sorafenib in Korean patients with hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2019, 37, 567-572.	2.6	44
38	A multi-center, open-label, randomized phase III trial of first-line chemotherapy with capecitabine monotherapy versus capecitabine plus oxaliplatin in elderly patients with advanced gastric cancer. <i>Journal of Geriatric Oncology</i> , 2017, 8, 170-175.	1.0	39
39	Phase I Dose-Finding Study of OPB-111077, a Novel STAT3 Inhibitor, in Patients with Advanced Hepatocellular Carcinoma. <i>Cancer Research and Treatment</i> , 2019, 51, 510-518.	3.0	39
40	Efficacy and safety of atezolizumab plus bevacizumab in Korean patients with advanced hepatocellular carcinoma. <i>Liver International</i> , 2022, 42, 674-681.	3.9	39
41	Clinical significance of radiotherapy before and/or during nivolumab treatment in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019, 8, 6986-6994.	2.8	37
42	The impact of KRAS mutations on prognosis in surgically resected colorectal cancer patients with liver and lung metastases: a retrospective analysis. <i>BMC Cancer</i> , 2016, 16, 120.	2.6	35
43	Molecular Characterization of Urothelial Carcinoma of the Bladder and Upper Urinary Tract. <i>Translational Oncology</i> , 2018, 11, 37-42.	3.7	35
44	Pazopanib, a Novel Multitargeted Kinase Inhibitor, Shows Potent <i>In Vitro</i> Antitumor Activity in Gastric Cancer Cell Lines with FGFR2 Amplification. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 2527-2536.	4.1	34
45	The Influence of Metastatic Lymph Node Ratio on the Treatment Outcomes in the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Trial: A Phase III Trial. <i>Journal of Gastric Cancer</i> , 2016, 16, 105.	2.5	34
46	Prognostic Value of Volume-Based Metabolic Parameters Measured by 18F-FDG PET/CT of Pancreatic Neuroendocrine Tumors. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 180-186.	1.0	33
47	Phase I/II study of first-line combination therapy with sorafenib plus resminostat, an oral HDAC inhibitor, versus sorafenib monotherapy for advanced hepatocellular carcinoma in east Asian patients. <i>Investigational New Drugs</i> , 2018, 36, 1072-1084.	2.6	32
48	Safety of pazopanib and sunitinib in treatment-naïve patients with metastatic renal cell carcinoma: Asian versus non-Asian subgroup analysis of the COMPARZ trial. <i>Journal of Hematology and Oncology</i> , 2018, 11, 69.	17.0	32
49	Regorafenib in patients with advanced Child-Pugh B hepatocellular carcinoma: A multicentre retrospective study. <i>Liver International</i> , 2020, 40, 2544-2552.	3.9	32
50	Incorporating sarcopenia and inflammation with radiation therapy in patients with hepatocellular carcinoma treated with nivolumab. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1593-1603.	4.2	32
51	Tissue recommendations for precision cancer therapy using next generation sequencing: a comprehensive single cancer center's experiences. <i>Oncotarget</i> , 2017, 8, 42478-42486.	1.8	32
52	Detection of novel and potentially actionable anaplastic lymphoma kinase (ALK) rearrangement in colorectal adenocarcinoma by immunohistochemistry screening. <i>Oncotarget</i> , 2015, 6, 24320-24332.	1.8	32
53	Effects of adjuvant radiotherapy on completely resected gastric cancer: A radiation oncologist's view of the ARTIST randomized phase III trial. <i>Radiotherapy and Oncology</i> , 2015, 117, 171-177.	0.6	31
54	Prospective Feasibility Study for Using Cell-Free Circulating Tumor DNA-Guided Therapy in Refractory Metastatic Solid Cancers: An Interim Analysis. <i>JCO Precision Oncology</i> , 2017, 1, 1-15.	3.0	31

#	ARTICLE	IF	CITATIONS
55	Pembrolizumab as Second-Line Therapy for Advanced Hepatocellular Carcinoma: A Subgroup Analysis of Asian Patients in the Phase 3 KEYNOTE-240 Trial. <i>Liver Cancer</i> , 2021, 10, 275-284.	7.7	29
56	Patient-reported outcomes (PROs) from the Phase III IMbrave150 trial of atezolizumab (atezo) + bevacizumab (bev) vs sorafenib (sor) as first-line treatment (tx) for patients (pts) with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2020, 38, 476-476.	1.6	28
57	Pazopanib for the Treatment of Non-clear Cell Renal Cell Carcinoma: A Single-Arm, Open-Label, Multicenter, Phase II Study. <i>Cancer Research and Treatment</i> , 2018, 50, 488-494.	3.0	28
58	Claudin 18.2 expression in various tumor types and its role as a potential target in advanced gastric cancer. <i>Translational Cancer Research</i> , 2020, 9, 3367-3374.	1.0	26
59	EVOLVE-1: Phase 3 study of everolimus for advanced HCC that progressed during or after sorafenib.. <i>Journal of Clinical Oncology</i> , 2014, 32, 172-172.	1.6	26
60	Circulating Tumor Cells are Predictive of Poor Response to Chemotherapy in Metastatic gastric cancer. <i>International Journal of Biological Markers</i> , 2015, 30, 382-386.	1.8	25
61	Triptolide as a novel agent in pancreatic cancer: the validation using patient derived pancreatic tumor cell line. <i>BMC Cancer</i> , 2018, 18, 1103.	2.6	25
62	Anti-tumor efficacy of fulvestrant in estrogen receptor positive gastric cancer. <i>Scientific Reports</i> , 2014, 4, 7592.	3.3	24
63	Prospective phase II trial of everolimus in PIK3CA amplification/mutation and/or PTEN loss patients with advanced solid tumors refractory to standard therapy. <i>BMC Cancer</i> , 2017, 17, 211.	2.6	24
64	The NEXT-1 (Next generation pErsonalized tX with mulTi-omics and preclinical model) trial: prospective molecular screening trial of metastatic solid cancer patients, a feasibility analysis. <i>Oncotarget</i> , 2015, 6, 33358-33368.	1.8	24
65	Antitumor Effect of AZD4547 in a Fibroblast Growth Factor Receptor 2-“Amplified Gastric Cancer Patient-“Derived Cell Model. <i>Translational Oncology</i> , 2017, 10, 469-475.	3.7	23
66	MerTK is a novel therapeutic target in gastric cancer. <i>Oncotarget</i> , 2017, 8, 96656-96667.	1.8	23
67	Phase I trial and pharmacokinetic study of tanibirumab, a fully human monoclonal antibody to vascular endothelial growth factor receptor 2, in patients with refractory solid tumors. <i>Investigational New Drugs</i> , 2017, 35, 782-790.	2.6	22
68	Randomised Phase 1b/2 trial of tepotinib vs sorafenib in Asian patients with advanced hepatocellular carcinoma with MET overexpression. <i>British Journal of Cancer</i> , 2021, 125, 200-208.	6.4	22
69	Direct analysis of aberrant glycosylation on haptoglobin in patients with gastric cancer. <i>Oncotarget</i> , 2017, 8, 11094-11104.	1.8	21
70	MRX34, a liposomal miR-34 mimic, in patients with advanced solid tumors: Final dose-escalation results from a first-in-human phase I trial of microRNA therapy.. <i>Journal of Clinical Oncology</i> , 2016, 34, 2508-2508.	1.6	21
71	Changes in the Mean Corpuscular Volume after Capecitabine Treatment Are Associated with Clinical Response and Survival in Patients with Advanced Gastric Cancer. <i>Cancer Research and Treatment</i> , 1970, 47, 72-77.	3.0	20
72	Natural history of metastatic biliary tract cancer (BTC) patients with good performance status (PS) who were treated with only best supportive care (BSC). <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 256-260.	1.3	20

#	ARTICLE	IF	CITATIONS
73	The Clinical Impact of c-MET Over-Expression in Advanced Biliary Tract Cancer (BTC). <i>Journal of Cancer</i> , 2017, 8, 1395-1399.	2.5	20
74	Comprehensive pharmacogenomic characterization of gastric cancer. <i>Genome Medicine</i> , 2020, 12, 17.	8.2	20
75	Health-related quality of life impact of pembrolizumab versus best supportive care in previously systemically treated patients with advanced hepatocellular carcinoma: KEYNOTE-240. <i>Cancer</i> , 2021, 127, 865-874.	4.1	20
76	Clinical sequencing to assess tumor mutational burden as a useful biomarker to immunotherapy in various solid tumors. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592199299.	3.2	20
77	The implication of FLT3 amplification for FLT targeted therapeutics in solid tumors. <i>Oncotarget</i> , 2017, 8, 3237-3245.	1.8	20
78	Real-Life Experience of Sorafenib Treatment for Hepatocellular Carcinoma in Korea: From GIDEON Data. <i>Cancer Research and Treatment</i> , 2016, 48, 1243-1252.	3.0	20
79	Outcomes Based on Plasma Biomarkers for the Phase 3 CELESTIAL Trial of Cabozantinib versus Placebo in Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2022, 11, 38-47.	7.7	20
80	A Retrospective Analysis for Patients with HER2-Positive Gastric Cancer Who Were Treated with Trastuzumab-Based Chemotherapy: In the Perspectives of Ethnicity and Histology. <i>Cancer Research and Treatment</i> , 2016, 48, 553-560.	3.0	19
81	Efficacy and toxicity of sunitinib in patients with metastatic renal cell carcinoma with renal insufficiency. <i>European Journal of Cancer</i> , 2014, 50, 746-752.	2.8	18
82	Intrinsic resistance to sunitinib in patients with metastatic renal cell carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 61-67.	1.1	18
83	The Impact of Microsatellite Instability Status and Sidedness of the Primary Tumor on the Effect of Cetuximab-Containing Chemotherapy in Patients with Metastatic Colorectal Cancer. <i>Journal of Cancer</i> , 2017, 8, 2809-2815.	2.5	18
84	Gemcitabine and Docetaxel Combination for Advanced Soft Tissue Sarcoma: A Nationwide Retrospective Study. <i>Cancer Research and Treatment</i> , 2018, 50, 175-182.	3.0	18
85	Tumour shrinkage at 6 weeks predicts favorable clinical outcomes in a phase III study of gemcitabine and oxaliplatin with or without erlotinib for advanced biliary tract cancer. <i>BMC Cancer</i> , 2015, 15, 530.	2.6	17
86	Genomic Profiling of Metastatic Gastroenteropancreatic Neuroendocrine Tumor (GEP-NET) Patients in the Personalized-Medicine Era. <i>Journal of Cancer</i> , 2016, 7, 1044-1048.	2.5	17
87	Phase I Trial of Anti-MET Monoclonal Antibody in MET-Overexpressed Refractory Cancer. <i>Clinical Colorectal Cancer</i> , 2018, 17, 140-146.	2.3	17
88	Molecular Subgroup Analysis of Clinical Outcomes in a Phase 3 Study of Gemcitabine and Oxaliplatin with or without Erlotinib in Advanced Biliary Tract Cancer. <i>Translational Oncology</i> , 2015, 8, 40-46.	3.7	16
89	The Impact of Cetuximab Plus AKT- or mTOR- Inhibitor in a Patient-Derived Colon Cancer Cell Model with Wild-Type RAS and PIK3CA Mutation. <i>Journal of Cancer</i> , 2017, 8, 2713-2719.	2.5	16
90	MerTK inhibition by RXDX-106 in MerTK activated gastric cancer cell lines. <i>Oncotarget</i> , 2017, 8, 105727-105734.	1.8	16

#	ARTICLE	IF	CITATIONS
91	Clinical Features and Treatment of Collecting Duct Carcinoma of the Kidney from the Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. <i>Cancer Research and Treatment</i> , 2014, 46, 141-147.	3.0	16
92	Pilot study of sirolimus in patients with PIK3CA mutant/amplified refractory solid cancer. <i>Molecular and Clinical Oncology</i> , 2017, 7, 27-31.	1.0	15
93	PIK3CA mutation detection in metastatic biliary cancer using cell-free DNA. <i>Oncotarget</i> , 2015, 6, 40026-40035.	1.8	15
94	Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer. <i>Oncotarget</i> , 2016, 7, 24088-24096.	1.8	15
95	A Korean multi-center, real-world, retrospective study of first-line pazopanib in unselected patients with metastatic renal clear-cell carcinoma. <i>BMC Urology</i> , 2016, 16, 46.	1.4	14
96	Clinical Application of Targeted Deep Sequencing in Solid-Cancer Patients and Utility for Biomarker-Selected Clinical Trials. <i>Oncologist</i> , 2017, 22, 1169-1177.	3.7	14
97	A Phase II Study of Weekly Docetaxel as Second-Line Chemotherapy in Patients With Metastatic Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 76-81.	1.9	12
98	Adjuvant Chemotherapy with or without Concurrent Radiotherapy for Patients with Stage IB Gastric Cancer: a Subgroup Analysis of the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Phase III Trial. <i>Journal of Gastric Cancer</i> , 2018, 18, 348.	2.5	12
99	Necessity of adjuvant concurrent chemo-radiotherapy in D2-resected LN-positive gastric cancer. <i>Radiotherapy and Oncology</i> , 2018, 129, 306-312.	0.6	12
100	Molecular characterization of colorectal cancer patients and concomitant patient-derived tumor cell establishment. <i>Oncotarget</i> , 2016, 7, 19610-19619.	1.8	12
101	A Single Arm, Phase II Study of Simvastatin Plus XELOX and Bevacizumab as First-Line Chemotherapy in Metastatic Colorectal Cancer Patients. <i>Cancer Research and Treatment</i> , 2019, 51, 1128-1134.	3.0	12
102	Value of FGFR2 expression for advanced gastric cancer patients receiving pazopanib plus CapeOX (capecitabine and oxaliplatin). <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1231-1237.	2.5	11
103	Exploratory biomarker analysis for treatment response in KRAS wild type metastatic colorectal cancer patients who received cetuximab plus irinotecan. <i>BMC Cancer</i> , 2015, 15, 747.	2.6	10
104	Pembrolizumab (pembro) vs placebo (pbo) in patients (pts) with advanced hepatocellular carcinoma (aHCC) previously treated with sorafenib: Updated data from the randomized, phase III KEYNOTE-240 study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 268-268.	1.6	10
105	Prospective phase II trial of regional hyperthermia and whole liver irradiation for numerous chemorefractory liver metastases from colorectal cancer. <i>Radiation Oncology Journal</i> , 2016, 34, 34-44.	1.5	10
106	The presence and size of intrahepatic tumors determine the therapeutic efficacy of nivolumab in advanced hepatocellular carcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592211132.	3.2	10
107	Importance of the Circumferential Extent of Tumors and Clinical Lymph Node Status as Prognostic Factors after Preoperative Chemoradiotherapy and Surgery in Patients with Rectal Cancer. <i>Tumori</i> , 2010, 96, 568-576.	1.1	9
108	Clinical Significance of Mucinous Rectal Adenocarcinoma following Preoperative Chemoradiotherapy and Curative Surgery. <i>Tumori</i> , 2016, 102, 114-121.	1.1	9

#	ARTICLE	IF	CITATIONS
109	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin-unfit patients with advanced urothelial carcinoma: a randomised phase II study (COACH, KCSG GU10-16). <i>European Journal of Cancer</i> , 2020, 127, 183-190.	2.8	9
110	First-in-human phase I trial of anti-hepatocyte growth factor antibody (YYB101) in refractory solid tumor patients. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092679.	3.2	9
111	Comparative Efficacy of Cabozantinib and Ramucirumab After Sorafenib for Patients with Hepatocellular Carcinoma and Alpha-fetoprotein $\geq 400$ ng/mL: A Matching-Adjusted Indirect Comparison. <i>Advances in Therapy</i> , 2021, 38, 2472-2490.		9
112	Retrospective analysis of palliative chemotherapy for the patients with bladder adenocarcinoma: Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 383-390.	1.7	9
113	Health-related quality of life (HRQoL) impact of pembrolizumab (pembro) plus best supportive care (BSC) versus placebo (PBO) plus BSC as second-line (2L) therapy in patients (pts) in Asia with advanced hepatocellular carcinoma (HCC): Phase 3 KEYNOTE-394 study. <i>Journal of Clinical Oncology</i> , 2022, 40, 4088-4088.	1.6	9
114	Clinical Significance of IGFBP-3 Methylation in Patients with Early Stage Gastric Cancer. <i>Translational Oncology</i> , 2015, 8, 288-294.	3.7	8
115	The Correlation Between Serum Chemokines and Clinical Outcome in Patients with Advanced Biliary Tract Cancer. <i>Translational Oncology</i> , 2018, 11, 353-357.	3.7	8
116	Combination of Docetaxel Plus Savolitinib in Refractory Cancer Patients: A Report on Phase I Trial. <i>Translational Oncology</i> , 2019, 12, 597-601.	3.7	8
117	Clinical and molecular distinctions in patients with refractory colon cancer who benefit from regorafenib treatment. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592096584.	3.2	8
118	Comparison of the 7th and the 8th AJCC Staging System for Non-metastatic D2-Resected Lymph Node-Positive Gastric Cancer Treated with Different Adjuvant Protocols. <i>Cancer Research and Treatment</i> , 2019, 51, 876-885.	3.0	8
119	A retrospective feasibility study of biweekly, reduced-dose docetaxel in Asian patients with castrate-resistant, metastatic prostate cancer. <i>BMC Urology</i> , 2017, 17, 63.	1.4	7
120	The impact of microsatellite instability status and sidedness of the primary tumor on the effect of bevacizumab-containing chemotherapy in patients with metastatic colorectal cancer. <i>Journal of Cancer</i> , 2018, 9, 1791-1796.	2.5	7
121	The Impact of Primary Tumor Sidedness on the Effect of Regorafenib in Refractory Metastatic Colorectal Cancer. <i>Journal of Cancer</i> , 2019, 10, 1611-1615.	2.5	7
122	Capecitabine plus Oxaliplatin as a Second-Line Therapy for Advanced Biliary Tract Cancers: A Multicenter, Open-Label, Phase II Trial. <i>Journal of Cancer</i> , 2019, 10, 6185-6190.	2.5	7
123	Do Biliary Complications after Proton Beam Therapy for Perihilar Hepatocellular Carcinoma Matter?. <i>Cancers</i> , 2020, 12, 2395.	3.7	7
124	Detection of Fusion Genes Using a Targeted RNA Sequencing Panel in Gastrointestinal and Rare Cancers. <i>Journal of Oncology</i> , 2020, 2020, 1-8.	1.3	7
125	Assessment of pegylated arginine deiminase and modified FOLFOX6 in patients with advanced hepatocellular carcinoma: Results of an international, single-arm, phase 2 study. <i>Cancer</i> , 2021, 127, 4585-4593.	4.1	7
126	Comparison of PFS and safety for Asian compared to North American and European populations in the phase III trial of pazopanib versus sunitinib in patients with treatment-naïve RCC (COMPARZ). <i>Journal of Clinical Oncology</i> , 2013, 31, 366-366.	1.6	7



#	ARTICLE	IF	CITATIONS
127	Ramucirumab (RAM) for sorafenib intolerant patients with hepatocellular carcinoma (HCC) and elevated baseline alpha fetoprotein (AFP): Outcomes from two randomized phase 3 studies (REACH, Tj ETQq1 1 0.784314 rgBT /Ove		
128	Complete responses (CR) in patients receiving atezolizumab (atezo) + bevacizumab (bev) versus sorafenib (sor) in IMbrave150: A phase III clinical trial for unresectable hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2020, 38, 4596-4596.	1.6	7
129	Pemetrexed Monotherapy as Salvage Treatment in Patients with Metastatic Colorectal Cancer Refractory to Standard Chemotherapy: A Phase II Single-arm Prospective Trial. Journal of Cancer, 2018, 9, 2910-2915.	2.5	6
130	Clinical Outcomes and the Role of Adjuvant Concurrent Chemoradiation Therapy in D2-resected LN-positive Young Patients (â‰¥45 Years) With Gastric Cancer. Anticancer Research, 2019, 39, 5811-5820.	1.1	6
131	Safety and efficacy of trastuzumab administered as a 30-min infusion in patients with HER2-positive advanced gastric cancer. Cancer Chemotherapy and Pharmacology, 2019, 83, 501-508.	2.3	6
132	TPK1 as a predictive marker for the anti-tumour effects of simvastatin in gastric cancer. Pathology Research and Practice, 2020, 216, 152820.	2.3	6
133	Programmed Death Ligand 1 Expression as a Prognostic Marker in Patients with Advanced Biliary Tract Cancer. Oncology, 2021, 99, 365-372.	1.9	6
134	A multicenter, randomized, phase Ib/II trial of the oral c-Met inhibitor MSC2156119J as monotherapy versus sorafenib in Asian patients with MET-positive (MET+) advanced hepatocellular carcinoma (HCC) and Child-Pugh Class A liver function.. Journal of Clinical Oncology, 2014, 32, TPS4151-TPS4151.	1.6	6
135	Outcomes in patients (pts) who had received sorafenib (S) as the only prior systemic therapy in the phase 3 CELESTIAL trial of cabozantinib (C) versus placebo (P) in advanced hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2018, 36, 4088-4088.	1.6	6
136	Regorafenib in patients with unresectable hepatocellular carcinoma (uHCC) in routine clinical practice: Exploratory analysis of overall survival (OS) in the prospective, observational REFINE study.. Journal of Clinical Oncology, 2022, 40, 433-433.	1.6	6
137	Antitumor activity of sorafenib plus CDK4/6 inhibitor in pancreatic patient derived cell with KRAS mutation. Journal of Cancer, 2018, 9, 3394-3399.	2.5	5
138	The impact of primary tumor site on outcomes of treatment with etoposide and cisplatin in grade 3 gastroenteropancreatic neuroendocrine carcinoma. Journal of Cancer, 2019, 10, 3140-3144.	2.5	5
139	Use of Gefitinib in EGFR-Amplified Refractory Solid Tumors: An Open-Label, Single-Arm, Single-Center Prospective Pilot Study. Targeted Oncology, 2020, 15, 185-192.	3.6	5
140	The prevalence of homologous recombination deficiency (HRD) in various solid tumors and the role of HRD as a single biomarker to immune checkpoint inhibitors. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2427-2435.	2.5	5
141	Ramucirumab for Patients with Intermediate-Stage Hepatocellular Carcinoma and Elevated Alpha-Fetoprotein: Pooled Results from Two Phase 3 Studies (REACH and REACH-2). Liver Cancer, 2021, 10, 451-460.	7.7	5
142	Sequential treatment with sorafenib (SOR) followed by regorafenib (REG) in patients (pts) with unresectable hepatocellular carcinoma (HCC): Interim analysis of the observational REFINE study.. Journal of Clinical Oncology, 2020, 38, e16680-e16680.	1.6	5
143	Phase III study of pembrolizumab (pembro) versus best supportive care (BSC) for second-line therapy in advanced hepatocellular carcinoma (aHCC): KEYNOTE-240 Asian subgroup.. Journal of Clinical Oncology, 2020, 38, 526-526.	1.6	5
144	The impact of pathologic differentiation (well/poorly) and the degree of Ki-67 index in patients with metastatic WHO grade 3 GEP-NECs. Oncotarget, 2017, 8, 73974-73980.	1.8	5

#	ARTICLE	IF	CITATIONS
145	Carcinoembryonic Antigen Improves the Performance of Magnetic Resonance Imaging in the Prediction of Pathologic Response after Neoadjuvant Chemoradiation for Patients with Rectal Cancer. <i>Cancer Research and Treatment</i> , 2020, 52, 446-454.	3.0	5
146	The use of regorafenib for patients with refractory metastatic colorectal cancer in clinical practice. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 225-231.	2.0	4
147	Prognostic Factors of Survival with Aflibercept and FOLFIRI (fluorouracil, leucovorin, irinotecan) as Second-line Therapy for Patients with Metastatic Colorectal Cancer. <i>Journal of Cancer</i> , 2021, 12, 460-466.	2.5	4
148	Efficacy and Safety Results from a Phase 2, Randomized, Double-Blind Study of Enzalutamide Versus Placebo in Advanced Hepatocellular Carcinoma. <i>Clinical Drug Investigation</i> , 2021, 41, 795-808.	2.2	4
149	Regorafenib in patients with unresectable hepatocellular carcinoma (uHCC) in routine clinical practice: Interim analysis of the prospective, observational REFINE trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 542-542.	1.6	4
150	Ramucirumab for patients with intermediate-stage hepatocellular carcinoma (HCC) and elevated alpha fetoprotein (AFP): Pooled results from two phase III studies (REACH and REACH-2).. <i>Journal of Clinical Oncology</i> , 2020, 38, 549-549.	1.6	4
151	Neutralizing antibody to FGFR2 can act as a selective biomarker and potential therapeutic agent for gastric cancer with FGFR2 amplification. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 4508-4515.	0.0	4
152	Hepatocellular carcinoma treatment: a comparative review of emerging growth factor receptor antagonists. <i>Expert Opinion on Emerging Drugs</i> , 2017, 22, 191-200.	2.4	3
153	Impact of Prior Ramucirumab Use on Treatment Outcomes of Checkpoint Inhibitors in Advanced Gastric Cancer Patients. <i>Targeted Oncology</i> , 2020, 15, 203-209.	3.6	3
154	Phase Ib dose-escalation study of Pexa-Vec (pexastimogene devacirepvec; JX-594), an oncolytic and immunotherapeutic vaccinia virus, administered by intravenous (IV) infusions in patients with metastatic colorectal carcinoma (mCRC).. <i>Journal of Clinical Oncology</i> , 2013, 31, 3608-3608.	1.6	3
155	Phase I dose-finding study of OPB-111077, a novel STAT3 inhibitor, in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4078-4078.	1.6	3
156	Hyperprogressive disease during PD-1 blockade in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, 550-550.	1.6	3
157	Placebo-controlled, double-blinded multi-center phase III trial of XELIRI/FOLFIRI plus simvastatin in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3576-3576.	1.6	3
158	Phase 1a study results investigating the safety and preliminary efficacy of ABL001 (NOV1501), a bispecific antibody targeting VEGF and DLL4 in metastatic gastrointestinal (GI) cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 3023-3023.	1.6	3
159	Regorafenib plus nivolumab as first-line therapy for unresectable hepatocellular carcinoma (uHCC): Multicenter phase 2 trial (RENOBATE).. <i>Journal of Clinical Oncology</i> , 2022, 40, 415-415.	1.6	3
160	Abstract CT222: Pembrolizumab (pembro) for previously treated advanced hepatocellular carcinoma (aHCC): Meta-analysis of the phase 3 KEYNOTE-240 and KEYNOTE-394 studies. <i>Cancer Research</i> , 2022, 82, CT222-CT222.	0.9	3
161	Phase I clinical trial of KML001 monotherapy in patients with advanced solid tumors. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 1059-1067.	4.1	2
162	Pembrolizumab (pembro) versus placebo (pbo) in patients (pts) with advanced hepatocellular carcinoma (aHCC) previously treated with sorafenib: Updated data from the randomized, phase 3 KEYNOTE-240 study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4072-4072.	1.6	2

#	ARTICLE	IF	CITATIONS
163	Phase I trial and pharmacokinetic study of Tanibirumab, a fully human monoclonal antibody to the vascular endothelial growth factor receptor 2 in patients with refractory solid tumors.. Journal of Clinical Oncology, 2015, 33, 2522-2522.	1.6	2
164	Tolerability and activity of tepotinib in Asian patients with advanced hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2016, 34, 4072-4072.	1.6	2
165	First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients: Integrative pathologic-genomic analysis and the final results.. Journal of Clinical Oncology, 2019, 37, 3104-3104.	1.6	2
166	Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer.. Journal of Clinical Oncology, 2015, 33, 4049-4049.	1.6	2
167	Safety and efficacy of durvalumab plus bevacizumab in unresectable hepatocellular carcinoma: Results from the phase 2 study 22 (NCT02519348).. Journal of Clinical Oncology, 2022, 40, 436-436.	1.6	2
168	Adjuvant chemoradiation with 5-fluorouracil/leucovorin versus S-1 in gastric cancer patients following D2 lymph node dissection surgery: a feasibility study. Anticancer Research, 2014, 34, 6585-91.	1.1	2
169	An investigation of the role of gene copy number variations in sorafenib sensitivity in metastatic hepatocellular carcinoma patients. Journal of Cancer, 2017, 8, 730-736.	2.5	1
170	ATM Expression as a Prognostic Marker in Patients With Advanced Biliary Tract Cancer Treated With First-line Gemcitabine and Platinum Chemotherapy. In Vivo, 2021, 35, 499-505.	1.3	1
171	Phase II XELOX + lapatinib treatment in HER2-amplified gastric cancer: Monitoring with serial cell-free DNA genomics.. Journal of Clinical Oncology, 2017, 35, e15610-e15610.	1.6	1
172	First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients.. Journal of Clinical Oncology, 2018, 36, e14501-e14501.	1.6	1
173	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin unfit patients with advanced urothelial carcinoma: A randomized phase II study (COACH, KCSG GU10-16).. Journal of Clinical Oncology, 2019, 37, 4534-4534.	1.6	1
174	Safety and efficacy of everolimus in Asian patients with metastatic renal cell carcinoma (mRCC) who failed previous vascular endothelial growth factor receptor-tyrosine kinase inhibitor (VEGFr-TKI) therapy: A subanalysis of REACT.. Journal of Clinical Oncology, 2012, 30, e15064-e15064.	1.6	1
175	Phase III trial to compare capecitabine/cisplatin (XP) versus XP plus concurrent capecitabine-radiotherapy in gastric cancer (GC): The final report on the ARTIST trial.. Journal of Clinical Oncology, 2014, 32, 4008-4008.	1.6	1
176	Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative-Intent Surgery and/or Ablation for Metastatic Rectal Cancer. Annals of Surgical Oncology, 2022, , 1.	1.5	1
177	When to apply immune checkpoint inhibitor in patients with refractory advanced gastric cancer. Journal of Cancer, 2021, 12, 5681-5686.	2.5	0
178	Landmark analysis of overall survival (OS) by objective response (OR) in previously treated patients (pts) with advanced hepatocellular carcinoma (aHCC): Post-hoc analysis of the randomized, phase III KEYNOTE-240 study.. Journal of Clinical Oncology, 2021, 39, 318-318.	1.6	0
179	Landmark analysis of overall survival (OS) by objective response (OR) in previously treated patients (pts) with advanced hepatocellular carcinoma (aHCC): Post hoc analysis of the randomized, phase 3 KEYNOTE-240 study.. Journal of Clinical Oncology, 2021, 39, e16122-e16122.	1.6	0
180	Identification of Leukemia Surface Proteins Using a Proteomic Technique. The Korean Journal of Hematology, 2006, 41, 272.	0.7	0

#	ARTICLE	IF	CITATIONS
181	Phase Ib dose-escalation study of a phase II randomized trial to assess the safety and tolerability of tigatuzumab (CS-1008) in combination with sorafenib in patients (pts) with advanced hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2012, 30, e14617-e14617.	1.6	0
182	A phase Ib dose escalation study of JX-594 (TK-vaccinia virus expressing GM-CSF) administered by biweekly intravenous infusion in patients with metastatic, refractory colorectal carcinoma.. Journal of Clinical Oncology, 2012, 30, e13044-e13044.	1.6	0
183	Efficacy and toxicity of sunitinib in renal insufficiency patients with metastatic renal cell carcinoma.. Journal of Clinical Oncology, 2013, 31, e15573-e15573.	1.6	0
184	A phase II trial of weekly docetaxel for second-line treatment of urothelial carcinoma.. Journal of Clinical Oncology, 2013, 31, e15613-e15613.	1.6	0
185	Abstract B42: RAS mutations detected by cell-free plasma DNA (BEAMing) assay may portend a favorable response to refametinib +/- sorafenib in hepatocellular carcinoma. , 2014, , .		0
186	Molecular profiling of patient derived cells (PDCs) from metastatic cancer patients using CancerSCAN: Highly profiled models to test the efficacy of genome-directed therapy in cancer.. Journal of Clinical Oncology, 2015, 33, e22241-e22241.	1.6	0
187	Tuberous sclerosis complex 2 (TSC2) expression in hepatocellular carcinoma to predict responses to mTOR inhibitor.. Journal of Clinical Oncology, 2016, 34, e15628-e15628.	1.6	0
188	The clinicopathologic features and treatment of 607 hindgut neuroendocrine tumor (NET) patients at a single institution.. Journal of Clinical Oncology, 2016, 34, 4091-4091.	1.6	0
189	The impact of cetuximab plus AKT- or mTOR- inhibitor in patient-derived colon cancer cell model with RAS wild type and PIK3CA mutation.. Journal of Clinical Oncology, 2016, 34, e15153-e15153.	1.6	0
190	Programmed death (PD)-ligand 1 (L1) expression and mismatch repair (MMR) deficiency across tumor types: Candidates for checkpoint inhibitor based immunotherapy.. Journal of Clinical Oncology, 2017, 35, e14622-e14622.	1.6	0
191	The impact of pathologic differentiation (well/ poorly) and the degree of Ki-67 index in patients with metastatic WHO grade 3 GEP-NECs.. Journal of Clinical Oncology, 2017, 35, e15686-e15686.	1.6	0
192	VariantPlex panel to detect genomic aberrations in oncology patients with rare cancer type.. Journal of Clinical Oncology, 2018, 36, e24234-e24234.	1.6	0
193	Detection of targetable fusions using FusionPlex in oncology patients.. Journal of Clinical Oncology, 2018, 36, e24238-e24238.	1.6	0
194	The impact of primary tumor site on outcomes of treatment with etoposide and cisplatin in grade 3 gastroenteropancreatic neuroendocrine carcinoma.. Journal of Clinical Oncology, 2019, 37, 213-213.	1.6	0
195	Gemcitabine-carboplatin (GCb) versus gemcitabine-oxaliplatin (GemOx) in cisplatin un-fit advanced urothelial carcinoma: Randomized phase II study (COACH Study).. Journal of Clinical Oncology, 2019, 37, 355-355.	1.6	0
196	Detection of circulating tumor cells (CTCs) in cerebrospinal fluid of a patient with HER2-overexpressing gastric cancer and single cell analysis of intra-patient heterogeneity of CTCs. Translational Cancer Research, 2019, 8, 2107-2112.	1.0	0
197	A clinical scoring system for survival prediction in advanced gastric cancer.. Journal of Clinical Oncology, 2020, 38, 436-436.	1.6	0
198	ASO Visual Abstract: Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative Intent Surgery and/or Ablation for Metastatic Rectal Cancer. Annals of Surgical Oncology, 2022, , .	1.5	0

#	ARTICLE	IF	CITATIONS
199	High atezolizumab antidrug antibody levels are associated with unfavorable clinical outcomes and diminished T cell responses following atezolizumab and bevacizumab treatment in advanced hepatocellular carcinoma.. Journal of Clinical Oncology, 2022, 40, 4105-4105.	1.6	0