

M Antonia LÃ³pez-AntÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2074451/publications.pdf>

Version: 2024-02-01

75
papers

2,770
citations

136950

32
h-index

182427

51
g-index

75
all docs

75
docs citations

75
times ranked

1851
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Goethite-based carbon foam nanocomposites for concurrently immobilizing arsenic and metals in polluted soils. <i>Chemosphere</i> , 2022, 301, 134645. | 8.2 | 4 |
| 2 | Immobilization of mercury in contaminated soils through the use of new carbon foam amendments. <i>Environmental Sciences Europe</i> , 2021, 33, . | 5.5 | 2 |
| 3 | Noble metal-based sorbents: A way to avoid new waste after mercury removal. <i>Journal of Hazardous Materials</i> , 2020, 400, 123168. | 12.4 | 22 |
| 4 | Mercury adsorption in the gas phase by regenerable Au-loaded activated carbon foams: a kinetic and reaction mechanism study. <i>New Journal of Chemistry</i> , 2020, 44, 12009-12018. | 2.8 | 8 |
| 5 | Carbon materials loaded with maghemite as regenerable sorbents for gaseous Hg0 removal. <i>Chemical Engineering Journal</i> , 2020, 387, 124151. | 12.7 | 20 |
| 6 | Effectiveness of amino-functionalized sorbents for co2 capture in the presence of Hg. <i>Fuel</i> , 2020, 267, 117250. | 6.4 | 13 |
| 7 | Identification of mercury species in minerals with different matrices and impurities by thermal desorption technique. <i>Environmental Science and Pollution Research</i> , 2019, 26, 10867-10874. | 5.3 | 4 |
| 8 | Assessment of mercury pollution sources in beach sand and coastal soil by speciation analysis. <i>Environmental Sciences Europe</i> , 2019, 31, . | 5.5 | 11 |
| 9 | Geochemical speciation of mercury in bauxite. <i>Applied Geochemistry</i> , 2018, 93, 30-35. | 3.0 | 9 |
| 10 | A candidate material for mercury control in energy production processes: Carbon foams loaded with gold. <i>Energy</i> , 2018, 159, 630-637. | 8.8 | 16 |
| 11 | Carbon-based sorbents impregnated with iron oxides for removing mercury in energy generation processes. <i>Energy</i> , 2018, 159, 648-655. | 8.8 | 19 |
| 12 | Effect of Hg on CO2 capture by solid sorbents in the presence of acid gases. <i>Chemical Engineering Journal</i> , 2017, 312, 367-374. | 12.7 | 7 |
| 13 | A New Approach for Retaining Mercury in Energy Generation Processes: Regenerable Carbonaceous Sorbents. <i>Energies</i> , 2017, 10, 1311. | 3.1 | 18 |
| 14 | The application of regenerable sorbents for mercury capture in gas phase. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24495-24503. | 5.3 | 18 |
| 15 | Impact of Oxy-Fuel Conditions on Elemental Mercury Re-Emission in Wet Flue Gas Desulfurization Systems. <i>Environmental Science & Technology</i> , 2016, 50, 7247-7253. | 10.0 | 12 |
| 16 | A comparison of devices using thermal desorption for mercury speciation in solids. <i>Talanta</i> , 2016, 150, 272-277. | 5.5 | 46 |
| 17 | Mercury oxidation in catalysts used for selective reduction of NO x (SCR) in oxy-fuel combustion. <i>Chemical Engineering Journal</i> , 2016, 285, 77-82. | 12.7 | 45 |
| 18 | Study of Mercury Adsorption by Low-Cost Sorbents Using Kinetic Modeling. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 5572-5579. | 3.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Application of mercury temperature programmed desorption (HgTPD) to ascertain mercury/char interactions. <i>Fuel Processing Technology</i> , 2015, 132, 9-14. | 7.2 | 67 |
| 20 | Activated carbons from biocollagenic wastes of the leather industry for mercury capture in oxy-combustion. <i>Fuel</i> , 2015, 142, 227-234. | 6.4 | 32 |
| 21 | Impact of oxy-fuel combustion gases on mercury retention in activated carbons from a macroalgae waste: Effect of water. <i>Chemosphere</i> , 2015, 125, 191-197. | 8.2 | 17 |
| 22 | Temperature programmed desorption as a tool for the identification of mercury fate in wet-desulphurization systems. <i>Fuel</i> , 2015, 148, 98-103. | 6.4 | 41 |
| 23 | Enrichment of thallium in fly ashes in a Spanish circulating fluidized-bed combustion plant. <i>Fuel</i> , 2015, 146, 51-55. | 6.4 | 13 |
| 24 | Mercury Retention by Fly Ashes from Oxy-fuel Processes. <i>Energy & Fuels</i> , 2015, 29, 2227-2233. | 5.1 | 30 |
| 25 | A new approach to mercury speciation in solids using a thermal desorption technique. <i>Fuel</i> , 2015, 160, 525-530. | 6.4 | 64 |
| 26 | Influence of a CO ₂ -enriched flue gas on mercury capture by activated carbons. <i>Chemical Engineering Journal</i> , 2015, 262, 1237-1243. | 12.7 | 47 |
| 27 | Application of thermal desorption for the identification of mercury species in solids derived from coal utilization. <i>Chemosphere</i> , 2015, 119, 459-465. | 8.2 | 59 |
| 28 | Gaseous mercury behaviour in the presence of functionalized styrene-divinylbenzene copolymers. <i>Pure and Applied Chemistry</i> , 2014, 86, 1861-1869. | 1.9 | 2 |
| 29 | Oxidised mercury determination from combustion gases using an ionic exchanger. <i>Fuel</i> , 2014, 122, 218-222. | 6.4 | 27 |
| 30 | Effect of Oxy-Combustion Flue Gas on Mercury Oxidation. <i>Environmental Science & Technology</i> , 2014, 48, 7164-7170. | 10.0 | 46 |
| 31 | Speciation of Hg retained in gasification biomass chars by temperature-programmed decomposition. <i>Fuel Processing Technology</i> , 2014, 126, 1-4. | 7.2 | 13 |
| 32 | Leaching of major and trace elements from paper-plastic gasification chars: An experimental and modelling study. <i>Journal of Hazardous Materials</i> , 2013, 244-245, 70-76. | 12.4 | 4 |
| 33 | Mercury compounds characterization by thermal desorption. <i>Talanta</i> , 2013, 114, 318-322. | 5.5 | 183 |
| 34 | Regenerable sorbents for mercury capture in simulated coal combustion flue gas. <i>Journal of Hazardous Materials</i> , 2013, 260, 869-877. | 12.4 | 57 |
| 35 | Thallium in coal: Analysis and environmental implications. <i>Fuel</i> , 2013, 105, 13-18. | 6.4 | 59 |
| 36 | Retention of mercury by low-cost sorbents: Influence of flue gas composition and fly ash occurrence. <i>Chemical Engineering Journal</i> , 2012, 213, 16-21. | 12.7 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The retention capacity for trace elements by the flue gas desulphurisation system under operational conditions of a co-combustion power plant. <i>Fuel</i> , 2012, 102, 773-788. | 6.4 | 40 |
| 38 | Impact of a semi-industrial coke processing plant in the surrounding surface soil. Part II: PAH content. <i>Fuel Processing Technology</i> , 2012, 104, 245-252. | 7.2 | 21 |
| 39 | Mercury policy and regulations for coal-fired power plants. <i>Environmental Science and Pollution Research</i> , 2012, 19, 1084-1096. | 5.3 | 67 |
| 40 | Partitioning of trace inorganic elements in a coal-fired power plant equipped with a wet Flue Gas Desulphurisation system. <i>Fuel</i> , 2012, 92, 145-157. | 6.4 | 111 |
| 41 | Effect of adding aluminum salts to wet FGD systems upon the stabilization of mercury. <i>Fuel</i> , 2012, 96, 568-571. | 6.4 | 28 |
| 42 | Impact of a semi-industrial coke processing plant in the surrounding surface soil. <i>Fuel Processing Technology</i> , 2012, 102, 35-45. | 7.2 | 11 |
| 43 | Analytical methods for mercury analysis in coal and coal combustion by-products. <i>International Journal of Coal Geology</i> , 2012, 94, 44-53. | 5.0 | 41 |
| 44 | Biomass gasification chars for mercury capture from a simulated flue gas of coal combustion. <i>Journal of Environmental Management</i> , 2012, 98, 23-28. | 7.8 | 38 |
| 45 | Development of Gold Nanoparticle-Doped Activated Carbon Sorbent for Elemental Mercury. <i>Energy & Fuels</i> , 2011, 25, 2022-2027. | 5.1 | 35 |
| 46 | Avoiding Mercury Emissions by Combustion in a Spanish Circulating Fluidized-Bed Combustion (CFBC) Plant. <i>Energy & Fuels</i> , 2011, 25, 3002-3008. | 5.1 | 8 |
| 47 | Distribution of Trace Elements from a Coal Burned in Two Different Spanish Power Stations. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 12208-12216. | 3.7 | 20 |
| 48 | Study of boron behaviour in two spanish coal combustion power plants. <i>Journal of Environmental Management</i> , 2011, 92, 2586-2589. | 7.8 | 7 |
| 49 | The role of unburned carbon concentrates from fly ashes in the oxidation and retention of mercury. <i>Chemical Engineering Journal</i> , 2011, 174, 86-92. | 12.7 | 54 |
| 50 | Differential partitioning and speciation of Hg in wet FGD facilities of two Spanish PCC power plants. <i>Chemosphere</i> , 2011, 85, 565-570. | 8.2 | 37 |
| 51 | Enrichment of inorganic trace pollutants in re-circulated water streams from a wet limestone flue gas desulphurisation system in two coal power plants. <i>Fuel Processing Technology</i> , 2011, 92, 1764-1775. | 7.2 | 65 |
| 52 | Influence of iron species present in fly ashes on mercury retention and oxidation. <i>Fuel</i> , 2011, 90, 2808-2811. | 6.4 | 24 |
| 53 | Speciation of mercury in fly ashes by temperature programmed decomposition. <i>Fuel Processing Technology</i> , 2011, 92, 707-711. | 7.2 | 89 |
| 54 | The stability of arsenic and selenium compounds that were retained in limestone in a coal gasification atmosphere. <i>Journal of Hazardous Materials</i> , 2010, 173, 450-454. | 12.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Study of mercury in by-products from a Dutch co-combustion power station. Journal of Hazardous Materials, 2010, 174, 28-33. | 12.4 | 32 |
| 56 | Analysis of mercury species present during coal combustion by thermal desorption. Fuel, 2010, 89, 629-634. | 6.4 | 185 |
| 57 | Mercury speciation in gypsums produced from flue gas desulfurization by temperature programmed decomposition. Fuel, 2010, 89, 2157-2159. | 6.4 | 63 |
| 58 | The influence of carbon particle type in fly ashes on mercury adsorption. Fuel, 2009, 88, 1194-1200. | 6.4 | 57 |
| 59 | Stable Lead Isotope Compositions In Selected Coals From Around The World And Implications For Present Day Aerosol Source Tracing. Environmental Science & Technology, 2009, 43, 1078-1085. | 10.0 | 159 |
| 60 | Comparison of Mercury Retention by Fly Ashes Using Different Experimental Devices. Industrial & Engineering Chemistry Research, 2009, 48, 10702-10707. | 3.7 | 1 |
| 61 | Evaluation of the Variables that Influence Mercury Capture in Solid Sorbents. Coal Combustion and Gasification Products, 2009, 1, 32-37. | 1.0 | 4 |
| 62 | Speciation of Cr and its leachability in coal by-products from spanish coal combustion plants. Journal of Environmental Monitoring, 2008, 10, 778. | 2.1 | 2 |
| 63 | Mercury Retention by Fly Ashes from Coal Combustion: Influence of the Unburned Carbon Content. Industrial & Engineering Chemistry Research, 2007, 46, 927-931. | 3.7 | 42 |
| 64 | Retention of Elemental Mercury in Fly Ashes in Different Atmospheres. Energy & Fuels, 2007, 21, 99-103. | 5.1 | 46 |
| 65 | Lead isotope ratios in Spanish coals of different characteristics and origin. International Journal of Coal Geology, 2007, 71, 28-36. | 5.0 | 37 |
| 66 | Lead isotope ratios in a soil from a coal carbonization plant. Fuel, 2007, 86, 1079-1085. | 6.4 | 10 |
| 67 | Mercury and selenium retention in fly ashes: Influence of unburned particle content. Fuel, 2007, 86, 2064-2070. | 6.4 | 28 |
| 68 | Retention of arsenic and selenium compounds present in coal combustion and gasification flue gases using activated carbons. Fuel Processing Technology, 2007, 88, 799-805. | 7.2 | 96 |
| 69 | Arsenic and Selenium Capture by Fly Ashes at Low Temperature. Environmental Science & Technology, 2006, 40, 3947-3951. | 10.0 | 74 |
| 70 | Evaluation of mercury associations in two coals of different rank using physical separation procedures. Fuel, 2006, 85, 1389-1395. | 6.4 | 18 |
| 71 | Determination of selenium by ICP-MS and HG-ICP-MS in coal, fly ashes and sorbents used for flue gas cleaning. Fuel, 2004, 83, 231-235. | 6.4 | 16 |
| 72 | Retention of Arsenic and Selenium during Hot Gas Desulfurization Using Metal Oxide Sorbents. Energy & Fuels, 2004, 18, 1238-1242. | 5.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Retention of mercury in activated carbons in coal combustion and gasification flue gases. Fuel Processing Technology, 2002, 77-78, 353-358. | 7.2 | 60 |
| 74 | A Candidate Material for Mercury Control in Energy Production Processes: Carbon Foams Loaded with Gold. , 0, , . | | 0 |
| 75 | Carbon-Based Sorbents Impregnated with Iron Oxides for Removing Mercury in Energy Generation Processes. , 0, , . | | 0 |