## Cecilia Carpio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2081808/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Safety and activity of ibrutinib in combination with nivolumab in patients with relapsed non-Hodgkin lymphoma or chronic lymphocytic leukaemia: a phase 1/2a study. Lancet Haematology,the, 2019, 6, e67-e78.	4.6	146
2	Cell free circulating tumor DNA in cerebrospinal fluid detects and monitors central nervous system involvement of B-cell lymphomas. Haematologica, 2021, 106, 513-521.	3.5	75
3	First-in-Human Phase I Study of Iadademstat (ORY-1001): A First-in-Class Lysine-Specific Histone Demethylase 1A Inhibitor, in Relapsed or Refractory Acute Myeloid Leukemia. Journal of Clinical Oncology, 2020, 38, 4260-4273.	1.6	59
4	Urelumab alone or in combination with rituximab in patients with relapsed or refractory B ell lymphoma. American Journal of Hematology, 2020, 95, 510-520.	4.1	56
5	The CAR-HEMATOTOX risk-stratifies patients for severe infections and disease progression after CD19 CAR-T in R/R LBCL. , 2022, 10, e004475.		50
6	Avadomide monotherapy in relapsed/refractory DLBCL: safety, efficacy, and a predictive gene classifier. Blood, 2020, 135, 996-1007.	1.4	49
7	ZAP-70 enhances migration of malignant B lymphocytes toward CCL21 by inducing CCR7 expression via lgM-ERK1/2 activation. Blood, 2011, 118, 4401-4410.	1.4	48
8	Co-culture of primary CLL cells with bone marrow mesenchymal cells, CD40 ligand and CpG ODN promotes proliferation of chemoresistant CLL cells phenotypically comparable to those proliferating in vivo. Oncotarget, 2015, 6, 7632-7643.	1.8	41
9	Prognostic impact of total metabolic tumor volume in large B-cell lymphoma patients receiving CAR T-cell therapy. Annals of Hematology, 2021, 100, 2303-2310.	1.8	32
10	Results from a First-in-Human Phase I Study of Siremadlin (HDM201) in Patients with Advanced Wild-Type <i>TP53</i> Solid Tumors and Acute Leukemia. Clinical Cancer Research, 2022, 28, 870-881.	7.0	32
11	Microenvironment regulates the expression of miR-21 and tumor suppressor genes PTEN, PIAS3 and PDCD4 through ZAP-70 in chronic lymphocytic leukemia. Scientific Reports, 2017, 7, 12262.	3.3	26
12	Inhibition of BCR signaling using the Syk inhibitor TAK-659 prevents stroma-mediated signaling in chronic lymphocytic leukemia cells. Oncotarget, 2017, 8, 742-756.	1.8	20
13	Promising activity of selinexor in the treatment of a patient with refractory diffuse large B-cell lymphoma and central nervous system involvement. Haematologica, 2018, 103, e92-e93.	3.5	18
14	Potential Survival Benefit for Patients Receiving Allogeneic Hematopoietic Stem Cell Transplantation after Nivolumab Therapy for Relapse/Refractory Hodgkin Lymphoma: Real-Life Experience in Spain. Biology of Blood and Marrow Transplantation, 2020, 26, 1534-1542.	2.0	18
15	ZAP-70 Promotes the Infiltration of Malignant B-Lymphocytes into the Bone Marrow by Enhancing Signaling and Migration after CXCR4 Stimulation. PLoS ONE, 2013, 8, e81221.	2.5	15
16	Phase I Study of TAK-659, an Investigational, Dual SYK/FLT3 Inhibitor, in Patients with B-Cell Lymphoma. Clinical Cancer Research, 2020, 26, 3546-3556.	7.0	13
17	Biomarkers of response to ibrutinib plus nivolumab in relapsed diffuse large B-cell lymphoma, follicular lymphoma, or Richter's transformation. Translational Oncology, 2021, 14, 100977.	3.7	13
18	Safety and Efficacy of the Combination of Ibrutinib and Nivolumab in Patients with Relapsed Non-Hodgkin Lymphoma or Chronic Lymphocytic Leukemia. Blood, 2017, 130, 833-833.	1.4	12

CECILIA CARPIO

#	Article	IF	CITATIONS
19	A Phase 2 Study of Odronextamab (REGN1979), a CD20 x CD3 Bispecific Antibody, in Patients with Relapsed/Refractory B-Cell Non-Hodgkin Lymphoma. Blood, 2020, 136, 28-29.	1.4	9
20	Updated Results from a Phase 1 Study of TAK-659, an Investigational and Reversible SYK Inhibitor, in Patients (Pts) with Advanced Solid Tumor or Lymphoma Malignancies. Blood, 2016, 128, 624-624.	1.4	8
21	Clinical and pathological characteristics of peripheral Tâ€cell lymphomas in a Spanish population: a retrospective study. British Journal of Haematology, 2021, 192, 82-99.	2.5	5
22	Neurotoxicityâ€associated sinus bradycardia after chimeric antigen receptor Tâ€cell therapy. Hematological Oncology, 2022, , .	1.7	2
23	Selection process and causes of non-eligibility for CD19 CAR-T cell therapy in patients with relapsed/refractory aggressive B-cell non-Hodgkin lymphoma in a European center. Leukemia and Lymphoma, 2021, 62, 2288-2291.	1.3	1
24	Early Relapse after First Line Has a Significant Impact on Overall Survival in Patients with Mantle Cell Lymphoma (MCL). Blood, 2021, 138, 1357-1357.	1.4	1
25	The CAR-Hematotox Identifies Patients at High Risk for Prolonged Neutropenia, Infectious Complications and Prolonged Hospitalization Following CD19-CART in R/R LBCL. Blood, 2021, 138, 3852-3852.	1.4	1
26	ZAP-70 Enhances Migration of Malignant B Cells towards Lymphoid Organs in a Burkitt Lymphoma Xenograft Model. Blood, 2011, 118, 2844-2844.	1.4	0
27	YM155, a Small-Molecule Survivin Suppressant, Mainly Targets Primary CLL Cells Actively Proliferating and Overcomes Microenvironment-Mediated CLL Cell Protection. Blood, 2012, 120, 3868-3868.	1.4	0
28	ZAP-70 Enhances Infiltration of Malignant B Lymphocytes Into the Bone Marrow by Increasing Migratory and Survival Responses to CXCR4 Stimulation. Blood, 2012, 120, 1779-1779.	1.4	0
29	The Co-Culture Of Primary CLL Cells With Bone Marrow Mesenchymal Cells, CD40 Ligand and CpG ODN Promotes The Proliferation Of Chemoresistant CLL Cells Phenotypically Comparable To Those From The Proliferative Centers. Blood, 2013, 122, 4153-4153.	1.4	0
30	Peripheral T-Cell Lymphomas in Spain: Profiling Clinical, Phenotypic and Genetic Characteristics in Spanish Population. Blood, 2018, 132, 2938-2938.	1.4	0
31	Infection Risk in Lymphoproliferative Diseases (LPD) Treated with Targeted Drugs. Geltamo Real-Life Experience. Blood, 2020, 136, 37-40.	1.4	Ο
32	Prognostic Impact of Metabolic Tumor Burden in Large B-Cell Lymphoma Patients Receiving CAR T-Cell Therapy. Blood, 2020, 136, 27-29.	1.4	0
33	Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection in Hematologic Patients: Experience at the Hospital Attending More Patients in Spain. Blood, 2020, 136, 30-31.	1.4	Ο