

Michael J Wingfield

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2081897/publications.pdf>

Version: 2024-02-01

990
papers

43,710
citations

5126

86
h-index

7836

155
g-index

998
all docs

998
docs citations

998
times ranked

21823
citing authors

#	ARTICLE	IF	CITATIONS
1	A high-quality fungal genome assembly resolved from a sample accidentally contaminated by multiple taxa. <i>BioTechniques</i> , 2022, 72, 39-50.	0.8	4
2	Genetic variability in populations of <i>Chrysosporthe cubensis</i> and <i>Chr. puriensis</i> in Brazil. <i>Australasian Plant Pathology</i> , 2022, 51, 175.	0.5	4
3	Diversity of <i>Fusarium</i> species associated with healthy and malformed <i>Syzygium cordatum</i> inflorescences in South Africa. <i>European Journal of Plant Pathology</i> , 2022, 162, 907.	0.8	1
4	<i>Lecanosticta pharomachri</i> and Its Newly Discovered Sexual State Causing a Serious Needle Disease of <i>Pinus</i> spp. in Colombia. <i>Plant Disease</i> , 2022, 106, 1935-1943.	0.7	4
5	<i>Calonectria</i> species, including four novel taxa, associated with <i>Eucalyptus</i> in Malaysia. <i>Mycological Progress</i> , 2022, 21, 181-197.	0.5	11
6	IMA Genome - F16. <i>IMA Fungus</i> , 2022, 13, 3.	1.7	4
7	Invasion Frameworks: a Forest Pathogen Perspective. <i>Current Forestry Reports</i> , 2022, 8, 74-89.	3.4	14
8	Epidemic spread of smut fungi (<i>Quambalaria</i>) by sexual reproduction in a native pathosystem. <i>European Journal of Plant Pathology</i> , 2022, 163, 341-349.	0.8	1
9	A serious shoot and leaf disease caused by <i>Colletotrichum theobromicola</i> discovered on eucalypts in South Africa. <i>Southern Forests</i> , 2022, 84, 8-20.	0.2	1
10	Molecular basis of cycloheximide resistance in the Ophiostomatales revealed. <i>Current Genetics</i> , 2022, 68, 505-514.	0.8	3
11	<i>Calonectria</i> in the age of genes and genomes: Towards understanding an important but relatively unknown group of pathogens. <i>Molecular Plant Pathology</i> , 2022, 23, 1060-1072.	2.0	9
12	<i>Botryosphaeriaceae</i> diversity on <i>Eucalyptus</i> clones in different climate zones of Indonesia. <i>Forest Pathology</i> , 2022, 52, .	0.5	4
13	Novel mating-type-associated genes and gene fragments in the genomes of <i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> fungi. <i>Molecular Phylogenetics and Evolution</i> , 2022, 171, 107456.	1.2	0
14	Comparison of the Infection Biology of <i>Teratosphaeria destructans</i> and <i>Teratosphaeria epicoccoides</i> on <i>Eucalyptus</i> . <i>Plant Disease</i> , 2022, 106, 1944-1951.	0.7	2
15	Comparison of Hyphal Fragments and Spores to Evaluate the Pathogenicity of the <i>Eucalyptus</i> Leaf and Shoot Pathogen <i>Calonectria pseudoreteauidii</i> . <i>Plant Disease</i> , 2022, 106, 3145-3153.	0.7	4
16	Genera of phytopathogenic fungi: GOPHY 4. <i>Studies in Mycology</i> , 2022, 101, 417-564.	4.5	36
17	Pathogens of the <i>Araucariaceae</i> : How Much Do We Know?. <i>Current Forestry Reports</i> , 2022, 8, 124-147.	3.4	3
18	First Report of Dutch Elm Disease Caused by <i>Ophiostoma novo-ulmi</i> in South Korea. <i>Forests</i> , 2022, 13, 968.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Dothistroma needle blight. , 2022, , 179-199.		7
20	Phylogenomic Analysis of a 55.1-kb 19-Gene Dataset Resolves a Monophyletic <i>Fusarium</i> that Includes the <i>Fusarium solani</i> Species Complex. <i>Phytopathology</i> , 2021, 111, 1064-1079.	1.1	107
21	Phytophthora Species Associated with Roots of Native and Non-native Trees in Natural and Managed Forests. <i>Microbial Ecology</i> , 2021, 81, 122-133.	1.4	13
22	Chrysoporthe puriensis sp. nov. from Tibouchina spp. in Brazil: an emerging threat to Eucalyptus. <i>Australasian Plant Pathology</i> , 2021, 50, 29-40.	0.5	9
23	Susceptibility of native New Zealand Myrtaceae to the South African strain of <i>Austropuccinia psidii</i> : A biosecurity threat. <i>Plant Pathology</i> , 2021, 70, 667-675.	1.2	6
24	Eucalyptus scab and shoot malformation: A new and serious foliar disease of <i>Eucalyptus</i> caused by <i>Elsinoe necatrix</i> sp. nov.. <i>Plant Pathology</i> , 2021, 70, 1230-1242.	1.2	11
25	A new species in the Mycosphaerellaceae from Cecidomyiidae leaf galls on Avicennia marina in South Africa. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 515-526.	0.7	3
26	<i>Pewenomyces kutranfy</i> gen. nov. et sp. nov. causal agent of an important canker disease on <i>Araucaria araucana</i> in Chile. <i>Plant Pathology</i> , 2021, 70, 1243-1259.	1.2	8
27	Metabarcoding reveals southern hemisphere fungal endophytes within wood of cultivated Proteaceae in Portugal. <i>European Journal of Plant Pathology</i> , 2021, 160, 173-184.	0.8	7
28	Foliar fungi of the enigmatic desert plant Welwitschia mirabilis show little adaptation to their unique host plant. <i>South African Journal of Science</i> , 2021, 117, .	0.3	2
29	Ophiostomatalean fungi associated with wood boring beetles in South Africa including two new species. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 667-686.	0.7	7
30	Doing it alone: Unisexual reproduction in filamentous ascomycete fungi. <i>Fungal Biology Reviews</i> , 2021, 35, 1-13.	1.9	20
31	IMA genome - F14. <i>IMA Fungus</i> , 2021, 12, 5.	1.7	5
32	Genetic recombination in <i>Teratosphaeria destructans</i> causing a new disease outbreak in Malaysia. <i>Forest Pathology</i> , 2021, 51, e12683.	0.5	9
33	Novel <i>Fusarium</i> mutualists of two <i>Euwallacea</i> species infesting <i>Acacia crassicarpa</i> in Indonesia. <i>Mycologia</i> , 2021, 113, 536-558.	0.8	9
34	The life cycle and field epidemiology of <i>Uromycladium acaciae</i> (<i>Pucciniales</i>) on <i>Acacia mearnsii</i> in South Africa. <i>Annals of Applied Biology</i> , 2021, 179, 21-33.	1.3	5
35	Botanical gardens as key resources and hazards for biosecurity. <i>Biodiversity and Conservation</i> , 2021, 30, 1929-1946.	1.2	21
36	Global Genetic Diversity and Mating Type Distribution of <i>Calonectria pauciramosa</i> : An Important Wide-Host-Range Plant Pathogen. <i>Plant Disease</i> , 2021, 105, 1648-1656.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Ras2 is important for growth and pathogenicity in <i>Fusarium circinatum</i> . <i>Fungal Genetics and Biology</i> , 2021, 150, 103541.	0.9	9
38	Hyperparasitism by <i>Sphaerellopsis macroconidialis</i> may lower overwintering survival of <i>Uromycladium acaciae</i> . <i>Forest Pathology</i> , 2021, 51, e12691.	0.5	3
39	Unique patterns of mating pheromone presence and absence could result in the ambiguous sexual behaviors of <i>Colletotrichum</i> species. <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	0.8	10
40	Two novel <i>Phytophthora</i> species from the southern tip of Africa. <i>Mycological Progress</i> , 2021, 20, 755-767.	0.5	11
41	Genetic diversity of <i>Teratosphaeria pseudoecalypti</i> in <i>Eucalyptus</i> plantations in Australia and Uruguay. <i>Australasian Plant Pathology</i> , 2021, 50, 639-649.	0.5	2
42	Filamentous Fungi and Yeasts Associated with Mites Phoretic on <i>Ips typographus</i> in Eastern Finland. <i>Forests</i> , 2021, 12, 743.	0.9	6
43	New and Interesting Fungi. 4. <i>Fungal Systematics and Evolution</i> , 2021, 7, 255-343.	0.9	53
44	Distribution of <i>Gonipterus</i> Species and Their Egg Parasitoids in Australia: Implications for Biological Control. <i>Forests</i> , 2021, 12, 969.	0.9	4
45	Deciphering the effect of FUB1 disruption on fusaric acid production and pathogenicity in <i>Fusarium circinatum</i> . <i>Fungal Biology</i> , 2021, 125, 1036-1047.	1.1	11
46	Six new species of <i>Sporothrix</i> from hardwood trees in Poland. <i>MycKeys</i> , 2021, 82, 1-32.	0.8	4
47	Genetic response to nitrogen starvation in the aggressive <i>Eucalyptus</i> foliar pathogen <i>Teratosphaeria destructans</i> . <i>Current Genetics</i> , 2021, 67, 981-990.	0.8	2
48	Increased abundance of secreted hydrolytic enzymes and secondary metabolite gene clusters define the genomes of latent plant pathogens in the <i>Botryosphaeriaceae</i> . <i>BMC Genomics</i> , 2021, 22, 589.	1.2	22
49	Genetic Networks That Govern Sexual Reproduction in the <i>Pezizomycotina</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2021, 85, e0002021.	2.9	14
50	Phylogenetic and phylogenomic analyses reveal two new genera and three new species of ophiostomatalean fungi from termite fungus combs. <i>Mycologia</i> , 2021, 113, 1-19.	0.8	2
51	A core of rhizosphere bacterial taxa associates with two of the world's most isolated plant congeners. <i>Plant and Soil</i> , 2021, 468, 277-294.	1.8	10
52	Population Diversity and Genetic Structure Reveal Patterns of Host Association and Anthropogenic Impact for the Globally Important Fungal Tree Pathogen <i>Ceratocystis manginecans</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 759.	1.5	4
53	<i>Botryosphaeriaceae</i> on <i>Syzygium cordatum</i> across a latitudinal gradient in South Africa. <i>Fungal Biology</i> , 2021, 125, 718-724.	1.1	3
54	Next-generation sequencing provides important insights into the biology and evolution of the <i>Botryosphaeriaceae</i> . <i>Fungal Biology Reviews</i> , 2021, 38, 25-43.	1.9	4

#	ARTICLE	IF	CITATIONS
55	Fire impacts bacterial composition in <i>Protea repens</i> (Proteaceae) infructescences. <i>FEMS Microbiology Letters</i> , 2021, 368, .	0.7	1
56	Residual Effects Caused by a Past Mycovirus Infection in <i>Fusarium circinatum</i> . <i>Forests</i> , 2021, 12, 11.	0.9	3
57	Ophiostomatoid fungi including a new species associated with Asian larch bark beetle <i>Ips subelongatus</i> , in Heilongjiang (Northeast China). <i>Fungal Systematics and Evolution</i> , 2021, 8, 155-161.	0.9	1
58	Invasion history and management of Eucalyptus snout beetles in the <i>Gonipterus scutellatus</i> species complex. <i>Journal of Pest Science</i> , 2020, 93, 11-25.	1.9	28
59	Species of <i>Cryphonectriaceae</i> occupy an endophytic niche in the <i>Melastomataceae</i> and are putative latent pathogens of Eucalyptus. <i>European Journal of Plant Pathology</i> , 2020, 156, 273-283.	0.8	9
60	<i>Eucalyptus camaldulensis</i> in South Africa – past, present, future. <i>Transactions of the Royal Society of South Africa</i> , 2020, 75, 1-22.	0.8	32
61	Genomic characterization of mating type loci and mating type distribution in two apparently asexual plantation tree pathogens. <i>Plant Pathology</i> , 2020, 69, 28-37.	1.2	13
62	Highly transferable microsatellite markers for the genera <i>Lasiodiplodia</i> and <i>Neofusicoccum</i> . <i>Fungal Ecology</i> , 2020, 44, 100903.	0.7	3
63	Sequence data reflect the introduction pathways of the <i>Sirex</i> woodwasp parasitoid, <i>Ibalia leucospoides</i> (Ibaliidae, Hymenoptera). <i>Agricultural and Forest Entomology</i> , 2020, 22, 129-135.	0.7	4
64	Phylogenetic re-evaluation of the <i>Grosmannia penicillata</i> complex (Ascomycota, Ophiostomatales), with the description of five new species from China and USA. <i>Fungal Biology</i> , 2020, 124, 110-124.	1.1	5
65	Pathogenicity of <i>Chrysoporthe deuterocubensis</i> and <i>MyrtoPORthe bodenii</i> gen. et sp. nov. on Eucalyptus in Sabah, Malaysia. <i>Australasian Plant Pathology</i> , 2020, 49, 53-64.	0.5	11
66	Variation in <i>Botryosphaeriaceae</i> from Eucalyptus plantations in YunNan Province in southwestern China across a climatic gradient. <i>IMA Fungus</i> , 2020, 11, 22.	1.7	25
67	IMA Genome - F13. <i>IMA Fungus</i> , 2020, 11, 19.	1.7	13
68	Reconsideration of species boundaries and proposed DNA barcodes for <i>Calonectria</i> . <i>Studies in Mycology</i> , 2020, 97, 100106.	4.5	39
69	<i>Ceratocystis quercicola</i> sp. nov. from <i>Quercus variabilis</i> in Korea. <i>Mycobiology</i> , 2020, 48, 245-251.	0.6	2
70	Fungal Planet description sheets: 1042–1111. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 44, 301-459.	1.6	91
71	Mating strategy and mating type distribution in six global populations of the Eucalyptus foliar pathogen <i>Teratosphaeria destructans</i> . <i>Fungal Genetics and Biology</i> , 2020, 137, 103350.	0.9	19
72	A new species of <i>Raffaelea</i> from beetle-infested <i>Leucaena leucocephala</i> . <i>Fungal Systematics and Evolution</i> , 2020, 6, 305-314.	0.9	5

#	ARTICLE	IF	CITATIONS
73	Diagnostic markers for <i>Teratosphaeria destructans</i> and closely related species. Forest Pathology, 2020, 50, e12645.	0.5	3
74	Epitypification of <i>Ceratocystis fimbriata</i> . Fungal Systematics and Evolution, 2020, 6, 289-298.	0.9	9
75	No to <i>Neocosmospora</i> : Phylogenomic and Practical Reasons for Continued Inclusion of the <i>Fusarium solani</i> Species Complex in the Genus <i>Fusarium</i> . MSphere, 2020, 5, .	1.3	61
76	Invasive gall-forming wasps that threaten non-native plantation-grown <i>Eucalyptus</i> : diversity and invasion patterns. Agricultural and Forest Entomology, 2020, 22, 285-297.	0.7	10
77	Selective feeding behaviors illuminate patterns of sap beetle associations with ophiostomatoid fungi. Symbiosis, 2020, 81, 287-302.	1.2	0
78	The granulate ambrosia beetle, <i>Xylosandrus crassiusculus</i> (Coleoptera: Curculionidae, Scolytinae), and its fungal symbiont found in South Africa Zootaxa, 2020, 4838, 427-435.	0.2	9
79	Ophiostomatoid fungi associated with mites phoretic on bark beetles in Qinghai, China. IMA Fungus, 2020, 11, 15.	1.7	6
80	New and Interesting Fungi. 3. Fungal Systematics and Evolution, 2020, 6, 157-231.	0.9	56
81	The Genera of Fungi “G6: <i>Arthrographis</i> , <i>Kramasamuha</i> , <i>Melnikomyces</i> , <i>Thysanorea</i> , and <i>Verruconis</i> . Fungal Systematics and Evolution, 2020, 6, 1-24.	0.9	13
82	Phylogenomic incongruence in <i>Ceratocystis</i> : a clue to speciation?. BMC Genomics, 2020, 21, 362.	1.2	11
83	<i>Ceratocystis</i> wilt on <i>Eucalyptus</i> : first record from South Africa. Southern Forests, 2020, 82, 24-31.	0.2	9
84	Evolution of lifestyles in Capnodiales. Studies in Mycology, 2020, 95, 381-414.	4.5	76
85	The genus <i>Ravenelia</i> (Pucciniales) in South Africa. Mycological Progress, 2020, 19, 259-290.	0.5	4
86	Low genetic diversity and strong geographic structure in introduced populations of the <i>Eucalyptus</i> foliar pathogen <i>Teratosphaeria destructans</i> . Plant Pathology, 2020, 69, 1540-1550.	1.2	9
87	Seven new species of <i>Graphilbum</i> from conifers in Norway, Poland, and Russia. Mycologia, 2020, 112, 1240-1262.	0.8	13
88	Genome comparisons suggest an association between <i>Ceratocystis</i> host adaptations and effector clusters in unique transposable element families. Fungal Genetics and Biology, 2020, 143, 103433.	0.9	9
89	Scientists' warning on invasive alien species. Biological Reviews, 2020, 95, 1511-1534.	4.7	928
90	Global Geographic Distribution and Host Range of <i>Fusarium circinatum</i> , the Causal Agent of Pine Pitch Canker. Forests, 2020, 11, 724.	0.9	45

#	ARTICLE	IF	CITATIONS
91	<i>Euwallacea perbrevis</i> (Coleoptera: Curculionidae: Scolytinae), a confirmed pest on <i>Acacia crassiparpa</i> in Riau, Indonesia, and a new fungal symbiont; <i>Fusarium rekanum</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 803-823.	0.7	21
92	Maternal effects should be considered in the establishment of forestry plantations. <i>Forest Ecology and Management</i> , 2020, 460, 117909.	1.4	18
93	The novel <i>Huntia</i> <i>omanensis</i> mating gene, MAT1-2-7, is essential for ascomatal maturation. <i>Fungal Genetics and Biology</i> , 2020, 137, 103335.	0.9	11
94	Reconstructing early routes of invasion of the bronze bug <i>Thaumastocoris peregrinus</i> (Hemiptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2325-2338.	1.2	6
95	Quantification of Outcrossing Events in Haploid Fungi Using Microsatellite Markers. <i>Journal of Fungi</i> (Basel, Switzerland), 2020, 6, 48.	1.5	1
96	Tree health in South Africa: Retrospect and prospect. <i>South African Journal of Science</i> , 2020, 116, .	0.3	3
97	Lessons from a major pest invasion: The polyphagous shot hole borer in South Africa. <i>South African Journal of Science</i> , 2020, 116, .	0.3	8
98	Mating genes in <i>Calonectria</i> and evidence for a heterothallic ancestral state. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 45, 163-176.	1.6	20
99	<i>Caliciopsis moriondi</i> , a new species for a fungus long confused with the pine pathogen <i>C. pinea</i> . <i>MycKeys</i> , 2020, 73, 87-108.	0.8	7
100	Cryphonectriaceae associated with rust-infected <i>Syzygium jambos</i> in Hawaii. <i>MycKeys</i> , 2020, 76, 49-79.	0.8	9
101	Novel species of <i>Huntia</i> from naturally-occurring forest trees in Greece and South Africa. <i>MycKeys</i> , 2020, 69, 33-52.	0.8	3
102	Fungal genomes enhance our understanding of the pathogens affecting trees cultivated in Southern Hemisphere plantations. <i>Southern Forests</i> , 2020, 82, 215-232.	0.2	3
103	Grasses as a refuge for <i>Fusarium circinatum</i> L. – evidence from South Africa. <i>Southern Forests</i> , 2020, 82, 253-262.	0.2	4
104	The Southern African Society for Plant Pathology: 1962–2020. <i>South African Journal of Science</i> , 2020, 116, .	0.3	0
105	<i>Diplodia sapinea</i> found on Scots pine in Finland. <i>Forest Pathology</i> , 2019, 49, e12483.	0.5	23
106	An artificial inoculation protocol for <i>Uromycladium acaciae</i> , cause of a serious disease of <i>Acacia mearnsii</i> in southern Africa. <i>Southern Forests</i> , 2019, 81, 85-90.	0.2	2
107	Genera of phytopathogenic fungi: GOPHY 2. <i>Studies in Mycology</i> , 2019, 92, 47-133.	4.5	111
108	Fungal Planet description sheets: 868–950. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019, 42, 291-473.	1.6	124

#	ARTICLE	IF	CITATIONS
109	Mechanisms that influence sex ratio variation in the invasive hymenopteran <i>Sirex noctilio</i> in South Africa. <i>Ecology and Evolution</i> , 2019, 9, 7966-7973.	0.8	4
110	Bark Beetle Population Dynamics in the Anthropocene: Challenges and Solutions. <i>Trends in Ecology and Evolution</i> , 2019, 34, 914-924.	4.2	159
111	<i>Lecanosticta acicola</i> : A growing threat to expanding global pine forests and plantations. <i>Molecular Plant Pathology</i> , 2019, 20, 1327-1364.	2.0	28
112	Botryosphaeriaceae associated with <i>Acacia heterophylla</i> (La Réunion) and <i>Acacia koa</i> (Hawaii). <i>Fungal Biology</i> , 2019, 123, 783-790.	1.1	2
113	Virulence and survival of native entomopathogenic nematodes for the management of white grubs in South Africa. <i>Biological Control</i> , 2019, 137, 104043.	1.4	12
114	QTL mapping of mycelial growth and aggressiveness to distinct hosts in <i>Ceratocystis</i> pathogens. <i>Fungal Genetics and Biology</i> , 2019, 131, 103242.	0.9	12
115	Susceptibility of <i>Eucalyptus grandis</i> and <i>Acacia mearnsii</i> seedlings to five <i>Phytophthora</i> species common in South African plantations. <i>Forest Pathology</i> , 2019, 49, e12560.	0.5	5
116	Ophiostomatoid fungi associated with the spruce bark beetle <i>Ips typographus</i> , including 11 new species from China. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019, 42, 50-74.	1.6	28
117	<i>Xanthomonas perforans</i> : a tomato and pepper pathogen associated with bacterial blight and dieback of <i>Eucalyptus pellita</i> seedlings in Indonesia. <i>Australasian Plant Pathology</i> , 2019, 48, 543-551.	0.5	15
118	Foliar pathogens of eucalypts. <i>Studies in Mycology</i> , 2019, 94, 125-298.	4.5	66
119	Botanical gardens provide valuable baseline <i>Phytophthora</i> diversity data. <i>Urban Forestry and Urban Greening</i> , 2019, 46, 126461.	2.3	19
120	Biodiversity of <i>Lecanosticta</i> pine-needle blight pathogens suggests a Mesoamerican Centre of origin. <i>IMA Fungus</i> , 2019, 10, 2.	1.7	19
121	It's All in the Genes: The Regulatory Pathways of Sexual Reproduction in Filamentous Ascomycetes. <i>Genes</i> , 2019, 10, 330.	1.0	31
122	Genetic diversity of the pine pathogen <i>Lecanosticta acicola</i> in Slovenia and Croatia. <i>Plant Pathology</i> , 2019, 68, 1120-1131.	1.2	12
123	Environmentally friendly methods for controlling pine pitch canker. <i>Plant Pathology</i> , 2019, 68, 843-860.	1.2	35
124	Black root rot: a long known but little understood disease. <i>Plant Pathology</i> , 2019, 68, 834-842.	1.2	12
125	23 years of research on <i>Teratosphaeria</i> leaf blight of <i>Eucalyptus</i> . <i>Forest Ecology and Management</i> , 2019, 443, 19-27.	1.4	28
126	New and Interesting Fungi. 2. <i>Fungal Systematics and Evolution</i> , 2019, 3, 57-134.	0.9	99

#	ARTICLE	IF	CITATIONS
127	Genomic analysis of the aggressive tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , 2019, 123, 351-363.	1.1	11
128	The global diversity of <i>Deladenus siricidicola</i> in native and non-native populations. <i>Biological Control</i> , 2019, 132, 57-65.	1.4	8
129	Genetic uniformity characterizes the invasive spread of <i>Neofusicoccum parvum</i> and <i>Diplodia sapinea</i> in the Western Balkans. <i>Forest Pathology</i> , 2019, 49, e12491.	0.5	9
130	IMA Genome-F 11. <i>IMA Fungus</i> , 2019, 10, 13.	1.7	12
131	Fungal Planet description sheets: 951–1041. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019, 43, 223-425.	1.6	126
132	Draft genome sequences of five <i>Calonectria</i> species from Eucalyptus plantations in China, <i>Celoportha dispersa</i> , <i>Sporothrix phasma</i> and <i>Alectoria sarmentosa</i> . <i>IMA Fungus</i> , 2019, 10, 22.	1.7	17
133	High genetic diversity of <i>Fusarium circinatum</i> associated with the first outbreak of pitch canker on <i>Pinus patula</i> in South Africa. <i>Southern Forests</i> , 2019, 81, 69-78.	0.2	6
134	Ten new species of <i>Calonectria</i> from Indonesia and Vietnam. <i>Mycologia</i> , 2019, 111, 78-102.	0.8	38
135	Teratosphaeria stem canker of <i>Eucalyptus</i> : two pathogens, one devastating disease. <i>Molecular Plant Pathology</i> , 2019, 20, 8-19.	2.0	37
136	Maternal environment regulates morphological and physiological traits in <i>Eucalyptus grandis</i> . <i>Forest Ecology and Management</i> , 2019, 432, 631-636.	1.4	14
137	Taxonomy and phylogeny of the <i>Leptographium olivaceum</i> complex (Ophiostomatales, Ascomycota), including descriptions of six new species from China and Europe. <i>MycKeys</i> , 2019, 60, 93-123.	0.8	9
138	Inheritance of phenotypic traits in the progeny of a <i>Ceratocystis</i> interspecific cross. <i>Fungal Biology</i> , 2018, 122, 717-729.	1.1	6
139	Population variation in traits of <i>Deladenus siricidicola</i> that could influence the biocontrol of <i>Sirex noctilio</i> in South Africa. <i>International Journal of Pest Management</i> , 2018, 64, 324-332.	0.9	4
140	Unexpected placement of the MAT1-1-2 gene in the MAT1-2 idiomorph of <i>Thielaviopsis</i> . <i>Fungal Genetics and Biology</i> , 2018, 113, 32-41.	0.9	15
141	The polyphagous shot hole borer (PSHB) and its fungal symbiont <i>Fusarium euwallaceae</i> : a new invasion in South Africa. <i>Australasian Plant Pathology</i> , 2018, 47, 231-237.	0.5	96
142	Seasonal Flight Patterns of Curculionidae (Cossoninae and Scolytinae) Infesting Dying <i>Euphorbia ingens</i> in South Africa. <i>Journal of Entomological Science</i> , 2018, 53, 70-81.	0.2	1
143	Host specificity of co-infecting <i>Botryosphaeriaceae</i> on ornamental and forest trees in the Western Balkans. <i>Forest Pathology</i> , 2018, 48, e12410.	0.5	20
144	A microsatellite-based identification tool used to confirm vector association in a fungal tree pathogen. <i>Australasian Plant Pathology</i> , 2018, 47, 63-69.	0.5	1

#	ARTICLE	IF	CITATIONS
145	Non-Mendelian segregation influences the infection biology and genetic structure of the African tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , 2018, 122, 222-230.	1.1	4
146	Fungal species and their boundaries matter – Definitions, mechanisms and practical implications. <i>Fungal Biology Reviews</i> , 2018, 32, 104-116.	1.9	51
147	Diversity of entomopathogenic nematodes and their symbiotic bacteria in south African plantations and indigenous forests. <i>Nematology</i> , 2018, 20, 355-371.	0.2	21
148	Population genetic analyses of complex global insect invasions in managed landscapes: a <i>Leptocybe invasa</i> (Hymenoptera) case study. <i>Biological Invasions</i> , 2018, 20, 2395-2420.	1.2	30
149	Evolution of the mating types and mating strategies in prominent genera in the Botryosphaeriaceae. <i>Fungal Genetics and Biology</i> , 2018, 114, 24-33.	0.9	17
150	A new genus of Cryphonectriaceae isolated from <i>Lagerstroemia speciosa</i> in southern China. <i>Plant Pathology</i> , 2018, 67, 107-123.	1.2	16
151	Fungi and insects associated with <i>Euphorbia ingens</i> die-off in South Africa. <i>Southern Forests</i> , 2018, 80, 21-28.	0.2	4
152	Dissimilar stem and leaf hydraulic traits suggest varying drought tolerance among co-occurring <i>Eucalyptus grandis</i> – <i>E. urophylla</i> clones. <i>Southern Forests</i> , 2018, 80, 175-184.	0.2	9
153	Birds Mediate a Fungus-Mite Mutualism. <i>Microbial Ecology</i> , 2018, 75, 863-874.	1.4	14
154	Biodiversity and ecology of flower-associated actinomycetes in different flowering stages of <i>Protea repens</i> . <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 209-226.	0.7	4
155	Biology of <i>Litosemyle ocanae</i> in Colombian <i>Pinus patula</i> plantations. <i>Southern Forests</i> , 2018, 80, 279-284.	0.2	1
156	Molecular phylogenetics and microsatellite analysis reveal a new pathogenic <i>Ceratocystis</i> species in the Asian–Australian clade. <i>Plant Pathology</i> , 2018, 67, 1097-1113.	1.2	14
157	Armillaria root rot spreading into a natural woody ecosystem in South Africa. <i>Plant Pathology</i> , 2018, 67, 883-891.	1.2	13
158	A new genus and species for the globally important, multihost root pathogen <i>Thielaviopsis basicola</i> . <i>Plant Pathology</i> , 2018, 67, 871-882.	1.2	42
159	Evidence that <i>Austropuccinia psidii</i> may complete its sexual life cycle on Myrtaceae. <i>Plant Pathology</i> , 2018, 67, 729-734.	1.2	19
160	New species of <i>Cylindrocladiella</i> from plantation soils in South-East Asia. <i>MycKeys</i> , 2018, 32, 1-24.	0.8	1
161	Nine draft genome sequences of <i>Claviceps purpurea</i> s.lat., including <i>C. arundinis</i> , <i>C. humidiphila</i> , and <i>C. cf. spartinae</i> , pseudomolecules for the pitch canker pathogen <i>Fusarium circinatum</i> , draft genome of <i>Davidsoniella eucalypti</i> , <i>Grosmannia galeiformis</i> , <i>Quambalaria eucalypti</i> , and <i>Teratosphaeria destructans</i> . <i>IMA Fungus</i> , 2018, 9, 401-418.	1.7	31
162	Chromium sequencing: the doors open for genomics of obligate plant pathogens. <i>BioTechniques</i> , 2018, 65, 253-257.	0.8	11

#	ARTICLE	IF	CITATIONS
163	Nine novel species of <i>Huntliella</i> from southern China with three distinct mating strategies and variable levels of pathogenicity. <i>Mycologia</i> , 2018, 110, 1145-1171.	0.8	7
164	Armillaria Root-Rot Pathogens: Species Boundaries and Global Distribution. <i>Pathogens</i> , 2018, 7, 83.	1.2	40
165	A new <i>Cytospora</i> species pathogenic on <i>Carpobrotus edulis</i> in its native habitat. <i>Fungal Systematics and Evolution</i> , 2018, 2, 37-43.	0.9	4
166	Fungi infecting woody plants: emerging frontiers. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 40, 1-3.	1.6	6
167	Mitochondrial introgression and interspecies recombination in the <i>Fusarium fujikuroi</i> species complex. <i>IMA Fungus</i> , 2018, 9, 37-48.	1.7	28
168	Ceratocystidaceae exhibit high levels of recombination at the mating-type (MAT) locus. <i>Fungal Biology</i> , 2018, 122, 1184-1191.	1.1	10
169	Genomic overview of closely related fungi with different <i>Protea</i> host ranges. <i>Fungal Biology</i> , 2018, 122, 1201-1214.	1.1	1
170	(2592) Proposal to conserve <i>Endoconidiophora fagacearum</i> (<i>Bretziella fagacearum</i> , <i>Ceratocystis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0	0.4	0
171	Community composition and distribution of <i>Phytophthora</i> species across adjacent native and non-native forests of South Africa. <i>Fungal Ecology</i> , 2018, 36, 17-25.	0.7	31
172	New <i>Ceratocystis</i> species associated with rapid death of <i>Metrosideros polymorpha</i> in Hawai'i. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 40, 154-181.	1.6	106
173	Heterothallism revealed in the root rot fungi <i>Berkeleyomyces basicola</i> and <i>B.Ârouxiae</i> . <i>Fungal Biology</i> , 2018, 122, 1031-1040.	1.1	11
174	<i>Ophiostoma quercus</i> : An unusually diverse and globally widespread tree-infecting fungus. <i>Fungal Biology</i> , 2018, 122, 900-910.	1.1	6
175	Three <i>Ganoderma</i> species, including <i>Ganoderma dunense</i> sp. nov., associated with dying <i>Acacia cyclops</i> trees in South Africa. <i>Australasian Plant Pathology</i> , 2018, 47, 431-447.	0.5	10
176	Draft genome sequence of <i>Annulohyphomyces stygium</i> , <i>Aspergillus mulundensis</i> , <i>Berkeleyomyces basicola</i> (syn. <i>Thielaviopsis basicola</i>), <i>Ceratocystis smalleyi</i> , two <i>Cercospora beticola</i> strains, <i>Coleophoma cylindrospora</i> , <i>Fusarium fracticaudum</i> , <i>Phialophora</i> cf. <i>hyalina</i> , and <i>Morchella septimelata</i> . <i>IMA Fungus</i> , 2018, 9, 199-223.	1.7	37
177	New <i>Botryosphaerales</i> on native red milkwood (<i>Mimusops caffra</i>). <i>Australasian Plant Pathology</i> , 2018, 47, 475-484.	0.5	7
178	Fungal Planet description sheets: 716-784. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 40, 239-392.	1.6	142
179	Novel <i>Cryphonectriaceae</i> from La Réunion and South Africa, and their pathogenicity on <i>Eucalyptus</i> . <i>Mycological Progress</i> , 2018, 17, 953-966.	0.5	8
180	<i>Cadophora margaritata</i> sp. nov. and other fungi associated with the longhorn beetles <i>Anoplophora glabripennis</i> and <i>Saperda carcharias</i> in Finland. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2195-2211.	0.7	8

#	ARTICLE	IF	CITATIONS
181	Genetic diversity of <i>Amylostereum areolatum</i> , the fungal symbiont of the invasive woodwasp <i>Sirex noctilio</i> in South Africa. <i>Forest Pathology</i> , 2018, 48, e12449.	0.5	6
182	Pheromone expression reveals putative mechanism of unisexuality in a saprobic ascomycete fungus. <i>PLoS ONE</i> , 2018, 13, e0192517.	1.1	16
183	Fungal Planet description sheets: 785–867. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 41, 238-417.	1.6	163
184	New host associations and a novel species for the gall-inducing acacia rust genus <i>Ravenelia</i> in South Africa. <i>MycKeys</i> , 2018, 43, 1-21.	0.8	7
185	<i>Allelochaeta</i> (Sporocadaceae): pigmentation lost and gained. <i>Fungal Systematics and Evolution</i> , 2018, 2, 273-309.	0.9	6
186	Commercialisation of entomopathogenic nematodes: should import regulations be revised?. <i>Biocontrol Science and Technology</i> , 2017, 27, 149-168.	0.5	35
187	Canker Stain: A Lethal Disease Destroying Iconic Plane Trees. <i>Plant Disease</i> , 2017, 101, 645-658.	0.7	66
188	New and unexpected host associations for <i>Diplodia sapinea</i> in the Western Balkans. <i>Forest Pathology</i> , 2017, 47, e12328.	0.5	24
189	Botryosphaeriaceae : Systematics, pathology, and genetics. <i>Fungal Biology</i> , 2017, 121, 305-306.	1.1	9
190	Diversity, phylogeny and pathogenicity of Botryosphaeriaceae on non-native <i>Eucalyptus</i> grown in an urban environment: A case study. <i>Urban Forestry and Urban Greening</i> , 2017, 26, 139-148.	2.3	17
191	Genera of phytopathogenic fungi: GOPHY 1. <i>Studies in Mycology</i> , 2017, 86, 99-216.	4.5	276
192	The pandemic biotype of <i>Austropuccinia psidii</i> discovered in South America. <i>Australasian Plant Pathology</i> , 2017, 46, 267-275.	0.5	18
193	The unified framework for biological invasions: a forest fungal pathogen perspective. <i>Biological Invasions</i> , 2017, 19, 3201-3214.	1.2	35
194	First Report of Myrtle Rust Caused by <i>Austropuccinia psidii</i> on <i>Rhodomyrtus tomentosa</i> (Myrtaceae) from Singapore. <i>Plant Disease</i> , 2017, 101, 1676-1676.	0.7	18
195	Novel associations between ophiostomatoid fungi, insects and tree hosts: current status and future prospects. <i>Biological Invasions</i> , 2017, 19, 3215-3228.	1.2	49
196	Maternal effects on phenotype, resistance and the structuring of fungal communities in <i>Eucalyptus grandis</i> . <i>Environmental and Experimental Botany</i> , 2017, 140, 120-127.	2.0	16
197	Metacommunity analyses of Ceratocystidaceae fungi across heterogeneous African savanna landscapes. <i>Fungal Ecology</i> , 2017, 28, 76-85.	0.7	5
198	Unique clones of the pitch canker fungus, <i>Fusarium circinatum</i> , associated with a new disease outbreak in South Africa. <i>European Journal of Plant Pathology</i> , 2017, 148, 97-107.	0.8	5

#	ARTICLE	IF	CITATIONS
199	A new <i>Leptographium</i> species from the roots of declining <i>Pinus sylvestris</i> in Switzerland. <i>Forest Pathology</i> , 2017, 47, e12346.	0.5	2
200	Landscape degradation may contribute to large-scale die-offs of <i>Euphorbia ingens</i> in South Africa. <i>South African Journal of Botany</i> , 2017, 111, 144-152.	1.2	5
201	Pathogens on the Move: A 100-Year Global Experiment with Planted Eucalypts. <i>BioScience</i> , 2017, 67, 14-25.	2.2	96
202	Urban trees: bridge-heads for forest pest invasions and sentinels for early detection. <i>Biological Invasions</i> , 2017, 19, 3515-3526.	1.2	89
203	Diversity of tree-infecting Botryosphaerales on native and non-native trees in South Africa and Namibia. <i>Australasian Plant Pathology</i> , 2017, 46, 529-545.	0.5	18
204	Urban environments provide opportunities for early detections of <i>Phytophthora</i> invasions. <i>Biological Invasions</i> , 2017, 19, 3629-3644.	1.2	35
205	Biological invasions in forest ecosystems. <i>Biological Invasions</i> , 2017, 19, 3437-3458.	1.2	161
206	Effect of temperature, leaf wetness and the developmental stage of host tissue on infection of <i>Acacia mearnsii</i> by <i>Uromykladium acaciae</i> (Pucciniales). <i>Australasian Plant Pathology</i> , 2017, 46, 407-419.	0.5	5
207	Contrasting carbon metabolism in saprotrophic and pathogenic microascalean fungi from Protea trees. <i>Fungal Ecology</i> , 2017, 30, 88-100.	0.7	7
208	Which MAT gene? Pezizomycotina (Ascomycota) mating-type gene nomenclature reconsidered. <i>Fungal Biology Reviews</i> , 2017, 31, 199-211.	1.9	45
209	Challenges to planted forest health in developing economies. <i>Biological Invasions</i> , 2017, 19, 3273-3285.	1.2	27
210	Two <i>Ralstonia</i> species associated with bacterial wilt of <i>Eucalyptus</i> . <i>Plant Pathology</i> , 2017, 66, 393-403.	1.2	48
211	Phylogenetic species recognition and hybridisation in <i>Lasiodiplodia</i> : A case study on species from baobabs. <i>Fungal Biology</i> , 2017, 121, 420-436.	1.1	73
212	Overlap of latent pathogens in the Botryosphaeriaceae on a native and agricultural host. <i>Fungal Biology</i> , 2017, 121, 405-419.	1.1	39
213	Endophytic Botryosphaeriaceae, including five new species, associated with mangrove trees in South Africa. <i>Fungal Biology</i> , 2017, 121, 361-393.	1.1	42
214	<i>Botryosphaeria dothidea</i> : a latent pathogen of global importance to woody plant health. <i>Molecular Plant Pathology</i> , 2017, 18, 477-488.	2.0	202
215	Ecology and population structure of a tree wound-infecting fungus in a native South African forest environment. <i>Fungal Biology</i> , 2017, 121, 69-81.	1.1	5
216	Putative origins of the fungus <i>Leptographium procerum</i> . <i>Fungal Biology</i> , 2017, 121, 82-94.	1.1	12

#	ARTICLE	IF	CITATIONS
217	Antifungal actinomycetes associated with the pine bark beetle, <i>Orthotomicus erosus</i> , in South Africa. <i>South African Journal of Science</i> , 2017, 113, 7.	0.3	5
218	Invasive Everywhere? Phylogeographic Analysis of the Globally Distributed Tree Pathogen <i>Lasiodiplodia theobromae</i> . <i>Forests</i> , 2017, 8, 145.	0.9	31
219	<i>Ralstonia solanacearum</i> and <i>R. pseudosolanacearum</i> on <i>Eucalyptus</i> : Opportunists or Primary Pathogens?. <i>Frontiers in Plant Science</i> , 2017, 8, 761.	1.7	19
220	Testing Projected Climate Change Conditions on the <i>Endoconidiophora polonica</i> / Norway spruce Pathosystem Shows Fungal Strain Specific Effects. <i>Frontiers in Plant Science</i> , 2017, 8, 883.	1.7	14
221	Fungal Planet description sheets: 558–624. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017, 38, 240-384.	1.6	126
222	An assessment of mangrove diseases and pests in South Africa. <i>Forestry</i> , 2017, , .	1.2	4
223	Fungal Planet description sheets: 625–715. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017, 39, 270-467.	1.6	148
224	Draft genome of <i>Cercospora zeina</i> , <i>Fusarium pininemorale</i> , <i>Hawksworthiomyces lignivorus</i> , <i>Huntia decipiens</i> and <i>Ophiostoma ips</i> . <i>IMA Fungus</i> , 2017, 8, 385-396.	1.7	37
225	A plant pathology perspective of fungal genome sequencing. <i>IMA Fungus</i> , 2017, 8, 1-15.	1.7	75
226	<i>Calonectria</i> species isolated from <i>Eucalyptus</i> plantations and nurseries in South China. <i>IMA Fungus</i> , 2017, 8, 259-286.	1.7	37
227	Fungal Systematics and Evolution: FUSE 3. <i>Sydowia</i> , 2017, 69, 229-264.	3.7	15
228	Ophiostomatoid fungi associated with conifer-infesting beetles and their phoretic mites in Yunnan, China. <i>MycKeys</i> , 2017, 28, 19-64.	0.8	43
229	New <i>Raffaelea</i> species (Ophiostomatales) from the USA and Taiwan associated with ambrosia beetles and plant hosts. <i>IMA Fungus</i> , 2016, 7, 265-273.	1.7	30
230	IMA Genome-F 6. <i>IMA Fungus</i> , 2016, 7, 217-227.	1.7	39
231	Draft genome sequences for <i>Ceratocystis fagacearum</i> , <i>C. harringtonii</i> , <i>Grosmannia penicillata</i> , and <i>Huntia bhutanensis</i> . <i>IMA Fungus</i> , 2016, 7, 317-323.	1.7	31
232	Antifungal <i>Streptomyces</i> spp. Associated with the Infructescences of <i>Protea</i> spp. in South Africa. <i>Frontiers in Microbiology</i> , 2016, 7, 1657.	1.5	18
233	Seasonal Succession of Fungi Associated with <i>Ips typographus</i> Beetles and Their Phoretic Mites in an Outbreak Region of Finland. <i>PLoS ONE</i> , 2016, 11, e0155622.	1.1	32
234	Fungal Genomics Challenges the Dogma of Name-Based Biosecurity. <i>PLoS Pathogens</i> , 2016, 12, e1005475.	2.1	36

#	ARTICLE	IF	CITATIONS
235	The <i>Eucalyptus</i> stem canker pathogen <i>Teratosphaeria gauchensis</i> represents distinct genetic groups in Africa and South America. <i>Forest Pathology</i> , 2016, 46, 229-239.	0.5	7
236	First report of <i>Teratosphaeria gauchensis</i> causing stem canker of <i>Eucalyptus</i> in Kenya. <i>Forest Pathology</i> , 2016, 46, 168-170.	0.5	4
237	Host jumps shaped the diversity of extant rust fungi (Pucciniales). <i>New Phytologist</i> , 2016, 209, 1149-1158.	3.5	73
238	<i>Corticimorbus sinomyrti</i> gen. et sp. nov. (Cryphonectriaceae) pathogenic to native <i>Rhodomyrtus tomentosa</i> (Myrtaceae) in South China. <i>Plant Pathology</i> , 2016, 65, 1254-1266.	1.2	17
239	Ecological disequilibrium drives insect pest and pathogen accumulation in non-native trees. <i>AoB PLANTS</i> , 2016, , plw081.	1.2	25
240	Tree invasions and biosecurity: eco-evolutionary dynamics of hitchhiking fungi. <i>AoB PLANTS</i> , 2016, 8, .	1.2	35
241	A taxonomic review of white grubs and leaf chafers (Coleoptera: Scarabaeidae: Melolonthinae) recorded from forestry and agricultural crops in Sub-Saharan Africa. <i>Bulletin of Entomological Research</i> , 2016, 106, 141-153.	0.5	13
242	The forgotten <i>Calonectria</i> collection: Pouring old wine into new bags. <i>Studies in Mycology</i> , 2016, 85, 159-198.	4.5	38
243	Shot hole disease on <i>Prunus laurocerasus</i> caused by <i>Neofusicoccum parvum</i> in Serbia. <i>Forest Pathology</i> , 2016, 46, 666-669.	0.5	12
244	Fungal Planet description sheets: 469-557. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2016, 37, 218-403.	1.6	196
245	Diseases of eucalypts in the central and northern provinces of Mozambique. <i>Southern Forests</i> , 2016, 78, 169-183.	0.2	9
246	Endophytic Cryphonectriaceae on native Myrtales: Possible origin of Chrysoporthe canker on plantation-grown Eucalyptus. <i>Fungal Biology</i> , 2016, 120, 827-835.	1.1	12
247	Complex patterns of global spread in invasive insects: eco-evolutionary and management consequences. <i>Biological Invasions</i> , 2016, 18, 935-952.	1.2	124
248	The Eucalyptus shoot and leaf pathogen <i>Teratosphaeria destructans</i> recorded in South Africa. <i>Southern Forests</i> , 2016, 78, 123-129.	0.2	18
249	Population structure of <i>Holocryphia capensis</i> (cryphonectriaceae) from <i>Metrosideros angustifolia</i> and its pathogenicity to Eucalyptus species. <i>Australasian Plant Pathology</i> , 2016, 45, 201-207.	0.5	4
250	The <i>Ophiostoma clavatum</i> species complex: a newly defined group in the Ophiostomatales including three novel taxa. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 987-1018.	0.7	22
251	Three genetic groups of the Eucalyptus stem canker pathogen <i>Teratosphaeria zuluensis</i> introduced into Africa from an unknown source. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 21-33.	0.7	6
252	Neotypification of <i>Dothistroma septosporum</i> and epitypification of <i>D.Âpini</i> , causal agents of Dothistroma needle blight of pine. <i>Forest Pathology</i> , 2016, 46, 388-407.	0.5	38

#	ARTICLE	IF	CITATIONS
253	Genetic basis for high population diversity in <i>Protea</i> -associated <i>Knoxdaviesia</i> . <i>Fungal Genetics and Biology</i> , 2016, 96, 47-57.	0.9	14
254	<i>Hawksworthiomyces</i> gen. nov. (Ophiostomatales), illustrates the urgency for a decision on how to name novel taxa known only from environmental nucleic acid sequences (ENAS). <i>Fungal Biology</i> , 2016, 120, 1323-1340.	1.1	44
255	The divorce of <i>Sporothrix</i> and <i>Ophiostoma</i> : solution to a problematic relationship. <i>Studies in Mycology</i> , 2016, 83, 165-191.	4.5	169
256	<i>Dothistroma</i> needle blight: an emerging epidemic caused by <i>Dothistroma septosporum</i> in Colombia. <i>Plant Pathology</i> , 2016, 65, 53-63.	1.2	25
257	Diversity and pathogenicity of the Ceratocystidaceae associated with cacao agroforests in Cameroon. <i>Plant Pathology</i> , 2016, 65, 64-78.	1.2	8
258	Ophiostomatoid fungi associated with mangroves in South Africa, including <i>Ophiostoma palustre</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1555-1571.	0.7	10
259	Securing African forests for future drier climates: applying ecophysiology in tree improvement. <i>Southern Forests</i> , 2016, 78, 241-254.	0.2	2
260	Genetic Analyses Suggest Separate Introductions of the Pine Pathogen <i>Lecanosticta acicola</i> Into Europe. <i>Phytopathology</i> , 2016, 106, 1413-1425.	1.1	30
261	Global food and fibre security threatened by current inefficiencies in fungal identification. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20160024.	1.8	74
262	Development of microsatellite markers for the pine needle blight pathogen, <i>Dothistroma pini</i> . <i>Forest Pathology</i> , 2016, 46, 497-506.	0.5	11
263	Global geographic distribution and host range of <i>Dothistroma</i> species: a comprehensive review. <i>Forest Pathology</i> , 2016, 46, 408-442.	0.5	84
264	A unique genotype of the rust pathogen, <i>Puccinia psidii</i> , on Myrtaceae in South Africa. <i>Australasian Plant Pathology</i> , 2016, 45, 645-652.	0.5	32
265	Evolutionary dynamics of tree invasions: complementing the unified framework for biological invasions. <i>AoB PLANTS</i> , 2016, , plw085.	1.2	25
266	New host range and distribution of <i>Ceratocystis pirilliformis</i> in South Africa. <i>European Journal of Plant Pathology</i> , 2016, 146, 483-496.	0.8	5
267	Rust (<i>Puccinia psidii</i>) recorded in Indonesia poses a threat to forests and forestry in South-East Asia. <i>Australasian Plant Pathology</i> , 2016, 45, 83-89.	0.5	36
268	The genetic landscape of <i>Ceratocystis albifundus</i> populations in South Africa reveals a recent fungal introduction event. <i>Fungal Biology</i> , 2016, 120, 690-700.	1.1	37
269	A possible centre of diversity in South East Asia for the tree pathogen, <i>Ceratocystis manginecans</i> . <i>Infection, Genetics and Evolution</i> , 2016, 41, 73-83.	1.0	25
270	Genome sequences of <i>Knoxdaviesia capensis</i> and <i>K. proteae</i> (Fungi: Ascomycota) from <i>Protea</i> trees in South Africa. <i>Standards in Genomic Sciences</i> , 2016, 11, 22.	1.5	6

#	ARTICLE	IF	CITATIONS
271	Nursery-linked plantation outbreaks and evidence for multiple introductions of the pitch canker pathogen <i>Fusarium circinatum</i> into South Africa. <i>Plant Pathology</i> , 2016, 65, 357-368.	1.2	14
272	Population genetics and symbiont assemblages support opposing invasion scenarios for the red turpentine beetle (<i>Dendroctonus valens</i>). <i>Biological Journal of the Linnean Society</i> , 2016, 118, 486-502.	0.7	18
273	A review of factors associated with decline and death of mangroves, with particular reference to fungal pathogens. <i>South African Journal of Botany</i> , 2016, 103, 295-301.	1.2	26
274	<i>Steinernema fabii</i> n. sp. (Rhabditida: Steinernematidae), a new entomopathogenic nematode from South Africa. <i>Nematology</i> , 2016, 18, 235-255.	0.2	18
275	Novel ophiostomatalean fungi from galleries of <i>Cyrtogenius africanus</i> (Scolytinae) infesting dying <i>Euphorbia ingens</i> . <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 589-601.	0.7	18
276	Novel and co-evolved associations between insects and microorganisms as drivers of forest pestilence. <i>Biological Invasions</i> , 2016, 18, 1045-1056.	1.2	96
277	Three new species of Ophiostomatales from <i>Nothofagus</i> in Patagonia. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	13
278	Exotic biological control agents: A solution or contribution to arthropod invasions?. <i>Biological Invasions</i> , 2016, 18, 953-969.	1.2	131
279	Botryosphaeriaceae associated with the die-back of ornamental trees in the Western Balkans. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 543-564.	0.7	44
280	Temporal and interspecific variation in rates of spread for insect species invading Europe during the last 200 years. <i>Biological Invasions</i> , 2016, 18, 907-920.	1.2	114
281	Multigene phylogenies and morphological characterization of five new <i>Ophiostoma</i> spp. associated with spruce-infesting bark beetles in China. <i>Fungal Biology</i> , 2016, 120, 454-470.	1.1	21
282	Mating type markers reveal high levels of heterothallism in <i>Leptographium sensu lato</i> . <i>Fungal Biology</i> , 2016, 120, 538-546.	1.1	9
283	Increasing numbers and intercontinental spread of invasive insects on eucalypts. <i>Biological Invasions</i> , 2016, 18, 921-933.	1.2	134
284	Insects and Diseases of Mediterranean Forests: A South African Perspective. , 2016, , 397-430.		8
285	The <i>Eucalyptus</i> stem canker pathogen <i>Teratosphaeria zuluensis</i> detected in seed samples. <i>Forestry</i> , 2016, 89, 316-324.	1.2	28
286	<i>Phakopsora myrtacearum</i> sp. nov., a newly described rust (Pucciniales) on eucalypts in eastern and southern Africa. <i>Plant Pathology</i> , 2016, 65, 189-195.	1.2	20
287	Temporal and spatial variation of Botryosphaeriaceae associated with <i>Acacia karroo</i> in South Africa. <i>Fungal Ecology</i> , 2015, 15, 51-62.	0.7	22
288	Multiple introductions from multiple sources: invasion patterns for an important <i>Eucalyptus</i> leaf pathogen. <i>Ecology and Evolution</i> , 2015, 5, 4210-4220.	0.8	20

#	ARTICLE	IF	CITATIONS
289	Homothallism: an umbrella term for describing diverse sexual behaviours. <i>IMA Fungus</i> , 2015, 6, 207-214.	1.7	75
290	Phylogenetic placement of <i>Itajahya</i> : An unusual <i>Jacaranda</i> fungal associate. <i>IMA Fungus</i> , 2015, 6, 257-262.	1.7	13
291	<i>Knoxdaviesia proteae</i> is not the only <i>Knoxdaviesia</i> -symbiont of <i>Protea repens</i> . <i>IMA Fungus</i> , 2015, 6, 471-476.	1.7	10
292	Draft genome sequences of <i>Chrysosporthe austroafricana</i> , <i>Diplodia scrobiculata</i> , <i>Fusarium nygamai</i> , <i>Leptographium lundbergii</i> , <i>Limonomyces culmigenus</i> , <i>Stagonosporopsis tanacetii</i> , and <i>Thielaviopsis punctulata</i> . <i>IMA Fungus</i> , 2015, 6, 233-248.	1.7	46
293	<i>Ganoderma</i> species, including new taxa associated with root rot of the iconic <i>Jacaranda mimosifolia</i> in Pretoria, South Africa. <i>IMA Fungus</i> , 2015, 6, 249-256.	1.7	40
294	Saprophytic and pathogenic fungi in the <i>Ceratocystidaceae</i> differ in their ability to metabolize plant-derived sucrose. <i>BMC Evolutionary Biology</i> , 2015, 15, 273.	3.2	47
295	Risk assessment for <i>Puccinia psidii</i> becoming established in South Africa. <i>Plant Pathology</i> , 2015, 64, 1326-1335.	1.2	15
296	Microsatellite and mating type markers reveal unexpected patterns of genetic diversity in the pine root-infecting fungus <i>Grosmannia alacris</i> . <i>Plant Pathology</i> , 2015, 64, 235-242.	1.2	8
297	Variation in growth rates and aggressiveness of naturally occurring self-fertile and self-sterile isolates of the wilt pathogen <i>Ceratocystis albifundus</i> . <i>Plant Pathology</i> , 2015, 64, 1103-1109.	1.2	39
298	First report of <i>Puccinia psidii</i> on <i>Corymbia citriodora</i> and <i>Eucalyptus</i> in Colombia. <i>Forest Pathology</i> , 2015, 45, 534-536.	0.5	13
299	Identifying and Naming Plant-Pathogenic Fungi: Past, Present, and Future. <i>Annual Review of Phytopathology</i> , 2015, 53, 247-267.	3.5	115
300	<i>Pseudocercospora mapelanensis</i> sp. nov., associated with a fruit and leaf disease of <i>Barringtonia racemosa</i> in South Africa. <i>Australasian Plant Pathology</i> , 2015, 44, 349-359.	0.5	6
301	Draft genome sequences of <i>Ceratocystis eucalypticola</i> , <i>Chrysosporthe cubensis</i> , <i>C. deuterocubensis</i> , <i>Davidsoniella virescens</i> , <i>Fusarium temperatum</i> , <i>Graphilbum fragrans</i> , <i>Penicillium nordicum</i> , and <i>Thielaviopsis musarum</i> . <i>IMA Fungus</i> , 2015, 6, 493-506.	1.7	57
302	Independent origins and incipient speciation among host-associated populations of <i>Thielaviopsis ethacetica</i> in Cameroon. <i>Fungal Biology</i> , 2015, 119, 957-972.	1.1	5
303	One fungus, which genes? Development and assessment of universal primers for potential secondary fungal DNA barcodes. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2015, 35, 242-263.	1.6	416
304	New species, hyper-diversity and potential importance of <i>Calonectria</i> spp. from <i>Eucalyptus</i> in South China. <i>Studies in Mycology</i> , 2015, 80, 151-188.	4.5	56
305	<i>Sirex</i> Woodwasp: A Model for Evolving Management Paradigms of Invasive Forest Pests. <i>Annual Review of Entomology</i> , 2015, 60, 601-619.	5.7	84
306	Novel taxa in the <i>Fusarium fujikuroi</i> species complex from <i>Pinus</i> spp.. <i>Studies in Mycology</i> , 2015, 80, 131-150.	4.5	74

#	ARTICLE	IF	CITATIONS
307	Molecular markers delimit cryptic species in <i>Ceratocystis sensu stricto</i> . <i>Mycological Progress</i> , 2015, 14, 1.	0.5	47
308	Taxonomy and phylogeny of the <i>Leptographium procerum</i> complex, including <i>Leptographium sinense</i> sp. nov. and <i>Leptographium longiconidiophorum</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 547-563.	0.7	46
309	Unisexual reproduction in <i>Huntia moniliformis</i> . <i>Fungal Genetics and Biology</i> , 2015, 80, 1-9.	0.9	46
310	<i>Cornuvesica</i> : A little known mycophilic genus with a unique biology and unexpected new species. <i>Fungal Biology</i> , 2015, 119, 615-630.	1.1	22
311	<i>Huntia decorticans</i> sp. nov. (Ceratocystidaceae) associated with dying <i>Nothofagus</i> in Patagonia. <i>Mycologia</i> , 2015, 107, 512-521.	0.8	6
312	Biology, incidence and host susceptibility of <i>Pineus boernerii</i> (Hemiptera: Adelgidae) in Colombian pine plantations. <i>Southern Forests</i> , 2015, 77, 165-171.	0.2	4
313	Evaluating the inheritance of <i>Ceratocystis acaciivora</i> symptom expression in a diverse <i>Acacia mangium</i> breeding population. <i>Southern Forests</i> , 2015, 77, 83-90.	0.2	35
314	Management of <i>Fusarium</i> diseases affecting conifers. <i>Crop Protection</i> , 2015, 73, 28-39.	1.0	60
315	New <i>Ceratocystis</i> species from <i>Eucalyptus</i> and <i>Cunninghamia</i> in South China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1451-1473.	0.7	20
316	Diseases on <i>Eucalyptus</i> species in Zimbabwean plantations and woodlots. <i>Southern Forests</i> , 2015, 77, 221-230.	0.2	14
317	Long-distance dispersal and recolonization of a fire-destroyed niche by a mite-associated fungus. <i>Fungal Biology</i> , 2015, 119, 245-256.	1.1	17
318	Fungi associated with black mould on baobab trees in southern Africa. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 85-95.	0.7	9
319	Multiple <i>Phytophthora</i> species associated with a single riparian ecosystem in South Africa. <i>Mycologia</i> , 2015, 107, 915-925.	0.8	14
320	Phylogenetic relationships among biological species of <i>Armillaria</i> from China. <i>Mycoscience</i> , 2015, 56, 530-541.	0.3	17
321	<i>Uromykladium acaciae</i> , the cause of a sudden, severe disease epidemic on <i>Acacia mearnsii</i> in South Africa. <i>Australasian Plant Pathology</i> , 2015, 44, 637-645.	0.5	24
322	Planted forest health: The need for a global strategy. <i>Science</i> , 2015, 349, 832-836.	6.0	344
323	Changes in planted forests and future global implications. <i>Forest Ecology and Management</i> , 2015, 352, 57-67.	1.4	515
324	Population dynamics of <i>Thaumastocoris peregrinus</i> in <i>Eucalyptus</i> plantations of South Africa. <i>Journal of Pest Science</i> , 2015, 88, 97-106.	1.9	14

#	ARTICLE	IF	CITATIONS
325	The distribution of genetic diversity in the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex suggests structure correlated with level of disturbance. <i>Fungal Ecology</i> , 2015, 13, 93-102.	0.7	21
326	DNA Loss at the <i>Ceratocystis fimbriata</i> Mating Locus Results in Self-Sterility. <i>PLoS ONE</i> , 2014, 9, e92180.	1.1	48
327	Genome-Wide Macrosynteny among <i>Fusarium</i> Species in the <i>Gibberella fujikuroi</i> Complex Revealed by Amplified Fragment Length Polymorphisms. <i>PLoS ONE</i> , 2014, 9, e114682.	1.1	22
328	Development of a PCR-RFLP Based Detection Method for the Oak Pathogens <i>Diplodia corticola</i> and <i>D. quercivora</i> . <i>Plant Health Progress</i> , 2014, 15, 63-66.	0.8	5
329	Effect on nursery and field performance of <i>Pinus patula</i> seedlings after inoculation with <i>Fusarium circinatum</i> . <i>Southern Forests</i> , 2014, 76, 125-136.	0.2	9
330	Draft genomes of <i>Amanita jacksonii</i> , <i>Ceratocystis albifundus</i> , <i>Fusarium circinatum</i> , <i>Huntia omanensis</i> , <i>Leptographium procerum</i> , <i>Rutstroemia sydowiana</i> , and <i>Sclerotinia echinophila</i> . <i>IMA Fungus</i> , 2014, 5, 472-486.	1.7	56
331	Redefining <i>Ceratocystis</i> and allied genera. <i>Studies in Mycology</i> , 2014, 79, 187-219.	4.5	216
332	First report of <i>Teratosphaeria zuluensis</i> causing stem canker of <i>Eucalyptus grandis</i> in Uganda. <i>Forest Pathology</i> , 2014, 44, 242-245.	0.5	13
333	Phylogeny of ambrosia beetle symbionts in the genus <i>Raffaelea</i> . <i>Fungal Biology</i> , 2014, 118, 970-978.	1.1	46
334	Botryosphaeriaceae associated with dieback of <i>Schizolobium parahyba</i> trees in South Africa and Ecuador. <i>Forest Pathology</i> , 2014, 44, 396-408.	0.5	10
335	<i>Sporendocladia bactrospora</i> associated with wounds on native broadleaved trees in Norway and Sweden. <i>Forest Pathology</i> , 2014, 44, 124-130.	0.5	1
336	Ophiostomatoid fungi including two new fungal species associated with pine root-feeding beetles in northern Spain. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1167-1184.	0.7	15
337	Evidence for a new introduction of the pitch canker fungus <i>Fusarium circinatum</i> in South Africa. <i>Plant Pathology</i> , 2014, 63, 530-538.	1.2	23
338	Molecular phylogenetic analyses reveal three new <i>Ceratocystis</i> species and provide evidence for geographic differentiation of the genus in Africa. <i>Mycological Progress</i> , 2014, 13, 219-240.	0.5	20
339	Evidence of low levels of genetic diversity for the <i>Phytophthora austrocedrae</i> population in Patagonia, Argentina. <i>Plant Pathology</i> , 2014, 63, 212-220.	1.2	15
340	Development of polymorphic microsatellite markers for the genetic characterisation of <i>Knoxdaviesia proteae</i> (Ascomycota: Microascales) using ISSR-PCR and pyrosequencing. <i>Mycological Progress</i> , 2014, 13, 439-444.	0.5	13
341	<i>Teratosphaeria pseudonubilosa</i> sp. nov., a serious <i>Eucalyptus</i> leaf pathogen in the <i>Teratosphaeria nubilosa</i> species complex. <i>Australasian Plant Pathology</i> , 2014, 43, 67-77.	0.5	7
342	Comparison of the tolerance of <i>Pinus patula</i> seedlings and established trees to infection by <i>Fusarium circinatum</i> . <i>Southern Forests</i> , 2014, 76, 151-159.	0.2	6

#	ARTICLE	IF	CITATIONS
343	Panmixia defines the genetic diversity of a unique arthropod-dispersed fungus specific to <i>Protea</i> flowers. <i>Ecology and Evolution</i> , 2014, 4, 3444-3455.	0.8	17
344	Association of the pitch canker pathogen <i>Fusarium circinatum</i> with grass hosts in commercial pine production areas of South Africa. <i>Southern Forests</i> , 2014, 76, 161-166.	0.2	24
345	Reconsidering species boundaries in the <i>Ceratocystis paradoxa</i> complex, including a new species from oil palm and cacao in Cameroon. <i>Mycologia</i> , 2014, 106, 757-784.	0.8	35
346	Multigene phylogenies of Ophiostomataceae associated with Monterey pine bark beetles in Spain reveal three new fungal species. <i>Mycologia</i> , 2014, 106, 119-132.	0.8	19
347	Culture-independent detection and quantification of <i>Fusarium circinatum</i> in a pine-producing seedling nursery. <i>Southern Forests</i> , 2014, 76, 137-143.	0.2	13
348	Three new and important insect pests recorded for the first time in Colombian plantations. <i>Southern Forests</i> , 2014, 76, 245-252.	0.2	12
349	Biology and host preference of <i>Selitrichodes neseri</i> : A potential biological control agent of the Eucalyptus gall wasp, <i>Leptocybe invasa</i> . <i>Biological Control</i> , 2014, 78, 33-41.	1.4	36
350	Population structure and diversity of an invasive pine needle pathogen reflects anthropogenic activity. <i>Ecology and Evolution</i> , 2014, 4, 3642-3661.	0.8	61
351	Complementary symbiont contributions to plant decomposition in a fungus-farming termite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14500-14505.	3.3	243
352	Clonal structure of <i>Ceratocystis manginecans</i> populations from mango wilt disease in Oman and Pakistan. <i>Australasian Plant Pathology</i> , 2014, 43, 393.	0.5	12
353	Endophyte isolations from <i>Syzygium cordatum</i> and a Eucalyptus clone (Myrtaceae) reveal new host and geographical reports for the Mycosphaerellaceae and Teratosphaeriaceae. <i>Australasian Plant Pathology</i> , 2014, 43, 503-512.	0.5	13
354	Botryosphaeriaceae species overlap on four unrelated, native South African hosts. <i>Fungal Biology</i> , 2014, 118, 168-179.	1.1	48
355	MAT gene idiomorphs suggest a heterothallic sexual cycle in a predominantly asexual and important pine pathogen. <i>Fungal Genetics and Biology</i> , 2014, 62, 55-61.	0.9	46
356	Confronting the constraints of morphological taxonomy in the Botryosphaeriales. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2014, 33, 155-168.	1.6	73
357	Draft genome sequences of <i>Diplodia sapinea</i> , <i>Ceratocystis manginecans</i> , and <i>Ceratocystis moniliformis</i> . <i>IMA Fungus</i> , 2014, 5, 135-140.	1.7	64
358	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , 2014, 2014, bau061-bau061.	1.4	272
359	Four New Host and Three New State Records of Dothistroma Needle Blight Caused by <i>Dothistroma pini</i> in the United States. <i>Plant Disease</i> , 2014, 98, 1443-1443.	0.7	14
360	Host switching between native and non-native trees in a population of the canker pathogen <i>Chrysoporthe cubensis</i> from Colombia. <i>Plant Pathology</i> , 2013, 62, 642-648.	1.2	19

#	ARTICLE	IF	CITATIONS
361	Transmission ratio distortion in an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Genes and Genomics</i> , 2013, 35, 177-183.	0.5	4
362	Identification and genetic diversity of <i>Rosellinia</i> spp. associated with root rot of coffee in Colombia. <i>Australasian Plant Pathology</i> , 2013, 42, 515-523.	0.5	16
363	Pathogenicity and sporulation of <i>Phytophthora pinifolia</i> on <i>Pinus radiata</i> in Chile. <i>Australasian Plant Pathology</i> , 2013, 42, 413-420.	0.5	12
364	<i>Ceratocystis</i> species, including two new taxa, from <i>Eucalyptus</i> trees in South Africa. <i>Australasian Plant Pathology</i> , 2013, 42, 283-311.	0.5	21
365	<i>Ceratocystis manginecans</i> associated with a serious wilt disease of two native legume trees in Oman and Pakistan. <i>Australasian Plant Pathology</i> , 2013, 42, 179-193.	0.5	51
366	Established and new technologies reduce increasing pest and pathogen threats to <i>Eucalypt</i> plantations. <i>Forest Ecology and Management</i> , 2013, 301, 35-42.	1.4	71
367	Parallel host range expansion in two unrelated cossid moths infesting <i>Eucalyptus nitens</i> on two continents. <i>Ecological Entomology</i> , 2013, 38, 112-116.	1.1	6
368	<i>Diversimorbus metrosiderotis</i> gen. et sp. nov. and three new species of <i>Holocryphia</i> (<i>Cryphonectriaceae</i>) associated with cankers on native <i>Metrosideros angustifolia</i> trees in South Africa. <i>Fungal Biology</i> , 2013, 117, 289-310.	1.1	21
369	Characterization of the mating-type genes in <i>Leptographium procerum</i> and <i>Leptographium profanum</i> . <i>Fungal Biology</i> , 2013, 117, 411-421.	1.1	46
370	Species of <i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> on native <i>Myrtaceae</i> in Uruguay: evidence of fungal host jumps. <i>Fungal Biology</i> , 2013, 117, 94-102.	1.1	17
371	Diversity and distribution of co-infecting <i>Botryosphaeriaceae</i> from <i>Eucalyptus grandis</i> and <i>Syzygium cordatum</i> in South Africa. <i>South African Journal of Botany</i> , 2013, 84, 38-43.	1.2	33
372	Destructive Tree Diseases Associated with <i>Ambrosia</i> and Bark Beetles: Black Swan Events in Tree Pathology?. <i>Plant Disease</i> , 2013, 97, 856-872.	0.7	182
373	Evidence for inter-specific recombination among the mitochondrial genomes of <i>Fusarium</i> species in the <i>Gibberella fujikuroi</i> complex. <i>BMC Genomics</i> , 2013, 14, 605.	1.2	52
374	Global forest research, science education and community service positively impacted by a unique Centre of Excellence in Tree Health Biotechnology. <i>Southern Forests</i> , 2013, 75, 71-80.	0.2	6
375	A serious canker disease caused by <i>Immersiporthe knoxdaviesiana</i> gen. et sp. nov. (<i>Cryphonectriaceae</i>) on native <i>Rapanea melanophloeos</i> in South Africa. <i>Plant Pathology</i> , 2013, 62, 667-678.	1.2	21
376	Susceptibility of provenances and families of <i>Pinus maximinoi</i> and <i>Pinus tecunumanii</i> to frost in South Africa. <i>New Forests</i> , 2013, 44, 135-146.	0.7	9
377	Phylogenetic lineages in <i>Pseudocercospora</i> . <i>Studies in Mycology</i> , 2013, 75, 37-114.	4.5	175
378	The <i>Botryosphaeriaceae</i> : genera and species known from culture. <i>Studies in Mycology</i> , 2013, 76, 51-167.	4.5	676

#	ARTICLE	IF	CITATIONS
379	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 October 2012–30 November 2012. <i>Molecular Ecology Resources</i> , 2013, 13, 341-343.	2.2	33
380	One Fungus, One Name: Defining the Genus <i>Fusarium</i> in a Scientifically Robust Way That Preserves Longstanding Use. <i>Phytopathology</i> , 2013, 103, 400-408.	1.1	219
381	Mate-recognition and species boundaries in the ascomycetes. <i>Fungal Diversity</i> , 2013, 58, 1-12.	4.7	25
382	Taxonomy and pathogenicity of <i>Ceratocystis</i> species on Eucalyptus trees in South China, including <i>C. chinaeucensis</i> sp. nov.. <i>Fungal Diversity</i> , 2013, 58, 267-279.	4.7	41
383	Species delineation in the tree pathogen genus <i>Celoportha</i> (Cryphonectriaceae) in southern Africa. <i>Mycologia</i> , 2013, 105, 297-311.	0.8	11
384	Analysis of microsatellite markers in the genome of the plant pathogen <i>Ceratocystis fimbriata</i> . <i>Fungal Biology</i> , 2013, 117, 545-555.	1.1	21
385	Mutualism and asexual reproduction influence recognition genes in a fungal symbiont. <i>Fungal Biology</i> , 2013, 117, 439-450.	1.1	2
386	Greater Botryosphaeriaceae diversity in healthy than associated diseased <i>Acacia karroo</i> tree tissues. <i>Australasian Plant Pathology</i> , 2013, 42, 421-430.	0.5	34
387	The mango sudden decline pathogen, <i>Ceratocystis manginecans</i> , is vectored by <i>Hypocryphalus mangiferae</i> (Coleoptera: Scolytinae) in Oman. <i>European Journal of Plant Pathology</i> , 2013, 135, 243-251.	0.8	35
388	The tolerance of <i>Pinus patula</i> — <i>Pinus tecunumanii</i> , and other pine hybrids, to <i>Fusarium circinatum</i> in greenhouse trials. <i>New Forests</i> , 2013, 44, 443-456.	0.7	24
389	Biology and Rearing of <i>Cleruchooides noackae</i> (Hymenoptera: Mymaridae), an Egg Parasitoid for the Biological Control of <i>Thaumastocoris peregrinus</i> (Hemiptera: Tj ETQq1 1 0.784634 rgBT 10 Overlock 1	0.3	11
390	Biodiversity: So much more than legs and leaves. <i>South African Journal of Science</i> , 2013, 109, 9.	0.3	11
391	Names of fungal species with the same epithet applied to different morphs: how to treat them. <i>IMA Fungus</i> , 2013, 4, 53-56.	1.7	28
392	Draft nuclear genome sequence for the plant pathogen, <i>Ceratocystis fimbriata</i> . <i>IMA Fungus</i> , 2013, 4, 357-358.	1.7	42
393	Surveys of soil and water reveal a goldmine of <i>Phytophthora</i> diversity in South African natural ecosystems. <i>IMA Fungus</i> , 2013, 4, 123-131.	1.7	60
394	Lack of fidelity revealed in an insect–fungal mutualism after invasion. <i>Biology Letters</i> , 2013, 9, 20130342.	1.0	29
395	Ion Torrent PGM as Tool for Fungal Community Analysis: A Case Study of Endophytes in <i>Eucalyptus grandis</i> Reveals High Taxonomic Diversity. <i>PLoS ONE</i> , 2013, 8, e81718.	1.1	84
396	The Myrtle rust pathogen, <i>Puccinia psidii</i> , discovered in Africa. <i>IMA Fungus</i> , 2013, 4, 155-159.	1.7	69

#	ARTICLE	IF	CITATIONS
397	Population structure of <i>C. hrysosporthe austroafricana</i> in southern Africa determined using vegetative compatibility groups (VCGs). Forest Pathology, 2013, 43, 124-131.	0.5	10
398	Fungal Planet description sheets: 154–213. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2013, 31, 188-296.	1.6	179
399	Concerted Evolution in the Ribosomal RNA Cistron. PLoS ONE, 2013, 8, e59355.	1.1	61
400	Large Shift in Symbiont Assemblage in the Invasive Red Turpentine Beetle. PLoS ONE, 2013, 8, e78126.	1.1	51
401	Cankers and other diseases caused by the Botryosphaeriaceae .., 2013, , 298-317.		32
402	<i>Dothistroma septosporum</i> Identified in Greece on <i>Pinus brutia</i> and <i>Pinus nigra</i> Plantations. Plant Disease, 2013, 97, 1247-1247.	0.7	9
403	<i>Homortomyces</i> gen. nov., a new dothidealean pycnidial fungus from the Cradle of Humankind. IMA Fungus, 2012, 3, 109-115.	1.7	15
404	First fungal genome sequence from Africa: A preliminary analysis. South African Journal of Science, 2012, 108, .	0.3	38
405	<i>Ceratocystis eucalypticola</i> sp. nov. from Eucalyptus in South Africa and comparison to global isolates from this tree. IMA Fungus, 2012, 3, 45-58.	1.7	30
406	Microsatellite markers for <i>Grosmannia alacris</i> (Ophiostomataceae, Ascomycota) and other species in the <i>G. serpens</i> complex. American Journal of Botany, 2012, 99, e216-9.	0.8	1
407	Future outlook for <i>Pinus patula</i> in South Africa in the presence of the pitch canker fungus (<i>Fusarium</i>) Tj ETQq1 1 0.784314 rgBT /Overl...	0.2	23
408	Tolerance of <i>Pinus patula</i> full-sib families to <i>Fusarium circinatum</i> in a greenhouse study. Southern Forests, 2012, 74, 247-252.	0.2	8
409	Associations of Conifer-Infesting Bark Beetles and Fungi in Fennoscandia. Insects, 2012, 3, 200-227.	1.0	79
410	Fungal Planet description sheets: 128–153. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2012, 29, 146-201.	1.6	80
411	Cryptic species, native populations and biological invasions by a eucalypt forest pathogen. Molecular Ecology, 2012, 21, 4452-4471.	2.0	28
412	DNA extraction techniques for DNA barcoding of minute gall-inhabiting wasps. Molecular Ecology Resources, 2012, 12, 109-115.	2.2	24
413	<i>Fusarium circinatum</i> and pitch canker of <i>Pinus</i> in Colombia. Australasian Plant Pathology, 2012, 41, 483-491.	0.5	33
414	The potential for monitoring and control of insect pests in Southern Hemisphere forestry plantations using semiochemicals. Annals of Forest Science, 2012, 69, 757-767.	0.8	22

#	ARTICLE	IF	CITATIONS
415	Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for <i>Fungi</i> . Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 6241-6246.	3.3	4,012
416	Both mating types in the heterothallic fungus <i>Ophiostoma quercus</i> contain MAT1-1 and MAT1-2 genes. Fungal Biology, 2012, 116, 427-437.	1.1	26
417	New species of <i>Gondwanamyces</i> from dying <i>Euphorbia</i> trees in South Africa. Mycologia, 2012, 104, 574-584.	0.8	13
418	Phylogeny and taxonomy of species in the <i>Grosmannia serpens</i> complex. Mycologia, 2012, 104, 715-732.	0.8	67
419	Retracing the routes of introduction of invasive species: the case of the <i>Sirex noctilio</i> woodwasp. Molecular Ecology, 2012, 21, 5728-5744.	2.0	95
420	Potential of <i>Phytophthora pinifolia</i> to spread via sawn green lumber: a preliminary investigation. Southern Forests, 2012, 74, 211-216.	0.2	4
421	Die-off of giant <i>Euphorbia</i> trees in South Africa: Symptoms and relationships to climate. South African Journal of Botany, 2012, 83, 172-185.	1.2	21
422	Biological control of forest plantation pests in an interconnected world requires greater international focus. International Journal of Pest Management, 2012, 58, 211-223.	0.9	88
423	Awards and Personalia. IMA Fungus, 2012, 3, A24-A28.	1.7	0
424	Selection of <i>Pinus</i> spp. in South Africa for tolerance to infection by the pitch canker fungus. New Forests, 2012, 43, 473-489.	0.7	23
425	DNA sequence incongruence and inconsistent morphology obscure species boundaries in the <i>Teratosphaeria suttonii</i> species complex. Mycoscience, 2012, 53, 270-283.	0.3	10
426	<i>Grosmannia</i> and <i>Leptographium</i> spp. associated with conifer-infesting bark beetles in Finland and Russia, including <i>Leptographium taigense</i> sp. nov.. Antonie Van Leeuwenhoek, 2012, 102, 375-399.	0.7	43
427	Mitochondrial DNA diversity of <i>Cleruchoides noackae</i> (Hymenoptera: Mymaridae): a potential biological control agent for <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). BioControl, 2012, 57, 397-404.	0.9	19
428	The influence of <i>Amylostereum areolatum</i> diversity and competitive interactions on the fitness of the <i>Sirex</i> parasitic nematode <i>Deladenus siricidicola</i> . Biological Control, 2012, 61, 207-214.	1.4	27
429	One fungus, one name promotes progressive plant pathology. Molecular Plant Pathology, 2012, 13, 604-613.	2.0	172
430	Perception and knowledge of the <i>Sirex</i> woodwasp and other forest pests in South Africa. Agricultural and Forest Entomology, 2012, 14, 306-316.	0.7	12
431	Diversity in <i>Eucalyptus</i> susceptibility to the gall-forming wasp <i>Leptocybe invasa</i> . Agricultural and Forest Entomology, 2012, 14, 419-427.	0.7	51
432	High levels of genetic diversity and cryptic recombination is widespread in introduced <i>Diplodia pinea</i> populations. Australasian Plant Pathology, 2012, 41, 41-46.	0.5	20

#	ARTICLE	IF	CITATIONS
433	Ceratocystis species, including two new species associated with nitidulid beetles, on eucalypts in Australia. Antonie Van Leeuwenhoek, 2012, 101, 217-241.	0.7	29
434	The Control of the Sirex Woodwasp in Diverse Environments: The South African Experience. , 2012, , 247-264.		24
435	A single dominant Ganoderma species is responsible for root rot of Acacia mangium and Eucalyptus in Sumatra. Southern Forests, 2011, 73, 175-180.	0.2	29
436	Pruning quality affects infection of Acacia mangium and A. crassicaarpa by Ceratocystis acaciivora and Lasiodiplodia theobromae. Southern Forests, 2011, 73, 187-191.	0.2	24
437	The pitch canker fungus, <i>Fusarium circinatum</i> : implications for South African forestry. Southern Forests, 2011, 73, 1-13.	0.2	58
438	Botryosphaeriaceae associated with <i>Pterocarpus angolensis</i> (kiaat) in South Africa. Mycologia, 2011, 103, 534-553.	0.8	53
439	New records of the Cryphonectriaceae from southern Africa including <i>Latruncellus aurorae</i> gen. sp. nov.. Mycologia, 2011, 103, 554-569.	0.8	33
440	Novel species of <i>Celoportha</i> from <i>Eucalyptus</i> and <i>Syzygium</i> trees in China and Indonesia. Mycologia, 2011, 103, 1384-1410.	0.8	33
441	The Role of Phytopathogenicity in Bark Beetle "Fungus Symbioses: A Challenge to the Classic Paradigm. Annual Review of Entomology, 2011, 56, 255-272.	5.7	252
442	A genetically homogenous population of <i>Fusarium circinatum</i> causes pitch canker of <i>Pinus radiata</i> in the Basque Country, Spain. Fungal Biology, 2011, 115, 288-295.	1.1	43
443	Mites are the most common vectors of the fungus <i>Gondwanamyces proteae</i> in <i>Protea</i> infructescences. Fungal Biology, 2011, 115, 343-350.	1.1	29
444	Genetic analysis of growth, morphology and pathogenicity in the F1 progeny of an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . Fungal Biology, 2011, 115, 902-908.	1.1	15
445	Structure and evolution of the <i>Fusarium</i> mating type locus: New insights from the <i>Gibberella fujikuroi</i> complex. Fungal Genetics and Biology, 2011, 48, 731-740.	0.9	58
446	Gene expression associated with vegetative incompatibility in <i>Amylostereum areolatum</i> . Fungal Genetics and Biology, 2011, 48, 1034-1043.	0.9	6
447	One Fungus One Name: A Plant Pathologist's View. IMA Fungus, 2011, 2, A39-A40.	1.7	1
448	Novel species of <i>Calonectria</i> associated with <i>Eucalyptus</i> leaf blight in Southeast China. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2011, 26, 1-12.	1.6	63
449	Do novel genotypes drive the success of an invasive bark beetle "fungus complex? Implications for potential reinvasion. Ecology, 2011, 92, 2013-2019.	1.5	65
450	Occurrence and pathogenicity of <i>Neofusicoccum parvum</i> and <i>N. mangiferae</i> on ornamental <i>Tibouchina</i> species. Forest Pathology, 2011, 41, 48-51.	0.5	15

#	ARTICLE	IF	CITATIONS
451	Diplodia scrobiculata found in the southern hemisphere. Forest Pathology, 2011, 41, 175-181.	0.5	20
452	The pathogenic potential of endophytic Botryosphaeriaceae fungi on Terminalia species in Cameroon. Forest Pathology, 2011, 41, 281-292.	0.5	27
453	Needle blight of pine caused by two species of Dothistroma in Hungary. Forest Pathology, 2011, 41, 361-369.	0.5	36
454	Characterization of Botryosphaeriaceae from plantation-grown <i>Eucalyptus</i> species in South China. Plant Pathology, 2011, 60, 739-751.	1.2	72
455	Spread and development of quambalaria shoot blight in spotted gum plantations. Plant Pathology, 2011, 60, 1096-1106.	1.2	10
456	Variability in aggressiveness of <i>Quambalaria pitereka</i> isolates. Plant Pathology, 2011, 60, 1107-1117.	1.2	17
457	Insect pests and pathogens of Australian acacias grown as non-natives – an experiment in biogeography with far-reaching consequences. Diversity and Distributions, 2011, 17, 968-977.	1.9	46
458	Sources of <i>Diplodia pinea</i> endophytic infections in <i>Pinus patula</i> and <i>P. radiata</i> seedlings in South Africa. Forest Pathology, 2011, 41, 370-375.	0.5	38
459	A new wilt and die-back disease of <i>Acacia mangium</i> associated with <i>Ceratocystis manginecans</i> and <i>C. acaciivora</i> sp. nov. in Indonesia. South African Journal of Botany, 2011, 77, 292-304.	1.2	117
460	Extreme homozygosity in Southern Hemisphere populations of <i>Deladenus siricidicola</i> , a biological control agent of <i>Sirex noctilio</i> . Biological Control, 2011, 59, 348-353.	1.4	24
461	Plants for planting; indirect evidence for the movement of a serious forest pathogen, <i>Teratosphaeria destructans</i> , in Asia. European Journal of Plant Pathology, 2011, 131, 49-58.	0.8	23
462	Effect of Diaporthe RNA virus 1 (DRV1) on growth and pathogenicity of different Diaporthe species. European Journal of Plant Pathology, 2011, 131, 261-268.	0.8	5
463	Characterization of a novel dsRNA element in the pine endophytic fungus <i>Diplodia scrobiculata</i> . Archives of Virology, 2011, 156, 1199-1208.	0.9	10
464	Discovery of <i>Ophiostoma tsotsi</i> on <i>Eucalyptus</i> wood chips in China. Mycoscience, 2011, 52, 111-118.	0.3	8
465	Diversity and pathogenicity of Botryosphaeriaceae on declining <i>Ostrya carpinifolia</i> in Slovenia and Italy following extreme weather conditions. European Journal of Forest Research, 2011, 130, 235-249.	1.1	34
466	Fungal associates of the lodgepole pine beetle, <i>Dendroctonus murrayanae</i> . Antonie Van Leeuwenhoek, 2011, 100, 231-244.	0.7	27
467	Anthropogenic effects on interaction outcomes: examples from insect-microbial symbioses in forest and savanna ecosystems. Symbiosis, 2011, 53, 101-121.	1.2	26
468	Four new <i>Ceratocystis</i> spp. associated with wounds on <i>Eucalyptus</i> , <i>Schizolobium</i> and <i>Terminalia</i> trees in Ecuador. Fungal Diversity, 2011, 46, 111-131.	4.7	21

#	ARTICLE	IF	CITATIONS
469	Mycosphaerella and Teratosphaeria diseases of Eucalyptus; easily confused and with serious consequences. Fungal Diversity, 2011, 50, 145-166.	4.7	57
470	A new shoot and stem disease of Eucalyptus species caused by Erwinia psidii. Australasian Plant Pathology, 2011, 40, 55-60.	0.5	31
471	Variable resistance to Quambalaria pitereka in spotted gum reveal opportunities for disease screening. Australasian Plant Pathology, 2011, 40, 76-86.	0.5	29
472	Potential gains through selecting for resistance in spotted gum to Quambalaria pitereka. Australasian Plant Pathology, 2011, 40, 197-206.	0.5	3
473	High population diversity and increasing importance of the Eucalyptus stem canker pathogen, Teratosphaeria zuluensis, in South China. Australasian Plant Pathology, 2011, 40, 407-415.	0.5	22
474	Eucalypt diseases and their management in China. Australasian Plant Pathology, 2011, 40, 339-345.	0.5	37
475	Unexpected genetic diversity revealed in the Eucalyptus canker pathogen Teratosphaeria gauchensis. Australasian Plant Pathology, 2011, 40, 497-503.	0.5	12
476	Distribution of Diplodia pinea and its genotypic diversity within asymptomatic Pinus patula trees. Australasian Plant Pathology, 2011, 40, 540-548.	0.5	30
477	First report of Neofusicoccum parvum causing canker and die-back of Eucalyptus in Spain. Australasian Plant Disease Notes, 2011, 6, 57-59.	0.4	28
478	Puccinia psidii infecting cultivated Eucalyptus and native myrtaceae in Uruguay. Mycological Progress, 2011, 10, 273-282.	0.5	26
479	<i>Lasiodiplodia</i> species associated with dying <i>Euphorbia ingens</i> in South Africa. Southern Forests, 2011, 73, 165-173.	0.2	15
480	Causes and Consequences of Variability in Peptide Mating Pheromones of Ascomycete Fungi. Molecular Biology and Evolution, 2011, 28, 1987-2003.	3.5	54
481	The Amsterdam Declaration on Fungal Nomenclature. IMA Fungus, 2011, 2, 105-111.	1.7	320
482	Ophiostoma species (Ophiostomatales, Ascomycota), including two new taxa on eucalypts in Australia. Australian Journal of Botany, 2011, 59, 283.	0.3	20
483	Paleogene Radiation of a Plant Pathogenic Mushroom. PLoS ONE, 2011, 6, e28545.	1.1	31
484	First report of <i>Phytophthora cinnamomi</i> associated with stem cankers of <i>Quercus cerris</i> in South Africa. New Disease Reports, 2011, 24, 11-11.	0.4	9
485	Pathogenicity of <i>Ceratocystis resinifera</i> to Norway spruce. Forest Pathology, 2010, 40, 458-464.	0.5	3
486	Comparison of procedures to evaluate the pathogenicity of <i>Ceratocystis fimbriata</i> sensu lato isolates from Eucalyptus in South Africa. Southern Forests, 2010, 72, 57-62.	0.2	10

#	ARTICLE	IF	CITATIONS
487	Two new <i>Ophiostoma</i> species from <i>Protea caffra</i> in Zambia. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2010, 24, 18-28.	1.6	31
488	<i>Ophiostoma</i> spp. associated with pine- and spruce-infesting bark beetles in Finland and Russia. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2010, 25, 72-93.	1.6	82
489	Fungal phoenix rising from the ashes?. <i>IMA Fungus</i> , 2010, 1, 149-153.	1.7	13
490	<i>Calonectria</i> species associated with cutting rot of <i>Eucalyptus</i> . <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2010, 24, 1-11.	1.6	59
491	Identification and Pathogenicity of <i>Chrysosporthe cubensis</i> on <i>Eucalyptus</i> and <i>Syzygium</i> spp. in South China. <i>Plant Disease</i> , 2010, 94, 1143-1150.	0.7	40
492	Plantation forestry diseases in Zambia: Contributing factors and management options. <i>Annals of Forest Science</i> , 2010, 67, 802-802.	0.8	10
493	<i>Cryptometrion aestuescens</i> gen. sp. nov. (Cryphonectriaceae) pathogenic to <i>Eucalyptus</i> in Indonesia. <i>Australasian Plant Pathology</i> , 2010, 39, 161.	0.5	26
494	The <i>Eucalyptus</i> canker pathogen <i>Chrysosporthe cubensis</i> discovered in eastern Australia. <i>Australasian Plant Pathology</i> , 2010, 39, 343.	0.5	15
495	Genetic diversity in the <i>Eucalyptus</i> stem pathogen <i>Teratosphaeria zuluensis</i> . <i>Australasian Plant Pathology</i> , 2010, 39, 383.	0.5	18
496	Three new <i>Ceratocystis</i> spp. in the <i>Ceratocystis moniliformis</i> complex from wounds on <i>Acacia mangium</i> and <i>A. crassicarpa</i> . <i>Mycoscience</i> , 2010, 51, 53-67.	0.3	31
497	<i>Aurifilum</i> , a new fungal genus in the Cryphonectriaceae from <i>Terminalia</i> species in Cameroon. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 263-278.	0.7	20
498	Characterisation of synnematosus bark beetle-associated fungi from China, including <i>Graphium carbonarium</i> sp. nov.. <i>Fungal Diversity</i> , 2010, 40, 75-88.	4.7	31
499	New <i>Ceratocystis</i> species infecting coffee, cacao, citrus and native trees in Colombia. <i>Fungal Diversity</i> , 2010, 40, 103-117.	4.7	28
500	Endophytic and canker-associated Botryosphaeriaceae occurring on non-native <i>Eucalyptus</i> and native Myrtaceae trees in Uruguay. <i>Fungal Diversity</i> , 2010, 41, 53-69.	4.7	89
501	Re-evaluation of <i>Cryptosporiopsis eucalypti</i> and <i>Cryptosporiopsis</i> -like species occurring on <i>Eucalyptus</i> leaves. <i>Fungal Diversity</i> , 2010, 44, 89-105.	4.7	44
502	Two new species of <i>Leptographium</i> from <i>Dryocetes authographus</i> and <i>Hylastes cunicularius</i> in Norway. <i>Mycological Progress</i> , 2010, 9, 69-78.	0.5	10
503	Botryosphaeriaceae associated with <i>Terminalia catappa</i> in Cameroon, South Africa and Madagascar. <i>Mycological Progress</i> , 2010, 9, 101-123.	0.5	112
504	Taxonomy and pathogenicity of two novel <i>Chrysosporthe</i> species from <i>Eucalyptus grandis</i> and <i>Syzygium guineense</i> in Zambia. <i>Mycological Progress</i> , 2010, 9, 379-393.	0.5	25

#	ARTICLE	IF	CITATIONS
505	A new <i>Ophiostoma</i> species from loblolly pine roots in the southeastern United States. <i>Mycological Progress</i> , 2010, 9, 447-457.	0.5	7
506	Genetic diversity of <i>Bradysia difformis</i> (Sciaridae: Diptera) populations reflects movement of an invasive insect between forestry nurseries. <i>Biological Invasions</i> , 2010, 12, 729-733.	1.2	14
507	DNA bar-coding reveals source and patterns of <i>Thaumastocoris peregrinus</i> invasions in South Africa and South America. <i>Biological Invasions</i> , 2010, 12, 1067-1077.	1.2	65
508	<i>Ophiostoma tsotsi</i> sp. nov., A Wound-infesting Fungus of Hardwood Trees in Africa. <i>Mycopathologia</i> , 2010, 169, 413-423.	1.3	31
509	Population structure of <i>Cylindrocladium parasiticum</i> infecting peanuts (<i>Arachis hypogaea</i>) in Georgia, USA. <i>European Journal of Plant Pathology</i> , 2010, 127, 199-206.	0.8	16
510	Complex interactions among host pines and fungi vectored by an invasive bark beetle. <i>New Phytologist</i> , 2010, 187, 859-866.	3.5	79
511	First report of <i>Diplodia corticola</i> in Greece on kermes oak (<i>Quercus coccifera</i>). <i>Plant Pathology</i> , 2010, 59, 805-805.	1.2	19
512	Micro- and macroscale analyses illustrates mixed mating strategies and extensive gene flow in populations of an invasive haploid pathogen. <i>Molecular Ecology</i> , 2010, 19, 1801-1813.	2.0	43
513	Factors influencing infection of <i>Acacia mearnsii</i> by the wilt pathogen <i>Ceratocystis albifundus</i> in South Africa. <i>Forest Pathology</i> , 2010, 40, 500-509.	0.5	7
514	(117-119) Proposals to make the pre-publication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the Code. <i>Taxon</i> , 2010, 59, 660-662.	0.4	10
515	Barcoding and microcoding using identifiers with <i>Leptographium</i> species. <i>Mycologia</i> , 2010, 102, 1274-1287.	0.8	1
516	Die-back of kiazat (<i>Pterocarpus angolensis</i>) in southern Africa: a cause for concern?. <i>Southern Forests</i> , 2010, 72, 121-132.	0.2	5
517	Identification of fungal pathogens occurring in eucalypt and pine plantations in Zambia by comparing DNA sequences. <i>Forestry</i> , 2010, 83, 507-515.	1.2	16
518	Multigene phylogeny and mating tests reveal three cryptic species related to <i>Calonectria pauciramosa</i> . <i>Studies in Mycology</i> , 2010, 66, 15-30.	4.5	63
519	Species concepts in <i>Calonectria</i> (<i>Cylindrocladium</i>). <i>Studies in Mycology</i> , 2010, 66, 1-13.	4.5	96
520	Phylogeny and systematics of the genus <i>Calonectria</i> . <i>Studies in Mycology</i> , 2010, 66, 31-69.	4.5	119
521	The Eucalyptus canker pathogen <i>Holocryphia eucalypti</i> in New Zealand. <i>Australasian Plant Disease Notes</i> , 2010, 5, 5.	0.4	4
522	Multigene phylogenetic and population differentiation data confirm the existence of a cryptic species within <i>Chrysosporium cubensis</i> . <i>Fungal Biology</i> , 2010, 114, 966-979.	1.1	40

#	ARTICLE	IF	CITATIONS
523	Taxonomy of <i>Armillaria</i> in the Patagonian forests of Argentina. <i>Mycologia</i> , 2010, 102, 392-403.	0.8	19
524	Molecular and phenotypic characterization of three phylogenetic species discovered within the <i>Neofusicoccum parvum</i> /N. <i>ribis</i> complex. <i>Mycologia</i> , 2009, 101, 636-647.	0.8	58
525	<i>Ceratocystis</i> species: emerging pathogens of non-native plantation <i>Eucalyptus</i> and <i>Acacia</i> species. <i>Southern Forests</i> , 2009, 71, 115-120.	0.2	73
526	Molecular and morphological characterization of <i>Dothiorella casuarini</i> sp. nov. and other <i>Botryosphaeriaceae</i> with diploдия-like conidia. <i>Mycologia</i> , 2009, 101, 503-511.	0.8	16
527	Insect Associates of <i>Ceratocystis albifundus</i> and Patterns of Association in a Native Savanna Ecosystem in South Africa. <i>Environmental Entomology</i> , 2009, 38, 356-364.	0.7	34
528	Mite-Mediated Hyperphoretic Dispersal of <i>Ophiostoma</i> spp. from the Infructescences of South African <i>Protea</i> spp.. <i>Environmental Entomology</i> , 2009, 38, 143-152.	0.7	35
529	Distribution and population diversity of <i>Ceratocystis pirilliformis</i> in South Africa. <i>Mycologia</i> , 2009, 101, 17-25.	0.8	22
530	Susceptibility of South African native conifers to the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>South African Journal of Botany</i> , 2009, 75, 380-382.	1.2	14
531	Diverse <i>Fusarium solani</i> isolates colonise agricultural environments in Ethiopia. <i>European Journal of Plant Pathology</i> , 2009, 124, 369-378.	0.8	22
532	<i>Teratosphaeria</i> (<i>Mycosphaerella</i>) <i>nubilosa</i> , the causal agent of <i>Mycosphaerella</i> leaf disease (MLD), recently introduced into Uruguay. <i>European Journal of Plant Pathology</i> , 2009, 125, 109-118.	0.8	27
533	Molecular phylogeny of <i>Armillaria</i> from the Patagonian Andes. <i>Mycological Progress</i> , 2009, 8, 181-194.	0.5	30
534	Delimitation of <i>Ophiostoma quercus</i> and its synonyms using multiple gene phylogenies. <i>Mycological Progress</i> , 2009, 8, 221-236.	0.5	42
535	<i>Neofusicoccum eucalyptorum</i> , a <i>Eucalyptus</i> pathogen, on native <i>Myrtaceae</i> in Uruguay. <i>Plant Pathology</i> , 2009, 58, 964-970.	1.2	19
536	<i>Teratosphaeria nubilosa</i> , a serious leaf disease pathogen of <i>Eucalyptus</i> spp. in native and introduced areas. <i>Molecular Plant Pathology</i> , 2009, 10, 1-14.	2.0	52
537	DNA-based method for rapid identification of the pine pathogen, <i>Phytophthora pinifolia</i> . <i>FEMS Microbiology Letters</i> , 2009, 298, 99-104.	0.7	14
538	<i>Botryosphaeriaceae</i> associated with <i>Eucalyptus</i> canker diseases in Colombia. <i>Forest Pathology</i> , 2009, 39, 110-123.	0.5	31
539	Single sequence repeat markers reflect diversity and geographic barriers in Eurasian populations of the conifer pathogen <i>Ceratocystis polonica</i> . <i>Forest Pathology</i> , 2009, 39, 249-265.	0.5	13
540	<i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> associated with <i>Eucalyptus</i> leaf diseases and stem cankers in Uruguay. <i>Forest Pathology</i> , 2009, 39, 349-360.	0.5	25

#	ARTICLE	IF	CITATIONS
541	Isolation of <i>Enterobacter cowanii</i> from <i>Eucalyptus</i> showing symptoms of bacterial blight and dieback in Uruguay. <i>Letters in Applied Microbiology</i> , 2009, 49, 461-465.	1.0	28
542	Fungal radiation in the Cape Floristic Region: An analysis based on <i>Gondwanamyces</i> and <i>Ophiostoma</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 111-119.	1.2	32
543	Multiple gene genealogies and phenotypic data reveal cryptic species of the <i>Botryosphaeriaceae</i> : A case study on the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 259-268.	1.2	92
544	Pathogenicity of seven species of the <i>Botryosphaeriaceae</i> on <i>Eucalyptus</i> clones in Venezuela. <i>Australasian Plant Pathology</i> , 2009, 38, 135.	0.5	22
545	Microsatellite discovery by deep sequencing of enriched genomic libraries. <i>BioTechniques</i> , 2009, 46, 217-223.	0.8	180
546	The Ascomycota Tree of Life: A Phylum-wide Phylogeny Clarifies the Origin and Evolution of Fundamental Reproductive and Ecological Traits. <i>Systematic Biology</i> , 2009, 58, 224-239.	2.7	581
547	Genetic linkage map for <i>Amylostereum areolatum</i> reveals an association between vegetative growth and sexual and self-recognition. <i>Fungal Genetics and Biology</i> , 2009, 46, 632-641.	0.9	30
548	Biological pest control in beetle agriculture. <i>Trends in Microbiology</i> , 2009, 17, 179-182.	3.5	11
549	<i>Quambalaria</i> species: increasing threat to eucalypt plantations in Australia. <i>Southern Forests</i> , 2009, 71, 111-114.	0.2	17
550	Factors affecting pine pitch canker modelled on Michaelis-Menten kinetics This article is one of a collection of papers based on a presentation from the Stem and Shoot Fungal Pathogens and Parasitic Plants: the Values of Biological Diversity session of the XXII International Union of Forestry Research Organization World Congress meeting held in Brisbane, Queensland, Australia, in 2005.. <i>Botany</i> , 2009, 87, 36-42.	0.5	4
551	A diverse assemblage of <i>Botryosphaeriaceae</i> infect <i>Eucalyptus</i> in native and non-native environments. <i>Southern Forests</i> , 2009, 71, 101-110.	0.2	52
552	Infection and disease development of <i>Quambalaria</i> spp. on <i>Corymbia</i> and <i>Eucalyptus</i> species. <i>Plant Pathology</i> , 2009, 58, 642-654.	1.2	24
553	A class-wide phylogenetic assessment of <i>Dothideomycetes</i> . <i>Studies in Mycology</i> , 2009, 64, 1-15.	4.5	540
554	Development and characterization of polymorphic markers for the sap stain fungus <i>Ophiostoma quercus</i> . <i>Molecular Ecology Resources</i> , 2009, 9, 399-401.	2.2	6
555	<i>Calonectria</i> (<i>Cylindrocladium</i>) species associated with dying <i>Pinus</i> cuttings. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2009, 23, 41-47.	1.6	44
556	Unravelling <i>Mycosphaerella</i> : do you believe in genera?. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2009, 23, 99-118.	1.6	152
557	<i>Ophiostoma denticiliatum</i> sp. nov. and other <i>Ophiostoma</i> species associated with the birch bark beetle in southern Norway. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2009, 23, 9-15.	1.6	26
558	<i>Fusarium mangiferae</i> associated with mango malformation in the Sultanate of Oman. <i>European Journal of Plant Pathology</i> , 2008, 121, 195-199.	0.8	33

#	ARTICLE	IF	CITATIONS
559	Characterization of the systems governing sexual and self-recognition in the white rot homobasidiomycete <i>AmylostereumÂreolatum</i> . <i>Current Genetics</i> , 2008, 53, 323-336.	0.8	12
560	The teleomorph of <i>Leptographium yunnanense</i> , discovered in crosses among isolates from Thailand, China, and Japan. <i>Mycoscience</i> , 2008, 49, 233-240.	0.3	9
561	Phylogeny of the Botryosphaeriaceae reveals patterns of host association. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 116-126.	1.2	43
562	Population structure of the fungal pathogen <i>Holocryphia eucalypti</i> in Australia and South Africa. <i>Australasian Plant Pathology</i> , 2008, 37, 154.	0.5	9
563	<i>Pesotum australi</i> sp. nov. and <i>Ophiostoma quercus</i> associated with <i>Acacia mearnsii</i> trees in Australia and Uganda, respectively. <i>Australasian Plant Pathology</i> , 2008, 37, 406.	0.5	16
564	Pitch canker caused by <i>Fusarium circinatum</i> – a growing threat to pine plantations and forests worldwide. <i>Australasian Plant Pathology</i> , 2008, 37, 319.	0.5	219
565	Discovery of the eucalypt pathogen <i>Quambalaria eucalypti</i> infecting a non-Eucalyptus host in Uruguay. <i>Australasian Plant Pathology</i> , 2008, 37, 600.	0.5	15
566	Microsatellite markers for the Eucalyptus stem canker fungal pathogen <i>Kirramyces gauchensis</i> . <i>Molecular Ecology Resources</i> , 2008, 8, 590-592.	2.2	2
567	New host and country records of the <i>Dothistroma</i> needle blight pathogens from Europe and Asia. <i>Forest Pathology</i> , 2008, 38, 178-195.	0.5	58
568	Global movement and population biology of <i>Mycosphaerella nubilosa</i> infecting leaves of cold-tolerant <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Plant Pathology</i> , 2008, 57, 235-242.	1.2	33
569	<i>Quambalaria</i> species associated with plantation and native eucalypts in Australia. <i>Plant Pathology</i> , 2008, 57, 702-714.	1.2	35
570	<i>Phytophthora pinifolia</i> sp. nov. associated with a serious needle disease of <i>Pinus radiata</i> in Chile. <i>Plant Pathology</i> , 2008, 57, 715-727.	1.2	84
571	Fungi, including <i>Ophiostoma karelicum</i> sp. nov., associated with <i>Scolytus ratzeburgi</i> infesting birch in Finland and Russia. <i>Mycological Research</i> , 2008, 112, 1475-1488.	2.5	39
572	Factors influencing parasitism of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) by the nematode <i>Deladenus siricidicola</i> (Nematoda: Neotylenchidae) in summer rainfall areas of South Africa. <i>Biological Control</i> , 2008, 45, 450-459.	1.4	53
573	Microsatellite markers for the red band needle blight pathogen, <i>Dothistroma septosporum</i> . <i>Molecular Ecology Resources</i> , 2008, 8, 1026-1029.	2.2	32
574	Eucalypt pests and diseases: growing threats to plantation productivity. <i>Southern Forests</i> , 2008, 70, 139-144.	0.2	191
575	Taxonomy and phylogeny of new wood- and soil-inhabiting <i>Sporothrix</i> species in the <i>Ophiostoma stenoceras</i> - <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , 2008, 100, 647-661.	0.8	110
576	Seven new species of the Botryosphaeriaceae from baobab and other native trees in Western Australia. <i>Mycologia</i> , 2008, 100, 851-866.	0.8	130

#	ARTICLE	IF	CITATIONS
577	<i>Ophiostoma gemellus</i> and <i>Sporothrix variecibatus</i> from mites infesting <i>Protea</i> infructescences in South Africa. <i>Mycologia</i> , 2008, 100, 496-510.	0.8	44
578	New species of <i>Mycosphaerella</i> from Myrtaceae in plantations and native forests in eastern Australia. <i>Mycologia</i> , 2007, 99, 461-474.	0.8	15
579	Characterization and Distribution of Mating Type Genes in the <i>Dothistroma</i> Needle Blight Pathogens. <i>Phytopathology</i> , 2007, 97, 825-834.	1.1	79
580	Discovery of Fungus-Mite Mutualism in a Unique Niche. <i>Environmental Entomology</i> , 2007, 36, 1226-1237.	0.7	41
581	Complete genetic linkage maps from an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Fungal Genetics and Biology</i> , 2007, 44, 701-714.	0.9	33
582	Molecular detection of fungi carried by <i>Bradysia difformis</i> (Sciaridae: Diptera) in South African forestry nurseries. <i>Southern Forests</i> , 2007, 69, 103-109.	0.2	14
583	Human Impacts in Pine Forests: Past, Present, and Future. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2007, 38, 275-297.	3.8	85
584	The eucalypt leaf blight pathogen <i>Kirramyces destructans</i> discovered in Australia. <i>Australasian Plant Disease Notes</i> , 2007, 2, 141.	0.4	17
585	<i>Ophiostoma</i> species (Ascomycetes: Ophiostomatales) associated with bark beetles (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overloc 756-767.	0.8	63
586	Botryosphaeriaceae as endophytes and latent pathogens of woody plants: diversity, ecology and impact. <i>Fungal Biology Reviews</i> , 2007, 21, 90-106.	1.9	647
587	Taxonomy, phylogeny and identification of Botryosphaeriaceae associated with pome and stone fruit trees in South Africa and other regions of the world. <i>Plant Pathology</i> , 2007, 56, 128.	1.2	131
588	Occurrence of the wattle wilt pathogen, <i>Ceratocystis albifundus</i> on native South African trees. <i>Forest Pathology</i> , 2007, 37, 292-302.	0.5	56
589	<i>Sirococcus</i> shoot blight on <i>Picea spinulosa</i> in Bhutan. <i>Forest Pathology</i> , 2007, 37, 40-50.	0.5	8
590	<i>Seiridium cardinale</i> on <i>Juniperus</i> species in Greece. <i>Forest Pathology</i> , 2007, 37, 338-347.	0.5	12
591	A comparison of control results for the alien invasive woodwasp, <i>Sirex noctilio</i> , in the southern hemisphere. <i>Agricultural and Forest Entomology</i> , 2007, 9, 159-171.	0.7	173
592	Botryosphaeriaceae occurring on native <i>Syzygium cordatum</i> in South Africa and their potential threat to <i>Eucalyptus</i> . <i>Plant Pathology</i> , 2007, 56, 624-636.	1.2	88
593	Tolerance in banana to <i>Fusarium</i> wilt is associated with early up-regulation of cell wall-strengthening genes in the roots. <i>Molecular Plant Pathology</i> , 2007, 8, 333-341.	2.0	99
594	Isolation and characterization of microsatellite loci in <i>Cylindrocladium pauciramosum</i> . <i>Molecular Ecology Notes</i> , 2007, 7, 343-345.	1.7	4

#	ARTICLE	IF	CITATIONS
595	Multiple gene genealogies reveal important relationships between species of <i>Phaeophleospora</i> infecting <i>Eucalyptus</i> leaves. <i>FEMS Microbiology Letters</i> , 2007, 268, 22-33.	0.7	28
596	Species-specific primers for <i>Fusarium redolens</i> and a PCR-RFLP technique to distinguish among three clades of <i>Fusarium oxysporum</i> . <i>FEMS Microbiology Letters</i> , 2007, 271, 27-32.	0.7	47
597	Polyphyly and two emerging lineages in the rust genera <i>Puccinia</i> and <i>Uromyces</i> . <i>Mycological Research</i> , 2007, 111, 176-185.	2.5	40
598	Phylogenetic reassessment supports accommodation of <i>Phaeophleospora</i> and <i>Colletogloeopsis</i> from eucalypts in <i>Kirramyces</i> . <i>Mycological Research</i> , 2007, 111, 1184-1198.	2.5	38
599	Two new <i>Phytophthora</i> species from South African <i>Eucalyptus</i> plantations. <i>Mycological Research</i> , 2007, 111, 1321-1338.	2.5	46
600	First outbreak of pitch canker in a South African pine plantation. <i>Australasian Plant Pathology</i> , 2007, 36, 256.	0.5	72
601	<i>Ceratocystis atrox</i> sp. nov. associated with <i>Phoracantha acanthocera</i> infestations on <i>Eucalyptus grandis</i> in Australia. <i>Australasian Plant Pathology</i> , 2007, 36, 407.	0.5	24
602	<i>Kirramyces viscidus</i> sp. nov., a new eucalypt pathogen from tropical Australia closely related to the serious leaf pathogen, <i>Kirramyces destructans</i> . <i>Australasian Plant Pathology</i> , 2007, 36, 478.	0.5	21
603	<i>Puccinia psidii</i> : a threat to the Australian environment and economy – a review. <i>Australasian Plant Pathology</i> , 2007, 36, 1.	0.5	188
604	<i>Holocryphia eucalypti</i> on <i>Tibouchina urvilleana</i> in Australia. <i>Australasian Plant Pathology</i> , 2007, 36, 560.	0.5	6
605	Testing of selected South African <i>Pinus</i> hybrids and families for tolerance to the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>New Forests</i> , 2007, 33, 109-123.	0.7	52
606	Discovery of Fungus-Mite Mutualism in a Unique Niche. <i>Environmental Entomology</i> , 2007, 36, 1226-1237.	0.7	27
607	Discovery of the Canker Pathogen <i>Chrysosporthe austroafricana</i> on Native <i>Syzygium</i> spp. in South Africa. <i>Plant Disease</i> , 2006, 90, 433-438.	0.7	58
608	Multi-gene phylogenies and phenotypic characters distinguish two species within the <i>Colletogloeopsis zuluensis</i> complex associated with <i>Eucalyptus</i> stem cankers. <i>Studies in Mycology</i> , 2006, 55, 133-146.	4.5	71
609	Pestalotioid fungi from <i>Restionaceae</i> in the Cape Floral Kingdom. <i>Studies in Mycology</i> , 2006, 55, 175-187.	4.5	38
610	DNA sequence comparisons of <i>Ophiostoma</i> spp., including <i>Ophiostoma aurorae</i> sp. nov., associated with pine bark beetles in South Africa. <i>Studies in Mycology</i> , 2006, 55, 269-277.	4.5	55
611	Phylogeny of the <i>Quambalariaceae</i> fam. nov., including important <i>Eucalyptus</i> pathogens in South Africa and Australia. <i>Studies in Mycology</i> , 2006, 55, 289-298.	4.5	78
612	Phylogenetic reassessment of <i>Mycosphaerella</i> spp. and their anamorphs occurring on <i>Eucalyptus</i> . II. <i>Studies in Mycology</i> , 2006, 55, 99-131.	4.5	144

#	ARTICLE	IF	CITATIONS
613	How many species of fungi are there at the tip of Africa?. <i>Studies in Mycology</i> , 2006, 55, 13-33.	4.5	84
614	A disease epidemic on <i>Zizyphus mucronata</i> in the Kruger National Park caused by <i>Coniodictyum chevalieri</i> . <i>Studies in Mycology</i> , 2006, 55, 279-288.	4.5	13
615	<i>Microthia</i> , <i>Holocryphia</i> and <i>Ursicollum</i> , three new genera on <i>Eucalyptus</i> and <i>Coccoloba</i> for fungi previously known as <i>Cryphonectria</i> . <i>Studies in Mycology</i> , 2006, 55, 35-52.	4.5	41
616	A multi-gene phylogeny for species of <i>Mycosphaerella</i> occurring on <i>Eucalyptus</i> leaves. <i>Studies in Mycology</i> , 2006, 55, 147-161.	4.5	86
617	Phylogenetic lineages in the <i>Botryosphaeriaceae</i> . <i>Studies in Mycology</i> , 2006, 55, 235-253.	4.5	646
618	Multi-gene phylogenies define <i>Ceratocystiopsis</i> and <i>Grosmannia</i> distinct from <i>Ophiostoma</i> . <i>Studies in Mycology</i> , 2006, 55, 75-97.	4.5	185
619	<i>Celoporthe dispersa</i> gen. et sp. nov. from native <i>Myrtales</i> in South Africa. <i>Studies in Mycology</i> , 2006, 55, 255-267.	4.5	30
620	Mango Malformation Disease and the Associated <i>Fusarium</i> Species. <i>Phytopathology</i> , 2006, 96, 667-672.	1.1	79
621	Distribution of <i>Chrysoporthe</i> Canker Pathogens on <i>Eucalyptus</i> and <i>Syzygium</i> spp. in Eastern and Southern Africa. <i>Plant Disease</i> , 2006, 90, 734-740.	0.7	64
622	<i>Aurapex penicillata</i> gen. sp. nov. from native <i>Miconia theaezans</i> and <i>Tibouchina</i> spp. in Colombia. <i>Mycologia</i> , 2006, 98, 105-115.	0.8	8
623	<i>Cryphonectriaceae</i> (Diaporthales), a new family including <i>Cryphonectria</i> , <i>Chrysoporthe</i> , <i>Endothia</i> and allied genera. <i>Mycologia</i> , 2006, 98, 239-249.	0.8	21
624	Three new <i>Lasiodiplodia</i> spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , 2006, 98, 423-435.	0.8	61
625	Isolation and characterization of microsatellite loci in <i>Cylindrocladium parasiticum</i> . <i>Molecular Ecology Notes</i> , 2006, 6, 110-112.	1.7	8
626	Polymorphic microsatellite markers for the <i>Eucalyptus</i> fungal pathogen <i>Colletogloeopsis zuluensis</i> . <i>Molecular Ecology Notes</i> , 2006, 6, 780-783.	1.7	23
627	Development of polymorphic microsatellite markers for the <i>Eucalyptus</i> leaf pathogen <i>Mycosphaerella nubilosa</i> . <i>Molecular Ecology Notes</i> , 2006, 6, 900-903.	1.7	6
628	New taxonomic concepts for the important forest pathogen <i>Cryphonectria parasitica</i> and related fungi. <i>FEMS Microbiology Letters</i> , 2006, 258, 161-172.	0.7	22
629	High intercontinental migration rates and population admixture in the sapstain fungus <i>Ophiostoma ips</i> . <i>Molecular Ecology</i> , 2006, 16, 89-99.	2.0	36
630	<i>Armillaria</i> species on tea in Kenya identified using isozyme and DNA sequence comparisons. <i>Plant Pathology</i> , 2006, 55, 343-350.	1.2	17

#	ARTICLE	IF	CITATIONS
631	Aetiology and causal agents of mango sudden decline disease in the Sultanate of Oman. <i>European Journal of Plant Pathology</i> , 2006, 116, 247-254.	0.8	66
632	Quambalaria leaf and shoot blight on <i>Eucalyptus nitens</i> in South Africa. <i>Australasian Plant Pathology</i> , 2006, 35, 427.	0.5	16
633	Phylogenetic relationships among <i>Armillaria</i> species inferred from partial elongation factor 1-alpha DNA sequence data. <i>Australasian Plant Pathology</i> , 2006, 35, 513.	0.5	54
634	Cytosporas species (Ascomycota, Diaporthales, Valsaceae): introduced and native pathogens of trees in South Africa. <i>Australasian Plant Pathology</i> , 2006, 35, 521.	0.5	104
635	Anatomical variation and defence responses of juvenile <i>Eucalyptus nitens</i> leaves to <i>Mycosphaerella</i> leaf disease. <i>Australasian Plant Pathology</i> , 2006, 35, 725.	0.5	20
636	<i>Ceratocystis omanensis</i> , a new species from diseased mango trees in Oman. <i>Mycological Research</i> , 2006, 110, 237-245.	2.5	22
637	First record of <i>Colletogloeopsis zuluense</i> comb. nov., causing a stem canker of <i>Eucalyptus</i> in China. <i>Mycological Research</i> , 2006, 110, 229-236.	2.5	44
638	Clonality in South African isolates and evidence for a European origin of the root pathogen <i>Thielaviopsis basicola</i> . <i>Mycological Research</i> , 2006, 110, 306-311.	2.5	12
639	Two new <i>Fusicoccum</i> species from <i>Acacia</i> and <i>Eucalyptus</i> in Venezuela, based on morphology and DNA sequence data. <i>Mycological Research</i> , 2006, 110, 405-413.	2.5	36
640	Novel hosts of the <i>Eucalyptus</i> canker pathogen <i>Chrysosporthe cubensis</i> and a new <i>Chrysosporthe</i> species from Colombia. <i>Mycological Research</i> , 2006, 110, 833-845.	2.5	43
641	Impact of mechanical shelling and dehulling on <i>Fusarium</i> infection and fumonisin contamination in maize. <i>Food Additives and Contaminants</i> , 2006, 23, 415-421.	2.0	41
642	Three new <i>Lasiodiplodia</i> spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , 2006, 98, 423-435.	0.8	109
643	Cryphonectriaceae (Diaporthales), a new family including <i>Cryphonectria</i> , <i>Chrysosporthe</i> , <i>Endothia</i> and allied genera. <i>Mycologia</i> , 2006, 98, 239-249.	0.8	54
644	<i>Aurapex penicillata</i> gen. sp. nov. from native <i>Miconia theaezans</i> and <i>Tibouchina</i> spp. in Colombia. <i>Mycologia</i> , 2006, 98, 105-115.	0.8	13
645	Phylogenetic and morphological re-evaluation of the <i>Botryosphaeria</i> species causing diseases of <i>Mangifera indica</i> . <i>Mycologia</i> , 2005, 97, 99-110.	0.8	47
646	Relative Pathogenicity of <i>Cryphonectria cubensis</i> on <i>Eucalyptus</i> Clones Differing in Their Resistance to <i>C. cubensis</i> . <i>Plant Disease</i> , 2005, 89, 659-662.	0.7	35
647	Classification of the guava wilt fungus <i>Myxosporium psidii</i> , the palm pathogen <i>Gliocladium vermoesenii</i> and the persimmon wilt fungus <i>Acremonium diospyri</i> in <i>Nalanthamala</i> . <i>Mycologia</i> , 2005, 97, 375-395.	0.8	13
648	Development of polymorphic microsatellite markers for the fungal tree pathogen <i>Cryphonectria eucalypti</i> . <i>Molecular Ecology Notes</i> , 2005, 5, 558-561.	1.7	7

#	ARTICLE	IF	CITATIONS
649	Simple sequence repeat markers for species in the <i>Fusarium oxysporum</i> complex. <i>Molecular Ecology Notes</i> , 2005, 5, 622-624.	1.7	43
650	Diversity and host association of the tropical tree endophyte <i>Lasiodiplodia theobromae</i> revealed using simple sequence repeat markers. <i>Forest Pathology</i> , 2005, 35, 385-396.	0.5	98
651	Diversity and differentiation in two populations of <i>Gibberella circinata</i> in South Africa. <i>Plant Pathology</i> , 2005, 54, 46-52.	1.2	28
652	Identification of <i>Armillaria</i> isolates from Bhutan based on DNA sequence comparisons. <i>Plant Pathology</i> , 2005, 54, 36-45.	1.2	25
653	Comparison of populations of the wilt pathogen <i>Ceratocystis albifundus</i> in South Africa and Uganda. <i>Plant Pathology</i> , 2005, 54, 189-195.	1.2	34
654	Discovery of the Eucalyptus canker pathogen <i>Chrysosporthe cubensis</i> on native <i>Miconia</i> (Melastomataceae) in Colombia. <i>Plant Pathology</i> , 2005, 54, 460-470.	1.2	53
655	Fate of aflatoxins and fumonisins during the processing of maize into food products in Benin. <i>International Journal of Food Microbiology</i> , 2005, 98, 249-259.	2.1	161
656	Natural occurrence of <i>Fusarium</i> and subsequent fumonisin contamination in preharvest and stored maize in Benin, West Africa. <i>International Journal of Food Microbiology</i> , 2005, 99, 173-183.	2.1	107
657	A new <i>Leptographium</i> species associated with <i>Tomicus piniperda</i> infesting pine logs in Korea. <i>Mycological Research</i> , 2005, 109, 275-284.	2.5	29
658	<i>Dematiocladium celtidis</i> gen. sp. nov. (Nectriaceae, Hypocreales), a new genus from <i>Celtis</i> leaf litter in Argentina. <i>Mycological Research</i> , 2005, 109, 833-840.	2.5	15
659	Taxonomic re-evaluation of <i>Leptographium lundbergii</i> based on DNA sequence comparisons and morphology. <i>Mycological Research</i> , 2005, 109, 1149-1161.	2.5	24
660	Phenotypic and DNA sequence data comparisons reveal three discrete species in the <i>Ceratocystis polonica</i> species complex. <i>Mycological Research</i> , 2005, 109, 1137-1148.	2.5	25
661	<i>Ophiostoma dentifundum</i> sp. nov. from oak in Europe, characterized using molecular phylogenetic data and morphology. <i>Mycological Research</i> , 2005, 109, 1127-1136.	2.5	22
662	Phylogenetic analyses of DNA sequences reveal species partitions amongst isolates of <i>Armillaria</i> from Africa. <i>Mycological Research</i> , 2005, 109, 1223-1234.	2.5	33
663	Characterisation of the <i>Coniothyrium</i> stem canker pathogen on <i>Eucalyptus camaldulensis</i> in Ethiopia. <i>Australasian Plant Pathology</i> , 2005, 34, 85.	0.5	28
664	<i>Cylindrocladium</i> blight of <i>Eucalyptus grandis</i> in Colombia. <i>Australasian Plant Pathology</i> , 2005, 34, 143.	0.5	36
665	Preliminary studies on <i>Botryosphaeria</i> species from Southern Hemisphere conifers in Australasia and South Africa. <i>Australasian Plant Pathology</i> , 2005, 34, 213.	0.5	30
666	<i>Heteropyxis natalensis</i> , a new host of <i>Puccinia psidiirust</i> . <i>Australasian Plant Pathology</i> , 2005, 34, 285.	0.5	21

#	ARTICLE	IF	CITATIONS
667	DNA based characterization of <i>Ceratocystis fimbriata</i> isolates associated with mango decline in Oman. <i>Australasian Plant Pathology</i> , 2005, 34, 587.	0.5	18
668	Challenges and strategies facing forest research and education for the 21st century: A case study from South Africa. <i>Forest Science and Technology</i> , 2005, 1, 135-141.	0.3	5
669	Phylogenetic and morphological re-evaluation of the <i>Botryosphaeria</i> species causing diseases of <i>Mangifera indica</i> . <i>Mycologia</i> , 2005, 97, 99-110.	0.8	68
670	(1686) Proposal to conserve the name <i>Cryphonectria</i> (Diaporthales) with a conserved type. <i>Taxon</i> , 2005, 54, 539-540.	0.4	8
671	<i>Amphilogia</i> gen. nov. for <i>Cryphonectria</i> like fungi from <i>Elaeocarpus</i> spp. in New Zealand and Sri Lanka. <i>Taxon</i> , 2005, 54, 1009-1021.	0.4	13
672	Classification of the guava wilt fungus <i>Myxosporium psidii</i> , the palm pathogen <i>Gliocladium vermoesenii</i> and the persimmon wilt fungus <i>Acremonium diospyri</i> in Nalanthamala. <i>Mycologia</i> , 2005, 97, 375-395.	0.8	33
673	Emerging pathogens: fungal host jumps following anthropogenic introduction. <i>Trends in Ecology and Evolution</i> , 2005, 20, 420-421.	4.2	157
674	<i>Rostraureum tropicale</i> gen. sp. nov. (Diaporthales) associated with dying <i>Terminalia ivorensis</i> in Ecuador. <i>Mycological Research</i> , 2005, 109, 1029-1044.	2.5	19
675	<i>Botryosphaeria</i> species from <i>Eucalyptus</i> in Australia are pleoanamorphic, producing <i>Dichomera</i> synanamorphs in culture. <i>Mycological Research</i> , 2005, 109, 1347-1363.	2.5	52
676	Combined Multiple Gene Genealogies and Phenotypic Characters Differentiate Several Species Previously Identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , 2004, 96, 83.	0.8	213
677	Multiple Gene Sequences Delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , 2004, 96, 1030.	0.8	52
678	Identification of the causal agent of <i>Botryosphaeria</i> stem canker in Ethiopian <i>Eucalyptus</i> plantations. <i>South African Journal of Botany</i> , 2004, 70, 241-248.	1.2	27
679	Identification of the <i>Armillaria</i> root rot pathogen in Ethiopian plantations. <i>Forest Pathology</i> , 2004, 34, 133-145.	0.5	18
680	Development of polymorphic markers for the root pathogen <i>Thielaviopsis basicola</i> using ISSR-PCR. <i>Molecular Ecology Notes</i> , 2004, 4, 547-550.	1.7	5
681	Development of simple sequence repeat markers for <i>Botryosphaeria</i> spp. with <i>Fusicoccum</i> anamorphs. <i>Molecular Ecology Notes</i> , 2004, 4, 675-677.	1.7	33
682	<i>Ceratocystis</i> species infecting stem wounds on <i>Eucalyptus grandis</i> in South Africa. <i>Plant Pathology</i> , 2004, 53, 414-421.	1.2	54
683	<i>Leptographium bistatum</i> sp. nov., a new species with a <i>Sporothrix</i> synanamorph from <i>Pinus radiata</i> in Korea. <i>Mycological Research</i> , 2004, 108, 699-706.	2.5	29
684	Geographic isolation of <i>Diplodia scrobiculata</i> and its association with native <i>Pinus radiata</i> . <i>Mycological Research</i> , 2004, 108, 1399-1406.	2.5	31

#	ARTICLE	IF	CITATIONS
685	<i>Mycosphaerella</i> species causing leaf disease in South African Eucalyptus plantations. <i>Mycological Research</i> , 2004, 108, 672-681.	2.5	43
686	Evaluation of fungicides for the control of <i>Botryosphaeria protearum</i> on <i>Protea magnifica</i> in the Western Cape Province of South Africa. <i>Australasian Plant Pathology</i> , 2004, 33, 97.	0.5	18
687	Transformation of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> , causal agent of Fusarium wilt of banana, with the green fluorescent protein (GFP) gene. <i>Australasian Plant Pathology</i> , 2004, 33, 69.	0.5	22
688	First record of the Eucalyptus stem canker pathogen, <i>Coniothyrium zuluense</i> from Hawaii. <i>Australasian Plant Pathology</i> , 2004, 33, 309.	0.5	21
689	Identification of <i>Mycosphaerella</i> species associated with <i>Eucalyptus nitens</i> leaf defoliation in South Africa. <i>Australasian Plant Pathology</i> , 2004, 33, 349.	0.5	20
690	Global distribution of <i>Diplodia</i> pineagenotypes revealed using simple sequence repeat (SSR) markers. <i>Australasian Plant Pathology</i> , 2004, 33, 513.	0.5	54
691	Diseases and insect pests of <i>Gmelina arborea</i> : real threats and real opportunities. <i>New Forests</i> , 2004, 28, 227-243.	0.7	8
692	Development and assessment of microarray-based DNA fingerprinting in <i>Eucalyptus grandis</i> . <i>Theoretical and Applied Genetics</i> , 2004, 109, 1329-1336.	1.8	45
693	DNA sequence data and morphology define <i>Cryphonectria</i> species in Europe, China, and Japan. <i>Canadian Journal of Botany</i> , 2004, 82, 1730-1743.	1.2	31
694	Systematic reappraisal of <i>Coniella</i> and <i>Pilidiella</i> , with specific reference to species occurring on <i>Eucalyptus</i> and <i>Vitis</i> in South Africa. <i>Mycological Research</i> , 2004, 108, 283-303.	2.5	59
695	<i>Leptographium wingfieldii</i> introduced into North America and found associated with exotic <i>Tomicus piniperda</i> and native bark beetles. <i>Mycological Research</i> , 2004, 108, 411-418.	2.5	218
696	Characterisation of <i>Ophiostoma</i> species associated with pine bark beetles from Mexico, including <i>O. pulvinisporum</i> sp. nov.. <i>Mycological Research</i> , 2004, 108, 690-698.	2.5	28
697	Effect of Essential Oils on the Growth of <i>Fusarium verticillioides</i> and Fumonisin Contamination in Corn. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 6824-6829.	2.4	70
698	Modelling the spatial distribution of two important South African plantation forestry pathogens. <i>Forest Ecology and Management</i> , 2004, 187, 61-73.	1.4	34
699	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , 2004, 96, 83-101.	0.8	262
700	Two new <i>Ophiostoma</i> species with <i>Sporothrix</i> anamorphs from Austria and Azerbaijan. <i>Mycologia</i> , 2004, 96, 866-878.	0.8	38
701	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , 2004, 96, 990-1001.	0.8	27
702	Epitypification of <i>Ophiostoma galeiforme</i> and phylogeny of species in the <i>O. galeiforme</i> complex. <i>Mycologia</i> , 2004, 96, 1306-1315.	0.8	13

#	ARTICLE	IF	CITATIONS
703	A PCR-RFLP based diagnostic technique to rapidly identify <i>Seiridium</i> species causing cypress canker. <i>Mycologia</i> , 2004, 96, 1352-1354.	0.8	10
704	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , 2004, 96, 1030-1041.	0.8	73
705	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , 2004, 96, 83-101.	0.8	53
706	<i>Leptographium pruni</i> , sp. nov. from bark beetle-infested <i>Prunus jamasakura</i> in Japan. <i>Mycologia</i> , 2004, 96, 548-57.	0.8	1
707	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , 2004, 96, 990-1001.	0.8	9
708	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , 2004, 96, 1030-41.	0.8	16
709	Eputyfication of <i>Ophiostoma galeiforme</i> and phylogeny of species in the <i>O. galeiforme</i> complex. <i>Mycologia</i> , 2004, 96, 1306-15.	0.8	5
710	A PCR-RFLP based diagnostic technique to rapidly identify <i>Seiridium</i> species causing cypress canker. <i>Mycologia</i> , 2004, 96, 1352-4.	0.8	3
711	Conspicificity of <i>Endothia eugeniae</i> and <i>Cryphonectria cubensis</i> : a re-evaluation based on morphology and DNA sequence data. <i>Mycoscience</i> , 2003, 44, 187-196.	0.3	32
712	Molecular characterisation of <i>Armillaria</i> species from Zimbabwe. <i>Mycological Research</i> , 2003, 107, 291-296.	2.5	19
713	Multiple gene genealogies and microsatellite markers reflect relationships between morphotypes of <i>Sphaeropsis sapinea</i> and distinguish a new species of <i>Diplodia</i> . <i>Mycological Research</i> , 2003, 107, 557-566.	2.5	123
714	2003 Daniel McAlpine Memorial Lecture Increasing threat of diseases to exotic plantation forests in the Southern Hemisphere: lessons from <i>Cryphonectria</i> canker. <i>Australasian Plant Pathology</i> , 2003, 32, 133.	0.5	112
715	<i>Ceratocystis fimbriata</i> infecting <i>Eucalyptus grandis</i> in Uruguay. <i>Australasian Plant Pathology</i> , 2003, 32, 361.	0.5	36
716	First report of pink disease on <i>Eucalyptus camaldulensis</i> in Ethiopia. <i>Plant Pathology</i> , 2003, 52, 402-402.	1.2	2
717	<i>Puccinia psidii</i> on <i>Eucalyptus globulus</i> in Uruguay. <i>Plant Pathology</i> , 2003, 52, 427-427.	1.2	14
718	Discovery of two northern hemisphere <i>Armillaria</i> species on Proteaceae in South Africa. <i>Plant Pathology</i> , 2003, 52, 604-612.	1.2	42
719	A Rapid Seedling Based Screening Technique to Assay Tobacco for Resistance to <i>Phytophthora nicotianae</i> . <i>Journal of Phytopathology</i> , 2003, 151, 389-394.	0.5	5
720	Development and characterization of microsatellite loci for the tropical tree pathogen <i>Botryosphaeria rhodina</i> . <i>Molecular Ecology Notes</i> , 2003, 3, 91-94.	1.7	25

#	ARTICLE	IF	CITATIONS
721	Primers for the amplification of sequence-characterized loci in <i>Cryphonectria cubensis</i> populations. <i>Molecular Ecology Notes</i> , 2003, 3, 494-497.	1.7	5
722	The <i>Ophiostoma piceae</i> complex in the Southern Hemisphere: a phylogenetic study. <i>Mycological Research</i> , 2003, 107, 469-476.	2.5	40
723	Pathogenicity of <i>Cryphonectria eucalypti</i> to <i>Eucalyptus</i> clones in South Africa. <i>Forest Ecology and Management</i> , 2003, 176, 427-437.	1.4	14
724	Biological and Phylogenetic Analyses Suggest that Two <i>Cryphonectria</i> spp. Cause Cankers of <i>Eucalyptus</i> in Africa. <i>Plant Disease</i> , 2003, 87, 1329-1332.	0.7	29
725	Transfection of <i>Diaporthe perijuncta</i> with <i>Diaporthe</i> RNA Virus. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3952-3956.	1.4	51
726	Forest Biotechnology: A South African perspective. <i>Southern Forests</i> , 2003, 199, 1-5.	0.1	0
727	Taxonomic Re-Evaluation of Three Related Species of <i>Graphium</i> , Based on Morphology, Ecology and Phylogeny. <i>Mycologia</i> , 2003, 95, 714.	0.8	12
728	Phylogeny of the <i>Ophiostoma stenoceras</i> – <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , 2003, 95, 434-441.	0.8	86
729	Taxonomic re-evaluation of three related species of <i>Graphium</i> , based on morphology, ecology and phylogeny. <i>Mycologia</i> , 2003, 95, 714-727.	0.8	34
730	<i>Ceratocystis pirilliformis</i> , a new species from <i>Eucalyptus nitens</i> in Australia. <i>Mycologia</i> , 2003, 95, 865-871.	0.8	46
731	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , 2003, 95, 294-307.	0.8	66
732	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , 2003, 95, 285-293.	0.8	39
733	Phylogenetic relationships among <i>Phialocephala</i> species and other ascomycetes. <i>Mycologia</i> , 2003, 95, 637-645.	0.8	26
734	<i>Ceratocystis pirilliformis</i> , a new species from <i>Eucalyptus nitens</i> in Australia. <i>Mycologia</i> , 2003, 95, 865-71.	0.8	7
735	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , 2003, 95, 285-93.	0.8	8
736	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , 2003, 95, 294-307.	0.8	16
737	Phylogeny of the <i>Ophiostoma stenoceras</i> - <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , 2003, 95, 434-41.	0.8	53
738	Î²-Tubulin and histone H3 gene sequences distinguish <i>Cryphonectria cubensis</i> from South Africa, Asia, and South America. <i>Canadian Journal of Botany</i> , 2002, 80, 590-596.	1.2	44

#	ARTICLE	IF	CITATIONS
739	Cryptic speciation in <i>Fusarium subglutinans</i> . Mycologia, 2002, 94, 1032-1043.	0.8	78
740	Two new species of <i>Fusarium</i> section <i>Liseola</i> associated with mango malformation. Mycologia, 2002, 94, 722-730.	0.8	88
741	The future of exotic plantation forestry in the tropics and southern Hemisphere: Lessons from pitch canker. Southern Forests, 2002, 195, 79-82.	0.1	15
742	Effect of Metalaxyl Resistance and Cultivar Resistance on Control of <i>Phytophthora nicotianae</i> in Tobacco. Plant Disease, 2002, 86, 362-366.	0.7	14
743	<i>Cryphonectria</i> canker on <i>Tibouchina</i> in South Africa. Mycological Research, 2002, 106, 1299-1306.	2.5	41
744	Molecular Analysis of an Endopolygalacturonase Gene from a Eucalyptus Canker Pathogen, <i>Cryphonectria cubensis</i> . DNA Sequence, 2002, 13, 33-37.	0.7	0
745	Bacterial Blight and Dieback of Eucalyptus Species, Hybrids, and Clones in South Africa. Plant Disease, 2002, 86, 20-25.	0.7	104
746	sp. nov., a siderophore-dependent yeast isolated from woodlice. FEMS Yeast Research, 2002, 2, 415-427.	1.1	6
747	Characterisation of the "C" morphotype of the pine pathogen <i>Sphaeropsis sapinea</i> . Forest Ecology and Management, 2002, 161, 181-188.	1.4	23
748	Relative susceptibility of northern and southern provenances of <i>Pinus greggii</i> to infection by <i>Sphaeropsis sapinea</i> . Forest Ecology and Management, 2002, 166, 331-336.	1.4	7
749	Morphological and molecular relatedness of geographically diverse isolates of <i>Coniothyrium zuluense</i> from South Africa and Thailand. Mycological Research, 2002, 106, 51-59.	2.5	21
750	DNA sequence and RFLP data reflect geographical spread and relationships of <i>Amylostereum areolatum</i> and its insect vectors. Molecular Ecology, 2002, 11, 1845-1854.	2.0	41
751	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, <i>Ophiostoma ips</i> . Molecular Ecology Notes, 2002, 2, 309-312.	1.7	7
752	Sequence characterized amplified polymorphic markers for the pitch canker pathogen, <i>Fusarium circinatum</i> . Molecular Ecology Notes, 2002, 2, 577-580.	1.7	14
753	First report of <i>coniothyrium</i> canker of Eucalyptus in Mexico. Plant Pathology, 2002, 51, 382-382.	1.2	17
754	First report of the pitch canker fungus, <i>Fusarium circinatum</i> , on pines in Chile. Plant Pathology, 2002, 51, 397-397.	1.2	86
755	Effect of environment on the response of Eucalyptus clones to inoculation with <i>Cryphonectria cubensis</i> . Forest Pathology, 2002, 32, 395-402.	0.5	19
756	Evaluation of Tobacco Cultivars for Resistance to Races of <i>Phytophthora nicotianae</i> in South Africa. Journal of Phytopathology, 2002, 150, 456-462.	0.5	24

#	ARTICLE	IF	CITATIONS
757	Debaryomyces mycophilus sp. nov., a siderophore-dependent yeast isolated from woodlice. FEMS Yeast Research, 2002, 2, 415-427.	1.1	24
758	Morphological, cultural and pathogenic characteristics of Coniothyrium zuluense isolates from different plantation regions in South Africa. Mycopathologia, 2002, 155, 149-153.	1.3	11
759	Title is missing!. European Journal of Plant Pathology, 2002, 108, 893-902.	0.8	25
760	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, Ophiostoma ips. Molecular Ecology Notes, 2002, 2, 309-312.	1.7	6
761	Cryptic speciation in Fusarium subglutinans. Mycologia, 2002, 94, 1032-43.	0.8	19
762	Plantation disease and pest management in the next century. Southern Forests, 2001, 190, 67-71.	0.1	18
763	Characterization of Seiridium spp. Associated with Cypress Canker Based on α -Tubulin and Histone Sequences. Plant Disease, 2001, 85, 317-321.	0.7	56
764	Exotic pine forestry in the Southern Hemisphere: A brief history of establishment and quarantine practices. Southern Forests, 2001, 192, 79-83.	0.1	15
765	Characterization of <i>Fusarium graminearum</i> from <i>Acacia</i> and <i>Eucalyptus</i> using β -tubulin and histone gene sequences. Mycologia, 2001, 93, 704-711.	0.8	21
766	Botryosphaeria eucalyptorum sp. nov., a new species in the B. dothidea-complex on Eucalyptus in South Africa. Mycologia, 2001, 93, 277-285.	0.8	47
767	Leptographium guttulatum sp. nov., a new species from spruce and pine in Europe. Mycologia, 2001, 93, 380-388.	0.8	10
768	Phylogenetic relationships of Australian and New Zealand <i>Armillaria</i> species. Mycologia, 2001, 93, 887-896.	0.8	27
769	Characterisation of the pitch canker fungus, Fusarium circinatum, from Mexico. South African Journal of Botany, 2001, 67, 609-614.	1.2	41
770	Characterization of South African Cryphonectria cubensis Isolates Infected with a C. parasitica Hypovirus. Phytopathology, 2001, 91, 628-632.	1.1	20
771	Leptographium guttulatum sp. nov., a New Species from Spruce and Pine in Europe. Mycologia, 2001, 93, 380.	0.8	11
772	Cloning and Sequence Analysis of the Endopolygalacturonase Gene from the Pitch Canker Fungus, Fusarium circinatum. Current Microbiology, 2001, 42, 350-352.	1.0	17
773	Molecular relatedness of the polygalacturonase-inhibiting protein genes in Eucalyptus species. Theoretical and Applied Genetics, 2001, 102, 645-650.	1.8	10
774	Fungal infection and mycotoxin contamination of maize in the Humid forest and the western highlands of Cameroon. Phytoparasitica, 2001, 29, 352-360.	0.6	44

#	ARTICLE	IF	CITATIONS
775	Genetic variation in the wattle wilt pathogen <i>Ceratocystis albofundus</i> . <i>Mycoscience</i> , 2001, 42, 327-332.	0.3	24
776	<i>Gibberella fujikuroi</i> mating population E is associated with maize and teosinte. <i>Molecular Plant Pathology</i> , 2001, 2, 215-221.	2.0	27
777	Microsatellite markers reflect intra-specific relationships between isolates of the vascular wilt pathogen <i>Ceratocystis fimbriata</i> . <i>Molecular Plant Pathology</i> , 2001, 2, 319-325.	2.0	58
778	Population structure and possible origin of <i>Amylostereum areolatum</i> in South Africa. <i>Plant Pathology</i> , 2001, 50, 206-210.	1.2	48
779	Molecular characterization of <i>Endothia gyrosa</i> isolates from Eucalyptus in South Africa and Australia. <i>Plant Pathology</i> , 2001, 50, 211-217.	1.2	13
780	<i>Cryphonectria</i> canker on <i>Tibouchina</i> in Colombia. <i>Forest Pathology</i> , 2001, 31, 297-306.	0.5	30
781	The root rot fungus <i>Armillaria mellea</i> introduced into South Africa by early Dutch settlers. <i>Molecular Ecology</i> , 2001, 10, 387-396.	2.0	93
782	Worldwide Movement of Exotic Forest Fungi, Especially in the Tropics and the Southern Hemisphere. <i>BioScience</i> , 2001, 51, 134.	2.2	129
783	Phylogeny of <i>Calonectria</i> based on comparisons of β -tubulin DNA sequences. <i>Mycological Research</i> , 2001, 105, 1045-1052.	2.5	30
784	Genetic diversity of <i>Cryphonectria cubensis</i> isolates in South Africa. <i>Mycological Research</i> , 2001, 105, 94-99.	2.5	31
785	<i>Ophiostoma africanum</i> sp. nov., and a key to ophiostomatoid species from <i>Protea</i> infructescences. <i>Mycological Research</i> , 2001, 105, 240-246.	2.5	30
786	ITS rDNA phylogeny of selected <i>Mycosphaerella</i> species and their anamorphs occurring on Myrtaceae. <i>Mycological Research</i> , 2001, 105, 425-431.	2.5	47
787	Three new species of <i>Leptographium</i> from pine. <i>Mycological Research</i> , 2001, 105, 490-499.	2.5	16
788	Comparison of genotypic diversity in native and introduced populations of <i>Sphaeropsis sapinea</i> isolated from <i>Pinus radiata</i> . <i>Mycological Research</i> , 2001, 105, 1331-1339.	2.5	55
789	Phylogenetic Relationships of Australian and New Zealand <i>Armillaria</i> Species. <i>Mycologia</i> , 2001, 93, 887.	0.8	35
790	Characterization of <i>Fusarium graminearum</i> from <i>Acacia</i> and <i>Eucalyptus</i> Using β -Tubulin and Histone Gene Sequences. <i>Mycologia</i> , 2001, 93, 704.	0.8	15
791	<i>Botryosphaeria eucalyptorum</i> sp. nov., a New Species in the B. Dothidea-Complex on <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , 2001, 93, 277.	0.8	55
792	Simple Sequence Repeat Markers Distinguish among Morphotypes of <i>Sphaeropsis sapinea</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 354-362.	1.4	79

#	ARTICLE	IF	CITATIONS
793	First Report of <i>Ceratocystis</i> Wilt of <i>Acacia mearnsii</i> in Uganda. <i>Plant Disease</i> , 2001, 85, 1029-1029.	0.7	10
794	Phylogenetic relationships in <i>Leptographium</i> based on morphological and molecular characters. <i>Canadian Journal of Botany</i> , 2001, 79, 719-732.	1.2	32
795	Phylogenetic relationships between the European and Asian eight spined larch bark beetle populations (Coleoptera, Scolytidae) inferred from DNA sequences and fungal associates. <i>European Journal of Entomology</i> , 2001, 98, 99-105.	1.2	48
796	A taxonomic re-evaluation of <i>Phialocephala phycomyces</i> . <i>Canadian Journal of Botany</i> , 2001, 79, 110-117.	1.2	6
797	Characterization of <i>Sphaeropsis sapinea</i> Isolates from South Africa, Mexico, and Indonesia. <i>Plant Disease</i> , 2000, 84, 151-156.	0.7	48
798	Genotypic Diversity of <i>Sphaeropsis sapinea</i> from South Africa and Northern Sumatra. <i>Plant Disease</i> , 2000, 84, 139-142.	0.7	32
799	<i>Xenochalara</i> , a new genus of dematiaceous hyphomycetes for chalara-like fungi with apical wall building conidial development. <i>South African Journal of Botany</i> , 2000, 66, 99-103.	1.2	10
800	Molecular characterization of <i>Fusarium subglutinans</i> associated with mango malformation. <i>Molecular Plant Pathology</i> , 2000, 1, 187-193.	2.0	43
801	A serious new wilt disease of <i>Eucalyptus</i> caused by <i>Ceratocystis fimbriata</i> in Central Africa. <i>Forest Pathology</i> , 2000, 30, 175-184.	0.5	58
802	Development of simple sequence repeat (SSR) markers in <i>Eucalyptus</i> from amplified inter-simple sequence repeats (ISSR). <i>Plant Breeding</i> , 2000, 119, 433-436.	1.0	56
803	<i>Cornuvesica</i> , a new genus to accommodate <i>Ceratocystiopsis falcata</i> . <i>Mycological Research</i> , 2000, 104, 365-367.	2.5	8
804	Deletion of the MAT-2 mating-type gene during uni-directional mating-type switching in <i>Ceratocystis</i> . <i>Current Genetics</i> , 2000, 38, 48-52.	0.8	69
805	A new <i>Leptographium</i> species associated with <i>Tomicus piniperda</i> in south-western China. <i>Mycoscience</i> , 2000, 41, 573-578.	0.3	40
806	New <i>Leptographium</i> species from Indonesia and Eastern North America. <i>Mycoscience</i> , 2000, 41, 595-606.	0.3	10
807	<i>Leptographium pini-densiflorae</i> sp. nov. from Japanese red pine. <i>Mycoscience</i> , 2000, 41, 425-430.	0.3	11
808	Geographical diversity of <i>Armillaria mellea</i> s. s. based on phylogenetic analysis. <i>Mycologia</i> , 2000, 92, 105-113.	0.8	53
809	Potential for outcrossing in an apparently asexual population of <i>Fusarium circinatum</i> , the causal agent of pitch canker disease. <i>Mycologia</i> , 2000, 92, 1085-1090.	0.8	23
810	Relationships among <i>Amylostereum</i> species associated with siricid woodwasps inferred from mitochondrial ribosomal DNA sequences. <i>Mycologia</i> , 2000, 92, 955-963.	0.8	11

#	ARTICLE	IF	CITATIONS
811	Identification of the causal agent of Armillaria root rot of Pinus species in South Africa. Mycologia, 2000, 92, 777-785.	0.8	31
812	Comparison of isozymes, rDNA spacer regions and MAT-2 DNA sequences as phylogenetic characters in the analysis of the Ceratocystis coerulescens complex. Mycologia, 2000, 92, 447-452.	0.8	28
813	PCR-Based Identification of MAT-1 and MAT-2 in the Gibberella fujikuroi Species Complex. Applied and Environmental Microbiology, 2000, 66, 4378-4382.	1.4	149
814	Geographical Diversity of Armillaria mellea s. s. Based on Phylogenetic Analysis. Mycologia, 2000, 92, 105.	0.8	54
815	Comparison of Isozymes, rDNA Spacer Regions and MAT-2 DNA Sequences as Phylogenetic Characters in the Analysis of the Ceratocystis coerulescens Complex. Mycologia, 2000, 92, 447.	0.8	29
816	Relationships among Amylostereum Species Associated with Siricid Woodwasps Inferred from Mitochondrial Ribosomal DNA Sequences. Mycologia, 2000, 92, 955.	0.8	8
817	A novel RNA mycovirus in a hypovirulent isolate of the plant pathogen Diaporthe ambigua. Journal of General Virology, 2000, 81, 3107-3114.	1.3	78
818	Identification of the Causal Agent of Armillaria Root Rot of Pinus Species in South Africa. Mycologia, 2000, 92, 777.	0.8	29
819	Ophiostoma europioides and Ceratocystis pseudoeuropioides, synonyms of O. piceaperdum. Mycological Research, 2000, 104, 238-243.	2.5	10
820	A new Leptographium species from Russia. Mycological Research, 2000, 104, 1524-1529.	2.5	17
821	Phylogeny of Cryphonectria cubensis and allied species inferred from DNA analysis. Mycologia, 1999, 91, 243-250.	0.8	45
822	The Cylindrocladium candelabrum species complex includes four distinct mating populations. Mycologia, 1999, 91, 286-298.	0.8	54
823	A taxonomic reassessment of Phyllachora proteae, a leaf pathogen of Proteaceae. Mycologia, 1999, 91, 510-516.	0.8	19
824	Differentiation of Fusarium subglutinans f. sp. pini by Histone Gene Sequence Data. Applied and Environmental Microbiology, 1999, 65, 3401-3406.	1.4	108
825	Phylogeny of Cryphonectria cubensis and Allied Species Inferred from DNA Analysis. Mycologia, 1999, 91, 243.	0.8	36
826	The Cylindrocladium candelabrum Species Complex Includes Four Distinct Mating Populations. Mycologia, 1999, 91, 286.	0.8	42
827	A Taxonomic Reassessment of Phyllachora proteae, a Leaf Pathogen of Proteaceae. Mycologia, 1999, 91, 510.	0.8	12
828	Pinus patula establishment problem associated with poor ectomycorrhizal development in previously cultivated soils. Southern Forests, 1999, 186, 59-65.	0.1	1

#	ARTICLE	IF	CITATIONS
829	Title is missing!. European Journal of Plant Pathology, 1999, 105, 667-680.	0.8	52
830	Variation in Pathogenicity Among South African Isolates of Phytophthora cinnamomi. European Journal of Plant Pathology, 1999, 105, 231-239.	0.8	19
831	Susceptibility of Elite Acacia mearnsii Families to Ceratocystis Wilt in South Africa. Journal of Forest Research, 1999, 4, 187-190.	0.7	23
832	Relatedness of Custingophora olivaceae to Gondwanamyces spp. from Protea spp.. Mycological Research, 1999, 103, 497-500.	2.5	8
833	PCR-based identification and phylogeny of species of Ceratocystis sensu stricto. Mycological Research, 1999, 103, 743-749.	2.5	40
834	Batcheloromyces species occurring on Proteaceae in South Africa. Mycological Research, 1999, 103, 1478-1484.	2.5	7
835	A re-examination of the vascular wilt pathogen of takamaka (Calophyllum inophyllum). Mycological Research, 1999, 103, 1588-1592.	2.5	12
836	Phylogenetic relationships of ophiostomatoid fungi associated with Protea infructescences in South Africa. Mycological Research, 1999, 103, 1616-1620.	2.5	22
837	<i>Fusarium subglutinans</i> f. sp. <i>pini</i> Represents a Distinct Mating Population in the <i>Gibberella fujikuroi</i> Species Complex. Applied and Environmental Microbiology, 1999, 65, 1198-1201.	1.4	85
838	A rapid, apple-based test for virulence in Cryphonectria cubensis isolates. Forest Pathology, 1998, 28, 409-412.	0.5	5
839	Chemical control of Alternaria brown spot on Minneola tangelo in South Africa. Annals of Applied Biology, 1998, 133, 17-30.	1.3	18
840	Systematic appraisal of species complexes within Cyindrocladiella. Mycological Research, 1998, 102, 273-279.	2.5	9
841	Comparison of Ophiostoma huntii and O. europaoides and description of O. aenigmaticum sp. nov.. Mycological Research, 1998, 102, 289-294.	2.5	23
842	New foliar pathogens of Eucalyptus from Australia and Indonesia. Mycological Research, 1998, 102, 527-532.	2.5	41
843	Ophiostomatoid fungi associated with Ips cembrae in Japan and their pathogenicity to Japanese larch. Mycoscience, 1998, 39, 367-378.	0.3	56
844	Population diversity among Brazilian isolates of Cryphonectria cubensis. Forest Ecology and Management, 1998, 112, 41-47.	1.4	15
845	Eucalyptus Rust: A Disease with the Potential for Serious International Implications. Plant Disease, 1998, 82, 819-825.	0.7	218
846	Eucalyptus die-back in South Africa associated with Colletotrichum gloeosporioides. South African Journal of Botany, 1998, 64, 226-227.	1.2	4

#	ARTICLE	IF	CITATIONS
847	A new ophiostomatoid genus from <i>Protea</i> infructescences. <i>Mycologia</i> , 1998, 90, 136-141.	0.8	27
848	Monophyly of the conifer species in the <i>Ceratocystis coerulescens</i> complex based on DNA sequence data. <i>Mycologia</i> , 1998, 90, 96-101.	0.8	36
849	Female Fertility and Mating Type Distribution in a South African Population of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> . <i>Applied and Environmental Microbiology</i> , 1998, 64, 2094-2095.	1.4	47
850	Double-stranded RNA and associated virulence in South African isolates of <i>Sphaeropsis sapinea</i> . <i>Canadian Journal of Botany</i> , 1998, 76, 1412-1417.	1.2	8
851	The <i>Ceratocystis</i> species on conifers. <i>Canadian Journal of Botany</i> , 1998, 76, 1446-1457.	1.2	47
852	<i>Leptographium engelmannii</i> , a synonym of <i>Leptographium abietinum</i> , and description of <i>Leptographium hughesii</i> sp.nov.. <i>Canadian Journal of Botany</i> , 1998, 76, 1660-1667.	1.2	7
853	Two species in the <i>Ceratocystis coerulescens</i> complex from conifers in western North America. <i>Canadian Journal of Botany</i> , 1997, 75, 827-834.	1.2	33
854	A New Ophiostoma Species with a Graphium Anamorph from <i>Larix laricina</i> in Eastern North America. <i>Mycologia</i> , 1997, 89, 332.	0.8	4
855	Comparison of three varieties of <i>Leptographium wagneri</i> using Random Amplified Polymorphic DNA. <i>South African Journal of Botany</i> , 1997, 63, 198-200.	1.2	5
856	Population Structure of <i>Phytophthora cinnamomi</i> in South Africa. <i>Phytopathology</i> , 1997, 87, 822-827.	1.1	48
857	<i>Colletogloeopsis</i> , a new coelomycete genus to accommodate anamorphs of two species of <i>Mycosphaerella</i> on <i>Eucalyptus</i> . <i>Canadian Journal of Botany</i> , 1997, 75, 667-674.	1.2	35
858	<i>Ophiostoma protearum</i> sp.nov. associated with <i>Protea caffra</i> infructescences. <i>Canadian Journal of Botany</i> , 1997, 75, 362-367.	1.2	24
859	A new species of <i>Ophiostoma</i> from North America, similar to <i>Ophiostoma penicillatum</i> . <i>Canadian Journal of Botany</i> , 1997, 75, 1315-1322.	1.2	15
860	New species of <i>Mycosphaerella</i> occurring on <i>Eucalyptus</i> leaves in Indonesia and Africa. <i>Canadian Journal of Botany</i> , 1997, 75, 781-790.	1.2	27
861	Survey and virulence of fungi occurring on diseased <i>Acacia mearnsii</i> in South Africa. <i>Forest Ecology and Management</i> , 1997, 99, 327-336.	1.4	60
862	A new <i>Ophiostoma</i> species with a <i>Graphium</i> anamorph from <i>Larix laricina</i> in eastern North America. <i>Mycologia</i> , 1997, 89, 332-338.	0.8	7
863	New species of <i>Calonectria</i> and <i>Cylindrocladium</i> isolated from soil in the tropics. <i>Mycologia</i> , 1997, 89, 653-660.	0.8	16
864	First report of <i>Sphaeropsis</i> canker on cypress in South Africa. <i>Forest Pathology</i> , 1997, 27, 173-177.	0.5	11

#	ARTICLE	IF	CITATIONS
865	The Symptoms and Cause of Guava Wilt in South Africa. <i>Journal of Phytopathology</i> , 1997, 145, 37-41.	0.5	13
866	Characterization of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> causing root disease of <i>Pinus patula</i> seedlings in South Africa. <i>Mycological Research</i> , 1997, 101, 437-445.	2.5	42
867	Ophiostomatoid fungi associated with the spruce bark beetle <i>Ips typographus</i> f. <i>aponicus</i> in Japan. <i>Mycological Research</i> , 1997, 101, 1215-1227.	2.5	89
868	Conidium development in <i>Sporothrix</i> anamorphs of <i>Ophiostoma</i> . <i>Mycological Research</i> , 1997, 101, 1108-1112.	2.5	13
869	Vegetative incompatibility in <i>Diaporthe ambigua</i> . <i>Plant Pathology</i> , 1997, 46, 366-372.	1.2	14
870	Genotypic diversity in a South African population of the pitch canker fungus <i>Fusarium subglutinans</i> f. sp. <i>pini</i> . <i>Plant Pathology</i> , 1997, 46, 590-593.	1.2	22
871	<i>Botryosphaeria dothidea</i> endophytic in <i>Eucalyptus grandis</i> and <i>Eucalyptus nitens</i> in South Africa. <i>Forest Ecology and Management</i> , 1996, 89, 189-195.	1.4	82
872	Conidium development in the <i>Hyalorhinocladiella</i> anamorphs of <i>Ceratocystiopsis minuta-bicolor</i> and <i>Ophiostoma minus</i> . <i>Canadian Journal of Botany</i> , 1996, 74, 891-897.	1.2	13
873	Species of <i>Mycosphaerella</i> and their anamorphs associated with leaf blotch disease of <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , 1996, 88, 441-458.	0.8	64
874	<i>Phaeoacremonium</i> gen. nov. associated with wilt and decline diseases of woody hosts and human infections. <i>Mycologia</i> , 1996, 88, 786-796.	0.8	172
875	Isozyme variation and species delimitation in the <i>Ceratocystis coerulescens</i> complex. <i>Mycologia</i> , 1996, 88, 104-113.	0.8	37
876	<i>Sphaeropsis sapinea</i> and <i>Botryosphaeria dothidea</i> endophytic in <i>Pinus</i> spp. and <i>Eucalyptus</i> spp. in South Africa. <i>South African Journal of Botany</i> , 1996, 62, 86-88.	1.2	224
877	<i>Kirramyces destructans</i> sp. nov., a serious leaf pathogen of <i>Eucalyptus</i> in Indonesia. <i>South African Journal of Botany</i> , 1996, 62, 325-327.	1.2	36
878	<i>Leptographium costaricense</i> sp. nov., a new species from roots of <i>Talauma sambuensis</i> from Costa Rica. <i>Mycological Research</i> , 1996, 100, 732-736.	2.5	10
879	A New <i>Ceratocystis</i> Species Defined Using Morphological and Ribosomal DNA Sequence Comparisons. <i>Systematic and Applied Microbiology</i> , 1996, 19, 191-202.	1.2	88
880	A serious canker disease of <i>Eucalyptus</i> in South Africa caused by a new species of <i>Coniothyrium</i> . <i>Mycopathologia</i> , 1996, 136, 139-145.	1.3	61
881	Species of <i>Mycosphaerella</i> and Their Anamorphs Associated with Leaf Blotch Disease of <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , 1996, 88, 441.	0.8	58
882	Isozyme Variation and Species Delimitation in the <i>Ceratocystis coerulescens</i> Complex. <i>Mycologia</i> , 1996, 88, 104.	0.8	28

#	ARTICLE	IF	CITATIONS
883	Phaeoacremonium gen. nov. Associated with Wilt and Decline Diseases of Woody Hosts and Human Infections. Mycologia, 1996, 88, 786.	0.8	124
884	Conidium development in Ceratocystis autographa. Mycological Research, 1995, 99, 1289-1294.	2.5	4
885	A new species of Ophiostoma with a Leptographium anamorph from Larch in Japan. Mycological Research, 1995, 99, 1334-1338.	2.5	25
886	The fine structure of ascospore shape and development in Ceratocystis fimbriata. Antonie Van Leeuwenhoek, 1995, 67, 325-332.	0.7	1
887	Susceptibility of pines in South Africa to the pitch canker fungus subglutinans f.sp. pini. Plant Pathology, 1995, 44, 877-882.	1.2	36
888	Conidium development in the Hyalorhinocladiella anamorph of Ophiostoma ips. Mycologia, 1995, 87, 298-303.	0.8	16
889	A critique of DNA sequence analysis in the taxonomy of filamentous Ascomycetes and ascomycetous anamorphs. Canadian Journal of Botany, 1995, 73, 760-767.	1.2	80
890	A Preliminary, Annotated List of Foliar Pathogens of Eucalyptus spp, in Chile. South African Forestry Journal, 1995, 173, 53-57.	0.2	10
891	Conidium Development in the Hyalorhinocladiella Anamorph of Ophiostoma ips. Mycologia, 1995, 87, 298.	0.8	10
892	Diseases of Black Wattle in South Africa—A Review. South African Forestry Journal, 1995, 174, 35-40.	0.2	15
893	Association of Sphaeropsis sapinea with insect infestation following hail damage of Pinus radiata. Forest Ecology and Management, 1995, 72, 293-298.	1.4	21
894	Foliicolous dematiaceous hyphomycetes from <i>Syzygium cordatum</i> . Canadian Journal of Botany, 1995, 73, 224-234.	1.2	18
895	Ribosomal RNA sequence phylogeny is not congruent with ascospore morphology among species in Ceratocystis sensu stricto.. Molecular Biology and Evolution, 1994, 11, 376-83.	3.5	23
896	Ultrastructure of ascus arrangement and ascospore development in Ophiostoma seticolle. Mycologia, 1994, 86, 607-614.	0.8	15
897	Kionochaeta pini sp. nov. and Verrucophragmia splendens gen. nov. from leaf litter in South Africa. Mycologia, 1994, 86, 447-450.	0.8	6
898	Ultrastructure of Ascus Arrangement and Ascospore Development in Ophiostoma seticolle. Mycologia, 1994, 86, 607.	0.8	8
899	Three new <i>Leptographium</i> species associated with conifer roots in the United States. Canadian Journal of Botany, 1994, 72, 227-238.	1.2	7
900	Canker and die-back of Eucalyptus in South Africa caused by Botryosphaeria dothidea. Plant Pathology, 1994, 43, 1031-1034.	1.2	74

#	ARTICLE	IF	CITATIONS
901	<i>Leptographium elegans</i> : a new species from Taiwan. <i>Mycological Research</i> , 1994, 98, 781-785.	2.5	15
902	Fungi associated with infructescences of <i>Protea</i> species in South Africa, including a new species of <i>Ophiostoma</i> . <i>Mycological Research</i> , 1994, 98, 369-374.	2.5	39
903	<i>Graphium pseudormiticum</i> sp. nov.: a new hyphomycete with unusual conidiogenesis. <i>Mycological Research</i> , 1994, 98, 1272-1276.	2.5	15
904	Integrated management of forest tree diseases in South Africa. <i>Forest Ecology and Management</i> , 1994, 65, 11-16.	1.4	24
905	Diseases of Pines and Eucalypts in South Africa Associated with <i>Pythium</i> and <i>Phytophthora</i> Species. <i>South African Forestry Journal</i> , 1994, 169, 25-32.	0.2	6
906	<i>Kionochaeta pini</i> sp. nov. and <i>Verrucophragmia splendens</i> gen. nov. from Leaf Litter in South Africa. <i>Mycologia</i> , 1994, 86, 447.	0.8	4
907	Agar, an alternative to agarose in analytical gel electrophoresis. <i>Biotechnology Letters</i> , 1993, 7, 723-726.	0.5	3
908	IMI Descriptions of Fungi and Bacteria, Set 116, Nos 1151-1160. <i>Mycopathologia</i> , 1993, 122, 43-64.	1.3	1
909	<i>Sporothrix eucalypti</i> (sp. nov.), a shoot and leaf pathogen of <i>Eucalyptus</i> in South Africa. <i>Mycopathologia</i> , 1993, 123, 159-164.	1.3	24
910	New records of <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> spp. in South Africa. <i>Plant Pathology</i> , 1993, 42, 302-305.	1.2	10
911	First report of the canker pathogen <i>Endothia gyrosa</i> on <i>Eucalyptus</i> in South Africa. <i>Plant Pathology</i> , 1993, 42, 661-663.	1.2	25
912	Gummosis and wilt of <i>Acacia mearnsii</i> in South Africa caused by <i>Ceratocystis fimbriata</i> . <i>Plant Pathology</i> , 1993, 42, 814-817.	1.2	44
913	Comparison of <i>Seiridium</i> Isolates Associated with Cypress Canker Using Sequence Data. <i>Experimental Mycology</i> , 1993, 17, 323-328.	1.8	28
914	<i>Mycosphaerella suberosa</i> Associated with Corky Leaf Spots on <i>Eucalyptus</i> in Brazil. <i>Mycologia</i> , 1993, 85, 705.	0.8	18
915	<i>Mycosphaerella parkii</i> and <i>Phyllosticta eucalyptorum</i> , two new species from <i>Eucalyptus</i> leaves in Brazil. <i>Mycological Research</i> , 1993, 97, 582-584.	2.5	21
916	<i>Calonectria scoparia</i> and <i>Calonectria morganii</i> sp. nov., and variation among isolates of their <i>Cylindrocladium</i> anamorphs. <i>Mycological Research</i> , 1993, 97, 701-708.	2.5	36
917	Fine structure of ascosporeogenesis in <i>Ceratocystiopsis proteae</i> . <i>Canadian Journal of Botany</i> , 1993, 71, 1212-1218.	1.2	2
918	A new species of <i>Ophiostoma</i> from <i>Protea</i> infructescences in South Africa. <i>Mycological Research</i> , 1993, 97, 709-716.	2.5	37

#	ARTICLE	IF	CITATIONS
919	Conidium development in <i>Phialocephala dimorphospora</i> and a new pattern of wall thickening. <i>Mycological Research</i> , 1993, 97, 99-104.	2.5	7
920	Variation in conidial morphology among geographic isolates of <i>Sphaeropsis sapinea</i> . <i>Mycological Research</i> , 1993, 97, 832-838.	2.5	10
921	A re-evaluation of <i>Cylindrocladiella</i> , and a comparison with morphologically similar genera. <i>Mycological Research</i> , 1993, 97, 433-448.	2.5	32
922	Comparison of <i>Sphaeropsis sapinea</i> and <i>Sphaeropsis sapinea</i> f. sp. <i>cupressi</i> . <i>Mycological Research</i> , 1993, 97, 1253-1260.	2.5	19
923	<i>Cylindrocladium parasiticum</i> sp. nov., a new name for <i>C. crotalariae</i> . <i>Mycological Research</i> , 1993, 97, 889-896.	2.5	30
924	A Review of <i>Lasiodiplodia theobromae</i> with Particular Reference to its Occurrence on Coniferous Seeds. <i>South African Forestry Journal</i> , 1993, 166, 47-52.	0.2	10
925	RAPD-fingerprinting to Identify <i>Eucalyptus grandis</i> Clones. <i>South African Forestry Journal</i> , 1993, 167, 47-50.	0.2	2
926	<i>Harknessia</i> Species Occurring in South Africa. <i>Mycologia</i> , 1993, 85, 108-118.	0.8	19
927	<i>Mycosphaerella Suberosa</i> Associated with Corky Leaf Spots on <i>Eucalyptus</i> in Brazil. <i>Mycologia</i> , 1993, 85, 705-710.	0.8	24
928	Fungal Pathogens in <i>Pinus</i> and <i>Eucalyptus</i> Seedling Nurseries in South Africa: A Review. <i>South African Forestry Journal</i> , 1992, 161, 45-51.	0.2	12
929	<i>Cylindrocladium leucothoes</i> and <i>C. hederiae</i> , synonyms of <i>C. reteaudii</i> . <i>South African Journal of Botany</i> , 1992, 58, 397-400.	1.2	3
930	Synoptic key and computer database for identification of species of <i>Ceratocystis</i> sensu lato. <i>South African Journal of Botany</i> , 1992, 58, 277-285.	1.2	5
931	Ascospore development in <i>Ophiostoma piceae</i> . <i>Canadian Journal of Botany</i> , 1992, 70, 2170-2176.	1.2	2
932	Effects of Cultural Conditions on Vesicle and Conidium Morphology in Species of <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> . <i>Mycologia</i> , 1992, 84, 497-504.	0.8	61
933	The Anamorph of <i>Ophiostoma Francke-Grosmaniae</i> is a <i>Leptographium</i> . <i>Mycologia</i> , 1992, 84, 857-862.	0.8	16
934	Differences in susceptibility of <i>Eucalyptus</i> species to <i>Phaeoseptoria eucalypti</i> . <i>Forest Pathology</i> , 1992, 22, 418-423.	0.5	13
935	The effect of site preparation and fertilization on the severity of <i>Phaeoseptoria eucalypti</i> on <i>Eucalyptus</i> species. <i>Forest Pathology</i> , 1992, 22, 424-431.	0.5	5
936	Susceptibility of <i>Eucalyptus grandis</i> to <i>Cryphonectria cubensis</i> . <i>Forest Pathology</i> , 1992, 22, 312-315.	0.5	20

#	ARTICLE	IF	CITATIONS
937	Ultrastructure of ascosporegenesis in <i>Ophiostoma davidsonii</i> . <i>Mycological Research</i> , 1991, 95, 725-730.	2.5	21
938	Development of microconidia in <i>Fusarium</i> section <i>Sporotrichiella</i> . <i>Mycological Research</i> , 1991, 95, 284-289.	2.5	7
939	Ascospore development in <i>Ceratocystis moniliformis</i> . <i>Mycological Research</i> , 1991, 95, 96-103.	2.5	30
940	<i>Leptographium</i> and <i>Graphium</i> species associated with pineinfesting bark beetles in England. <i>Mycological Research</i> , 1991, 95, 1257-1260.	2.5	72
941	Analysis of conidium ontogeny in anamorphs of <i>Ophiostoma</i> : <i>Pesotum</i> and <i>Phialographium</i> are synonyms of <i>Graphium</i> . <i>Mycological Research</i> , 1991, 95, 1328-1333.	2.5	30
942	<i>Mycosphaerella nubilosa</i> , a synonym of <i>M. molleriana</i> . <i>Mycological Research</i> , 1991, 95, 628-632.	2.5	81
943	Ultrastructural study of ascoma and ascospore development in <i>Ophiostoma distortum</i> and <i>Ophiostoma minus</i> . <i>Canadian Journal of Botany</i> , 1991, 69, 2529-2538.	1.2	8
944	<i>Mycosphaerella marasasii</i> sp. nov. and its <i>Pseudocercospora</i> anamorph on leaves of <i>Syzygium cordatum</i> . <i>Mycological Research</i> , 1991, 95, 1108-1112.	2.5	4
945	Ascospore Ultrastructure and Development in <i>Ophiostoma Cucullatum</i> . <i>Mycologia</i> , 1991, 83, 698-707.	0.8	37
946	<i>Cryphonectria cubensis</i> , a potential pathogen of <i>Psidium guajava</i> in South Africa. <i>Forest Pathology</i> , 1991, 21, 424-429.	0.5	4
947	Septal micropores in <i>Zygozoma</i> and their taxonomic significance. <i>Antonie Van Leeuwenhoek</i> , 1991, 59, 77-80.	0.7	8
948	The Genera <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> in South Africa, with Special Reference to Forest Nurseries. <i>South African Forestry Journal</i> , 1991, 157, 69-85.	0.2	36
949	Ascospore Ultrastructure and Development in <i>Ophiostoma cucullatum</i> . <i>Mycologia</i> , 1991, 83, 698.	0.8	27
950	<i>Cryphonectria</i> Canker of <i>Eucalyptus</i> , an Important Disease in Plantation Forestry in South Africa.. <i>South African Forestry Journal</i> , 1990, 152, 43-49.	0.2	27
951	New and interesting records of South African fungi. X. New records of <i>Eucalyptus</i> leaf fungi. <i>South African Journal of Botany</i> , 1990, 56, 583-586.	1.2	12
952	Intensity of dieback induced by <i>Sphaeropsis sapinea</i> in relation to site conditions. <i>Forest Pathology</i> , 1990, 20, 167-174.	0.5	30
953	Economic impact of a post-hail outbreak of dieback induced by <i>Sphaeropsis sapinea</i> . <i>Forest Pathology</i> , 1990, 20, 405-411.	0.5	55
954	<i>Zygozoma smithiae</i> sp.n. (Lipomycetaceae), a new ambrosia yeast from Southern Africa. <i>Antonie Van Leeuwenhoek</i> , 1990, 58, 95-98.	0.7	13

#	ARTICLE	IF	CITATIONS
955	Shoot and Needle Diseases of <i>Pinus</i> spp. in South Africa. South African Forestry Journal, 1990, 154, 60-66.	0.2	11
956	Phaeoseptoria Leaf Spot of <i>Eucalyptus</i> in South Africa. South African Forestry Journal, 1990, 154, 56-59.	0.2	5
957	Ascospore development in <i>Ceratocystis sensu lato</i> (Fungi): a review. Bothalia, 1990, 20, 141-145.	0.2	9
958	A Summary of Fungal Leaf Pathogens of <i>Eucalyptus</i> and the Diseases they Cause in South Africa. South African Forestry Journal, 1989, 149, 9-16.	0.2	26
959	Infection Studies with <i>Phaeoseptoria eucalypti</i> and <i>Coniothyrium ovatum</i> on <i>Eucalyptus</i> spp.. South African Forestry Journal, 1989, 149, 30-35.	0.2	7
960	A List of <i>Eucalyptus</i> Leaf Fungi and their Potential Importance to South African Forestry. South African Forestry Journal, 1989, 149, 17-29.	0.2	19
961	Conidial development in the anamorph of <i>Ophiostoma cucullatum</i> . Mycological Research, 1989, 93, 91-95.	2.5	10
962	Rust-spores, bees and pollen. The Mycologist, 1989, 3, 31-32.	0.5	7
963	<i>Pseudocercospora eucalyptorum</i> sp. nov. on <i>Eucalyptus</i> leaves. Mycological Research, 1989, 93, 394-398.	2.5	15
964	First record of a rust on <i>Acacia mearnsii</i> in Southern Africa. Transactions of the British Mycological Society, 1988, 90, 324-327.	0.6	16
965	Differences in synchronization of stages of conidial development in <i>Leptographium</i> species. Transactions of the British Mycological Society, 1988, 90, 451-456.	0.6	29
966	Delimitation of <i>Fusarium crookwellense</i> macroconidia. Transactions of the British Mycological Society, 1988, 91, 611-617.	0.6	7
967	A Preliminary Assessment of the Threat of Diseases and Pests to <i>Widdringtonia cedarbergensis</i> . South African Forestry Journal, 1988, 147, 32-34.	0.2	4
968	Nuclear division and septation in macroconidia of <i>Fusarium crookwellense</i> . South African Journal of Botany, 1988, 54, 118-122.	1.2	2
969	<i>Ceratocystiopsis Proteae</i> Sp. Nov., with a New Anamorph Genus. Mycologia, 1988, 80, 23-30.	0.8	50
970	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on three species of pine. Canadian Journal of Forest Research, 1987, 17, 51-57.	0.8	19
971	Development of macroconidia in <i>Fusarium</i> . Transactions of the British Mycological Society, 1987, 88, 347-353.	0.6	10
972	Reclassification of <i>Phialocephala</i> based on conidial development. Transactions of the British Mycological Society, 1987, 89, 509-520.	0.6	32

#	ARTICLE	IF	CITATIONS
973	Ultrastructure of ascus development in the teleomorph of <i>Phoma arachidicola</i> . Transactions of the British Mycological Society, 1987, 89, 260-263.	0.6	2
974	Fungi Associated with the Pine Wood Nematode, <i>Bursaphelenchus xylophilus</i> , and Cerambycid Beetles in Wisconsin. Mycologia, 1987, 79, 325-328.	0.8	30
975	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on Pines in Minnesota and Wisconsin. Journal of Nematology, 1986, 18, 44-9.	0.4	7
976	<i>Sphaeropsis sapinea</i> , with Special Reference to its Occurrence on <i>Pinus</i> spp. in South Africa. South African Forestry Journal, 1985, 135, 1-8.	0.2	27
977	Reclassification of <i>Verticicladiella</i> based on conidial development. Transactions of the British Mycological Society, 1985, 85, 81-93.	0.6	76
978	Comparison of the pine wood nematode, <i>Bursaphelenchus xylophilus</i> from pine and balsam fir. Forest Pathology, 1983, 13, 360-372.	0.5	34
979	The pine-wood nematode, <i>Bursaphelenchus xylophilus</i> , in Minnesota and Wisconsin: insect associates and transmission studies. Canadian Journal of Forest Research, 1983, 13, 1068-1076.	0.8	85
980	Some <i>Verticicladiella</i> species, including <i>V. truncata</i> sp.nov., associated with root diseases of pine in New Zealand and South Africa. Transactions of the British Mycological Society, 1983, 80, 231-236.	0.6	30
981	Taxonomy of three canker-causing fungi of honey locust in the United States. Transactions of the British Mycological Society, 1983, 81, 179-183.	0.6	7
982	Association of <i>Verticicladiella procera</i> and <i>Leptographium terrebrantis</i> with insects in the Lake States. Canadian Journal of Forest Research, 1983, 13, 1238-1245.	0.8	54
983	The pine wood nematode: a comparison of the situation in the United States and Japan. Canadian Journal of Forest Research, 1982, 12, 71-75.	0.8	40
984	<i>Verticicladiella alacris</i> , a synonym of <i>V. serpens</i> . Transactions of the British Mycological Society, 1981, 76, 508-510.	0.6	12
985	<i>Verticicladiella alacris</i> sp.nov., associated with a root disease of pines in South Africa. Transactions of the British Mycological Society, 1980, 75, 21-28.	0.6	20
986	Root Disease, Associated with <i>Verticicladiella alacris</i> , of Pines in South Africa. Plant Disease, 1980, 64, 569.	0.7	34
987	A Health Problem in Mature stands of <i>Pinus taeda</i> in the Eastern Transvaal. South African Forestry Journal, 1979, 109, 47-49.	0.2	1
988	<i>Bretziella</i> , a new genus to accommodate the oak wilt fungus, <i>Ceratocystis fagacearum</i> (Microascales). Tj ETQq0 0 0 rgBT /Overlock 10 T	0.8	36
989	Pathologists and entomologists must join forces against forest pest and pathogen invasions. NeoBiota, 0, 58, 107-127.	1.0	28
990	Harmonising the fields of invasion science and forest pathology. NeoBiota, 0, 62, 301-332.	1.0	16