

Jean Roudier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/208288/publications.pdf>

Version: 2024-02-01

126
papers

4,113
citations

101543

36
h-index

123424

61
g-index

136
all docs

136
docs citations

136
times ranked

3796
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutations in the CCN gene family member WISP3 cause progressive pseudorheumatoid dysplasia. <i>Nature Genetics</i> , 1999, 23, 94-98.	21.4	260
2	Polymorphism at position 308 of the tumor necrosis factor β gene influences outcome of infliximab therapy in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 1849-1852.	6.7	227
3	Epstein-Barr virus in autoimmune diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 883-896.	3.3	222
4	Susceptibility to rheumatoid arthritis maps to a T-cell epitope shared by the HLA-Dw4 DR beta-1 chain and the Epstein-Barr virus glycoprotein gp110. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 5104-5108.	7.1	183
5	Epstein-Barr virus load in the peripheral blood of patients with rheumatoid arthritis: Accurate quantification using real-time polymerase chain reaction. <i>Arthritis and Rheumatism</i> , 2003, 48, 1223-1228.	6.7	166
6	Epitopes of human fibrin recognized by the rheumatoid arthritis-specific autoantibodies to citrullinated proteins. <i>European Journal of Immunology</i> , 2006, 36, 2250-2263.	2.9	155
7	The Epstein-Barr Virus Glycoprotein gp110, a Molecular Link between HLA DR4, HLA DR1, and Rheumatoid Arthritis. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 367-371.	2.7	123
8	HLA-DR4 and HLA-DR10 motifs that carry susceptibility to rheumatoid arthritis bind 70 kD heat shock proteins. <i>Nature Medicine</i> , 1996, 2, 306-310.	30.7	111
9	The susceptibility sequence to rheumatoid arthritis is a cross-reactive B cell epitope shared by the Escherichia coli heat shock protein dnaJ and the histocompatibility leukocyte antigen DRB10401 molecule. <i>Journal of Clinical Investigation</i> , 1992, 89, 327-331.	8.2	102
10	Long-Term Outcomes Among Participants in the WEGENT Trial of Remission-Maintenance Therapy for Granulomatosis With Polyangiitis (Wegener's) or Microscopic Polyangiitis. <i>Arthritis and Rheumatology</i> , 2016, 68, 690-701.	5.6	101
11	Transfer of the shared epitope through microchimerism in women with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 73-80.	6.7	98
12	Influence of HLA-DR genes on the production of rheumatoid arthritis-specific autoantibodies to citrullinated fibrinogen. <i>Arthritis and Rheumatism</i> , 2005, 52, 3424-3432.	6.7	97
13	Epstein-Barr virus and rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2004, 3, 362-367.	5.8	94
14	Safety of TNF-blocking agents in rheumatic patients with serology suggesting past hepatitis B state: results from a cohort of 21 patients. <i>Arthritis Research and Therapy</i> , 2009, 11, R179.	3.5	91
15	Influence of 308 A/G polymorphism in the tumor necrosis factor β gene on etanercept treatment in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 1426-1430.	6.7	83
16	Pathophysiological links between rheumatoid arthritis and the Epstein-Barr virus: An update. <i>Joint Bone Spine</i> , 2007, 74, 418-426.	1.6	83
17	New autoantigens in rheumatoid arthritis (RA): screening 8268 protein arrays with sera from patients with RA. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 591-594.	0.9	72
18	Influence of shared epitope-negative HLA-DRB1 alleles on genetic susceptibility to rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 535-540.	6.7	67

#	ARTICLE	IF	CITATIONS
19	Clinical and pathophysiological significance of the autoimmune response to citrullinated proteins in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2004, 71, 493-502.	1.6	64
20	Function of B cells expressing a human immunoglobulin M rheumatoid factor autoantibody in transgenic mice.. <i>Journal of Experimental Medicine</i> , 1993, 177, 109-118.	8.5	62
21	Long-term treatment with methotrexate or tumor necrosis factor \pm inhibitors does not increase epstein-barr virus load in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 762-767.	6.7	62
22	First flare of ACPA-positive rheumatoid arthritis after SARS-CoV-2 infection. <i>Lancet Rheumatology</i> , The, 2021, 3, e6-e8.	3.9	62
23	HLA-DRB1*01 and macrophagic myofasciitis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2535-2537.	6.7	61
24	Epstein-Barr virus and rheumatoid arthritis. <i>Joint Bone Spine</i> , 2018, 85, 165-170.	1.6	60
25	HLA-DRB1 Genotypes and the Risk of Developing Anti Citrullinated Protein Antibody (ACPA) Positive Rheumatoid Arthritis. <i>PLoS ONE</i> , 2013, 8, e64108.	2.5	57
26	Association of MHC and rheumatoid arthritis. Association of RA with HLA-DR4: the role of repertoire selection. <i>Arthritis Research</i> , 2000, 2, 217.	2.0	55
27	A function for the QKRAA amino acid motif: mediating binding of DnaJ to DnaK. Implications for the association of rheumatoid arthritis with HLA-DR4.. <i>Journal of Clinical Investigation</i> , 1997, 99, 1818-1822.	8.2	54
28	Immune responses to the Escherichia coli dnaJ heat shock protein in juvenile rheumatoid arthritis and their correlation with disease activity. <i>Journal of Pediatrics</i> , 1994, 124, 561-565.	1.8	52
29	GENETIC AND ENVIRONMENTAL FACTORS IN THE IMMUNE PATHOGENESIS OF RHEUMATOID ARTHRITIS. <i>Rheumatic Disease Clinics of North America</i> , 1992, 18, 729-740.	1.9	52
30	Patients with ankylosing spondylitis have been breast fed less often than healthy controls: a caseâ€“control retrospective study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 879-882.	0.9	47
31	Molecular mimicry reflected through database screening: serendipity or survival strategy?. <i>Trends in Immunology</i> , 1996, 17, 357-358.	7.5	43
32	Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110 in peripheral blood correlate with disease activity and severity in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 533-538.	0.9	43
33	Rheumatoid arthritisâ€“specific autoantibodies to peptidyl arginine deiminase type 4 inhibit citrullination of fibrinogen. <i>Arthritis and Rheumatism</i> , 2010, 62, 126-131.	6.7	41
34	Peptidyl arginine deiminase immunization induces anticitrullinated protein antibodies in mice with particular MHC types. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E10169-E10177.	7.1	41
35	Altered immune response to glycine-rich sequences of epstein-barr nuclear antigen-1 in patients with rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1990, 33, 993-1000.	6.7	40
36	Functional categorization of HLA-DRB1 alleles in rheumatoid arthritis: the protective effect. <i>Human Immunology</i> , 2003, 64, 930-935.	2.4	40

#	ARTICLE	IF	CITATIONS
37	Cells from a vanished twin as a source of microchimerism 40 years later in a male with a scleroderma-like condition.. Chimerism, 2010, 1, 56-60.	0.7	38
38	Autoantibodies to PAD4 and BRAF in rheumatoid arthritis. Autoimmunity Reviews, 2012, 11, 801-803.	5.8	37
39	Genetic diversity within the HLA Class II region: Ten new DPB1 alleles and their population distribution. Tissue Antigens, 1992, 40, 153-157.	1.0	33
40	Male microchimerism and HLA compatibility in French women with scleroderma: a different profile in limited and diffuse subset. Rheumatology, 2009, 48, 363-366.	1.9	32
41	Tumor Necrosis Factor-Alpha Antagonist Interferes With the Formation of Granulomatous Multinucleated Giant Cells: New Insights Into Mycobacterium tuberculosis Infection. Frontiers in Immunology, 2019, 10, 1947.	4.8	31
42	What are the links between Epstein-Barr virus, lymphoma, and tumor necrosis factor antagonism in rheumatoid arthritis?. Seminars in Arthritis and Rheumatism, 2005, 34, 31-33.	3.4	30
43	Multifocal discitis caused by Staphylococcus warneri. Joint Bone Spine, 2004, 71, 240-242.	1.6	27
44	Antinuclear Antibodies in Patients with Psoriatic Arthritis Treated or Not with Biologics. PLoS ONE, 2015, 10, e0134218.	2.5	27
45	Evaluation of X Chromosome Inactivation with Respect to HLA Genetic Susceptibility in Rheumatoid Arthritis and Systemic Sclerosis. PLoS ONE, 2016, 11, e0158550.	2.5	26
46	Peptidylarginine Deiminase Autoimmunity and the Development of Anti- Citrullinated Protein Antibody in Rheumatoid Arthritis: The Hapten- Carrier Model. Arthritis and Rheumatology, 2020, 72, 903-911.	5.6	24
47	Molecular basis for the association between HLA DR4 and rheumatoid arthritis. From the shared epitope hypothesis to a peptidic model of rheumatoid arthritis. Clinical Biochemistry, 1992, 25, 209-212.	1.9	22
48	New autoantibodies in early rheumatoid arthritis. Arthritis Research and Therapy, 2013, 15, R78.	3.5	21
49	Long term treatment with abatacept or tocilizumab does not increase Epstein-Barr virus load in patients with rheumatoid arthritis - A three years retrospective study. PLoS ONE, 2017, 12, e0171623.	2.5	20
50	Molecular mechanisms involved in the association of HLA-DR4 and rheumatoid arthritis. Immunologic Research, 1997, 16, 121-126.	2.9	19
51	HLA-DR polymorphism influences T-cell precursor frequencies to Epstein-Barr virus (EBV) gp110: implications for the association of HLA-DR antigens with rheumatoid arthritis. Tissue Antigens, 1999, 54, 146-152.	1.0	19
52	Comparing HLA Shared Epitopes in French Caucasian Patients with Scleroderma. PLoS ONE, 2012, 7, e36870.	2.5	19
53	Cutaneous pseudolymphoma associated with a TNF-alpha inhibitor treatment: etanercept. European Journal of Dermatology, 2008, 18, 474-6.	0.6	19
54	Tolerance to a self peptide from the third hypervariable region of the E α 2s chain. Implications for molecular mimicry models of autoimmune disease. European Journal of Immunology, 1991, 21, 2063-2067.	2.9	18

#	ARTICLE	IF	CITATIONS
55	HLA-DR and the Development of Rheumatoid Arthritis. <i>Autoimmunity</i> , 1997, 26, 123-128.	2.6	17
56	Factors predicting responsiveness to anti-TNF \pm therapy in patients with rheumatoid arthritis: using biotherapies rationally. <i>Joint Bone Spine</i> , 2004, 71, 91-94.	1.6	17
57	Protein A-immunoabsorption (Prosorba \hat{A} [®] column) in the treatment of rheumatoid arthritis. <i>Joint Bone Spine</i> , 2005, 72, 101-103.	1.6	17
58	DRB1 alleles in polymyalgia rheumatica and rheumatoid arthritis in southern France. <i>International Journal of Immunogenetics</i> , 2001, 28, 83-87.	1.2	17
59	Interaction between heat-shock protein 73 and HLA-DRB1 alleles associated or not with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 929-933.	6.7	16
60	Autoantibodies to BRAF, a new family of autoantibodies associated with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R194.	3.5	16
61	HLA-DRB1*0404 is strongly associated with anticalpastatin antibodies in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1588-1593.	0.9	15
62	HLA-DRB1 genes and extraarticular rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2006, 8, 103.	3.5	14
63	HLA DRB1, DMA, and DMB gene polymorphisms in Rheumatoid Arthritis. <i>Human Immunology</i> , 1999, 60, 245-249.	2.4	13
64	Three-year outcome in a patient with <i>Staphylococcus lugdunensis</i> discitis. <i>Joint Bone Spine</i> , 2002, 69, 85-87.	1.6	12
65	Reply to Heat shock proteins, HLA-DR and rheumatoid arthritis. <i>Nature Medicine</i> , 1998, 4, 1210-1211.	30.7	11
66	In Rheumatoid Arthritis Patients, HLA-DRB1*04:01 and Rheumatoid Nodules Are Associated With ACPA to a Particular Fibrin Epitope. <i>Frontiers in Immunology</i> , 2021, 12, 692041.	4.8	11
67	Do viruses play an etiologic role in ankylosing spondylitis or psoriatic arthritis?. <i>Clinical Immunology and Immunopathology</i> , 1987, 45, 292-295.	2.0	10
68	Mosaicism of XX and XXY cells accounts for high copy number of Toll like Receptor 7 and 8 genes in peripheral blood of men with Rheumatoid Arthritis. <i>Scientific Reports</i> , 2019, 9, 12880.	3.3	10
69	HLA-DRB1 Motifs and Heat Shock Proteins in Rheumatoid Arthritis. <i>International Reviews of Immunology</i> , 1998, 17, 263-271.	3.3	9
70	<i>TMEM187-IRAK1</i> Polymorphisms Associated with Rheumatoid Arthritis Susceptibility in Tunisian and French Female Populations: Influence of Geographic Origin. <i>Journal of Immunology Research</i> , 2017, 2017, 1-12.	2.2	9
71	Do RA associated HLA-DR molecules bind citrullinated peptides or peptides from PAD4 to help the development of RA specific antibodies to citrullinated proteins?. <i>Journal of Autoimmunity</i> , 2021, 116, 102542.	6.5	9
72	Grandmaternal cells in cord blood. <i>EBioMedicine</i> , 2021, 74, 103721.	6.1	9

#	ARTICLE	IF	CITATIONS
73	Human T cell responses to the Epstein-Barr nuclear antigen-1 (EBNA-1) as evaluated by synthetic peptides. Cellular Immunology, 1989, 123, 325-333.	3.0	8
74	Atypical Mycobacterium marinum infection (Aquarium granuloma) in a patient on TNF± antagonist therapy for psoriatic arthritis. Joint Bone Spine, 2014, 81, 272-273.	1.6	8
75	Modeling the HLA component in rheumatoid arthritis: Sensitivity to DRB1 allele frequencies. Genetic Epidemiology, 2000, 19, 422-428.	1.3	7
76	Interaction Between HSP73 and HLA-DRB1*0401: Implications for the Development of Rheumatoid Arthritis. Immunologic Research, 2005, 31, 261-266.	2.9	7
77	Bacterial extract (OM-89) specific and non specific immunomodulation in rheumatoid arthritis patients. Autoimmunity, 2006, 39, 299-306.	2.6	7
78	How RA Associated HLA-DR Molecules Contribute to the Development of Antibodies to Citrullinated Proteins: The Hapten Carrier Model. Frontiers in Immunology, 0, 13, .	4.8	7
79	Tumor necrosis factor ? haplotypes versus tumor necrosis factor ? ?308 G/A polymorphism in the prediction of infliximab treatment efficacy in rheumatoid arthritis. Arthritis and Rheumatism, 2004, 50, 4075-4076.	6.7	6
80	How microchimerism can impart HLA susceptibility in patients with rheumatoid arthritis. Chimerism, 2010, 1, 23-25.	0.7	6
81	Analyzing HLA-G polymorphisms in children from women with scleroderma. Human Immunology, 2013, 74, 468-472.	2.4	6
82	Soluble HLA-G Expression Inversely Correlates With Fetal Microchimerism Levels in Peripheral Blood From Women With Scleroderma. Frontiers in Immunology, 2018, 9, 1685.	4.8	6
83	Absence of cross-reaction between HLA B27 and yersinia enterocolitica or chlamydia trachomatis in reactive arthritis and ankylosing spondylitis. Clinical Rheumatology, 1985, 4, 487-487.	2.2	4
84	RÃle des molÃcules HLA-DR dans le dÃveloppement de la polyarthrite rhumatoÃde. Revue Du Rhumatisme (Edition Francaise), 2005, 72, 287-289.	0.0	4
85	Newly Identified BRAF Mutation in Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 1377-1383.	5.6	4
86	Anti PAD autoimmunity and rheumatoid arthritis. Joint Bone Spine, 2018, 85, 659-661.	1.6	4
87	Diagnostic contribution of HLA-A,B,C,DR genotyping in inflammatory joint disease. Joint Bone Spine, 2018, 85, 511-513.	1.6	4
88	Axial Articular Manifestations in Primary SjÃgren Syndrome: Association With Spondyloarthritis. Journal of Rheumatology, 2020, 48, jrheum.200189.	2.0	4
89	Calcaneal osteomyelitis due to fistulization of an ulcerated rheumatoid nodule. Joint Bone Spine, 2006, 73, 102-104.	1.6	3
90	Factors Predicting the Presence of Maternal Cells in Cord Blood and Associated Changes in Immune Cell Composition. Frontiers in Immunology, 2021, 12, 651399.	4.8	3

#	ARTICLE	IF	CITATIONS
91	PAD4 Immunization Triggers Anti-Citrullinated Peptide Antibodies in Normal Mice: Analysis With Peptide Arrays. <i>Frontiers in Immunology</i> , 2022, 13, 840035.	4.8	3
92	HLA-DRB1 * 1608 : a new HLA-DRB1 * 16 allele with a short DRB1 * 03 sequence. <i>Immunogenetics</i> , 1997, 46, 444-445.	2.4	2
93	Reply to the letter by T. LequerrÃ© et al. about the editorial entitled "Factors predicting responsiveness to anti-TNF α therapy in patients with rheumatoid arthritis: using biotherapies rationally". <i>Joint Bone Spine</i> , 2005, 72, 347-348.	1.6	2
94	1.65...Copy number variation of TLR7 and TLR8 genes is age and sex biased: which role in autoimmunity?. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A28.2-A28.	0.9	2
95	A6.40...Copy number increase of TLR7 and TLR8 genes in men with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A72.1-A72.	0.9	2
96	HLA-DRB1 polymorphism, anti-citrullinated protein antibodies, and rheumatoid arthritis. <i>Journal of Biological Chemistry</i> , 2018, 293, 7038.	3.4	2
97	Quantification of Human Genomic DNA Using Retinoic X Receptor B Gene. , 2002, , 27-33.		2
98	PAD2 immunization induces ACPA in wild type and HLA-DR4 humanized mice. <i>European Journal of Immunology</i> , 0, , .	2.9	2
99	Comments about the Editorial by Thomas Papo entitled "Macrophagic myofasciitis: focal or systemic?". <i>Joint Bone Spine</i> , 2004, 71, 164.	1.6	1
100	IntÃ©rÃ©t clinique et rÃ©le physiopathologique de la rÃ©ponse auto-immune contre les protÃ©ines citrullinÃ©es dans la polyarthrite rhumatoÃ¯de. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004, 71, 872-882.	0.0	1
101	OstÃ©ite septique calcanÃ©enne par fistulisation d'un nodule rhumatoÃ¯de ulcÃ©rÃ©. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 101-104.	0.0	1
102	Relations physiopathologiques polyarthrite rhumatoÃ¯de et virus d'Epstein-Barr: Ã©tat des lieux. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007, 74, 814-823.	0.0	1
103	Neurofibromatosis type 1 with sciatica. <i>Joint Bone Spine</i> , 2007, 74, 300-301.	1.6	1
104	Could microchimerism be a source of disease-associated HLA alleles in patients with scleroderma?. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A34-A34.	0.9	1
105	A7.9...Does Telomere Shortening in Women with Rheumatoid Arthritis Predict X Chromosome Inactivation Bias?. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A51.1-A51.	0.9	1
106	Anti-Ephrin Type-B Receptor 2 (EphB2) and Anti-Three Prime Histone mRNA EXonuclease 1 (THEX1) Autoantibodies in Scleroderma and Lupus. <i>PLoS ONE</i> , 2016, 11, e0160283.	2.5	1
107	Association study between HLA-A, -B, -C, -DRB1 alleles and Psoriatic arthritis in southern France. <i>Human Immunology</i> , 2022, 83, 515-520.	2.4	1
108	Correspondence on "Isolation of HLA-DR-naturally presented peptides identifies T-cell epitopes for rheumatoid arthritis" by Maggi et al. <i>Annals of the Rheumatic Diseases</i> , 0, , annrhumdis-2022-222750.	0.9	1

#	ARTICLE	IF	CITATIONS
109	IgM antiplatelet antibodies in 7 out of 20 rheumatoid arthritis sera. A new antiplatelet antibody ELISA. Reverse correlation with anti-B-lymphocyte antibodies in the same sera. <i>Clinical Rheumatology</i> , 1986, 5, 189-192.	2.2	0
110	Response to Wilder et al. and Baum et al.. <i>Trends in Immunology</i> , 1997, 18, 253.	7.5	0
111	À%vÀ©nements initiaux dans la polyarthrite rhumatoÃ-de. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004, 71, S10-S13.	0.0	0
112	À€ propos de lâ€™Ã©ditorial de Thomas Papo intitulÃ© myofasciite Ã macrophages, entitÃ© localisÃ©e ou maladie systÃ©mique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004, 71, 259.	0.0	0
113	RÃ©ponse Ã la lettre de T. LequerrÃ© et al., Ã propos de l'Ã©ditorial Ã«Ã©Facteurs prÃ©dictifs de rÃ©ponse aux traitements par anticorps anti-TNFÎ± dans la polyarthrite rhumatoÃ-deÃ»: vers une utilisation rationnelle des biothÃ©rapiesÃ». <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2005, 72, 669-670.	0.0	0
114	Maladie deÂvon Recklinghausen etÂlombosciatique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007, 74, 520-521.	0.0	0
115	Skewed X chromosome inactivation in rheumatoid arthritis women. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A88-A88.	0.9	0
116	New autoantibodies associated with early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A11-A11.	0.9	0
117	HLA-G a putative susceptibility gene in scleroderma, but only in women. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A58.2-A59.	0.9	0
118	A7.2â€...Allograft Inflammatory Factor 1 (AIF1) Polymorphisms in French Caucasians with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A48.2-A48.	0.9	0
119	AB0233â€...Diagnosis and Evolution of Anti-Citrullinated Peptide Antibody (ACPA)-Negative Rheumatoid Arthritis (RA) Patients: A Retrospective Study of 48 Patients. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 880.3-880.	0.9	0
120	A1.47â€...BRAF (v raf murine sarcoma viral oncogene homologue B1) mutations in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A20.1-Ã20.	0.9	0
121	FRIO114â€...Allograft inflammatory factor 1 (AIF1) polymorphisms RS4711274 (G/A) and RS2269475 (C/T) may predict etanercept plus methotrexate response in french caucasian patients with rheumatoid arthritis. , 2017, , .		0
122	P012â€...Peptidyl arginine deiminase immunisationinduces anti-citrullinated protein antibodies in HLA-DRB1*04:01 transgenic mice. , 2018, , .		0
123	P133â€...HLA-ANTIGENS and disease manifestation in a cohort of 600 southern french patients with psoriatic arthritis. , 2018, , .		0
124	O022â€...For each HLA-DRB1 genotype, the likelihood to develop RA correlates with the probability of binding at least a peptide from PAD4. , 2018, , .		0
125	Virus dâ€™Epstein-Barr et polyarthrite rhumatoÃ-de. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2018, 85, 231-236.	0.0	0
126	SAT0163â€...Long Term Treatment with Abatacept or Tocilizumab Does Not Increase Epstein-Barr Virus Load in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 725.2-725.	0.9	0