## Eva C Bonefeld-JÃ, rgensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/20886/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dioxin-like Activity in Pregnant Women and Indices of Fetal Growth: The ACCEPT Birth Cohort. Toxics, 2022, 10, 26.	3.7	3
2	In utero exposure to perfluoroalkyl and polyfluoroalkyl substances and attention and executive function in the offspring: A study in the Danish National Birth Cohort. Environmental Research, 2022, 212, 113262.	7.5	6
3	Persistent organic pollutant exposures among Greenlandic adults in relation to lifestyle and diet: New data from the ACCEPT cohort. Science of the Total Environment, 2022, 827, 154270.	8.0	8
4	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. Environment International, 2021, 146, 106191.	10.0	30
5	Anthropometric measures and blood pressure of Greenlandic preschool children. International Journal of Circumpolar Health, 2021, 80, 1954382.	1.2	5
6	MercuNorth – monitoring mercury in pregnant women from the Arctic as a baseline to assess the effectiveness of the Minamata Convention. International Journal of Circumpolar Health, 2021, 80, 1881345.	1.2	6
7	Prevalence and quality of care among patients using medication targeting obstructive lung disease: a cross-sectional study in the five regions of Greenland. International Journal of Circumpolar Health, 2021, 80, 1948244.	1.2	6
8	Time Trend of Persistent Organic Pollutants and Metals in Greenlandic Inuit during 1994–2015. International Journal of Environmental Research and Public Health, 2021, 18, 2774.	2.6	14
9	Dietary habits among men and women in West Greenland: follow-up on the ACCEPT birth cohort. BMC Public Health, 2021, 21, 1426.	2.9	5
10	Prevalence of patients treated with antidepressant medicine in Greenland and Denmark: a cross-sectional study. International Journal of Circumpolar Health, 2021, 80, 1912540.	1.2	4
11	Prenatal exposure to persistent organic pollutants and metals and problematic child behavior at 3–5 years of age: a Greenlandic cohort study. Scientific Reports, 2021, 11, 22182.	3.3	2
12	Persistent organic pollutants in Greenlandic pregnant women and indices of foetal growth: The ACCEPT study. Science of the Total Environment, 2020, 698, 134118.	8.0	34
13	Exposure to Perflouroalkyl acids and foetal and maternal thyroid status: a review. Environmental Health, 2020, 19, 107.	4.0	29
14	Prenatal exposure to perfluoroalkyl substances and behavioral difficulties in childhood at 7 and 11 years. Environmental Research, 2020, 191, 110111.	7.5	30
15	DNA methylation level in blood and relations to breast cancer, risk factors and environmental exposure in Greenlandic Inuit women. Basic and Clinical Pharmacology and Toxicology, 2020, 127, 338-350.	2.5	14
16	Placental transfer of pesticides studied in human placental perfusion. Basic and Clinical Pharmacology and Toxicology, 2020, 127, 505-515.	2.5	13
17	Aryl hydrocarbon receptor activity of polyhalogenated carbazoles and the molecular mechanism. Science of the Total Environment, 2019, 687, 516-526.	8.0	28
18	Greenlandic women´s lifestyle and diet during pregnancy and child risk for asthma, eczema and allergy: an ACCEPT-substudy. International Journal of Circumpolar Health, 2019, 78, 1682421.	1.2	7

#	Article	IF	CITATIONS
19	Perfluoroalkyl Substances and Maternal Thyroid Hormones in Early Pregnancy; Findings in the Danish National Birth Cohort. Environmental Health Perspectives, 2019, 127, 117002.	6.0	39
20	Associations of Fetal Growth Outcomes with Measures of the Combined Xenoestrogenic Activity of Maternal Serum Perfluorinated Alkyl Acids in Danish Pregnant Women. Environmental Health Perspectives, 2019, 127, 17006.	6.0	42
21	Pregnant Inuit Women's Exposure to Metals and Association with Fetal Growth Outcomes: ACCEPT 2010–2015. International Journal of Environmental Research and Public Health, 2019, 16, 1171.	2.6	29
22	Autism spectrum disorders, endocrine disrupting compounds, and heavy metals in amniotic fluid: a case-control study. Molecular Autism, 2019, 10, 1.	4.9	115
23	Efficiency of maternal-fetal transfer of perfluoroalkyl and polyfluoroalkyl substances. Environmental Science and Pollution Research, 2019, 26, 2691-2698.	5.3	54
24	Genetic Variations, Exposure to Persistent Organic Pollutants and Breast Cancer Risk – A Greenlandic Case–Control Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 335-346.	2.5	7
25	Seroprevalence for Brucella spp. in Baltic ringed seals (Phoca hispida) and East Greenland harp (Pagophilus groenlandicus) and hooded (Cystophora cristata) seals. Veterinary Immunology and Immunopathology, 2018, 198, 14-18.	1.2	8
26	Persistent organic pollutants and haematological markers in Greenlandic pregnant women: the ACCEPT sub-study. International Journal of Circumpolar Health, 2018, 77, 1456303.	1.2	17
27	Prevalence of antibodies against Brucella spp. in West Greenland polar bears (Ursus maritimus) and East Greenland muskoxen (Ovibos moschatus). Polar Biology, 2018, 41, 1671-1680.	1.2	2
28	Reproductive factors, lifestyle and dietary habits among pregnant women in Greenland: The ACCEPT sub-study 2013–2015. Scandinavian Journal of Public Health, 2018, 46, 252-261.	2.3	12
29	Receptor activities of persistent pollutant serum mixtures and breast cancer risk. Endocrine-Related Cancer, 2018, 25, 201-215.	3.1	11
30	Prevalence of patients treated with anti-diabetic medicine in Greenland and Denmark. A cross-sectional register study. International Journal of Circumpolar Health, 2018, 77, 1542930.	1.2	2
31	Prenatal Exposure to Perfluoroalkyl Substances and IQ Scores at Age 5; a Study in the Danish National Birth Cohort. Environmental Health Perspectives, 2018, 126, 067004.	6.0	51
32	Maternal serum concentrations of perfluoroalkyl acids in five international birth cohorts. International Journal of Hygiene and Environmental Health, 2017, 220, 86-93.	4.3	35
33	Polymorphism in xenobiotic and estrogen metabolizing genes, exposure to perfluorinated compounds and subsequent breast cancer risk: A nested case-control study in the Danish National Birth Cohort. Environmental Research, 2017, 154, 325-333.	7.5	28
34	Temporal trends of lipophilic persistent organic pollutants in serum from Danish nulliparous pregnant women 2011–2013. Environmental Science and Pollution Research, 2017, 24, 16592-16603.	5.3	20
35	Persistent organic pollutants and related biological responses measured in coastal fish using chemical and biological screening methods. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2017, 80, 862-880.	2.3	5
36	Serum levels of environmental pollutants is a risk factor for breast cancer in Inuit: a case control study. Environmental Health, 2017, 16, 56.	4.0	96

Eva C Bonefeld-JÃ,rgensen

#	Article	IF	CITATIONS
37	Perfluoroalkyl Acids in Maternal Serum and Indices of Fetal Growth: The Aarhus Birth Cohort. Environmental Health Perspectives, 2016, 124, 848-854.	6.0	75
38	Overview of ongoing cohort and dietary studies in the Arctic. International Journal of Circumpolar Health, 2016, 75, 33803.	1.2	14
39	Health effects associated with measured levels of contaminants in the Arctic. International Journal of Circumpolar Health, 2016, 75, 33805.	1.2	22
40	Response to letter to the editor regarding "Serum perfluoroalkyl acids and time to pregnancy in nulliparous women― Environmental Research, 2016, 147, 574-575.	7.5	2
41	Determinants of serum levels of perfluorinated alkyl acids in Danish pregnant women. International Journal of Hygiene and Environmental Health, 2016, 219, 867-875.	4.3	44
42	Activation of the estrogen receptor by human serum extracts containing mixtures of perfluorinated alkyl acids from pregnant women. Environmental Research, 2016, 151, 71-79.	7.5	21
43	The European Registered Toxicologist (ERT): Current status and prospects for advancement. Toxicology Letters, 2016, 259, 151-155.	0.8	4
44	Time trends of perfluorinated alkyl acids in serum from Danish pregnant women 2008–2013. Environment International, 2016, 91, 14-21.	10.0	93
45	Estrone sulfate and dehydroepiandrosterone sulfate: Transactivation of the estrogen and androgen receptor. Steroids, 2016, 105, 50-58.	1.8	17
46	Lifestyle, reproductive factors and food intake in Greenlandic pregnant women: The ACCEPT – sub-study. International Journal of Circumpolar Health, 2015, 74, 29469.	1.2	26
47	Food intake and serum persistent organic pollutants in the Greenlandic pregnant women: The ACCEPT sub-study. Science of the Total Environment, 2015, 529, 198-212.	8.0	55
48	Effects of currently used pesticides and their mixtures on the function of thyroid hormone and aryl hydrocarbon receptor in cell culture. Toxicology and Applied Pharmacology, 2015, 284, 292-303.	2.8	74
49	Attention Deficit/Hyperactivity Disorder and Childhood Autism in Association with Prenatal Exposure to Perfluoroalkyl Substances: A Nested Case–Control Study in the Danish National Birth Cohort. Environmental Health Perspectives, 2015, 123, 367-373.	6.0	108
50	Perfluoroalkylated substances (PFAS) affect oxidative stress biomarkers in vitro. Chemosphere, 2015, 129, 239-245.	8.2	159
51	Extraction of perfluorinated alkyl acids from human serum for determination of the combined xenoestrogenic transactivity: A method development. Chemosphere, 2015, 129, 232-238.	8.2	16
52	Serum perfluoroalkyl acids and time to pregnancy in nulliparous women. Environmental Research, 2015, 142, 535-541.	7.5	30
53	PCB Concentrations and Dioxinâ€like Activity in Blood Samples from Danish School Children and Their Mothers living in Urban and Rural Areas. Basic and Clinical Pharmacology and Toxicology, 2014, 115, 134-144.	2.5	33
54	Biomonitoring and Hormoneâ€Disrupting Effect Biomarkers of Persistent Organic Pollutants <i>In Vitro</i> and <i>Ex Vivo</i> . Basic and Clinical Pharmacology and Toxicology, 2014, 115, 118-128.	2.5	61

4

## Eva C Bonefeld-JÃ,rgensen

#	Article	IF	CITATIONS
55	Polymorphisms in Phase I and Phase II genes and breast cancer risk and relations to persistent organic pollutant exposure: a case–control study in Inuit women. Environmental Health, 2014, 13, 19.	4.0	62
56	Breast cancer risk after exposure to perfluorinated compounds in Danish women: a case–control study nested in the Danish National Birth Cohort. Cancer Causes and Control, 2014, 25, 1439-1448.	1.8	98
57	Prenatal Exposure to Perfluoroalkyl Substances and the Risk of Congenital Cerebral Palsy in Children. American Journal of Epidemiology, 2014, 180, 574-581.	3.4	57
58	Physiologically based pharmacokinetic modeling of POPs in Greenlanders. Environment International, 2014, 64, 91-97.	10.0	16
59	Currently used pesticides and their mixtures affect the function of sex hormone receptors and aromatase enzyme activity. Toxicology and Applied Pharmacology, 2013, 272, 453-464.	2.8	124
60	Perfluorinated compounds affect the function of sex hormone receptors. Environmental Science and Pollution Research, 2013, 20, 8031-8044.	5.3	233
61	Effects of perfluoroalkyl acids on the function of the thyroid hormone and the aryl hydrocarbon receptor. Environmental Science and Pollution Research, 2013, 20, 8045-8056.	5.3	108
62	In vitro - in vivo correlations for endocrine activity of a mixture of currently used pesticides. Toxicology and Applied Pharmacology, 2013, 272, 757-766.	2.8	47
63	Levels of Pesticides and Their Metabolites in Wistar Rat Amniotic Fluids and Maternal Urine upon Gestational Exposure. International Journal of Environmental Research and Public Health, 2013, 10, 2271-2281.	2.6	21
64	Genetic polymorphisms in <i>CYP1A1</i> , <i>CYP1B1</i> and <i>COMT</i> genes in Greenlandic Inuit and Europeans. International Journal of Circumpolar Health, 2013, 72, 21113.	1.2	25
65	Isolation of Lipophilic Persistent Organic Pollutants From Human Breast Milk. Analytical Letters, 2012, 45, 1412-1425.	1.8	3
66	Breast cancer in the Arctic – changes over the past decades. International Journal of Circumpolar Health, 2012, 71, 19155.	1.2	32
67	The combined effect of persistent organic pollutants in the serum POP mixture in Greenlandic Inuit: xenoestrogenic, xenoandrogenic and dioxin-like transactivities. Biomarkers, 2012, 17, 692-705.	1.9	24
68	Dioxin-like activity in environmental and human samples from Greenland and Denmark. Chemosphere, 2012, 89, 919-928.	8.2	29
69	Level and temporal trend of perfluoroalkyl acids in Greenlandic Inuit. International Journal of Circumpolar Health, 2012, 71, 17998.	1.2	32
70	Dioxin-like activity in the blood of Greenlandic Inuit and Danish women: a pilot study. International Journal of Circumpolar Health, 2010, 69, 181-194.	1.2	17
71	Endocrine-Disrupting Potential of Bisphenol A, Bisphenol A Dimethacrylate, 4-n-Nonylphenol, and 4-n-Octylphenolin Vitro: New Data and a Brief Review. Environmental Health Perspectives, 2007, 115, 69-76.	6.0	439
72	Xenoandrogenic Activity in Serum Differs across European and Inuit Populations. Environmental Health Perspectives, 2007, 115, 21-27.	6.0	23

#	Article	IF	CITATIONS
73	The Human Health Effect Programme in Greenland, a review. Science of the Total Environment, 2004, 331, 215-231.	8.0	24
74	Effects of currently used pesticides in the AhR-CALUX assay: comparison between the human TV101L and the rat H4IIE cell line. Toxicology, 2003, 194, 77-93.	4.2	105
75	Effects of Currently Used Pesticides in Assays for Estrogenicity, Androgenicity, and Aromatase Activity in Vitro. Toxicology and Applied Pharmacology, 2002, 179, 1-12.	2.8	526
76	Effect of highly bioaccumulated polychlorinated biphenyl congeners on estrogen and androgen receptor activity. Toxicology, 2001, 158, 141-153.	4.2	341
77	Modulation of Atherosclerotic Risk Factors by Seal Oil: A Preliminary Assessment. International Journal of Circumpolar Health, 2001, 60, 25-33.	1.2	10