Nelson K Sewankambo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2089461/publications.pdf

Version: 2024-02-01

288 papers 23,622 citations

65 h-index 146 g-index

309 all docs 309 docs citations

309 times ranked 16541 citing authors

#	Article	IF	CITATIONS
1	Assessment of Clinical Outcomes Among Children and Adolescents Hospitalized With COVID-19 in 6 Sub-Saharan African Countries. JAMA Pediatrics, 2022, 176, e216436.	6.2	44
2	Integrating Care for Diabetes and Hypertension with HIV Care in Sub-Saharan Africa: A Scoping Review. International Journal of Integrated Care, 2022, 22, 6.	0.2	17
3	Learning to think critically about health using digital technology in Ugandan lower secondary schools: A contextual analysis. PLoS ONE, 2022, 17, e0260367.	2.5	12
4	Smoker characteristics and trends in tobacco smoking in Rakai, Uganda, 2010–2018. Tobacco Induced Diseases, 2022, 20, 1-7.	0.6	0
5	Online interprofessional education for in-service health-care providers improved HIV performance indicators at health facilities in Uganda: a targeted training approach. The Lancet Global Health, 2022, 10, S24.	6.3	О
6	Collection and use of human materials during TB clinical research; a review of practices. BMC Medical Ethics, 2022, 23, 36.	2.4	1
7	Brief Report: Mobile Phones, Sexual Behaviors, and HIV Incidence in Rakai, Uganda, From 2010 to 2018. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 89, 361-365.	2.1	2
8	Cango Lyec (Healing the Elephant): Probable post-traumatic stress disorder (PTSD) and depression in Northern Uganda five years after a violent conflict. Journal of Migration and Health, 2022, 6, 100125.	3.0	1
9	An assessment of implementation science research capacity in Uganda. Health Research Policy and Systems, 2021, 19, 14.	2.8	1
10	The Critical Need for Pooled Data on Coronavirus Disease 2019 in African Children: An AFREhealth Call for Action Through Multicountry Research Collaboration. Clinical Infectious Diseases, 2021, 73, 1913-1919.	5.8	14
11	Teaching critical thinking about health using digital technology in lower secondary schools in Rwanda: A qualitative context analysis. PLoS ONE, 2021, 16, e0248773.	2.5	14
12	Predictors of controlled prescription drug non-medical and lifetime use among patients accessing public mental health services in Uganda: a cross-sectional study. BMJ Open, 2021, 11, e037602.	1.9	1
13	Conducting an ongoing HIV clinical trial during the COVID-19 pandemic in Uganda: a qualitative study of research team and participants' experiences and lessons learnt. BMJ Open, 2021, 11, e048825.	1.9	6
14	A scoping review of genetics and genomics research ethics policies and guidelines for Africa. BMC Medical Ethics, 2021, 22, 39.	2.4	12
15	Contact Tracing and the COVID-19 Response in Africa: Best Practices, Key Challenges, and Lessons Learned from Nigeria, Rwanda, South Africa, and Uganda. American Journal of Tropical Medicine and Hygiene, 2021, 104, 1179-1187.	1.4	52
16	Drivers and barriers to workplace-based HIV self-testing among high-risk men in Uganda: a qualitative study. BMC Public Health, 2021, 21, 1002.	2.9	6
17	Text message reminders and peer education increase HIV and Syphilis testing among female sex workers: a pilot quasi-experimental study in Uganda. BMC Health Services Research, 2021, 21, 436.	2.2	5
18	Short report: knowledge and perceptions of health workers that strengthen adherence for paediatric and adolescent clients on the intensive adherence counselling program in Kampala, Uganda. A qualitative study. African Health Sciences, 2021, 21, 25-28.	0.7	1

#	Article	IF	CITATIONS
19	Cango Lyec (Healing the Elephant): Chronic Hepatitis B Virus among post-conflict affected populations living in mid-Northern Uganda. PLoS ONE, 2021, 16, e0251573.	2.5	O
20	Building and Sustaining Effective Partnerships for Training the Next Generation of Global Health Leaders. Annals of Global Health, 2021, 87, 66.	2.0	7
21	Alcohol use during pregnancy in Rakai, Uganda. PLoS ONE, 2021, 16, e0256434.	2.5	2
22	Feasibility, experiences and outcomes of using DIALOG+ in primary care to improve quality of life and mental distress of patients with chronic conditions: an exploratory non-controlled trial in Bosnia and Herzegovina, Colombia and Uganda. Pilot and Feasibility Studies, 2021, 7, 180.	1.2	3
23	Patient and health provider costs of integrated HIV, diabetes and hypertension ambulatory health services in low-income settings — an empirical socio-economic cohort study in Tanzania and Uganda. BMC Medicine, 2021, 19, 230.	5.5	20
24	Controlling diabetes and hypertension in sub-Saharan Africa: lessons from HIV programmes. Lancet, The, 2021, 398, 1111-1113.	13.7	7
25	Alcohol use and alcohol-related consequences are associated with not being virally suppressed among persons living with HIV in the Rakai region of Uganda. Drug and Alcohol Dependence, 2021, 228, 109005.	3.2	8
26	Effectiveness of Voluntary Medical Male Circumcision for Human Immunodeficiency Virus Prevention in Rakai, Uganda. Clinical Infectious Diseases, 2021, 73, e1946-e1953.	5.8	11
27	The Effects of Workplace-Based HIV Self-testing on Uptake of Testing and Linkage to HIV Care or Prevention by Men in Uganda (WISe-Men): Protocol for a Cluster Randomized Trial. JMIR Research Protocols, 2021, 10, e25099.	1.0	7
28	Role and utility of COVID-19 laboratory testing in low-income and middle-income countries: protocol for rapid evidence synthesis. BMJ Open, 2021, 11, e050296.	1.9	2
29	"I felt very small and embarrassed by the health care provider when I requested to be tested for syphilis†barriers and facilitators of regular syphilis and HIV testing among female sex workers in Uganda. BMC Public Health, 2021, 21, 1982.	2.9	5
30	Integrating health services for HIV infection, diabetes and hypertension in sub-Saharan Africa: a cohort study. BMJ Open, 2021, 11, e053412.	1.9	20
31	Integrating HIV, diabetes and hypertension services in Africa: study protocol for a cluster randomised trial in Tanzania and Uganda. BMJ Open, 2021, 11, e047979.	1.9	0
32	Perspectives and ethical considerations for return of genetics and genomics research results: a qualitative study of genomics researchers in Uganda. BMC Medical Ethics, 2021, 22, 154.	2.4	7
33	ECG Abnormalities and Arterial Stiffness by HIV Status among High-Risk Populations in Rakai, Uganda: A Pilot Study. Global Heart, 2021, 16, 83.	2.3	0
34	Improving institutional research ethics capacity assessments: lessons from sub-Saharan Africa. Global Bioethics, 2020, 31, 120-132.	1.5	2
35	Population-level adult mortality following the expansion of antiretroviral therapy in Rakai, Uganda. Population Studies, 2020, 74, 93-102.	2.1	7
36	Evolution of research ethics in a low resource setting: A case for Uganda. Developing World Bioethics, 2020, 20, 50-60.	0.9	8

#	Article	IF	CITATIONS
37	Effects of the Informed Health Choices primary school intervention on the ability of children in Uganda to assess the reliability of claims about treatment effects, 1-year follow-up: a cluster-randomised trial. Trials, 2020, 21, 27.	1.6	24
38	Ethical and human rights considerations in public health in low and middle-income countries: an assessment using the case of Uganda's responses to COVID-19 pandemic. BMC Medical Ethics, 2020, 21, 91.	2.4	7
39	Cango Lyec (Healing the Elephant): HIV incidence in post-conflict Northern Uganda. EClinicalMedicine, 2020, 23, 100408.	7.1	6
40	Lessons learned from descriptions and evaluations of knowledge translation platforms supporting evidence-informed policy-making in low- and middle-income countries: a systematic review. Health Research Policy and Systems, 2020, 18, 127.	2.8	20
41	HIV and syphilis testing behaviors among heterosexual male and female sex workers in Uganda. AIDS Research and Therapy, 2020, 17, 48.	1.7	4
42	Leadership training to accelerate progress in public health in sub-Saharan Africa: time for action. The Lancet Global Health, 2020, 8, e1253-e1254.	6.3	3
43	A de novo approach to inferring within-host fitness effects during untreated HIV-1 infection. PLoS Pathogens, 2020, 16, e1008171.	4.7	4
44	Risk and protective factors associated with BV chronicity among women in Rakai, Uganda. Sexually Transmitted Infections, 2020, 96, 380-386.	1.9	2
45	Effects of the Informed Health Choices podcast on the ability of parents of primary school children in Uganda to assess the trustworthiness of claims about treatment effects: one-year follow up of a randomised trial. Trials, 2020, 21, 187.	1.6	22
46	Prevalence and correlates of men's and women's alcohol use in agrarian, trading and fishing communities in Rakai, Uganda. PLoS ONE, 2020, 15, e0240796.	2.5	12
47	Non-surgical oral hygiene interventions on disease activity of Rheumatoid arthritis patients with periodontitis: A randomized controlled trial. Journal of Dental Research, Dental Clinics, Dental Prospects, 2020, 14, 26-36.	1.0	8
48	Employers' and Employees' Perspectives of HIV Self-Testing at Male-Dominated Work Sites and Linkage to Posttest Services in Uganda. Journal of the Association of Nurses in AIDS Care, 2020, 31, 632-645.	1.0	3
49	Towards a definition of male partner involvement in the prevention of mother-to-child transmission of HIV in Uganda: a pragmatic grounded theory approach. BMC Health Services Research, 2019, 19, 557.	2.2	8
50	A new vision for bioethics training in global health. The Lancet Global Health, 2019, 7, e1002-e1003.	6.3	3
51	Barriers to epilepsy care in Central Uganda, a qualitative interview and focus group study involving PLWE and their caregivers. BMC Neurology, 2019, 19, 161.	1.8	23
52	Resource-oriented interventions for patients with severe mental illnesses in low- and middle-income countries: trials in Bosnia-Herzegovina, Colombia and Uganda. BMC Psychiatry, 2019, 19, 181.	2.6	28
53	Acceptability of HIV testing for men attending televised football venues in Uganda. BMC Public Health, 2019, 19, 1136.	2.9	7
54	Impact of combination HIV interventions on HIV incidence in hyperendemic fishing communities in Uganda: a prospective cohort study. Lancet HIV,the, 2019, 6, e680-e687.	4.7	52

#	Article	IF	CITATIONS
55	Psychosocial correlates of regular syphilis and HIV screening practices among female sex workers in Uganda: a cross-sectional survey. AIDS Research and Therapy, 2019, 16, 28.	1.7	7
56	Seizure severity is associated with poor quality of life in people living with epilepsy (PLWE) in Uganda: A cross-sectional study. Epilepsy and Behavior, 2019, 96, 104-108.	1.7	9
57	Clinical trials in lowâ€resource settings: the perspectives of caregivers of paediatric participants from Uganda, Tanzania and Kenya. Tropical Medicine and International Health, 2019, 24, 1023-1030.	2.3	7
58	RTS,S malaria vaccine pilot studies: addressing the human realities in large-scale clinical trials. Trials, 2019, 20, 316.	1.6	39
59	Evaluating user experiences of a clearing house for health policy and systems. Health Information and Libraries Journal, 2019, 36, 168-178.	2.5	2
60	Ethical tensions in the informed consent process for randomized clinical trials in emergency obstetric and newborn care in low and middle-income countries. BMC Medical Ethics, 2019, 20, 27.	2.4	8
61	Challenges faced by caregivers of virally non-suppressed children on the intensive adherence counselling program in Uganda: a qualitative study. BMC Health Services Research, 2019, 19, 150.	2.2	28
62	Informed Health Choices media intervention for improving people's ability to critically appraise the trustworthiness of claims about treatment effects: a mixed-methods process evaluation of a randomised trial in Uganda. BMJ Open, 2019, 9, e031510.	1.9	7
63	Informed health choices intervention to teach primary school children in low-income countries to assess claims about treatment effects: process evaluation. BMJ Open, 2019, 9, e030787.	1.9	31
64	Terminal Effector CD8 T Cells Defined by an IKZF2+IL-7Râ^' Transcriptional Signature Express FcγRIIIA, Expand in HIV Infection, and Mediate Potent HIV-Specific Antibody-Dependent Cellular Cytotoxicity. Journal of Immunology, 2019, 203, 2210-2221.	0.8	23
65	Possibilities for the future of global mental health: a scenario planning approach. BMC Psychiatry, 2019, 19, 392.	2.6	3
66	Developing evidence briefs for policy: a qualitative case study comparing the process of using a guidance-contextualization workbook in Peru and Uganda. Health Research Policy and Systems, 2019, 17, 89.	2.8	4
67	Periodontitis and Rheumatoid Arthritis in Sub-Saharan Africa, Gaps and Way Forward: A Systematic Review and Meta-Analysis. Open Journal of Stomatology, 2019, 09, 215-226.	0.4	3
68	HIV incidence and scale-up of prevention in western Kenya. Lancet HIV, the, 2018, 5, e204-e205.	4.7	2
69	NATIONAL FRAMEWORK FOR THE SUSTAINABILITY OF HEALTH KNOWLEDGE TRANSLATION INITIATIVES IN UGANDA. International Journal of Technology Assessment in Health Care, 2018, 34, 120-128.	0.5	2
70	Key Concepts for Informed Health Choices: a framework for helping people learn how to assess treatment claims and make informed choices. BMJ Evidence-Based Medicine, 2018, 23, 29-33.	3.5	48
71	Cango Lyec (Healing the Elephant): Gender Differences in HIV Infection in Post-conflict Northern Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 257-268.	2.1	7
72	Extensive dental caries in a HIV positive adult patient on ART; case report and literature review. BMC Oral Health, 2018, 18, 205.	2.3	7

#	Article	IF	CITATIONS
73	Assessing the influence of knowledge translation platforms on health system policy processes to achieve the health millennium development goals in Cameroon and Uganda: a comparative case study. Health Policy and Planning, 2018, 33, 539-554.	2.7	29
74	Output from the CIHR Canadian HIV Trials Network international postdoctoral fellowship for capacity building in HIV clinical trials. HIV/AIDS - Research and Palliative Care, 2018, Volume 10, 151-155.	0.8	0
75	Low HIV viral suppression rates following the intensive adherence counseling (IAC) program for children and adolescents with viral failure in public health facilities in Uganda. BMC Public Health, 2018, 18, 1048.	2.9	67
76	Reaching the First 90 in Uganda: Predictors of Success in Contacting and Testing the Named Sexual Partners of HIV+ Index Clients in Kiboga District. AIDS and Behavior, 2018, 22, 2458-2467.	2.7	9
77	Epilepsy misconceptions and stigma reduction interventions in sub-Saharan Africa, a systematic review. Epilepsy and Behavior, 2018, 85, 21-27.	1.7	67
78	Evolution of HIV-1 within untreated individuals and at the population scale in Uganda. PLoS Pathogens, 2018, 14, e1007167.	4.7	27
79	Partnerships for child health: capitalising on links between the sustainable development goals. BMJ: British Medical Journal, 2018, 360, k125.	2.3	23
80	Evaluating the Process and Extent of Institutionalization: A Case Study of a Rapid Response Unit for Health Policy in Burkina Faso. International Journal of Health Policy and Management, 2018, 7, 15-26.	0.9	16
81	Group Mentorship Model to Enhance the Efficiency and Productivity of PhD Research Training in Sub-Saharan Africa. Annals of Global Health, 2018, 84, 170.	2.0	15
82	The Medical Education Partnership Initiative (MEPI): Innovations and Lessons for Health Professions Training and Research in Africa. Annals of Global Health, 2018, 84, 160.	2.0	23
83	Educating religious leaders to create demand for medical male circumcision. Lancet, The, 2017, 389, 1080-1082.	13.7	1
84	Effects of the Informed Health Choices podcast on the ability of parents of primary school children in Uganda to assess claims about treatment effects: a randomised controlled trial. Lancet, The, 2017, 390, 389-398.	13.7	33
85	Effects of the Informed Health Choices primary school intervention on the ability of children in Uganda to assess the reliability of claims about treatment effects: a cluster-randomised controlled trial. Lancet, The, 2017, 390, 374-388.	13.7	72
86	Analysis of the policymaking process in Burkina Faso's health sector: case studies of the creation of two health system support units. Health Research Policy and Systems, 2017, 15, 10.	2.8	10
87	Evaluating a complex research capacity-building intervention: Reflections on an evaluation of the African Institutions Initiative. Evaluation, 2017, 23, 80-101.	1.8	19
88	The path to longer and healthier lives for all Africans by 2030: the Lancet Commission on the future of health in sub-Saharan Africa. Lancet, The, 2017, 390, 2803-2859.	13.7	150
89	The removal of type 2 polio vaccine from Uganda's routine immunization program: lessons learned from an independent validation committee. Public Health, 2017, 150, 130-133.	2.9	0
90	HIV Prevention Efforts and Incidence of HIV in Uganda. New England Journal of Medicine, 2017, 377, 2154-2166.	27.0	163

#	Article	IF	CITATIONS
91	Diabetes in sub-Saharan Africa: from clinical care to health policy. Lancet Diabetes and Endocrinology,the, 2017, 5, 622-667.	11.4	328
92	Academic Collaborations: Do's and Don'ts. Current Anesthesiology Reports, 2017, 7, 15-22.	2.0	1
93	Policymaker experiences with rapid response briefs to address health-system and technology questions in Uganda. Health Research Policy and Systems, 2017, 15, 37.	2.8	14
94	Identifying and characterising health policy and system-relevant documents in Uganda: a scoping review to develop a framework for the development of a one-stop shop. Health Research Policy and Systems, 2017, 15, 7.	2.8	17
95	A need to accelerate health research productivity in an African University: the case of Makerere University College of Health Sciences. Health Research Policy and Systems, 2017, 15, 33.	2.8	14
96	Can an educational podcast improve the ability of parents of primary school children to assess the reliability of claims made about the benefits and harms of treatments: study protocol for a randomised controlled trial. Trials, 2017, 18, 31.	1.6	9
97	Does the use of the Informed Healthcare Choices (IHC) primary school resources improve the ability of grade-5 children in Uganda to assess the trustworthiness of claims about the effects of treatments: protocol for a cluster-randomised trial. Trials, 2017, 18, 223.	1.6	2
98	Cross-sectional comparative study of risky sexual behaviours among HIV-infected persons initiated and waiting to start antiretroviral therapy in rural Rakai, Uganda. BMJ Open, 2017, 7, e016954.	1.9	7
99	The factors affecting the institutionalisation of two policy units in Burkina Faso's health system: a case study. Health Research Policy and Systems, 2017, 15, 62.	2.8	15
100	Influence of community-based education on undergraduate health professions students' decision to work in underserved areas in Uganda. BMC Research Notes, 2017, 10, 726.	1.4	16
101	Defining Sub-Saharan Africa's Health Workforce Needs: Going Forwards Quickly Into the Past Comment on "Non-physician Clinicians in Sub-Saharan Africa and the Evolving Role of Physicians". International Journal of Health Policy and Management, 2017, 6, 111-113.	0.9	6
102	A Process Evaluation to Assess Contextual Factors Associated With the Uptake of a Rapid Response Service to Support Health Systems' Decision-Making in Uganda. International Journal of Health Policy and Management, 2017, 6, 561-571.	0.9	14
103	Training tomorrow's leaders in global health: impact of the Afya Bora Consortium Fellowship on the careers of its alumni. BMC Medical Education, 2016, 16, 241.	2.4	15
104	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 15-20.	2.1	12
105	Interprofessional Fellowship Training for Emerging Global Health Leaders in Africa to Improve HIV Prevention and Care: The Afya Bora Consortium. Journal of the Association of Nurses in AIDS Care, 2016, 27, 331-343.	1.0	14
106	"The Cango Lyec Project - Healing the Elephant― HIV related vulnerabilities of post-conflict affected populations aged 13–49 years living in three Mid-Northern Uganda districts. BMC Infectious Diseases, 2016, 16, 690.	2.9	18
107	Undergraduate students' contributions to health service delivery through community-based education: A qualitative study by the MESAU Consortium in Uganda. BMC Medical Education, 2016, 16, 123.	2.4	12
108	Exploring Institutional Research Ethics Systems: A Case Study From Uganda. AJOB Empirical Bioethics, 2015, 6, 1-14.	1.6	6

#	Article	IF	CITATIONS
109	Key concepts that people need to understand to assess claims about treatment effects. Journal of Evidence-Based Medicine, 2015, 8, 112-125.	2.4	53
110	A situation analysis of inter-professional education and practice for ethics and professionalism training at Makerere University College of Health Sciences. BMC Research Notes, 2015, 8, 598.	1.4	13
111	Teaching children in lowâ€income countries to assess claims about treatment effects: prioritization of key concepts. Journal of Evidence-Based Medicine, 2015, 8, 173-180.	2.4	12
112	Global health leadership training in resource-limited settings: a collaborative approach by academic institutions and local health care programs in Uganda. Human Resources for Health, 2015, 13, 87.	3.1	32
113	Tackling malaria, village by village: a report on a concerted information intervention by medical students and the community in Mifumi, Eastern Uganda. African Health Sciences, 2015, 14, 882.	0.7	10
114	Problem based learning: tutors' views 5 years after implementation at a sub-Saharan University. African Health Sciences, 2015, 15, 261.	0.7	12
115	Priority setting for resources to improve the understanding of information about claims of treatment effects in the mass media. Journal of Evidence-Based Medicine, 2015, 8, 84-90.	2.4	11
116	Climate for evidence informed health system policymaking in Cameroon and Uganda before and after the introduction of knowledge translation platforms: a structured review of governmental policy documents. Health Research Policy and Systems, 2015, 13, 2.	2.8	24
117	HIV Type 1 Disease Progression to AIDS and Death in a Rural Ugandan Cohort Is Primarily Dependent on Viral Load Despite Variable Subtype and T-Cell Immune Activation Levels. Journal of Infectious Diseases, 2015, 211, 1574-1584.	4.0	17
118	Enabling Dynamic Partnerships through Joint Degrees between Low- and High-Income Countries for Capacity Development in Global Health Research: Experience from the Karolinska Institutet/Makerere University Partnership. PLoS Medicine, 2015, 12, e1001784.	8.4	56
119	Is the risk of mother-to-child transmission of HIV higher among female compared with male infants? A case of Rakai, Uganda. Journal of Pediatric Infectious Diseases, 2015, 04, 275-279.	0.2	3
120	Intimate Partner Violence and Communication of HIV Diagnosis in Rakai, Uganda. Social Work in Public Health, 2015, 30, 272-281.	1.4	5
121	Transforming health professions $\hat{a} \in \mathbb{N}$ education through in-country collaboration: examining the consortia among African medical schools catalyzed by the Medical Education Partnership Initiative. Human Resources for Health, 2015, 13, 1.	3.1	135
122	Nurses' knowledge in ethics and their perceptions regarding continuing ethics education: a cross-sectional survey among nurses at three referral hospitals in Uganda. BMC Research Notes, 2015, 8, 319.	1.4	15
123	Career intentions of final year medical students in Uganda after graduating: the burden of brain drain. BMC Medical Education, 2015, 15, 122.	2.4	37
124	An exploration of undergraduate medical students' satisfaction with faculty support supervision during community placements in Uganda. Rural and Remote Health, 2015, 15, 3591.	0.5	0
125	Pharmacogenetic-Based Efavirenz Dose Modification: Suggestions for an African Population and the Different CYP2B6 Genotypes. PLoS ONE, 2014, 9, e86919.	2.5	61
126	Lost in Transition: HIV Prevalence and Correlates of Infection among Young People Living in Post-Emergency Phase Transit Camps in Gulu District, Northern Uganda. PLoS ONE, 2014, 9, e89786.	2.5	24

#	Article	IF	CITATIONS
127	Indices to Measure Risk of HIV Acquisition in Rakai, Uganda. PLoS ONE, 2014, 9, e92015.	2.5	27
128	Effects of Medical Male Circumcision (MC) on Plasma HIV Viral Load in HIV+ HAART NaÃ⁻ve Men; Rakai, Uganda. PLoS ONE, 2014, 9, e110382.	2.5	0
129	Intra-Facility Linkage of HIV-Positive Mothers and HIV-Exposed Babies into HIV Chronic Care: Rural and Urban Experience in a Resource Limited Setting. PLoS ONE, 2014, 9, e115171.	2.5	23
130	Competency-based medical education in two Sub-Saharan African medical schools. Advances in Medical Education and Practice, 2014, 5, 483.	1.5	29
131	Feasibility of a rapid response mechanism to meet policymakers' urgent needs for research evidence about health systems in a low income country: a case study. Implementation Science, 2014, 9, 114.	6.9	29
132	Initiatives supporting evidence informed health system policymaking in Cameroon and Uganda: a comparative historical case study. BMC Health Services Research, 2014, 14, 612.	2.2	19
133	The ethics of health systems research in low- and middle-income countries: A call to action. Global Public Health, 2014, 9, 1008-1022.	2.0	24
134	Male circumcision wound healing in human immunodeficiency virus (HIV)-negative and HIV-positive men in Rakai, Uganda. BJU International, 2014, 113, 127-132.	2.5	13
135	Medical Education for Equitable Services for All Ugandans (MESAU) Consortium. Academic Medicine, 2014, 89, S65-S68.	1.6	11
136	Impaired natural killer cell responses are associated with loss of the highly activated NKG2A+CD57+CD56dim subset in HIV-1 subtype D infection in Uganda. Aids, 2014, 28, 1273-1278.	2.2	15
137	Evaluating International Research Ethics Capacity Development: An Empirical Approach. Journal of Empirical Research on Human Research Ethics, 2014, 9, 41-51.	1.3	14
138	Doctoral training in Uganda: evaluation of mentoring best practices at Makerere university college of health sciences. BMC Medical Education, 2014, 14, 9.	2.4	29
139	War and HIV: Sex and gender differences in risk behaviour among young men and women in post-conflict Gulu District, Northern Uganda. Global Public Health, 2014, 9, 325-341.	2.0	14
140	Optimisation of the Medical Education Partnership Initiative to address African health-care challenges. The Lancet Global Health, 2014, 2, e392.	6.3	9
141	Physician tracking in sub-Saharan Africa: current initiatives and opportunities. Human Resources for Health, 2014, 12, 21.	3.1	10
142	Protections for clinical trials in low and middle income countries need strengthening not weakening. BMJ, The, 2014, 349, g4254-g4254.	6.0	25
143	Global medical education partnerships to expand specialty expertise: a case report on building neurology clinical and research capacity. Human Resources for Health, 2014, 12, 75.	3.1	12
144	Marriage and the Risk of Incident HIV Infection in Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 91-98.	2.1	19

#	Article	IF	Citations
145	The Safety and Acceptance of the PrePex Device for Non-Surgical Adult Male Circumcision in Rakai, Uganda. A Non-Randomized Observational Study. PLoS ONE, 2014, 9, e100008.	2.5	38
146	A consortium approach to competency-based undergraduate medical education in Uganda: Process, opportunities and challenges. Education for Health: Change in Learning and Practice, 2014, 27, 163.	0.3	14
147	Policy development, implementation and evaluation by the AIDS control program in Uganda: a review of the processes. Health Research Policy and Systems, 2013, 11, 7.	2.8	8
148	Accreditation in a Sub Saharan Medical School: a case study at Makerere University. BMC Medical Education, 2013, 13, 73.	2.4	4
149	Comparison of HIV-related vulnerabilities between former child soldiers and children never abducted by the LRA in northern Uganda. Conflict and Health, 2013, 7, 17.	2.7	10
150	High HIVâ€1 prevalence, risk behaviours, and willingness to participate in HIV vaccine trials in fishing communities on Lake Victoria, Uganda. Journal of the International AIDS Society, 2013, 16, 18621.	3.0	74
151	Identification of HIV Superinfection in Seroconcordant Couples in Rakai, Uganda, by Use of Next-Generation Deep Sequencing. Journal of Clinical Microbiology, 2013, 51, 2805-2805.	3.9	0
152	The Acceptability and Safety of the Shang Ring for Adult Male Circumcision in Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 617-621.	2.1	42
153	Effects of hormonal contraceptive use on HIV acquisition and transmission among HIV-discordant couples. Aids, 2013, 27, S27-S34.	2.2	25
154	Differential Loss of Invariant Natural Killer T Cells and FoxP3+ Regulatory T Cells in HIV-1 Subtype A and Subtype D Infections. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 289-293.	2.1	4
155	Foreskin T-cell subsets differ substantially from blood with respect to HIV co-receptor expression, inflammatory profile, and memory status. Mucosal Immunology, 2012, 5, 121-128.	6.0	52
156	Previously Transmitted HIV-1 Strains Are Preferentially Selected During Subsequent Sexual Transmissions. Journal of Infectious Diseases, 2012, 206, 1433-1442.	4.0	71
157	The Rates of HIV Superinfection and Primary HIV Incidence in a General Population in Rakai, Uganda. Journal of Infectious Diseases, 2012, 206, 267-274.	4.0	70
158	HIV Type 1 Genetic Variation in Foreskin and Blood from Subjects in Rakai, Uganda. AIDS Research and Human Retroviruses, 2012, 28, 729-733.	1.1	6
159	The Medical Education Partnership Initiative: PEPFAR's Effort To Boost Health Worker Education To Strengthen Health Systems. Health Affairs, 2012, 31, 1561-1572.	5.2	66
160	Impact of asymptomatic Herpes simplex virus-2 infection on T cell phenotype and function in the foreskin. Aids, 2012, 26, 1319-1322.	2.2	24
161	Tackling NCDs: a different approach is needed. Lancet, The, 2012, 379, 1860-1861.	13.7	57
162	Tackling NCDs: a different approach is needed – Authors' reply. Lancet, The, 2012, 379, 1873-1874.	13.7	6

#	Article	IF	CITATIONS
163	Social accountability: a survey of perceptions and evidence of its expression at a Sub Saharan African university. BMC Medical Education, 2012, 12, 96.	2.4	27
164	Assessing the quality of informed consent in a resource-limited setting: A cross-sectional study. BMC Medical Ethics, 2012, 13, 21.	2.4	29
165	In the face of war: examining sexual vulnerabilities of Acholi adolescent girls living in displacement camps in conflict-affected Northern Uganda. BMC International Health and Human Rights, 2012, 12, 38.	2.5	20
166	Evaluation of the safety and efficiency of the dorsal slit and sleeve methods of male circumcision provided by physicians and clinical officers in Rakai, Uganda. BJU International, 2012, 109, 104-108.	2.5	24
167	Perspective. Academic Medicine, 2012, 87, 216-220.	1.6	65
168	The Infectious Diseases Institute at Makerere University, Kampala, Uganda. Infectious Disease Clinics of North America, 2011, 25, 369-383.	5.1	8
169	Longitudinal Changes in Vaginal Microbiota Composition Assessed by Gram Stain Among Never Sexually Active Pre- and Postmenarcheal Adolescents in Rakai, Uganda. Journal of Pediatric and Adolescent Gynecology, 2011, 24, 42-47.	0.7	38
170	Medical schools in sub-Saharan Africa. Lancet, The, 2011, 377, 1113-1121.	13.7	277
171	Effect of circumcision of HIV-negative men on transmission of human papillomavirus to HIV-negative women: a randomised trial in Rakai, Uganda. Lancet, The, 2011, 377, 209-218.	13.7	165
172	The Short-term Variability of Bacterial Vaginosis Diagnosed by Nugent Gram Stain Criteria Among Sexually Active Women in Rakai, Uganda. Sexually Transmitted Diseases, 2011, 38, 111-116.	1.7	29
173	The Natural History of Bacterial Vaginosis Diagnosed by Gram Stain Among Women in Rakai, Uganda. Sexually Transmitted Diseases, 2011, 38, 1040-1045.	1.7	16
174	Medical education in sub-Saharan Africa: a literature review. Medical Education, 2011, 45, 973-986.	2.1	70
175	Male circumcision for HIV prevention: current evidence and implementation in subâ€Saharan Africa. Journal of the International AIDS Society, 2011, 14, 49-49.	3.0	64
176	A grander challenge: the case of how Makerere University College of Health Sciences (MakCHS) contributes to health outcomes in Africa. BMC International Health and Human Rights, 2011, 11, S2.	2.5	21
177	Perception and valuations of community-based education and service by alumni at Makerere University College of Health Sciences. BMC International Health and Human Rights, 2011, 11, S5.	2.5	11
178	Developing independent investigators for clinical research relevant for Africa. Health Research Policy and Systems, 2011, 9, 44.	2.8	29
179	Climate for evidence-informed health systems: A print media analysis in 44 low- and middle-income countries that host knowledge-translation platforms. Health Research Policy and Systems, 2011, 9, 7.	2.8	26
180	Identification of HIV Superinfection in Seroconcordant Couples in Rakai, Uganda, by Use of Next-Generation Deep Sequencing. Journal of Clinical Microbiology, 2011, 49, 2859-2867.	3.9	53

#	Article	IF	Citations
181	The Wayo Program in Northern Uganda: Building on Traditional Assets in Supporting Acholi Young Women and Girls in the Context of War and HIV. , 2011, , 195-219.		3
182	Innate and Adaptive Immune Responses Both Contribute to Pathological CD4 T Cell Activation in HIV-1 Infected Ugandans. PLoS ONE, 2011, 6, e18779.	2.5	36
183	Combatendo as DCNT: uma abordagem diferente é necessária*. Revista Brasileira De Medicina De FamÃlia E Comunidade, 2011, 6, 108-109.	0.4	0
184	Comparison of methods in the recovery of nucleic acids from archival formalin-fixed paraffin-embedded autopsy tissues. Analytical Biochemistry, 2010, 400, 110-117.	2.4	104
185	Perceptions of newly admitted undergraduate medical students on experiential training on community placements and working in rural areas of Uganda. BMC Medical Education, 2010, 10, 47.	2.4	24
186	Learning health professionalism at Makerere University: an exploratory study amongst undergraduate students. BMC Medical Education, 2010, 10, 76.	2.4	34
187	Science-based health innovation in Uganda: creative strategies for applying research to development. BMC International Health and Human Rights, 2010, 10, S5.	2.5	6
188	Linking research and development to strengthen health systems in Africa. Tropical Medicine and International Health, 2010, 15, 1404-1406.	2.3	15
189	HIV-1 Viral Subtype Differences in the Rate of CD4+ T-Cell Decline Among HIV Seroincident Antiretroviral Naive Persons in Rakai District, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 180-184.	2.1	90
190	Quantitative Assessment of the Sensitivity of Various Commercial Reverse Transcriptases Based on Armored HIV RNA. PLoS ONE, 2010, 5, e13931.	2.5	26
191	Circumcision of HIVâ€Infected Men: Effects on Highâ€Risk Human Papillomavirus Infections in a Randomized Trial in Rakai, Uganda. Journal of Infectious Diseases, 2010, 201, 1463-1469.	4.0	64
192	Male Circumcision Decreases Acquisition and Increases Clearance of Highâ€Risk Human Papillomavirus in HIVâ€Negative Men: A Randomized Trial in Rakai, Uganda. Journal of Infectious Diseases, 2010, 201, 1455-1462.	4.0	146
193	Changes in the Distribution of HIV Type 1 Subtypes D and A in Rakai District, Uganda Between 1994 and 2002. AIDS Research and Human Retroviruses, 2010, 26, 1087-1091.	1.1	40
194	Disclosure of HIV results among discordant couples in Rakai, Uganda: a facilitated couple counselling approach. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 1041-1051.	1.2	67
195	Improving Implementation: Building Research Capacity in Maternal, Neonatal, and Child Health in Africa. PLoS Medicine, 2010, 7, e1000299.	8.4	58
196	A framework for mandatory impact evaluation to ensure well informed public policy decisions. Lancet, The, 2010, 375, 427-431.	13.7	72
197	Influence of the training experience of Makerere University medical and nursing graduates on willingness and competence to work in rural health facilities. Rural and Remote Health, 2010, 10, 1372.	0.5	23
198	Microbial translocation, the innate cytokine response, and HIV-1 disease progression in Africa. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 6718-6723.	7.1	117

#	Article	IF	Citations
199	Geographic HIV Type 1 Subtype Distribution in Rakai District, Uganda. AIDS Research and Human Retroviruses, 2009, 25, 1045-1048.	1.1	22
200	Frequency of Long-Term Nonprogressors in HIV-1 Seroconverters From Rakai Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 316-319.	2.1	20
201	Selection of HIV Variants with Signature Genotypic Characteristics during Heterosexual Transmission. Journal of Infectious Diseases, 2009, 199, 580-589.	4.0	130
202	Alcohol Use, Intimate Partner Violence, Sexual Coercion and HIV among Women Aged 15–24 in Rakai, Uganda. AIDS and Behavior, 2009, 13, 225-233.	2.7	139
203	The effects of male circumcision on female partners' genital tract symptoms and vaginal infections in a randomized trial in Rakai, Uganda. American Journal of Obstetrics and Gynecology, 2009, 200, 42.e1-42.e7.	1.3	207
204	Towards a common definition of global health. Lancet, The, 2009, 373, 1993-1995.	13.7	1,096
205	Circumcision in HIV-infected men and its effect on HIV transmission to female partners in Rakai, Uganda: a randomised controlled trial. Lancet, The, 2009, 374, 229-237.	13.7	272
206	Health systems in Africa: learning from South Africa. Lancet, The, 2009, 374, 957-959.	13.7	10
207	Spatial phylodynamics of HIV-1 epidemic emergence in east Africa. Aids, 2009, 23, F9-F17.	2.2	83
208	Relatively Low HIV Infection Rates in Rural Uganda, but with High Potential for a Rise: A Cohort Study in Kayunga District, Uganda. PLoS ONE, 2009, 4, e4145.	2.5	28
209	Improving international research contracting. Bulletin of the World Health Organization, 2009, 87, 487-487.	3.3	9
210	Responsive research in developing countries. Lancet, The, 2008, 372, 11-13.	13.7	14
211	Strengthening capacity for health research in Africa. Lancet, The, 2008, 372, 1590-1593.	13.7	171
212	Funding for primary health care in developing countries. BMJ: British Medical Journal, 2008, 336, 518-519.	2.3	54
213	Effect of Human Immunodeficiency Virus Type 1 (HIVâ€1) Subtype on Disease Progression in Persons from Rakai, Uganda, with Incident HIVâ€1 Infection. Journal of Infectious Diseases, 2008, 197, 707-713.	4.0	230
214	Acceptability of routine HIV counselling and testing, and HIV seroprevalence in Ugandan hospitals. Bulletin of the World Health Organization, 2008, 86, 302-309.	3.3	99
215	Strengthening primary care: addressing the disparity between vertical and horizontal investment. British Journal of General Practice, 2008, 58, 3-4.	1.4	76
216	Association of HIV and Malaria With Mother-to-Child Transmission, Birth Outcomes, and Child Mortality. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 47, 472-476.	2.1	53

#	Article	IF	Citations
217	Male circumcision is an efficacious, lasting and cost-effective strategy for combating HIV in high-prevalence AIDS epidemics. Future HIV Therapy, 2008, 2, 399-405.	0.4	34
218	Survival of Infants Born to HIV-Positive Mothers, by Feeding Modality, in Rakai, Uganda. PLoS ONE, 2008, 3, e3877.	2.5	66
219	The Safety of Adult Male Circumcision in HIV-Infected and Uninfected Men in Rakai, Uganda. PLoS Medicine, 2008, 5, e116.	8.4	82
220	Limitations of rapid HIV-1 tests during screening for trials in Uganda: diagnostic test accuracy study. BMJ: British Medical Journal, 2007, 335, 188.	2.3	118
221	Survival of HIV-infected treatment-naive individuals with documented dates of seroconversion in Rakai, Uganda. Aids, 2007, 21, S15-S19.	2.2	44
222	Male circumcision for HIV prevention in men in Rakai, Uganda: a randomised trial. Lancet, The, 2007, 369, 657-666.	13.7	1,961
223	Repeat Voluntary HIV Counseling and Testing (VCT), Sexual Risk Behavior and HIV Incidence in Rakai, Uganda. AIDS and Behavior, 2007, 11, 71-78.	2.7	51
224	Higher HIV-1 Incidence and Genetic Complexity Along Main Roads in Rakai District, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 43, 440-445.	2.1	44
225	Disclosure of HIV Status on Informed Consent Forms Presents an Ethical Dilemma for Protection of Human Subjects. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 41, 246-248.	2.1	2
226	Mortality in HIV-Infected and Uninfected Children of HIV-Infected and Uninfected Mothers in Rural Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 41, 504-508.	2.1	161
227	Alcohol use before sex and HIV acquisition: a longitudinal study in Rakai, Uganda. Aids, 2006, 20, 1191-1196.	2.2	138
228	Reduced fertility among HIV-infected women associated with viral load in Rakai district, Uganda. International Journal of STD and AIDS, 2006, 17, 842-846.	1.1	22
229	Clinical illness as a marker for initiation of HIV antiretroviral therapy in a rural setting, Rakai, Uganda. International Journal of STD and AIDS, 2006, 17, 116-120.	1.1	8
230	Reply to Hayes and White. Journal of Infectious Diseases, 2006, 193, 605-606.	4.0	9
231	Screening HIV-positive pregnant women for antiretroviral therapy: utility of self-reported symptoms. International Journal of STD and AIDS, 2006, 17, 112-115.	1.1	2
232	Immunisation coverage among children born to HIV-infected women in Rakai district, Uganda: effect of voluntary testing and counselling (VCT). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 755-763.	1.2	21
233	Using knowledge brokering to improve evidence-based policy-making: the need for support structures. Bulletin of the World Health Organization, 2006, 84, 608-612.	3.3	170
234	Assessing country-level efforts to link research to action. Bulletin of the World Health Organization, 2006, 84, 620-628.	3.3	319

#	Article	IF	Citations
235	Voluntary HIV counseling and testing acceptance, sexual risk behavior and HIV incidence in Rakai, Uganda. Aids, 2005, 19, 503-511.	2.2	128
236	Effectiveness of Syphilis Treatment Using Azithromycin and/or Benzathine Penicillin in Rakai, Uganda. Sexually Transmitted Diseases, 2005, 32, 1-6.	1.7	63
237	Use of Stored Serum from Uganda for Development and Evaluation of a Human Immunodeficiency Virus Type 1 Testing Algorithm Involving Multiple Rapid Immunoassays. Journal of Clinical Microbiology, 2005, 43, 5312-5315.	3.9	19
238	Reply to Gisselquist and Potterat. Journal of Infectious Diseases, 2005, 192, 1499-1500.	4.0	11
239	Rates of HIVâ€1 Transmission per Coital Act, by Stage of HIVâ€1 Infection, in Rakai, Uganda. Journal of Infectious Diseases, 2005, 191, 1403-1409.	4.0	1,142
240	Maternal Self-Medication and Provision of Nevirapine to Newborns by Women in Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 121-124.	2.1	29
241	The incidence and prevalence of orphanhood associated with parental HIV infection: a population-based study in Rakai, Uganda. Aids, 2005, 19, 1669-1676.	2.2	14
242	Increased risk of incident HIV during pregnancy in Rakai, Uganda: a prospective study. Lancet, The, 2005, 366, 1182-1188.	13.7	336
243	Determinants of HIVâ€1 Load in Subjects with Early and Later HIV Infections, in a Generalâ€Population Cohort of Rakai, Uganda. Journal of Infectious Diseases, 2004, 189, 1209-1215.	4.0	87
244	Can Population Differences Explain the Contrasting Results of the Mwanza, Rakai, and Masaka HIV/Sexually Transmitted Disease Intervention Trials?. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 37, 1500-1513.	2.1	84
245	Academic medicine and global health responsibilities. BMJ: British Medical Journal, 2004, 329, 752-753.	2.3	13
246	Burden of infection among heads and non-head of rural households in Rakai, Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2004, 16, 107-115.	1.2	2
247	Measuring quality of life among HIV-infected women using a culturally adapted questionnaire in Rakai district, Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2004, 16, 81-94.	1.2	110
248	Coercive sex in rural Uganda: Prevalence and associated risk factors. Social Science and Medicine, 2004, 58, 787-798.	3.8	121
249	Responding to the global human resources crisis. Lancet, The, 2004, 363, 1469-1472.	13.7	210
250	Human resources for health: overcoming the crisis. Lancet, The, 2004, 364, 1984-1990.	13.7	1,086
251	Knowledge About Vaccines and Willingness to Participate in Preventive HIV Vaccine Trials. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 36, 721-725.	2.1	38
252	The incidence of HIV-1 associated with injections and transfusions in a prospective cohort, Rakai, Uganda. Aids, 2004, 18, 342-344.	2.2	35

#	Article	IF	Citations
253	Treatment of Trichomonas in pregnancy and adverse outcomes of pregnancy: A subanalysis of a randomized trial in Rakai, Uganda. American Journal of Obstetrics and Gynecology, 2003, 189, 1398-1400.	1.3	98
254	Human Immunodeficiency Virus Acquisition Associated with Genital Ulcer Disease and Herpes Simplex Virus Type 2 Infection: A Nested Caseâ€Control Study in Rakai, Uganda. Journal of Infectious Diseases, 2003, 188, 1492-1497.	4.0	153
255	Age Differences in Sexual Partners and Risk of HIV-1 Infection in Rural Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 32, 446-451.	2.1	215
256	Hormonal contraceptive use and HIV-1 infection in a population-based cohort in Rakai, Uganda. Aids, 2003, 17, 233-240.	2.2	84
257	Stochastic simulation of the impact of antiretroviral therapy and HIV vaccines on HIV transmission; Rakai, Uganda. Aids, 2003, 17, 1941-1951.	2.2	129
258	The effects of placental malaria on mother-to-child HIV transmission in Rakai, Uganda. Aids, 2003, 17, 2539-2541.	2.2	83
259	Higher risk behaviour and rates of sexually transmitted diseases in Mwanza compared to Uganda may help explain HIV prevention trial outcomes. Aids, 2003, 17, 2653-2660.	2.2	33
260	Participatory planning for the transformation of the Faculty of Medicine into a College of Health Sciences. African Health Sciences, 2003, 3, 94-101.	0.7	8
261	Among 46 Near Full Length HIV Type 1 Genome Sequences from Rakai District, Uganda, Subtype D and AD Recombinants Predominate. AIDS Research and Human Retroviruses, 2002, 18, 1281-1290.	1.1	82
262	What proportion of episodes of gonorrhoea and chlamydia becomes symptomatic?. International Journal of STD and AIDS, 2002, 13, 91-101.	1.1	145
263	HIV dynamics and behaviour change as determinants of the impact of sexually transmitted disease treatment on HIV transmission in the context of the Rakai trial. Aids, 2002, 16, 2209-2218.	2.2	45
264	Male circumcision and HIV acquisition and transmission: Rakai, Uganda. Aids, 2002, 16, 809-810.	2.2	2
265	Probability of HIV-1 transmission per coital act in monogamous, heterosexual, HIV-1-discordant couples in Rakai, Uganda. Lancet, The, 2001, 357, 1149-1153.	13.7	1,121
266	HIV incidence and sexually transmitted disease prevalence associated with condom use: a population study in Rakai, Uganda. Aids, 2001, 15, 2171-2179.	2.2	188
267	Randomized trial of presumptive sexually transmitted disease therapy during pregnancy in Rakai, Uganda. American Journal of Obstetrics and Gynecology, 2001, 185, 1209-1217.	1.3	153
268	Population-Based HIV Testing and Counseling in Rural Uganda: Participation and Risk Characteristics. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 28, 463-470.	2.1	42
269	Prevalence of Kaposi Sarcoma-Associated Herpesvirus Compared With Selected Sexually Transmitted Diseases in Adolescents and Young Adults in Rural Rakai District, Uganda. Sexually Transmitted Diseases, 2001, 28, 77-81.	1.7	40
270	Male circumcision and HIV acquisition and transmission: cohort studies in Rakai, Uganda. Aids, 2000, 14, 2371-2381.	2.2	204

#	Article	IF	Citations
271	Condom acceptance is higher among travelers in Uganda. Aids, 2000, 14, 733-741.	2.2	23
272	Mortality associated with HIV infection in rural Rakai District, Uganda. Aids, 2000, 14, 2391-2400.	2.2	123
273	Viral Load and Heterosexual Transmission of Human Immunodeficiency Virus Type 1. New England Journal of Medicine, 2000, 342, 921-929.	27.0	2,788
274	Education attainment as a predictor of HIV risk in rural Uganda: results from a population-based study. International Journal of STD and AIDS, 1999, 10, 452-459.	1.1	58
275	Control of sexually transmitted diseases for AIDS prevention in Uganda: a randomised community trial. Lancet, The, 1999, 353, 525-535.	13.7	712
276	Relative risks and population attributable fraction of incident HIV associated with symptoms of sexually transmitted diseases and treatable symptomatic sexually transmitted diseases in Rakai District, Uganda. Aids, 1999, 13, 2113-2123.	2.2	106
277	Age of male circumcision and risk of prevalent HIV infection in rural Uganda. Aids, 1999, 13, 399-405.	2.2	72
278	Sensitivity and Specificity of HIV-1 Testing of Urine Compared With Serum Specimens: Rakai, Uganda. Sexually Transmitted Diseases, 1999, 26, 590-592.	1.7	11
279	Population-based study of fertility in women with HIV-1 infection in Uganda. Lancet, The, 1998, 351, 98-103.	13.7	261
280	Use of Self-Collected Vaginal Swabs for Detection of Chlamydia trachomatis Infection. Sexually Transmitted Diseases, 1998, 25, 450.	1.7	23
281	A randomized, community trial of intensive sexually transmitted disease control for AIDS prevention, Rakai, Uganda. Aids, 1998, 12, 1211-1225.	2.2	192
282	Trends in HIV-1 prevalence may not reflect trends in incidence in mature epidemics. Aids, 1997, 11, 1023-1030.	2.2	112
283	Adolescents, sexual behavior and HIV-1 in rural Rakai district, Uganda. Aids, 1997, 11, 791-799.	2.2	53
284	HIV-1 infection associated with abnormal vaginal flora morphology and bacterial vaginosis. Lancet, The, 1997, 350, 546-550.	13.7	603
285	The social dynamics of HIV transmission as reflected through discordant couples in rural Uganda. Aids, 1995, 9, 745-750.	2.2	117
286	Demographic impact of HIV infection in rural Rakai District, Uganda. Aids, 1994, 8, 1707-1714.	2.2	98
287	HIV risk factors in three geographic strata of rural Rakai District, Uganda. Aids, 1992, 6, 983-990.	2.2	142
288	SLIM DISEASE: A NEW DISEASE IN UGANDA AND ITS ASSOCIATION WITH HTLV-III INFECTION. Lancet, The, 1985, 326, 849-852.	13.7	473