## Judith A Strong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2089935/publications.pdf

Version: 2024-02-01

186265 175258 2,899 55 28 52 h-index citations g-index papers

56 56 56 3480 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Sympathectomy decreases pain behaviors and nerve regeneration by downregulating monocyte chemokine CCL2 in dorsal root ganglia in the rat tibial nerve crush model. Pain, 2022, 163, e106-e120.	4.2	12
2	Synchronized cluster firing, a distinct form of sensory neuron activation, drives spontaneous pain. Neuron, 2022, 110, 209-220.e6.	8.1	38
3	Key role of CCR2-expressing macrophages in a mouse model of low back pain and radiculopathy. Brain, Behavior, and Immunity, 2021, 91, 556-567.	4.1	20
4	Differential Regulation of the Glucocorticoid Receptor in a Rat Model of Inflammatory Pain. Anesthesia and Analgesia, 2020, 131, 298-306.	2.2	1
5	Localized sympathectomy reduces peripheral nerve regeneration and pain behaviors in 2 rat neuropathic pain models. Pain, 2020, 161, 1925-1936.	4.2	18
6	Local Sympathectomy Promotes Anti-inflammatory Responses and Relief of Paclitaxel-induced Mechanical and Cold Allodynia in Mice. Anesthesiology, 2020, 132, 1540-1553.	2.5	20
7	Role of NaV1.6 and NaVÎ $^2$ 4 Sodium Channel Subunits in a Rat Model of Low Back Pain Induced by Compression of the Dorsal Root Ganglia. Neuroscience, 2019, 402, 51-65.	2.3	9
8	Increased Resurgent Sodium Currents in Nav1.8 Contribute to Nociceptive Sensory Neuron Hyperexcitability Associated with Peripheral Neuropathies. Journal of Neuroscience, 2019, 39, 1539-1550.	3.6	42
9	Differential Inhibition of Nav1.7 and Neuropathic Pain by Hybridoma-Produced and Recombinant Monoclonal Antibodies that Target Nav1.7. Neuroscience Bulletin, 2018, 34, 22-41.	2.9	22
10	High-fat diet exacerbates postoperative pain and inflammation in a sex-dependent manner. Pain, 2018, 159, 1731-1741.	4.2	31
11	Inflammatory Changes in Paravertebral Sympathetic Ganglia in Two Rat Pain Models. Neuroscience Bulletin, 2018, 34, 85-97.	2.9	19
12	Improving Adherence to Intraoperative Lung-Protective Ventilation Strategies at a University Medical Center. Anesthesia and Analgesia, 2018, 126, 150-160.	2.2	14
13	In Response. Anesthesia and Analgesia, 2018, 127, e30.	2.2	0
14	Mineralocorticoid Antagonist Improves Glucocorticoid Receptor Signaling and Dexamethasone Analgesia in an Animal Model of Low Back Pain. Frontiers in Cellular Neuroscience, 2018, 12, 453.	3.7	10
15	High-fat diet and post-operative pain: Why the hospital cafeteria may matter. Brain, Behavior, and Immunity, 2018, 74, 45-46.	4.1	O
16	FHF2 isoforms differentially regulate Nav1.6-mediated resurgent sodium currents in dorsal root ganglion neurons. Pflugers Archiv European Journal of Physiology, 2017, 469, 195-212.	2.8	24
17	High-fat diet increases pain behaviors in rats with or without obesity. Scientific Reports, 2017, 7, 10350.	3.3	46
18	Active Nerve Regeneration with Failed Target Reinnervation Drives Persistent Neuropathic Pain. ENeuro, 2017, 4, ENEURO.0008-17.2017.	1.9	49

#	Article	IF	Citations
19	Upregulation of the sodium channel NaV $\hat{I}^2$ 4 subunit and its contributions to mechanical hypersensitivity and neuronal hyperexcitability in a rat model of radicular pain induced by local dorsal root ganglion inflammation. Pain, 2016, 157, 879-891.	4.2	34
20	Localized Sympathectomy Reduces Mechanical Hypersensitivity by Restoring Normal Immune Homeostasis in Rat Models of Inflammatory Pain. Journal of Neuroscience, 2016, 36, 8712-8725.	3.6	36
21	Mineralocorticoid Receptor, A Promising Target for Improving Management of Low Back Pain by Epidural Steroid Injections. Journal of Anesthesia and Perioperative Medicine, 2016, 3, 177-184.	0.2	4
22	Nav $\hat{l}^2$ 4 Regulates Fast Resurgent Sodium Currents and Excitability in Sensory Neurons. Molecular Pain, 2015, 11, s12990-015-0063.	2.1	40
23	5-HTTLPR Genotype Moderates the Effects of Past Ecstasy Use on Verbal Memory Performance in Adolescent and Emerging Adults: A Pilot Study. PLoS ONE, 2015, 10, e0134708.	2.5	4
24	Blocking the Mineralocorticoid Receptor Improves Effectiveness of Steroid Treatment for Low Back Pain in Rats. Anesthesiology, 2014, 121, 632-643.	2.5	21
25	Preclinical Studies of Low Back Pain. Molecular Pain, 2013, 9, 1744-8069-9-17.	2.1	28
26	Serotonin transporter gene moderates associations between mood, memory and hippocampal volume. Behavioural Brain Research, 2013, 242, 158-165.	2.2	30
27	Knockdown of sodium channel NaV1.6 blocks mechanical pain and abnormal bursting activity of afferent neurons in inflamed sensory ganglia. Pain, 2013, 154, 1170-1180.	4.2	67
28	Knockdown of the sphingosine-1-phosphate receptor S1PR1reduces pain behaviors induced by local inflammation of the rat sensory ganglion. Neuroscience Letters, 2012, 515, 61-65.	2.1	32
29	Increased function of the TRPV1 channel in small sensory neurons after local inflammation or in vitro exposure to the pro-inflammatory cytokine GRO/KC. Neuroscience Bulletin, 2012, 28, 155-164.	2.9	39
30	Mineralocorticoid Receptor Blocker Eplerenone Reduces Pain Behaviors <i>In Vivo</i> Â and Decreases Excitability in Small-diameter Sensory Neurons from Local Inflamed Dorsal Root Ganglia <i>In Vitro</i> À. Anesthesiology, 2012, 117, 1102-1112.	2.5	36
31	Microarray Analysis of Rat Sensory Ganglia after Local Inflammation Implicates Novel Cytokines in Pain. PLoS ONE, 2012, 7, e40779.	2.5	54
32	Melittin activates TRPV1 receptors in primary nociceptive sensory neurons via the phospholipase A2 cascade pathways. Biochemical and Biophysical Research Communications, 2011, 408, 32-37.	2.1	31
33	Mechanical Hypersensitivity, Sympathetic Sprouting, and Glial Activation Are Attenuated by Local Injection of Corticosteroid Near the Lumbar Ganglion in a Rat Model of Neuropathic Pain. Regional Anesthesia and Pain Medicine, 2011, 36, 56-62.	2.3	53
34	Highly Localized Interactions between Sensory Neurons and Sprouting Sympathetic Fibers Observed in a Transgenic Tyrosine Hydroxylase Reporter Mouse. Molecular Pain, 2011, 7, 1744-8069-7-53.	2.1	32
35	Increased excitability and spontaneous activity of rat sensory neurons following in vitro stimulation of sympathetic fiber sprouts in the isolated dorsal root ganglion. Pain, 2010, 151, 447-459.	4.2	53
36	Relationship between the serotonin transporter polymorphism and obsessive–compulsive alcohol craving in alcohol-dependent adults: a pilot study. Alcohol, 2010, 44, 401-406.	1.7	16

#	Article	IF	CITATIONS
37	NF-κB Mediated Enhancement of Potassium Currents by the Chemokine CXCL1/Growth Related Oncogene in Small Diameter Rat Sensory Neurons. Molecular Pain, 2009, 5, 1744-8069-5-26.	2.1	43
38	The Chemokine CXCL1/Growth Related Oncogene Increases Sodium Currents and Neuronal Excitability in Small Diameter Sensory Neurons. Molecular Pain, 2008, 4, 1744-8069-4-38.	2.1	120
39	Recent evidence for activity-dependent initiation of sympathetic sprouting and neuropathic pain. Acta Physiologica Sinica, 2008, 60, 617-27.	0.5	12
40	Systemic Antiinflammatory Corticosteroid Reduces Mechanical Pain Behavior, Sympathetic Sprouting, and Elevation of Proinflammatory Cytokines in a Rat Model of Neuropathic Pain. Anesthesiology, 2007, 107, 469-477.	2.5	91
41	Local Inflammation in Rat Dorsal Root Ganglion Alters Excitability and Ion Currents in Small-diameter Sensory Neurons. Anesthesiology, 2007, 107, 322-332.	2.5	53
42	Paradoxical effects of very low dose MK-801. European Journal of Pharmacology, 2006, 537, 77-84.	3.5	12
43	Genotype and smoking history affect risk of levodopa-induced dyskinesias in Parkinson's disease. Movement Disorders, 2006, 21, 654-659.	3.9	66
44	RSEP1is a novel gene with functional involvement in neuropathic pain behaviour. European Journal of Neuroscience, 2005, 22, 1090-1096.	2.6	7
45	Bimodal effects of MK-801 on locomotion and stereotypy in C57BL/6 mice. Psychopharmacology, 2005, 177, 256-263.	3.1	62
46	Neuropathic pain: Early spontaneous afferent activity is the trigger. Pain, 2005, 116, 243-256.	4.2	173
47	Function of Î <sup>3</sup> -Aminobutyric Acid Receptor/Channel ÏI Subunits In Spinal Cord. Journal of Biological Chemistry, 2003, 278, 48321-48329.	3.4	39
48	Modulatory Effects of Myomodulin on the Excitability and Membrane Currents in Retzius Cells of the Leech. Journal of Neurophysiology, 1999, 82, 216-225.	1.8	13
49	Endomorphins fully activate a cloned human mu opioid receptor. FEBS Letters, 1998, 439, 152-156.	2.8	49
50	Single-nucleotide polymorphism in the human mu opioid receptor gene alters $\hat{l}^2$ -endorphin binding and activity: Possible implications for opiate addiction. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 9608-9613.	7.1	1,075
51	Luteinizing Hormone Activates Chloride Currents in Hen Ovarian Granulosa Cells. Comparative Biochemistry and Physiology A, Comparative Physiology, 1997, 116, 361-368.	0.6	19
52	The weaver mutation changes the ion selectivity of the affected inwardly rectifying potassium channel GIRK2. FEBS Letters, 1996, 390, 63-68.	2.8	50
53	FMRF-amide modulates the electrical activity of the leech Retzius cell. Neuroscience Letters, 1993, 164, 37-40.	2.1	13
54	Bovine serum albumin enhances calcium currents in chicken granulosa cells. Molecular and Cellular Endocrinology, 1993, 94, 27-36.	3.2	14

# ARTICLE IF CITATIONS

The Sympathetic Nervous System and Pain., 0,, 156-178.

3