List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2092467/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dissecting ultra-processed foods and drinks: Do they have a potential to impact the brain?. Reviews in Endocrine and Metabolic Disorders, 2022, 23, 697-717.	5.7	13
2	A restricted cafeteria diet ameliorates biometric and metabolic profile in a rat diet-induced obesity model. International Journal of Food Sciences and Nutrition, 2021, 72, 767-780.	2.8	9
3	Chronic Effect of a Cafeteria Diet and Intensity of Resistance Training on the Circulating Lysophospholipidome in Young Rats. Metabolites, 2021, 11, 471.	2.9	1
4	Behavioral and Metabolic Effects of a Calorie-Restricted Cafeteria Diet and Oleuropein Supplementation in Obese Male Rats. Nutrients, 2021, 13, 4474.	4.1	6
5	Slow and Fast Neocortical Oscillations in the Senescence-Accelerated Mouse Model SAMP8. Frontiers in Aging Neuroscience, 2017, 9, 141.	3.4	22
6	Impact of a cafeteria diet and daily physical training on the rat serum metabolome. PLoS ONE, 2017, 12, e0171970.	2.5	18
7	Treadmill Intervention Attenuates the Cafeteria Diet-Induced Impairment of Stress-Coping Strategies in Young Adult Female Rats. PLoS ONE, 2016, 11, e0153687.	2.5	18
8	Long-term moderate treadmill exercise promotes stress-coping strategies in male and female rats. Scientific Reports, 2015, 5, 16166.	3.3	35
9	Voluntary Exercise Promotes Beneficial Anti-aging Mechanisms in SAMP8 Female Brain. Journal of Molecular Neuroscience, 2015, 55, 525-532.	2.3	28
10	Epigenetic alterations in hippocampus of SAMP8 senescent mice and modulation by voluntary physical exercise. Frontiers in Aging Neuroscience, 2014, 6, 51.	3.4	65
11	Effects Of A Post-Weaning Cafeteria Diet In Young Rats: Metabolic Syndrome, Reduced Activity And Low Anxiety-Like Behaviour. PLoS ONE, 2014, 9, e85049.	2.5	76
12	Rcor2 underexpression in senescent mice: a target for inflammaging?. Journal of Neuroinflammation, 2014, 11, 126.	7.2	17
13	Long-term wheel running changes on sensorimotor activity and skeletal muscle in male and female mice of accelerated senescence. Age, 2014, 36, 9697.	3.0	8
14	Wnt pathway regulation by long-term moderate exercise in rat hippocampus. Brain Research, 2014, 1543, 38-48.	2.2	52
15	Long-Term Exercise Modulates Hippocampal Gene Expression in Senescent Female Mice. Journal of Alzheimer's Disease, 2013, 33, 1177-1190.	2.6	42
16	Physiological and behavioural consequences of long-term moderate treadmill exercise. Psychoneuroendocrinology, 2012, 37, 1745-1754.	2.7	30
17	LMN diet, rich in polyphenols and polyunsaturated fatty acids, improves mouse cognitive decline associated with aging and Alzheimer's disease. Behavioural Brain Research, 2012, 228, 261-271.	2.2	54
18	Long-term physical exercise induces changes in sirtuin 1 pathway and oxidative parameters in adult rat tissues. Experimental Gerontology, 2012, 47, 925-935.	2.8	58

#	Article	IF	CITATIONS
19	7,8â€dihydroxyflavone, a TrkB receptor agonist, blocks longâ€ŧerm spatial memory impairment caused by immobilization stress in rats. Hippocampus, 2012, 22, 399-408.	1.9	102
20	Neurophysiological and epigenetic effects of physical exercise on the aging process. Ageing Research Reviews, 2011, 10, 475-486.	10.9	98
21	Long-term treadmill exercise induces neuroprotective molecular changes in rat brain. Journal of Applied Physiology, 2011, 111, 1380-1390.	2.5	83
22	How we train undergraduate medical students in decoding patients' nonverbal clues. Medical Teacher, 2011, 33, 804-807.	1.8	11
23	New indices for quantification of the power spectrum of heart rate variability time series without the need of any frequency band definition. Physiological Measurement, 2011, 32, 995-1009.	2.1	4
24	Enduring effects of environmental enrichment from weaning to adulthood on pituitary-adrenal function, pre-pulse inhibition and learning in male and female rats. Psychoneuroendocrinology, 2009, 34, 1390-1404.	2.7	91
25	Highâ€fat diet induced adiposity and insulin resistance in mice lacking the myotonic dystrophy protein kinase. FEBS Letters, 2009, 583, 2121-2125.	2.8	9
26	Long-term neuroendocrine and behavioural effects of a single exposure to stress in adult animals. Neuroscience and Biobehavioral Reviews, 2008, 32, 1121-1135.	6.1	130
27	Litter size affects emotionality in adult male rats. Physiology and Behavior, 2007, 92, 708-716.	2.1	58
28	Environmental enrichment effects in social investigation in rats are gender dependent. Behavioural Brain Research, 2006, 174, 181-187.	2.2	88
29	Consequences of eliminating adenosine A1receptors in mice. Drug Development Research, 2003, 58, 350-353.	2.9	0
30	Fearfulness and sex in F2 Roman rats: males display more fear though both sexes share the same fearfulness traits. Physiology and Behavior, 2003, 78, 723-732.	2.1	84
31	A Quantitative Trait Locus Influencing Anxiety in the Laboratory Rat. Genome Research, 2002, 12, 618-626.	5.5	133
32	Learned fear, emotional reactivity and fear of heights: a factor analytic map from a large F2 intercross of Roman rat strains. Brain Research Bulletin, 2002, 57, 17-26.	3.0	66
33	Enduring effects of environmental enrichment on novelty seeking, saccharin and ethanol intake in two rat lines (RHA/Verh and RLA/Verh) differing in incentive-seeking behavior. Pharmacology Biochemistry and Behavior, 2002, 73, 225-231.	2.9	112
34	Early-life handling stimulation and environmental enrichment. Pharmacology Biochemistry and Behavior, 2002, 73, 233-245.	2.9	152
35	Mice lacking the adenosine A <sub>1</sub> receptor are anxious and aggressive, but are normal learners with reduced muscle strength and survival rate. European Journal of Neuroscience, 2002, 16, 547-550.	2.6	169
36	Differences between two psychogenetically selected lines of rats in a swimming pool matching-to-place task: long-term effects of infantile stimulation. Behavior Genetics, 2002, 32, 127-134.	2.1	32

#	Article	IF	CITATIONS
37	Transmembrane signaling through phospholipase C in cortical and hippocampal membranes of psychogenetically selected rat lines. Psychopharmacology, 2001, 154, 115-125.	3.1	19
38	Hyperalgesia, anxiety, and decreased hypoxic neuroprotection in mice lacking the adenosine A <sub>1</sub> receptor. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 9407-9412.	7.1	479
39	Differential effects of cohort removal stress on the acoustic startle response of the Roman/Verh rat strains. Behavior Genetics, 2000, 30, 71-75.	2.1	22
40	Inbred Roman High- and Low-Avoidance Rats. Physiology and Behavior, 1999, 67, 19-26.	2.1	204
41	Genetic Selection and Differential Stress Responses: The Roman Lines/Strains of Rats. Annals of the New York Academy of Sciences, 1998, 851, 501-510.	3.8	136
42	Pharmacological properties of the GABAA receptor complex from brain regions of (hypoemotional) Roman high- and (hyperemotional) low-avoidance rats. European Journal of Pharmacology, 1998, 354, 91-97.	3.5	15
43	Impaired short- and long-term memory in Ts65Dn mice, a model for Down syndrome. Neuroscience Letters, 1998, 247, 171-174.	2.1	149
44	Longâ€ŧerm behavioural and neuroendocrine changes in roman HIGHâ€(RHA/Verh) and LOWâ€(RLAâ€Verh) avoidance rats following neonatal handling. International Journal of Developmental Neuroscience, 1998, 16, 165-174.	1.6	67
45	Neonatal handling and environmental enrichment effects on emotionality, novelty/reward seeking, and age-related cognitive and hippocampal impairments: focus on the Roman rat lines. Behavior Genetics, 1997, 27, 513-526.	2.1	189
46	Labyrinth exploration, emotional reactivity, and conditioned fear in young Roman/Verh inbred rats. Behavior Genetics, 1997, 27, 573-578.	2.1	34
47	Modeling emotional reactivity and sensation/novelty seeking with the Roman/Verh rat lines/strains: an introduction. Behavior Genetics, 1997, 27, 499-501.	2.1	9
48	Effects of Postnatal Handling of Rats on Emotional, HPA-Axis, and Prolactin Reactivity to Novelty and Conflict. Physiology and Behavior, 1996, 60, 1355-1359.	2.1	111
49	Evaluation of perinatal flumazenil effects on the behavior of female RLA/Verh rats in anxiety tests and shuttle box avoidance. Pharmacology Biochemistry and Behavior, 1996, 55, 475-480.	2.9	4
50	Effects of prenatal diazepam on two-way avoidance behavior, swimming navigation and brain levels of benzodiazepine-like molecules in male roman high- and low-avoidance rats. Psychopharmacology, 1995, 122, 51-57.	3.1	26
51	Effects of training, early handling, and perinatal flumazenil on shuttle box acquisition in Roman low-avoidance rats: Toward overcoming a genetic deficit. Neuroscience and Biobehavioral Reviews, 1995, 19, 353-367.	6.1	73
52	Postnatal handling reduces anxiety as measured by emotionality rating and hyponeophagia tests in female rats. Pharmacology Biochemistry and Behavior, 1995, 51, 199-203.	2.9	52
53	Environmental enrichment and postnatal handling prevent spatial learning deficits in aged hypoemotional (Roman high-avoidance) and hyperemotional (Roman low-avoidance) rats Learning and Memory, 1995, 2, 40-48.	1.3	85
54	A behavioral assessment of Ts65Dn mice: a putative Down syndrome model. Neuroscience Letters, 1995, 199, 143-146.	2.1	233

#	Article	IF	CITATIONS
55	Postnatal handling reduces emotionality ratings and accelerates two-way active avoidance in female rats. Physiology and Behavior, 1995, 57, 831-835.	2.1	77
56	Behavior of the Roman/Verh high- and low-avoidance rat lines in anxiety tests: relationship with defecation and self-grooming. Physiology and Behavior, 1995, 58, 1209-1213.	2.1	101
57	Early Environmental Stimulation Produces Long-Lasting Changes on Î <sup>2</sup> -Adrenoceptor Transduction System. Neurobiology of Learning and Memory, 1995, 64, 49-57.	1.9	60
58	Evaluating activity and emotional reactivity in a hexagonal tunnel maze: Correlational and factorial analysis from a study with the Roman/Verh rat lines. Behavior Genetics, 1994, 24, 419-425.	2.1	12
59	Differential interactions between ethanol and Ro 15-4513 on two anxiety tests in rats. Pharmacology Biochemistry and Behavior, 1994, 47, 147-151.	2.9	18
60	Anxiolytic profiles of alprazolam and ethanol in the elevated plus-maze test and the early acquisition of shuttlebox avoidance. Pharmacological Research, 1994, 29, 37-46.	7.1	30
61	Struggling and Flumazenil Effects in the Swimming Test Are Related to the Level of Anxiety in Mice. Neuropsychobiology, 1994, 29, 23-27.	1.9	21
62	GABAergic and dopaminergic transmission in the brain of Roman high-avoidance and Roman low-avoidance rats. Brain Research, 1994, 638, 133-138.	2.2	57
63	Environmental enrichment reverses the detrimental action of early inconsistent stimulation and increases the beneficial effects of postnatal handling on shuttlebox learning in adult rats. Behavioural Brain Research, 1994, 61, 169-173.	2.2	86
64	Postnatal handling, perinatal flumazenil, and adult behavior of the Roman rat lines. Pharmacology Biochemistry and Behavior, 1993, 44, 783-789.	2.9	16
65	Flumazenil Prevents the Anxiolytic Effects of Diazepam, Alprazolam and Adinazolam on the Early Acquisition of Two-Way Active Avoidance. Pharmacological Research, 1993, 28, 53-58.	7.1	31
66	Limits of habituation and extinction: implications for relapse prevention programs in addictions. Drug and Alcohol Dependence, 1993, 32, 209-217.	3.2	20
67	Early stimulation effects on novelty-induced behavior in two psychogenetically-selected rat lines with divergent emotionality profiles. Neuroscience Letters, 1992, 137, 185-188.	2.1	94
68	Two-way active avoidance as an animal model of anxiety: Negative correlation between plasma-corticosterone levels and avoidance performance. Pharmacological Research, 1992, 25, 5-6.	7.1	8
69	Effects of early stimulation and/or perinatal flumazenil on emotional behavior of two psychogenetically-selected rat lines with divergent emotionality profiles. Pharmacological Research, 1992, 25, 27-28.	7.1	3
70	Differential effects of early stimulation and/or perinatal flumazenil treatment in young Roman low- and high-avoidance rats. Psychopharmacology, 1992, 108, 170-176.	3.1	40
71	Infantile stimulation and the role of the benzodiazepine receptor system in adult acquisition of two-way avoidance behavior. Psychopharmacology, 1992, 106, 282-284.	3.1	17
72	Infantile (handling) stimulation and behavior in young Roman high- and low-avoidance rats. Physiology and Behavior, 1991, 50, 563-565.	2.1	71

#	Article	IF	CITATIONS
73	Beneficial effects of infantile stimulation on coping (avoidance) behavior in rats are prevented by perinatal blockade of benzodiazepine receptors with Ro 15-1788. Neuroscience Letters, 1991, 126, 45-48.	2.1	27
74	Effects of different handling-stimulation procedures and benzodiazepines on two-way active avoidance acquisition in rats. Pharmacological Research, 1991, 24, 273-282.	7.1	39
75	The early acquisition of two-way (shuttle-box) avoidance as an anxiety-mediated behavior: Psychopharmacological validation. Brain Research Bulletin, 1991, 26, 173-176.	3.0	119
76	Stress and putative endogenous ligands for benzodiazepine receptors: The importance of characteristics of the aversive situation and of differential emotionality in experimental animals. Experientia, 1991, 47, 1051-1056.	1.2	41
77	Imipramine and Desipramine Decrease the GABA-Stimulated Chloride Uptake, and Antigabaergic Agents Enhance Their Action in the Forced Swimming Test in Rats. Neuropsychobiology, 1990, 23, 147-152.	1.9	17
78	Picrotoxin changes the effects of imipramine and desipramine in rats in the forced swimming test. European Journal of Pharmacology, 1990, 181, 35-41.	3.5	10