Li Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2094412/publications.pdf

Version: 2024-02-01

430874 395702 1,688 36 18 33 citations h-index g-index papers 41 41 41 3624 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Small Molecules Efficiently Reprogram Human Astroglial Cells into Functional Neurons. Cell Stem Cell, 2015, 17, 735-747.	11.1	250
2	DNA N6-methyladenine is dynamically regulated in the mouse brain following environmental stress. Nature Communications, 2017, 8 , 1122 .	12.8	182
3	GMPR: A robust normalization method for zero-inflated count data with application to microbiome sequencing data. PeerJ, 2018, 6, e4600.	2.0	168
4	Molecular signatures associated with ZIKV exposure in human cortical neural progenitors. Nucleic Acids Research, 2016, 44, 8610-8620.	14.5	155
5	Tet2 loss leads to hypermutagenicity in haematopoietic stem/progenitor cells. Nature Communications, 2017, 8, 15102.	12.8	88
6	Combined Loss of Tet1 and Tet2 Promotes B Cell, but Not Myeloid Malignancies, in Mice. Cell Reports, 2015, 13, 1692-1704.	6.4	83
7	Ten-eleven translocation 2 interacts with forkhead box O3 and regulates adult neurogenesis. Nature Communications, 2017, 8, 15903.	12.8	82
8	DIVAN: accurate identification of non-coding disease-specific risk variants using multi-omics profiles. Genome Biology, 2016, 17, 252.	8.8	67
9	Altering 5-hydroxymethylcytosine modification impacts ischemic brain injury. Human Molecular Genetics, 2015, 24, 5855-5866.	2.9	57
10	A Bayesian mixture model for clustering droplet-based single-cell transcriptomic data from population studies. Nature Communications, 2019, 10, 1649.	12.8	56
11	A novel statistical method for quantitative comparison of multiple ChIP-seq datasets. Bioinformatics, 2015, 31, 1889-1896.	4.1	48
12	Genome-wide alterations in hippocampal 5-hydroxymethylcytosine links plasticity genes to acute stress. Neurobiology of Disease, 2016, 86, 99-108.	4.4	48
13	Ten-Eleven Translocation Proteins Modulate the Response to Environmental Stress in Mice. Cell Reports, 2018, 25, 3194-3203.e4.	6.4	46
14	Predictive Modeling of Microbiome Data Using a Phylogeny-Regularized Generalized Linear Mixed Model. Frontiers in Microbiology, 2018, 9, 1391.	3.5	35
15	Combined use of spatial restraint stress and middle cerebral artery occlusion is a novel model of post-stroke depression in mice. Scientific Reports, 2015, 5, 16751.	3.3	32
16	Destin: toolkit for single-cell analysis of chromatin accessibility. Bioinformatics, 2019, 35, 3818-3820.	4.1	26
17	5-Hydroxymethylcytosine-mediated alteration of transposon activity associated with the exposure to adversein uteroenvironments in human. Human Molecular Genetics, 2016, 25, 2208-2219.	2.9	25
18	Sex-specific hippocampal 5-hydroxymethylcytosine is disrupted in response to acute stress. Neurobiology of Disease, 2016, 96, 54-66.	4.4	24

#	Article	IF	CITATIONS
19	Genome-wide circadian rhythm detection methods: systematic evaluations and practical guidelines. Briefings in Bioinformatics, 2021, 22, .	6.5	24
20	5-hydroxymethylcytosine is dynamically regulated during forebrain organoid development and aberrantly altered in Alzheimer's disease. Cell Reports, 2021, 35, 109042.	6.4	24
21	traseR: an R package for performing trait-associated SNP enrichment analysis in genomic intervals. Bioinformatics, 2016, 32, 1214-1216.	4.1	23
22	A Phylogeny-Regularized Sparse Regression Model for Predictive Modeling of Microbial Community Data. Frontiers in Microbiology, 2018, 9, 3112.	3.5	20
23	National trends in prescription proton pump inhibitor use and expenditure in the United States in 2002-2017. Journal of the American Pharmacists Association: JAPhA, 2021, 61, 87-94.e7.	1.5	19
24	A novel deep learning method for predictive modeling of microbiome data. Briefings in Bioinformatics, 2021, 22, .	6.5	18
25	circMeta: a unified computational framework for genomic feature annotation and differential expression analysis of circular RNAs. Bioinformatics, 2020, 36, 539-545.	4.1	17
26	Accurate identification of circRNA landscape and complexity reveals their pivotal roles in human oligodendroglia differentiation. Genome Biology, 2022, 23, 48.	8.8	14
27	Ethnicity-specific and overlapping alterations of brain hydroxymethylome in Alzheimer's disease. Human Molecular Genetics, 2020, 29, 149-158.	2.9	11
28	Using DIVAN to assess disease/trait-associated single nucleotide variants in genome-wide scale. BMC Research Notes, 2017, 10, 530.	1.4	10
29	In vitro and ex vivo gene expression profiling reveals differential kinetic response of HSPs and UPR genes is associated with PI resistance in multiple myeloma. Blood Cancer Journal, 2020, 10, 78.	6.2	9
30	Exploiting deep transfer learning for the prediction of functional non-coding variants using genomic sequence. Bioinformatics, 2022, 38, 3164-3172.	4.1	9
31	powmic: an R package for power assessment in microbiome case–control studies. Bioinformatics, 2020, 36, 3563-3565.	4.1	7
32	WEVar: a novel statistical learning framework for predicting noncoding regulatory variants. Briefings in Bioinformatics, 2021, 22, .	6.5	5
33	Generic levothyroxine initiation and substitution among Medicare and Medicaid populations: a new user cohort study. Endocrine, 2020, 68, 336-348.	2.3	3
34	Application of topic models to a compendium of ChIP-Seq datasets uncovers recurrent transcriptional regulatory modules. Bioinformatics, 2020, 36, 2352-2358.	4.1	2
35	Abstract LB-266: A novel computational combination-therapy prediction algorithm (secDrug) identifies the Nampt inhibitor FK866 reverses PI-resistant multiple myeloma., 2019,,.		0
36	Abstract 2947: Discovering novel secondary drug combinations in sex hormone-related cancers using large-scale pharmacogenomics databases through computational modeling and molecular genetics. , 2019, , .		0