

Cheng Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2096997/publications.pdf>

Version: 2024-02-01

89
papers

3,154
citations

159585

30
h-index

175258

52
g-index

92
all docs

92
docs citations

92
times ranked

3039
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhancing the healing ability and charge transport thermal stability of a diketopyrrolopyrrole based conjugated polymer by incorporating coumarin groups in the side chains. <i>Journal of Polymer Science</i> , 2022, 60, 517-524.	3.8	7
2	New near-infrared absorbing conjugated electron donor-acceptor molecules with a fused tetrathiafulvalene-naphthalene diimide framework. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2814-2820.	5.5	4
3	Self-assembled porphyrin polymer nanoparticles with NIR-II emission and highly efficient photothermal performance in cancer therapy. <i>Materials Today Bio</i> , 2022, 13, 100198.	5.5	28
4	A perylene five-membered ring diimide for organic semiconductors and π -expanded conjugated molecules. <i>Chemical Communications</i> , 2022, 58, 5100-5103.	4.1	9
5	Enhancement of the Thermoelectric Performance of <i>n</i> -Type Naphthalene Diimide-Based Conjugated Polymer by Engineering of Side Alkyl Chains. , 2022, 4, 521-527.		9
6	A Dual Functional Diketopyrrolopyrrole-Based Conjugated Polymer as Single Component Semiconducting Photoresist by Appending Azide Groups in the Side Chains. <i>Advanced Science</i> , 2022, 9, e2106087.	11.2	15
7	Double-Cable Conjugated Polymers with Pendant Rylene Diimides for Single-Component Organic Solar Cells. <i>Accounts of Chemical Research</i> , 2021, 54, 2227-2237.	15.6	67
8	Oxidase Mimetic Activity of a Metalloporphyrin-Containing Porous Organic Polymer and Its Applications for Colorimetric Detection of Both Ascorbic Acid and Glutathione. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 5412-5421.	6.7	58
9	An Efficient Diazirine-Based Four-Armed Cross-Linker for Photo-patterning of Polymeric Semiconductors. <i>Angewandte Chemie</i> , 2021, 133, 21691-21698.	2.0	3
10	An Efficient Diazirine-Based Four-Armed Cross-Linker for Photo-patterning of Polymeric Semiconductors. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 21521-21528.	13.8	27
11	Incorporation of hydrogen-bonding units into polymeric semiconductors toward boosting charge mobility, intrinsic stretchability, and self-healing ability. <i>SmartMat</i> , 2021, 2, 347-366.	10.7	37
12	Revealing the Side-Chain-Dependent Ordering Transition of Highly Crystalline Double-Cable Conjugated Polymers. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 25499-25507.	13.8	31
13	Revealing the Side-Chain-Dependent Ordering Transition of Highly Crystalline Double-Cable Conjugated Polymers. <i>Angewandte Chemie</i> , 2021, 133, 25703-25711.	2.0	3
14	Efficient N_2 reduction with the VS_2 electrocatalyst: identifying the active sites and unraveling the reaction pathway. <i>Journal of Materials Chemistry A</i> , 2021, 9, 24985-24992.	10.3	12
15	Enhanced Electrocatalytic Oxidation of Formate via Introducing Surface Reactive Oxygen Species to a CeO_2 Substrate. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 51643-51651.	8.0	14
16	Cobalt-Doped Carbon Quantum Dots with Peroxidase-Mimetic Activity for Ascorbic Acid Detection through Both Fluorometric and Colorimetric Methods. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49453-49461.	8.0	59
17	Ternary organic solar cells based on polymer donor, polymer acceptor and PCBM components. <i>Chinese Chemical Letters</i> , 2020, 31, 865-868.	9.0	38
18	End Group Engineering on the Side Chains of Conjugated Polymers toward Efficient Non-Fullerene Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 6151-6158.	8.0	16

#	ARTICLE	IF	CITATIONS
19	Gd (III) DOTA-Functionalized Phthalocyanine Nanodots for Magnetic Resonance Imaging and Photothermal/Photodynamic Therapy. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000713.	3.7	7
20	A Naphthalenediimide-Based Polymer Acceptor with Multidirectional Orientations via Double-Cable Design. <i>Macromolecules</i> , 2020, 53, 9279-9286.	4.8	2
21	Miscibility-Controlled Phase Separation in Double-Cable Conjugated Polymers for Single-Component Organic Solar Cells with Efficiencies over 8%. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21683-21692.	13.8	82
22	Miscibility-Controlled Phase Separation in Double-Cable Conjugated Polymers for Single-Component Organic Solar Cells with Efficiencies over 8%. <i>Angewandte Chemie</i> , 2020, 132, 21867-21876.	2.0	18
23	Single-crystal field-effect transistors based on a fused-ring electron acceptor with high ambipolar mobilities. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5370-5374.	5.5	57
24	Non-fullerene organic solar cells based on a BODIPY-polymer as electron donor with high photocurrent. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2232-2237.	5.5	23
25	A selenophene substituted double-cable conjugated polymer enables efficient single-component organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2790-2797.	5.5	29
26	Realizing lamellar nanophase separation in a double-cable conjugated polymer via a solvent annealing process. <i>Polymer Chemistry</i> , 2019, 10, 4584-4592.	3.9	22
27	Thermal-Driven Phase Separation of Double-Cable Polymers Enables Efficient Single-Component Organic Solar Cells. <i>Joule</i> , 2019, 3, 1765-1781.	24.0	124
28	Crystalline Cooperativity of Donor and Acceptor Segments in Double-Cable Conjugated Polymers toward Efficient Single-Component Organic Solar Cells. <i>Angewandte Chemie</i> , 2019, 131, 15678-15686.	2.0	11
29	Crystalline Cooperativity of Donor and Acceptor Segments in Double-Cable Conjugated Polymers toward Efficient Single-Component Organic Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15532-15540.	13.8	53
30	Small Band gap Boron Dipyromethene-Based Conjugated Polymers for All-Polymer Solar Cells: The Effect of Methyl Units. <i>Macromolecules</i> , 2019, 52, 8367-8373.	4.8	18
31	Efficient DPP Donor and Nonfullerene Acceptor Organic Solar Cells with High Photon-to-Current Ratio and Low Energetic Loss. <i>Advanced Functional Materials</i> , 2019, 29, 1902441.	14.9	43
32	Conjugated molecular dyads with diketopyrrolopyrrole-based conjugated backbones for single-component organic solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 1565-1573.	5.9	21
33	Correlating crystallinity to photovoltaic performance in single-component organic solar cells via conjugated backbone engineering. <i>Dyes and Pigments</i> , 2019, 170, 107575.	3.7	14
34	Improving Electron Transport in a Double-Cable Conjugated Polymer via Parallel Perylenetriimide Design. <i>Macromolecules</i> , 2019, 52, 3689-3696.	4.8	32
35	Benzodithiophene-Fused Perylene Bisimides as Electron Acceptors for Non-Fullerene Organic Solar Cells with High Open-Circuit Voltage. <i>ChemPhysChem</i> , 2019, 20, 2696-2701.	2.1	5
36	A diketopyrrolopyrrole-based macrocyclic conjugated molecule for organic electronics. <i>Journal of Materials Chemistry C</i> , 2019, 7, 3802-3810.	5.5	21

#	ARTICLE	IF	CITATIONS
37	Boosting the Performance of Non-Fullerene Organic Solar Cells via Cross-Linked Donor Polymers Design. <i>Macromolecules</i> , 2019, 52, 2214-2221.	4.8	26
38	Flexible Artificial Solid Electrolyte Interphase Formed by 1,3-Dioxolane Oxidation and Polymerization for Metallic Lithium Anodes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 2479-2489.	8.0	40
39	Crystalline Conjugated Polymers for Organic Solar Cells: From Donor, Acceptor to Single-Component. <i>Chemical Record</i> , 2019, 19, 962-972.	5.8	36
40	Simple non-fullerene electron acceptors with unfused core for organic solar cells. <i>Chinese Chemical Letters</i> , 2019, 30, 222-224.	9.0	31
41	An Isoindigo-Based "Double-Cable" Conjugated Polymer for Single-Component Polymer Solar Cells. <i>Chinese Journal of Chemistry</i> , 2018, 36, 515-518.	4.9	26
42	Small bandgap porphyrin-based polymer acceptors for non-fullerene organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 717-721.	5.5	22
43	A new strategy for designing polymer electron acceptors: electron-rich conjugated backbone with electron-deficient side units. <i>Science China Chemistry</i> , 2018, 61, 824-829.	8.2	34
44	Ethynyl-linked perylene bisimide based electron acceptors for non-fullerene organic solar cells. <i>Chinese Chemical Letters</i> , 2018, 29, 325-327.	9.0	22
45	Multifunctional Diketopyrrolopyrrole-Based Conjugated Polymers with Perylene Bisimide Side Chains. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1700611.	3.9	24
46	A near-infrared porphyrin-based electron acceptor for non-fullerene organic solar cells. <i>Chinese Chemical Letters</i> , 2018, 29, 371-373.	9.0	26
47	A Simple, Small-Bandgap Porphyrin-Based Conjugated Polymer for Application in Organic Electronics. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800546.	3.9	7
48	Effect of Side Groups on the Photovoltaic Performance Based on Porphyrin-Perylene Bisimide Electron Acceptors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32454-32461.	8.0	21
49	Low dark current broadband 360-1650 nm ITO/Ag/n-Si Schottky photodetectors. <i>Optics Express</i> , 2018, 26, 5827.	3.4	20
50	Star-Shaped Electron Acceptor based on Naphthalenediimide-Porphyrin for Non-Fullerene Organic Solar Cells. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2018, 34, 344-347.	4.9	19
51	An Electron Acceptor with Porphyrin and Perylene Bisimides for Efficient Non-Fullerene Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 2694-2698.	13.8	232
52	An Electron Acceptor with Porphyrin and Perylene Bisimides for Efficient Non-Fullerene Solar Cells. <i>Angewandte Chemie</i> , 2017, 129, 2738-2742.	2.0	28
53	Non-fullerene organic solar cells based on diketopyrrolopyrrole polymers as electron donors and ITIC as an electron acceptor. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 8069-8075.	2.8	31
54	Abstract: An Electron Acceptor with Porphyrin and Perylene Bisimides for Efficient Non-Fullerene Solar Cells (<i>Angew. Chem.</i> 10/2017). <i>Angewandte Chemie</i> , 2017, 129, 2850-2850.	2.0	0

#	ARTICLE	IF	CITATIONS
55	Halogenated conjugated molecules for ambipolar field-effect transistors and non-fullerene organic solar cells. <i>Materials Chemistry Frontiers</i> , 2017, 1, 1389-1395.	5.9	173
56	From Binary to Ternary: Improving the External Quantum Efficiency of Small-Molecule Acceptor-Based Polymer Solar Cells with a Minute Amount of Fullerene Sensitization. <i>Advanced Energy Materials</i> , 2017, 7, 1700328.	19.5	54
57	Enhancing the performance of non-fullerene solar cells with polymer acceptors containing large-sized aromatic units. <i>Organic Electronics</i> , 2017, 47, 133-138.	2.6	14
58	Conjugated polymer acceptors based on fused perylene bisimides with a twisted backbone for non-fullerene solar cells. <i>Polymer Chemistry</i> , 2017, 8, 3300-3306.	3.9	45
59	Diazaisoindigo bithiophene and terthiophene copolymers for application in field-effect transistors and solar cells. <i>Journal of Polymer Science Part A</i> , 2017, 55, 2691-2699.	2.3	14
60	Diketopyrrolopyrrole-Porphyrin Based Conjugated Polymers for Ambipolar Field-Effect Transistors. <i>Chemistry - an Asian Journal</i> , 2017, 12, 1861-1864.	3.3	11
61	Bisperylene bisimide based conjugated polymer as electron acceptor for polymer-polymer solar cells. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017, 35, 239-248.	3.8	49
62	Diketopyrrolopyrrole-Based Conjugated Polymers with Perylene Bisimide Side Chains for Single-Component Organic Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 7073-7077.	6.7	93
63	“Double-Cable” Conjugated Polymers with Linear Backbone toward High Quantum Efficiencies in Single-Component Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 18647-18656.	13.7	119
64	Asymmetric Diketopyrrolopyrrole Conjugated Polymers for Field-Effect Transistors and Polymer Solar Cells Processed from a Nonchlorinated Solvent. <i>Advanced Materials</i> , 2016, 28, 943-950.	21.0	155
65	Hybrid Corannulene-Perylene Dyes: Facile Synthesis and Optoelectronic Properties. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2695-2699.	3.3	21
66	Synthesis and Applications of π -Extended Naphthalene Diimides. <i>Chemical Record</i> , 2016, 16, 873-885.	5.8	23
67	All polymer solar cells with diketopyrrolopyrrole-polymers as electron donor and a naphthalenediimide-polymer as electron acceptor. <i>RSC Advances</i> , 2016, 6, 35677-35683.	3.6	22
68	A systematical investigation of non-fullerene solar cells based on diketopyrrolopyrrole polymers as electron donor. <i>Organic Electronics</i> , 2016, 35, 112-117.	2.6	16
69	A perylene bisimide derivative with a LUMO level of \sim 4.56 eV for non-fullerene solar cells. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4134-4137.	5.5	24
70	Perfluoroalkyl-substituted conjugated polymers as electron acceptors for all-polymer solar cells: the effect of diiodoperfluoroalkane additives. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7736-7745.	10.3	31
71	Effect of Fluorination on Molecular Orientation of Conjugated Polymers in High Performance Field-Effect Transistors. <i>Macromolecules</i> , 2016, 49, 6431-6438.	4.8	71
72	Enhancing the photovoltaic performance of binary acceptor-based conjugated polymers incorporating methyl units. <i>RSC Advances</i> , 2016, 6, 98071-98079.	3.6	5

#	ARTICLE	IF	CITATIONS
73	Effect of Alkyl Side Chains of Conjugated Polymer Donors on the Device Performance of Non-Fullerene Solar Cells. <i>Macromolecules</i> , 2016, 49, 6445-6454.	4.8	76
74	Methylated conjugated polymers based on diketopyrrolopyrrole and dithienothiophene for high performance field-effect transistors. <i>Organic Electronics</i> , 2016, 37, 366-370.	2.6	21
75	Diketopyrrolopyrrole Polymers with Thienyl and Thiazolyl Linkers for Application in Field-Effect Transistors and Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 30328-30335.	8.0	26
76	All-small-molecule organic solar cells based on an electron donor incorporating binary electron-deficient units. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6056-6063.	10.3	49
77	Poly(pentacyclic lactam-alt-diketopyrrolopyrrole) for field-effect transistors and polymer solar cells processed from non-chlorinated solvents. <i>Polymer Chemistry</i> , 2016, 7, 164-170.	3.9	18
78	Facile synthesis of a pyrrole-fused dibenzo[a,e]pentalene and its application as a new extended, ladder-type fused aromatic system. <i>Chemical Communications</i> , 2015, 51, 693-696.	4.1	26
79	Synthesis and Properties of Diazapentacene Diimides. <i>Asian Journal of Organic Chemistry</i> , 2014, 3, 114-117.	2.7	13
80	Synthesis and Properties of Heterocyclic Acene Diimides. <i>Organic Letters</i> , 2013, 15, 682-685.	4.6	51
81	Synthesis and Properties of Ethylene-Annulated Di(perylene diimides). <i>Organic Letters</i> , 2012, 14, 5278-5281.	4.6	43
82	Hybrid Rylene Arrays via Combination of Stille Coupling and C-H Transformation as High-Performance Electron Transport Materials. <i>Journal of the American Chemical Society</i> , 2012, 134, 5770-5773.	13.7	128
83	Fluorene-bridged polyphenylquinoxalines with high solubility and good thermal stability: Synthesis and properties. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2010, 28, 971-980.	3.8	6
84	Multi-Methyl-Substituted Polyphenylquinoxalines with High Solubility and High Glass Transition Temperatures: Synthesis and Characterization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2010, 47, 248-253.	2.2	10
85	Direct Functionalization of Polycyclic Aromatics via Radical Perfluoroalkylation. <i>Organic Letters</i> , 2010, 12, 2374-2377.	4.6	50
86	Amphiphilic fluorescent copolymers nucleotides interactions. <i>Journal of Applied Polymer Science</i> , 2007, 105, 2532-2539.	2.6	3
87	Amphiphilic copolymer with pendant pyrenebutyryl hydrazide group: Synthesis, characterization, and recognition for carbonate anion. <i>Journal of Applied Polymer Science</i> , 2006, 101, 2371-2376.	2.6	6
88	Polysiloxane resins modified by bisglycidyl calix[4]arene: Preparation, characterization, and adsorption behavior toward metal ions. <i>Journal of Applied Polymer Science</i> , 2005, 95, 1310-1318.	2.6	8
89	Thermo- and pH-Sensitivities of Thiosemicarbazone-Incorporated, Fluorescent and Amphiphilic Poly(N-isopropylacrylamide). <i>Macromolecular Chemistry and Physics</i> , 2005, 206, 1870-1877.	2.2	15