

Tilman Steinert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2102391/publications.pdf>

Version: 2024-02-01

72
papers

2,492
citations

218677

26
h-index

233421

45
g-index

125
all docs

125
docs citations

125
times ranked

1600
citing authors

#	ARTICLE	IF	CITATIONS
1	The Association between Type of Dissociation and Psychotic Experiences in a Non-Psychotic Inpatient Sample. <i>Journal of Trauma and Dissociation</i> , 2022, 23, 504-520.	1.9	1
2	“Our Patients Are Different” Predictors of Seclusion and Restraint in 31 Psychiatric Hospitals. <i>Frontiers in Psychiatry</i> , 2022, 13, 791333.	2.6	7
3	Incidents of aggression in German psychiatric hospitals: Is there an increase?. <i>PLoS ONE</i> , 2021, 16, e0245090.	2.5	15
4	Patients’ perception of coercion with respect to antipsychotic treatment of psychotic disorders and its predictors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1381-1388.	3.1	3
5	Aggressive incidents in psychiatric hospitals on heat days. <i>BJPsych Open</i> , 2021, 7, e99.	0.7	6
6	Effect of the introduction of immediate judge's decisions in 2018 on the use of coercive measures in psychiatric hospitals in Germany: a population-based study. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100233.	5.6	10
7	Incidents of aggression in German psychiatric hospitals: Is there an increase?. , 2021, 16, e0245090.		0
8	Incidents of aggression in German psychiatric hospitals: Is there an increase?. , 2021, 16, e0245090.		0
9	Incidents of aggression in German psychiatric hospitals: Is there an increase?. , 2021, 16, e0245090.		0
10	Incidents of aggression in German psychiatric hospitals: Is there an increase?. , 2021, 16, e0245090.		0
11	Victimization of People With Severe Mental Illness Outside and Within the Mental Health Care System: Results on Prevalence and Risk Factors From a Multicenter Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 563860.	2.6	21
12	Implementation of Guidelines on Prevention of Coercion and Violence (PreVCo) in Psychiatry: Study Protocol of a Randomized Controlled Trial (RCT). <i>Frontiers in Psychiatry</i> , 2020, 11, 579176.	2.6	13
13	Potential language bias in systematic reviews on the use of coercion in psychiatry. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 68-69.	4.5	4
14	Freedom Restrictive Coercive Measures in Forensic Psychiatry. <i>Frontiers in Psychiatry</i> , 2020, 11, 146.	2.6	27
15	Psychiatry needs a new paradigm. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 563-564.	4.5	2
16	Reduction of coercive measures under routine conditions in psychiatric hospitals 2004–2019: Strong effects in old age psychiatry, much less in general psychiatry. <i>European Psychiatry</i> , 2020, 63, e102.	0.2	9
17	Refusing Medication Therapy in Involuntary Inpatient Treatment—A Multiperspective Qualitative Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 295.	2.6	7
18	Physical Harm and Death in the Context of Coercive Measures in Psychiatric Patients: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2019, 10, 400.	2.6	61

#	ARTICLE	IF	CITATIONS
19	Verhinderung von Zwang. , 2019, , .		4
20	Mitarbeiterschulungen und Deeskalation. , 2019, , 85-94.		0
21	Causal connection between dissociation and ongoing interpersonal violence: A systematic review. Neuroscience and Biobehavioral Reviews, 2019, 107, 424-437.	6.1	6
22	A Systematic Review of Dissociation in Female Sex Workers. Journal of Trauma and Dissociation, 2019, 20, 242-257.	1.9	10
23	The UN Committee's interpretation of "will and preferences" can violate human rights. World Psychiatry, 2019, 18, 45-46.	10.4	7
24	Open doors by fair means: Study protocol for a 3-year prospective controlled study with a quasi-experimental design towards an open Ward policy in acute care units. BMC Psychiatry, 2019, 19, 149.	2.6	6
25	International variations in mental-health law regulating involuntary commitment of psychiatric patients as measured by the Mental Health Legislation Attitudes Scale. Medicine, Science and the Law, 2019, 59, 104-114.	1.0	9
26	Measures to Avoid Coercion in Psychiatry and Their Efficacy. Deutsches Ärztblatt International, 2019, 116, 336-343.	0.9	38
27	PrÃvention und allgemeine Rahmenbedingungen. , 2019, , 59-84.		0
28	Epidemiologie aggressiven Verhaltens in der Gesellschaft und in psychiatrischen Einrichtungen. , 2019, , 37-46.		0
29	Chance of response to an antidepressant: what should we say to the patient?. World Psychiatry, 2018, 17, 114-115.	10.4	4
30	Use of a Psychophysiological Script-driven Imagery Experiment to Study Trauma-related Dissociation in Borderline Personality Disorder. Journal of Visualized Experiments, 2018, , .	0.3	1
31	A feasibility study on violence prevention in outpatients with schizophrenia. International Journal of Law and Psychiatry, 2018, 58, 54-62.	0.9	1
32	Epileptic Seizures Under Antidepressive Drug Treatment: Systematic Review. Pharmacopsychiatry, 2018, 51, 121-135.	3.3	30
33	Clinicians should better invest in de-escalation than in fish-oil to prevent violence. Schizophrenia Research, 2018, 195, 567.	2.0	0
34	Ethics of Coercive Treatment and Misuse of Psychiatry. Psychiatric Services, 2017, 68, 291-294.	2.0	26
35	Impact of the UN convention on the rights of persons with disabilities (UN-CRPD) on mental health care research - a systematic review. BMC Psychiatry, 2016, 16, 166.	2.6	28
36	Arbitrary classification of hospital policy regarding open and locked doors. Lancet Psychiatry,the, 2016, 3, 1103.	7.4	42

#	ARTICLE	IF	CITATIONS
37	Association Between Restriction of Involuntary Medication and Frequency of Coercive Measures and Violent Incidents. <i>Psychiatric Services</i> , 2016, 67, 1315-1320.	2.0	19
38	Claim of superiority of SGA in the treatment of aggressiveness in schizophrenia is not supported by data. <i>Psychopharmacology</i> , 2016, 233, 2419-2420.	3.1	0
39	An International Perspective on the Use of Coercive Measures. , 2016, , 87-100.		7
40	Skills-based medication training program for patients with schizophrenic disorders: a rater-blind randomized controlled trial. <i>Patient Preference and Adherence</i> , 2015, 9, 541.	1.8	2
41	Involuntary Medication, Seclusion, and Restraint in German Psychiatric Hospitals after the Adoption of Legislation in 2013. <i>Frontiers in Psychiatry</i> , 2015, 6, 153.	2.6	33
42	Participating in mobility: People with schizophrenia driving motorized vehicles. <i>Psychiatry Research</i> , 2015, 228, 719-723.	3.3	8
43	One-year incidence and prevalence of seclusion: Dutch findings in an international perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1857-1869.	3.1	48
44	Zwangsmassnahmen aus der Perspektive der klinischen Psychiatrie: Evidenz und Good Clinical Practice. , 2015, , 1-18.		1
45	The Use of Coercive Interventions in Mental Health Care in Germany and the Netherlands. A Comparison of the Developments in Two Neighboring Countries. <i>Frontiers in Public Health</i> , 2014, 2, 141.	2.7	50
46	Similarities and Differences in Borderline Personality Disorder and Schizophrenia With Voice Hearing. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 544-549.	1.0	57
47	Control Beliefs, Therapeutic Relationship, and Adherence in Schizophrenia Outpatients: A Cross-sectional Study. <i>American Journal of Health Behavior</i> , 2014, 38, 914-923.	1.4	14
48	Identification of psychopathological course trajectories in schizophrenia. <i>Psychiatry Research</i> , 2014, 215, 274-279.	3.3	13
49	A bio-psycho-social model of violence related to mental health problems. <i>International Journal of Law and Psychiatry</i> , 2013, 36, 168-175.	0.9	39
50	Subjective Distress After Seclusion or Mechanical Restraint: One-Year Follow-Up of a Randomized Controlled Study. <i>Psychiatric Services</i> , 2013, 64, 1012-1017.	2.0	85
51	Effects of polypharmacy on outcome in patients with schizophrenia in routine psychiatric treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 372-381.	4.5	49
52	External Validity of Studies on Aggressive Behavior in Patients with Schizophrenia: Systematic Review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012, 8, 74-80.	1.2	8
53	A Multi-Centre Pragmatic Trial of Antipsychotic Drug Treatment. <i>European Psychiatry</i> , 2011, 26, 2203-2203.	0.2	0
54	Methodological issues in monitoring the use of coercive measures. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 429-438.	0.9	61

#	ARTICLE	IF	CITATIONS
55	A Randomized Controlled Comparison of Seclusion and Mechanical Restraint in Inpatient Settings. <i>Psychiatric Services</i> , 2011, 62, 1310-1317.	2.0	68
56	Are antipsychotics antipsychotics?. <i>Psychopharmacology</i> , 2010, 212, 117-118.	3.1	0
57	Incidence of seclusion and restraint in psychiatric hospitals: a literature review and survey of international trends. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 889-897.	3.1	300
58	Ward safety perceived by ward managers in Britain, Germany and Switzerland: identifying factors that improve ability to deal with violence. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 629-635.	2.1	18
59	Reducing Seclusion and Restraint in Mental Health Care: A European Challenge. <i>European Psychiatry</i> , 2009, 24, .	0.2	2
60	Legal provisions and practice in the management of violent patients. A case vignette study in 16 European countries. <i>European Psychiatry</i> , 2009, 24, 135-141.	0.2	85
61	Feasibility of randomized controlled trials on seclusion and mechanical restraint. <i>Clinical Trials</i> , 2008, 5, 356-363.	1.6	20
62	The use of mechanical restraint and seclusion in patients with schizophrenia: a comparison of the practice in Germany and Switzerland. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 1.	1.2	107
63	Seclusion and Restraint in Patients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 492-496.	1.0	65
64	Diagnosis-related frequency of compulsory measures in 10 German psychiatric hospitals and correlates with hospital characteristics. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 140-145.	3.1	72
65	A nurse?physician co-leadership model in psychiatric hospitals: Results of a survey among leading staff members in three sites. <i>International Journal of Mental Health Nursing</i> , 2006, 15, 251-257.	3.8	31
66	Clinical Observations of Sertindole in 53 Hospitalised Patients with Psychotic Disorders. <i>Clinical Drug Investigation</i> , 2005, 25, 79-83.	2.2	4
67	Which neuroleptic would psychiatrists take for themselves or their relatives?. <i>European Psychiatry</i> , 2003, 18, 40-41.	0.2	17
68	Prediction of inpatient violence. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 133-141.	4.5	112
69	Measurement of violence during in-patient treatment and association with psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 107-112.	4.5	78
70	How Common is Violence in Schizophrenia despite Neuroleptic Treatment?. <i>Pharmacopsychiatry</i> , 2000, 33, 98-102.	3.3	48
71	No correlation of serum cholesterol levels with measures of violence in patients with schizophrenia and non-psychotic disorders. <i>European Psychiatry</i> , 1999, 14, 346-348.	0.2	32
72	Considerable Improvement in a Case of Obsessive-compulsive Disorder in an Emotionally Unstable Personality Disorder, Borderline Type under Treatment with Clozapine. <i>Pharmacopsychiatry</i> , 1996, 29, 111-114.	3.3	19