List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2105766/publications.pdf Version: 2024-02-01



IEDZY REHNKE

| #  | Article   | IF       | CITATIONS     |
|----|---|----------|---------------|
| 1  | Parasitic nematodes of the genus <i>Syphacia</i> Seurat, 1916 infecting Cricetidae in the British Isles:<br>the enigmatic status of <i>Syphacia nigeriana</i> . Parasitology, 2022, 149, 76-94.                   | 0.7      | 2             |
| 2  | Serum Cytokine Alterations Associated with Age of Patients with Nephropathia Epidemica. BioMed<br>Research International, 2022, 2022, 1-16.   | 0.9      | 3             |
| 3  | A longâ€ŧerm study of temporal variation in wing feather mite (Acari: Astigmata) infestations on robins,<br><i>Erithacus rubecula</i> , in Nottinghamshire, UK. Journal of Zoology, 2022, 316, 296-306.           | 0.8      | 9             |
| 4  | Babesiosis in Southeastern, Central and Northeastern Europe: An Emerging and Re-Emerging<br>Tick-Borne Disease of Humans and Animals. Microorganisms, 2022, 10, 945.  | 1.6      | 34            |
| 5  | Seroprevalence and Associated Risk Factors for Toxoplasma gondii Infections Among Urban Poor<br>Communities in Peninsular Malaysia. Acta Parasitologica, 2021, 66, 524-534.                                       | 0.4      | 2             |
| 6  | Emerging risk of Dirofilaria spp. infection in Northeastern Europe: high prevalence of Dirofilaria<br>repens in sled dog kennels from the Baltic countries. Scientific Reports, 2021, 11, 1068.                   | 1.6      | 20            |
| 7  | Socio-demographic influences on the prevalence of intestinal parasitic infections among workers in<br>Qatar. Parasites and Vectors, 2021, 14, 63.   | 1.0      | 3             |
| 8  | The development of spicules in Heligmosomoides bakeri (Nematoda, Heligmosomidae). Journal of<br>Helminthology, 2021, 95, e45.   | 0.4      | 3             |
| 9  | Seroprevalence of Toxoplasma gondii among Sylvatic Rodents in Poland. Animals, 2021, 11, 1048.  | 1.0      | 5             |
| 10 | Genetic Diversity and Prevalence of Giardia duodenalis in Qatar. Frontiers in Cellular and Infection Microbiology, 2021, 11, 652946.  | 1.8      | 9             |
| 11 | The effects of plant cysteine proteinases on the nematode cuticle. Parasites and Vectors, 2021, 14, 302.  | 1.0      | 6             |
| 12 | Prevalence and risk factors of intestinal protozoan infection among symptomatic and asymptomatic populations in rural and urban areas of southern Algeria. BMC Infectious Diseases, 2021, 21, 888.                | 1.3      | 10            |
| 13 | Spatial interactions between two nematode species along the intestine of the wood mouse Apodemus<br>sylvaticus from woodland and grassland sites in southern England. Journal of Helminthology, 2021,<br>95, e57. | 0.4      | 1             |
| 14 | Developing novel anthelmintics: the stability of cysteine proteinase activity in a supernatant extract of papaya latex. Heliyon, 2021, 7, e08125.   | 1.4      | 6             |
| 15 | Prevalence of anti-Leptospira antibodies and associated risk factors in the Malaysian refugee communities. BMC Infectious Diseases, 2021, 21, 1128.   | 1.3      | 2             |
| 16 | Long-term trends in helminth infections of wood mice (Apodemus sylvaticus) from the vicinity of<br>Malham Tarn in North Yorkshire, England. Parasitology, 2021, 148, 451-463.                                     | 0.7      | 6             |
| 17 | The effect of conventional preservatives on spicule length of Heligmosomoides bakeri (Nematoda,) Tj ETQq1 1   | 0.784314 | rgBŢ /Overla⊂ |
| 18 | Slow cycling intestinal stem cell and Paneth cell responses to Trichinella spiralis infection.<br>Parasitology International, 2020, 74, 101923.   | 0.6      | 2             |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Seroprevalence of Tick-Borne Encephalitis Virus in Three Species of Voles (Microtus spp.) in Poland.<br>Journal of Wildlife Diseases, 2020, 56, 492.   | 0.3 | 8         |
| 20 | Zoonotic Viruses in Three Species of Voles from Poland. Animals, 2020, 10, 1820.   | 1.0 | 6         |
| 21 | Identifying thresholds for classifying moderate-to-heavy soil-transmitted helminth intensity<br>infections for FECPAKG2, McMaster, Mini-FLOTAC and qPCR. PLoS Neglected Tropical Diseases, 2020, 14,<br>e0008296.              | 1.3 | 18        |
| 22 | Rodents as intermediate hosts of cestode parasites of mammalian carnivores and birds of prey in<br>Poland, with the first data on the life-cycle of Mesocestoides melesi. Parasites and Vectors, 2020, 13,<br>95.              | 1.0 | 14        |
| 23 | Long-term spatiotemporal stability and dynamic changes in helminth infracommunities of spiny mice<br>( <i>Acomys dimidiatus</i> ) in St. Katherine's Protectorate, Sinai, Egypt. Parasitology, 2019, 146, 50-73.               | 0.7 | 8         |
| 24 | The role of juvenile Dermacentor reticulatus ticks as vectors of microorganisms and the problem of<br>â€~meal contamination'. Experimental and Applied Acarology, 2019, 78, 181-202.   | 0.7 | 18        |
| 25 | Zoonotic Virus Seroprevalence among Bank Voles, Poland, 2002–2010. Emerging Infectious Diseases,<br>2019, 25, 1607-1609.   | 2.0 | 11        |
| 26 | Cryptosporidium spp., prevalence, molecular characterisation and socio-demographic risk factors among immigrants in Qatar. PLoS Neglected Tropical Diseases, 2019, 13, e0007750.   | 1.3 | 12        |
| 27 | Seroprevalence of Trichinella spp. infection in bank voles (Myodes glareolus) – A long term study.<br>International Journal for Parasitology: Parasites and Wildlife, 2019, 9, 144-148.  | 0.6 | 7         |
| 28 | Entamoeba infections and associated risk factors among migrant workers in Peninsular Malaysia.<br>Tropical Biomedicine, 2019, 36, 1014-1026.   | 0.2 | 0         |
| 29 | Distribution of Giardia duodenalis (Assemblages A and B) and Cryptosporidium parvum amongst<br>migrant workers in Peninsular Malaysia. Acta Tropica, 2018, 182, 178-184.   | 0.9 | 6         |
| 30 | Parasitic nematodes of the genus <i>Syphacia</i> Seurat, 1916 infecting Muridae in the British Isles, and<br>the peculiar case of <i>Syphacia frederici</i> . Parasitology, 2018, 145, 269-280.                                | 0.7 | 7         |
| 31 | Seroprevalence of TBEV in bank voles from Poland—a long-term approach. Emerging Microbes and<br>Infections, 2018, 7, 1-8.  | 3.0 | 19        |
| 32 | Bartonella infections in three species of Microtus: prevalence and genetic diversity, vertical<br>transmission and the effect of concurrent Babesia microti infection on its success. Parasites and<br>Vectors, 2018, 11, 491. | 1.0 | 23        |
| 33 | Signatures of balancing selection in toll-like receptor (TLRs) genes – novel insights from a free-living<br>rodent. Scientific Reports, 2018, 8, 8361.   | 1.6 | 38        |
| 34 | Anthelmintic Effect of Date Palm Fruit: A Systematic Review. Current Topics in Nutraceutical Research, 2018, 17, 276-281.  | 0.1 | 0         |
| 35 | A novel assay for the detection of anthelmintic activity mediated by cuticular damage to nematodes:<br>validation on <i>Caenorhabditis elegans</i> exposed to cysteine proteinases. Parasitology, 2017, 144,<br>583-593.       | 0.7 | 6         |
| 36 | Prevalence, genetic identity and vertical transmission of Babesia microti in three naturally infected species of vole, Microtus spp. (Cricetidae). Parasites and Vectors, 2017, 10, 66.  | 1.0 | 43        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Hookworm infections among migrant workers in Malaysia: Molecular identification of Necator americanus and Ancylostoma duodenale. Acta Tropica, 2017, 173, 109-115.   | 0.9 | 10        |
| 38 | Description of <i>Candidatus</i> Bartonella fadhilae n. sp. and <i>Candidatus</i> Bartonella sanaae n.<br>sp. ( <i>Bartonellaceae</i> ) from <i>Dipodillus dasyurus</i> and <i>Sekeetamys<br/>calurus</i> ( <i>Gerbillinae)</i> from the Sinai Massif (Egypt). Vector-Borne and Zoonotic Diseases, 2017,<br>17, 483-494. | 0.6 | 21        |
| 39 | Abundance of the tick Dermacentor reticulatus in an ecosystem of abandoned meadows: Experimental intervention and the critical importance of mowing. Veterinary Parasitology, 2017, 246, 70-75.  | 0.7 | 17        |
| 40 | Genetic and phylogenetic analysis of the ticks from the Sinai Massif, Egypt, and their possible role in the transmission of Babesia behnkei. Experimental and Applied Acarology, 2017, 72, 415-427.  | 0.7 | 14        |
| 41 | Socio-demographic determinants of Toxoplasma gondii seroprevalence in migrant workers of<br>Peninsular Malaysia. Parasites and Vectors, 2017, 10, 238.   | 1.0 | 17        |
| 42 | Molecular Analysis of the Enteric Protozoa Associated with Acute Diarrhea in Hospitalized Children.<br>Frontiers in Cellular and Infection Microbiology, 2017, 7, 343.   | 1.8 | 25        |
| 43 | Coproscopy and molecular screening for detection of intestinal protozoa. Parasites and Vectors, 2017, 10, 414.   | 1.0 | 19        |
| 44 | Comparison of helminth community of Apodemus agrarius and Apodemus flavicollis between urban and suburban populations of mice. Parasitology Research, 2017, 116, 2995-3006.  | 0.6 | 7         |
| 45 | Discovery of Novel Alphacoronaviruses in European Rodents and Shrews. Viruses, 2016, 8, 84.  | 1.5 | 45        |
| 46 | The anthelmintic efficacy of natural plant cysteine proteinases against the rat tapeworm Hymenolepis<br>diminutain vivo. Journal of Helminthology, 2016, 90, 284-293.  | 0.4 | 6         |
| 47 | Seroprevalence of Toxoplasma gondii infection in feral cats in Qatar. BMC Veterinary Research, 2016, 13, 26.   | 0.7 | 16        |
| 48 | Assessing the burden of intestinal parasites affecting newly arrived immigrants in Qatar. Parasites and Vectors, 2016, 9, 619.   | 1.0 | 17        |
| 49 | A decade of intestinal protozoan epidemiology among settled immigrants in Qatar. BMC Infectious<br>Diseases, 2016, 16, 370.  | 1.3 | 17        |
| 50 | The anthelmintic efficacy of natural plant cysteine proteinases against the equine tapeworm,<br>Anoplocephala perfoliatain vitro. Journal of Helminthology, 2016, 90, 561-568.   | 0.4 | 3         |
| 51 | Helminth infections among long-term-residents and settled immigrants in Qatar in the decade from<br>2005 to 2014: temporal trends and varying prevalence among subjects from different regional origins.<br>Parasites and Vectors, 2016, 9, 153.   | 1.0 | 17        |
| 52 | Long-term spatiotemporal stability and dynamic changes in the haemoparasite community of spiny mice<br>(Acomys dimidiatus) in four montane wadis in the St. Katherine Protectorate, Sinai, Egypt. Parasites<br>and Vectors, 2016, 9, 195.  | 1.0 | 11        |
| 53 | Intraspecific and interspecific genetic variation of Gongylonema pulchrum and two rodent<br>Gongylonema spp. (G. aegypti and G. neoplasticum), with the proposal of G. nepalensis n. sp. for the<br>isolate in water buffaloes from Nepal. Parasitology Research, 2016, 115, 787-795.                                    | 0.6 | 17        |
| 54 | Migrant Workers in Malaysia: Current Implications of Sociodemographic and Environmental<br>Characteristics in the Transmission of Intestinal Parasitic Infections. PLoS Neglected Tropical<br>Diseases, 2016, 10, e0005110.  | 1.3 | 32        |

| #  | Article   | IF               | CITATIONS         |
|----|---|------------------|-------------------|
| 55 | Prevalence of Virulence/Stress Genes in Campylobacter jejuni from Chicken Meat Sold in Qatari Retail<br>Outlets. PLoS ONE, 2016, 11, e0156938.  | 1.1              | 28                |
| 56 | Host genetic influences on the anthelmintic efficacy of papaya-derived cysteine proteinases in mice.<br>Parasitology, 2015, 142, 989-998.   | 0.7              | 2                 |
| 57 | Bank voles ( <i>Myodes glareolus</i> ) and house mice ( <i>Mus musculus musculus; M. m.) Tj ETQq1 1 0.784314<br/>of<i>Aspiculuris</i>(Nematoda, Oxyurida). Parasitology, 2015, 142, 1493-1505.</i>                | rgBT /Ove<br>0.7 | rlock 10 Tf<br>13 |
| 58 | The anthelmintic efficacy of natural plant cysteine proteinases against <i>Hymenolepis microstoma in vivo</i> . Journal of Helminthology, 2015, 89, 601-611.  | 0.4              | 5                 |
| 59 | Long-term spatiotemporal stability and dynamic changes in helminth infracommunities of bank voles<br>( <i>Myodes glareolus</i> ) in NE Poland. Parasitology, 2015, 142, 1722-1743.                                | 0.7              | 36                |
| 60 | Behavioural changes in the flour beetle <i>Tribolium confusum</i> infected with the spirurid nematode <i>Protospirura muricola</i> . Journal of Helminthology, 2015, 89, 68-79.                                   | 0.4              | 11                |
| 61 | Biased sex ratio among worms of the family Heligmosomidae – searching for a mechanism.<br>International Journal for Parasitology, 2015, 45, 939-945.  | 1.3              | 5                 |
| 62 | Haemonchotolerance in West African Dwarf goats: contribution to sustainable, anthelmintics-free helminth control in traditionally managed Nigerian dwarf goats. Parasite, 2015, 22, 7.                            | 0.8              | 15                |
| 63 | The relative anthelmintic efficacy of plant-derived cysteine proteinases on intestinal nematodes.<br>Journal of Helminthology, 2015, 89, 165-174.   | 0.4              | 10                |
| 64 | Female host sex-biased parasitism with the rodent stomach nematode Mastophorus muris in wild bank<br>voles (Myodes glareolus). Parasitology Research, 2015, 114, 523-533.   | 0.6              | 23                |
| 65 | Factors affecting the anthelmintic efficacy of papaya latex in vivo: host sex and intensity of infection.<br>Parasitology Research, 2015, 114, 2535-2541.   | 0.6              | 10                |
| 66 | Dominance of Dermacentor reticulatus over Ixodes ricinus (Ixodidae) on livestock, companion<br>animals and wild ruminants in eastern and central Poland. Experimental and Applied Acarology, 2015,<br>66, 83-101. | 0.7              | 46                |
| 67 | Evidence for genes controlling resistance to Heligmosomoides bakeri on mouse chromosome 1.<br>Parasitology, 2015, 142, 566-575.   | 0.7              | 0                 |
| 68 | The Status of <i>Heligmosomoides americanus</i> , Representative of an American Clade of Vole-Infecting Nematodes. Journal of Parasitology, 2015, 101, 382-385.   | 0.3              | 6                 |
| 69 | The distribution of Blastocystis subtypes in isolates from Qatar. Parasites and Vectors, 2015, 8, 465.  | 1.0              | 36                |
| 70 | The effect of changes in agricultural practices on the density of Dermacentor reticulatus ticks.<br>Veterinary Parasitology, 2015, 211, 259-265.  | 0.7              | 22                |
| 71 | Analysis of Resistance to Antimicrobials and Presence of Virulence/Stress Response Genes in Campylobacter Isolates from Patients with Severe Diarrhoea. PLoS ONE, 2015, 10, e0119268.                             | 1.1              | 41                |
| 72 | Heligmosomoides neopolygyrus Asakawa & Ohbayashi, 1986, a cryptic Asian nematode infecting the striped field mouse Apodemus agrarius in Central Europe. Parasites and Vectors, 2014, 7, 457.                      | 1.0              | 12                |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Assessment of Anthelmintic Efficacy of Mebendazole in School Children in Six Countries Where<br>Soil-Transmitted Helminths Are Endemic. PLoS Neglected Tropical Diseases, 2014, 8, e3204.   | 1.3 | 80        |
| 74 | Understanding the role of antibodies in murine infections with <i>Heligmosomoides</i><br>( <i>polygyrus</i> ) <i>bakeri</i> : 35Âyears ago, now and 35Âyears ahead. Parasite Immunology, 2014, 36,<br>115-124.  | 0.7 | 21        |
| 75 | The anthelmintic efficacy of natural plant cysteine proteinases against two rodent cestodes<br>Hymenolepis diminuta and Hymenolepis microstoma in vitro. Veterinary Parasitology, 2014, 201, 48-58.   | 0.7 | 22        |
| 76 | Long-Term Spatiotemporal Stability and Dynamic Changes in the Haemoparasite Community of Bank<br>Voles (Myodes glareolus) in NE Poland. Microbial Ecology, 2014, 68, 196-211.   | 1.4 | 39        |
| 77 | Cysteine proteinases from papaya (Carica papaya) in the treatment of experimental Trichuris suis infection in pigs: two randomized controlled trials. Parasites and Vectors, 2014, 7, 255.  | 1.0 | 30        |
| 78 | Large-scale isolation of Eastern spiny mouse Acomys dimidiatus microsatellite loci through GS-FLX 454 titanium sequencing. Conservation Genetics Resources, 2013, 5, 519-524.   | 0.4 | 1         |
| 79 | The mucosal response of hamsters exposed to weekly repeated infections with the hookworm <i>Ancylostoma ceylanicum</i> . Journal of Helminthology, 2013, 87, 309-317.   | 0.4 | 4         |
| 80 | The anthelmintic efficacy of papaya latex in a rodent–nematode model is not dependent on fasting before treatment. Journal of Helminthology, 2012, 86, 311-316.   | 0.4 | 8         |
| 81 | Is anthelmintic resistance a concern for the control of human soil-transmitted helminths?.<br>International Journal for Parasitology: Drugs and Drug Resistance, 2011, 1, 14-27.  | 1.4 | 211       |
| 82 | Oral dosing with papaya latex is an effective anthelmintic treatment for sheep infected with<br>Haemonchus contortus. Parasites and Vectors, 2011, 4, 36.   | 1.0 | 45        |
| 83 | Resistance and resilience of traditionally managed West African Dwarf goats from the savanna zone<br>of northern Nigeria to naturally acquired trypanosome and gastrointestinal nematode infections.<br>Journal of Helminthology, 2011, 85, 80-91.              | 0.4 | 15        |
| 84 | The mucosal response of hamsters to a low-intensity superimposed secondary infection with the hookworm Ancylostoma ceylanicum. Journal of Helminthology, 2011, 85, 56-65.   | 0.4 | 7         |
| 85 | Quantitative trait loci for resistance to <i>Heligmosomoides bakeri</i> and associated immunological and pathological traits in mice: comparison of loci on chromosomes 5, 8 and 11 in F2 and F6/7 inter-cross lines of mice. Parasitology, 2010, 137, 311-320. | 0.7 | 8         |
| 86 | Heligmosomoides bakeri: a new name for an old worm?. Trends in Parasitology, 2010, 26, 524-529.   | 1.5 | 47        |
| 87 | Intestinal helminths of feral cat populations from urban and suburban districts of Qatar. Veterinary<br>Parasitology, 2010, 168, 284-292.   | 0.7 | 38        |
| 88 | Resistance and resilience of West African Dwarf goats of the Nigerian savanna zone exposed to<br>experimental escalating primary and challenge infections with Haemonchus contortus. Veterinary<br>Parasitology, 2010, 171, 81-90.                              | 0.7 | 22        |
| 89 | Dose-dependent impact of larval <i>Ascaris suum</i> on host body weight in the mouse model. Journal of Helminthology, 2009, 83, 1-5.  | 0.4 | 14        |
| 90 | The responses of two ecotypes of Nigerian West African Dwarf goat to experimental infections with Trypanosoma brucei and Haemonchus contortus. Small Ruminant Research, 2009, 85, 91-98.  | 0.6 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Immunomodulatory parasites and toll-like receptor-mediated tumour necrosis factor alpha responsiveness in wild mammals. BMC Biology, 2009, 7, 16.  | 1.7 | 65        |
| 92  | Heligmosomoides bakeri: a model for exploring the biology and genetics of resistance to chronic gastrointestinal nematode infections. Parasitology, 2009, 136, 1565-1580.  | 0.7 | 55        |
| 93  | Helminth species richness in wild wood mice, <i>Apodemus sylvaticus</i> , is enhanced by the presence of the intestinal nematode <i>Heligmosomoides polygyrus</i> . Parasitology, 2009, 136, 793-804.  | 0.7 | 40        |
| 94  | Detecting interactions between parasites in cross-sectional studies of wild rodent populations.<br>Annals of Parasitology, 2009, 55, 305-14.   | 0.1 | 1         |
| 95  | Developing novel anthelmintics from plant cysteine proteinases. Parasites and Vectors, 2008, 1, 29.  | 1.0 | 68        |
| 96  | Seroprevalence and epidemiological correlates of Toxoplasma gondii infections among patients referred for hospital-based serological testing in Doha, Qatar. Parasites and Vectors, 2008, 1, 39.   | 1.0 | 46        |
| 97  | Structure in parasite component communities in wild rodents: predictability, stability, associations and interactionsÂÂor pure randomness?. Parasitology, 2008, 135, 751-766.  | 0.7 | 61        |
| 98  | Temporal and between-site variation in helminth communities of bank voles ( <i>Myodes glareolus</i> )<br>from N.E. Poland. 1. Regional fauna and component community levels. Parasitology, 2008, 135, 985-997.                                   | 0.7 | 37        |
| 99  | The mucosal cellular response to infection withAncylostoma ceylanicum. Journal of Helminthology, 2008, 82, 33-44.  | 0.4 | 10        |
| 100 | Temporal and between-site variation in helminth communities of bank voles ( <i>Myodes glareolus</i> )<br>from N.E. Poland. 2. The infracommunity level. Parasitology, 2008, 135, 999-1018.   | 0.7 | 43        |
| 101 | Anthelmintic action of plant cysteine proteinases against the rodent stomach nematode,Protospirura<br>muricola,in vitroandin vivo. Parasitology, 2007, 134, 103-112.   | 0.7 | 49        |
| 102 | The anthelmintic efficacy of plant-derived cysteine proteinases against the rodent gastrointestinal nematode, Heligmosomoides polygyrus, in vivo. Parasitology, 2007, 134, 1409-1419.  | 0.7 | 47        |
| 103 | In vitro anthelmintic effects of cysteine proteinases from plants against intestinal helminths of rodents. Journal of Helminthology, 2007, 81, 353-360.  | 0.4 | 29        |
| 104 | Toxocara: The Enigmatic Parasite (ed. Holland, C. V. and Smith, H. V.), pp. 320. CABI Publishing UK. ISBN 1<br>84593 026 6. £75.00; US\$ 140.00 Parasitology, 2007, 134, 451.  | 0.7 | 0         |
| 105 | Molecular evidence that Heligmosomoides polygyrus from laboratory mice and wood mice are separate species. Parasitology, 2006, 133, 111.   | 0.7 | 65        |
| 106 | The effect of the hookworm Ancylostoma ceylanicum on the mucosal architecture of the small intestine in hamsters. Journal of Helminthology, 2006, 80, 397-407.   | 0.4 | 8         |
| 107 | In vitro and in vivo anthelmintic efficacy of plant cysteine proteinases against the rodent gastrointestinal nematode, Trichuris muris. Parasitology, 2006, 132, 681-9.  | 0.7 | 75        |
| 108 | Local variation of haemoparasites and arthropod vectors, and intestinal protozoans in spiny mice (Acomys dimidiatus) from four montane wadis in the St Katherine Protectorate, Sinai, Egypt. Journal of Zoology, 2006, 270, 060606025751033-???. | 0.8 | 18        |

| #   | Article  | IF               | CITATIONS         |
|-----|--|------------------|-------------------|
| 109 | Genetic variation in resistance to repeated infections with Heligmosomoides polygyrus bakeri, in in in in in in in inbred mouse strains selected for the mouse genome project. Parasite Immunology, 2006, 28, 85-94.   | 0.7              | 24                |
| 110 | High resolution mapping of chromosomal regions controlling resistance to gastrointestinal nematode infections in an advanced intercross line of mice. Mammalian Genome, 2006, 17, 584-597.   | 1.0              | 21                |
| 111 | The development of a mouse model to explore resistance and susceptibility to early Ascaris suum infection. Parasitology, 2006, 132, 289.   | 0.7              | 43                |
| 112 | Medium-term temporal stability of the helminth component community structure in bank voles<br>(Clethrionomys glareolus) from the Mazury Lake District region of Poland. Parasitology, 2005, 130,<br>213-228.   | 0.7              | 44                |
| 113 | Parasite populations in the brown ratRattus norvegicusfrom Doha, Qatar between years: the effect of host age, sex and density. Journal of Helminthology, 2005, 79, 105-111.  | 0.4              | 32                |
| 114 | The modulatory influence of Trypanosoma brucei on challenge infection with Haemonchus contortus<br>in Nigerian West African Dwarf goats segregated into weak and strong responders to the nematode.<br>Veterinary Parasitology, 2005, 128, 29-40.                        | 0.7              | 20                |
| 115 | Do the helminth parasites of wood mice interact?. Journal of Animal Ecology, 2005, 74, 982-993.  | 1.3              | 87                |
| 116 | Nematology: Advances and Perspectives, Vol. 1, Nematode Morphology, Physiology and Ecology. By Z. X.<br>Chen, S. Y. Chen and D. W. Dickson, pp. 656. International CABI Publishing, UK, 2004. ISBN 0 85199 645.<br>£85.00 (US\$150.00) Parasitology, 2005, 131, 435-436. | 0.7              | 1                 |
| 117 | Assessment of the anthelmintic effect of natural plant cysteine proteinases against the gastrointestinal nematode, Heligmosomoides polygyrus, in vitro. Parasitology, 2005, 130, 203-211.  | 0.7              | 117               |
| 118 | Factors affecting the component community structure of haemoparasites in common voles () Tj ETQq0 0 0 rgBT 270-284.  | /Overlock<br>0.6 | 10 Tf 50 38<br>55 |
| 119 | Variability in the resistance of the Nigerian West African Dwarf goat to abbreviated escalating trickle<br>and challenge infections with Haemonchus contortus. Veterinary Parasitology, 2004, 122, 51-65.  | 0.7              | 23                |
| 120 | Variation in the helminth community structure in spiny mice (Acomys dimidiatus) from four montane<br>wadis in the St Katherine region of the Sinai Peninsula in Egypt. Parasitology, 2004, 129, 379-398.   | 0.7              | 40                |
| 121 | Density-dependent effects on the survival and growth of the rodent stomach wormProtospirura muricolain laboratory mice. Journal of Helminthology, 2004, 78, 121-128.   | 0.4              | 21                |
| 122 | Chromosomal regions controlling resistance to gastro-intestinal nematode infections in mice.<br>Mammalian Genome, 2003, 14, 184-191.   | 1.0              | 37                |
| 123 | Cellular and serological responses in resistant and susceptible mice exposed to repeated infection with Heligmosomoides polygyrus bakeri. Parasite Immunology, 2003, 25, 333-340.  | 0.7              | 34                |
| 124 | Mapping of chromosomal regions influencing immunological responses to gastrointestinal nematode infections in mice. Parasite Immunology, 2003, 25, 341-349.  | 0.7              | 33                |
| 125 | Chasing the genes that control resistance to gastrointestinal nematodes. Journal of Helminthology, 2003, 77, 99-109.   | 0.4              | 51                |
| 126 | Local variation in helminth burdens of Egyptian spiny mice (Acomys cahirinus dimidiatus) from ecologically similar sites: relationships with hormone concentrations and social behaviour. Journal of Helminthology, 2003, 77, 197-207.                                   | 0.4              | 20                |

| #   | Article   | IF              | CITATIONS          |
|-----|---|-----------------|--------------------|
| 127 | Local variation in endoparasite intensities of bank voles (Clethrionomys glareolus) from ecologically similar sites: morphometric and endocrine correlates. Journal of Helminthology, 2002, 76, 103-112.                      | 0.4             | 22                 |
| 128 | Expression of acquired immunity to a local isolate of Haemonchus contortus by the Nigerian West<br>African Dwarf goat. Veterinary Parasitology, 2002, 104, 229-242.   | 0.7             | 27                 |
| 129 | Interactions involving intestinal nematodes of rodents: experimental and field studies. Parasitology, 2001, 122, S39-S49.   | 0.7             | 82                 |
| 130 | Hymenolepis diminuta (Cestoda). , 2001, , 115-122.  |                 | 3                  |
| 131 | Variation in the helminth community structure in bank voles (Clethrionomys glareolus) from three comparable localities in the Mazury Lake District region of Poland. Parasitology, 2001, 123, 401-414.                        | 0.7             | 86                 |
| 132 | Intestinal helminths of spiny mice (Acomys cahirinus dimidiatus) from St Katherine's Protectorate in<br>the Sinai, Egypt. Journal of Helminthology, 2000, 74, 31-43.  | 0.4             | 28                 |
| 133 | Seasonal and site specific variation in the component community structure of intestinal helminths<br>inApodemus sylvaticusfrom three contrasting habitats in south-east England. Journal of<br>Helminthology, 2000, 74, 7-15. | 0.4             | 75                 |
| 134 | Season and ambient air temperature influence the distribution of mites ( <i>Proctophyllodes) Tj ETQq0 0 0 rgBT (</i>  | Overlock<br>0.4 | 10 Tf 50 467<br>29 |
| 135 | Intestinal helminths of spiny mice (Acomys cahirinus dimidiatus) from St Katherine's Protectorate in<br>the Sinai, Egypt. Journal of Helminthology, 2000, 74, 31-43.  | 0.4             | 13                 |
| 136 | Helminth infections in Apodemus sylvaticus in southern England: interactive effects of host age, sex and year on the prevalence and abundance of infections. Journal of Helminthology, 1999, 73, 31-44.                       | 0.4             | 124                |
| 137 | Helminth infections in Apodemus sylvaticus in southern England: interactive effects of host age, sex and year on the prevalence and abundance of infections. Journal of Helminthology, 1999, 73, 31-44.                       | 0.4             | 34                 |
| 138 | Descriptive epidemiology of Heligmosomoides polygyrus in Apodemus sylvaticus from three contrasting habitats in south-east England. Journal of Helminthology, 1998, 72, 93-100.   | 0.4             | 39                 |
| 139 | Understanding chronic nematode infections: Evolutionary considerations, current hypotheses and the way forward. International Journal for Parasitology, 1992, 22, 861-907.  | 1.3             | 191                |
| 140 | Heligmosomoides polygyrus or Nematospiroides dubius?. Parasitology Today, 1991, 7, 177-179.   | 3.1             | 44                 |
| 141 | Nematospiroides dubius: Arrested development of larvae in immune mice. Experimental Parasitology,<br>1979, 47, 116-127.   | 0.5             | 72                 |
| 142 | Effect of the expulsion phase of Trichinella spiralis on Hymenolepis diminuta infection in mice.<br>Parasitology, 1977, 75, 79-88.  | 0.7             | 35                 |
| 143 | Aspiculuris tetraptera in wild Mus musculus. The prevalence of infection in male and female mice.<br>Journal of Helminthology, 1975, 49, 85-90.   | 0.4             | 33                 |
| 144 | Suppression of expulsion of <i>Aspiculuris tetraptera</i> in hydrocortisone and methotrexate treated mice. Parasitology, 1975, 71, 109-116.   | 0.7             | 7                  |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Immune expulsion of the nematode Aspiculur1s tetraptera from mice given primary and challenge infections. International Journal for Parasitology, 1975, 5, 511-515.                                    | 1.3 | 20        |
| 146 | The distribution of larval <i>Aspiculuris tetraptera</i> Schulz during a primary infection in <i>Mus musculus, Rattus norvegicus</i> and <i>Apodemus sylvaticus</i> . Parasitology, 1974, 69, 391-402. | 0.7 | 15        |