Shuang-Jiang Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2106748/publications.pdf

Version: 2024-02-01

198 papers 8,191 citations

45 h-index 76900 74 g-index

209 all docs 209 docs citations

times ranked

209

7683 citing authors

#	Article	IF	CITATIONS
1	Parabacteroides distasonis Alleviates Obesity and Metabolic Dysfunctions via Production of Succinate and Secondary Bile Acids. Cell Reports, 2019, 26, 222-235.e5.	6.4	630
2	Enlightening the taxonomy darkness of human gut microbiomes with a cultured biobank. Microbiome, 2021, 9, 119.	11.1	479
3	Sodium butyrate attenuates high-fat diet-induced steatohepatitis in mice by improving gut microbiota and gastrointestinal barrier. World Journal of Gastroenterology, 2017, 23, 60.	3.3	288
4	Beneficial effect of butyrateâ€producing Lachnospiraceae on stressâ€induced visceral hypersensitivity in rats. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1368-1376.	2.8	182
5	Intraspecific polymorphism of 16S rRNA genes in two halophilic archaeal genera, Haloarcula and Halomicrobium. Extremophiles, 2009, 13, 31-37.	2.3	149
6	Novel Partial Reductive Pathway for 4-Chloronitrobenzene and Nitrobenzene Degradation in Comamonas sp. Strain CNB-1. Applied and Environmental Microbiology, 2006, 72, 1759-1765.	3.1	145
7	Biosynthesis of novel thermoplastic polythioesters by engineered Escherichia coli. Nature Materials, 2002, 1, 236-240.	27.5	138
8	High-Throughput Single-Cell Cultivation on Microfluidic Streak Plates. Applied and Environmental Microbiology, 2016, 82, 2210-2218.	3.1	136
9	Novosphingobium taihuense sp. nov., a novel aromatic-compound-degrading bacterium isolated from Taihu Lake, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1229-1232.	1.7	123
10	Functional Identification of Novel Genes Involved in the Glutathione-Independent Gentisate Pathway in Corynebacterium glutamicum. Applied and Environmental Microbiology, 2005, 71, 3442-3452.	3.1	111
11	Degradation and assimilation of aromatic compounds by Corynebacterium glutamicum: another potential for applications for this bacterium?. Applied Microbiology and Biotechnology, 2012, 95, 77-89.	3.6	109
12	Plant?microbe association for rhizoremediation of chloronitroaromatic pollutants with Comamonas sp. strain CNB-1. Environmental Microbiology, 2007, 9, 465-473.	3.8	92
13	Halorubrum litoreum sp. nov., an extremely halophilic archaeon from a solar saltern. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2204-2206.	1.7	88
14	The Complete Genome of <i>Comamonas testosteroni</i> Reveals Its Genetic Adaptations to Changing Environments. Applied and Environmental Microbiology, 2009, 75, 6812-6819.	3.1	86
15	Diversity, Distribution and Co-occurrence Patterns of Bacterial Communities in a Karst Cave System. Frontiers in Microbiology, 2019, 10, 1726.	3.5	80
16	Ribosome binding site libraries and pathway modules for shikimic acid synthesis with Corynebacterium glutamicum. Microbial Cell Factories, 2015, 14, 71.	4.0	78
17	Alicyclobacillus ferrooxydans sp. nov., a ferrous-oxidizing bacterium from solfataric soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2898-2903.	1.7	75
18	Rhodocista pekingensis sp. nov., a cyst-forming phototrophic bacterium from a municipal wastewater treatment plant. International Journal of Systematic and Evolutionary Microbiology, 2003, 53, 1111-1114.	1.7	74

#	Article	IF	Citations
19	The Gene ncgl2918 Encodes a Novel Maleylpyruvate Isomerase That Needs Mycothiol as Cofactor and Links Mycothiol Biosynthesis and Gentisate Assimilation in Corynebacterium glutamicum. Journal of Biological Chemistry, 2006, 281, 10778-10785.	3.4	74
20	Planomicrobium chinense sp. nov., isolated from coastal sediment, and transfer of Planococcus psychrophilus and Planococcus alkanoclasticus to Planomicrobium as Planomicrobium psychrophilum comb. nov. and Planomicrobium alkanoclasticum comb. nov International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 699-702.	1.7	72
21	gcMeta: a Global Catalogue of Metagenomics platform to support the archiving, standardization and analysis of microbiome data. Nucleic Acids Research, 2019, 47, D637-D648.	14.5	70
22	Microbial Interactions Drive the Complete Catabolism of the Antibiotic Sulfamethoxazole in Activated Sludge Microbiomes. Environmental Science & Envir	10.0	70
23	A Novel Genetically Engineered Pathway for Synthesis of Poly(Hydroxyalkanoic Acids) in Escherichia coli. Applied and Environmental Microbiology, 2000, 66, 739-743.	3.1	65
24	Chryseobacterium taihuense sp. nov., isolated from a eutrophic lake, and emended descriptions of the genus Chryseobacterium, Chryseobacterium taiwanense, Chryseobacterium jejuense and Chryseobacterium indoltheticum. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 913-919.	1.7	65
25	Activation of a Specific Gut Bacteroides-Folate-Liver Axis Benefits for the Alleviation of Nonalcoholic Hepatic Steatosis. Cell Reports, 2020, 32, 108005.	6.4	65
26	Halorubrum alkaliphilum sp. nov., a novel haloalkaliphile isolated from a soda lake in Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 149-152.	1.7	64
27	A novel 2-aminophenol 1,6-dioxygenase involved in the degradation of p-chloronitrobenzene by Comamonas strain CNB-1: purification, properties, genetic cloning and expression in Escherichia coli. Archives of Microbiology, 2005, 183, 1-8.	2.2	63
28	Genome-wide investigation of aromatic acid transporters in Corynebacterium glutamicum. Microbiology (United Kingdom), 2007, 153, 857-865.	1.8	63
29	<i><scp>C</scp>omamonas testosteroni</i> uses a chemoreceptor for tricarboxylic acid cycle intermediates to trigger chemotactic responses towards aromatic compounds. Molecular Microbiology, 2013, 90, 813-823.	2.5	62
30	Unraveling the Acidithiobacillus caldus complete genome and its central metabolisms for carbon assimilation. Journal of Genetics and Genomics, 2011, 38, 243-252.	3.9	60
31	Abundance of Novel and Diverse <i>tfdA</i> -Like Genes, Encoding Putative Phenoxyalkanoic Acid Herbicide-Degrading Dioxygenases, in Soil. Applied and Environmental Microbiology, 2010, 76, 119-128.	3.1	57
32	Key Role of Cysteine Residues in Catalysis and Subcellular Localization of Sulfur Oxygenase-Reductase of Acidianus tengchongensis. Applied and Environmental Microbiology, 2005, 71, 621-628.	3.1	56
33	Nucleotide Sequence of Plasmid pCNB1 from Comamonas Strain CNB-1 Reveals Novel Genetic Organization and Evolution for 4-Chloronitrobenzene Degradation. Applied and Environmental Microbiology, 2007, 73, 4477-4483.	3.1	56
34	Structural Modification of Natural Product Ganomycin I Leading to Discovery of a $\hat{l}\pm$ -Glucosidase and HMG-CoA Reductase Dual Inhibitor Improving Obesity and Metabolic Dysfunction in Vivo. Journal of Medicinal Chemistry, 2018, 61, 3609-3625.	6.4	56
35	The Mouse Gut Microbial Biobank expands the coverage of cultured bacteria. Nature Communications, 2020, 11, 79.	12.8	55
36	Flavobacterium saliperosum sp. nov., isolated from freshwater lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 439-442.	1.7	54

#	Article	lF	Citations
37	UV photolysis as an efficient pretreatment method for antibiotics decomposition and their antibacterial activity elimination. Journal of Hazardous Materials, 2020, 392, 122321.	12.4	54
38	Natrinema altunense sp. nov., an extremely halophilic archaeon isolated from a salt lake in Altun Mountain in Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1311-1314.	1.7	53
39	Thiosulfate Transfer Mediated by DsrE/TusA Homologs from Acidothermophilic Sulfur-oxidizing Archaeon Metallosphaera cuprina. Journal of Biological Chemistry, 2014, 289, 26949-26959.	3.4	53
40	Halorubrum lipolyticum sp. nov. and Halorubrum aidingense sp. nov., isolated from two salt lakes in Xin-Jiang, China. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1631-1634.	1.7	51
41	Halorubrum xinjiangense sp. nov., a novel halophile isolated from saline lakes in China. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1789-1791.	1.7	50
42	Metallosphaera cuprina sp. nov., an acidothermophilic, metal-mobilizing archaeon. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2395-2400.	1.7	50
43	Cross Talk between Chemosensory Pathways That Modulate Chemotaxis and Biofilm Formation. MBio, 2019, 10, .	4.1	49
44	Identification and Characterization of γ-Aminobutyric Acid Uptake System GabP _{<i>Cg</i>} (NCgl0464) in Corynebacterium glutamicum. Applied and Environmental Microbiology, 2012, 78, 2596-2601.	3.1	48
45	Agrococcus terreus sp. nov. and Micrococcus terreus sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1897-1903.	1.7	47
46	Comparative proteomes of <i>Corynebacterium glutamicum</i> grown on aromatic compounds revealed novel proteins involved in aromatic degradation and a clear link between aromatic catabolism and gluconeogenesis <i>via</i> fructoseâ€1,6â€bisphosphatase. Proteomics, 2007, 7, 3775-3787.	2.2	46
47	Genomic Analysis and Identification of Catabolic Pathways for Aromatic Compounds in Corynebacterium glutamicum. Microbes and Environments, 2005, 20, 160-167.	1.6	45
48	New Intracellular Shikimic Acid Biosensor for Monitoring Shikimate Synthesis in <i>Corynebacterium glutamicum</i> . ACS Synthetic Biology, 2018, 7, 591-601.	3.8	45
49	Pseudonocardia ammonioxydans sp. nov., isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 555-558.	1.7	44
50	Paracoccus sulfuroxidans sp. nov., a sulfur oxidizer from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2693-2695.	1.7	44
51	Reconstruction of metabolic networks in a fluoranthene-degrading enrichments from polycyclic aromatic hydrocarbon polluted soil. Journal of Hazardous Materials, 2016, 318, 90-98.	12.4	44
52	Genetic Characterization of the Resorcinol Catabolic Pathway in Corynebacterium glutamicum. Applied and Environmental Microbiology, 2006, 72, 7238-7245.	3.1	43
53	Cyclobacterium lianum sp. nov., a marine bacterium isolated from sediment of an oilfield in the South China Sea, and emended description of the genus Cyclobacterium. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2927-2930.	1.7	43
54	The earthworm <i>Aporrectodea caliginosa</i> stimulates abundance and activity of phenoxyalkanoic acid herbicide degraders. ISME Journal, 2011, 5, 473-485.	9.8	43

#	Article	IF	Citations
55	NrdH Redoxin Enhances Resistance to Multiple Oxidative Stresses by Acting as a Peroxidase Cofactor in Corynebacterium glutamicum. Applied and Environmental Microbiology, 2014, 80, 1750-1762.	3.1	43
56	Functional characterization of a mycothiol peroxidase in <i>Corynebacterium glutamicum</i> that uses both mycoredoxin and thioredoxin reducing systems in the response to oxidative stress. Biochemical Journal, 2015, 469, 45-57.	3.7	43
57	Saccharothrix xinjiangensis sp. nov., a pyrene-degrading actinomycete isolated from Tianchi Lake, Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2091-2094.	1.7	42
58	Characterization of genes involved in the initial reactions of 4-chloronitrobenzene degradation in Pseudomonasputida ZWL73. Applied Microbiology and Biotechnology, 2006, 73, 166-171.	3.6	42
59	Corynebacterium glutamicum Methionine Sulfoxide Reductase A Uses both Mycoredoxin and Thioredoxin for Regeneration and Oxidative Stress Resistance. Applied and Environmental Microbiology, 2015, 81, 2781-2796.	3.1	42
60	<i>Alphaproteobacteria</i> dominate active 2â€methylâ€4â€chlorophenoxyacetic acid herbicide degraders in agricultural soil and drilosphere. Environmental Microbiology, 2011, 13, 991-1009.	3.8	41
61	Novel Pathway for Chloramphenicol Catabolism in the Activated Sludge Bacterial Isolate <i>Sphingobium</i> sp. CAP-1. Environmental Science & Environme	10.0	41
62	Responses to arsenate stress by Comamonas sp. strain CNB-1 at genetic and proteomic levels. Microbiology (United Kingdom), 2007, 153, 3713-3721.	1.8	39
63	Genetic and biochemical characterization of a 4-hydroxybenzoate hydroxylase from Corynebacterium glutamicum. Applied Microbiology and Biotechnology, 2008, 78, 75-83.	3.6	39
64	Complete Genome Sequence of Metallosphaera cuprina, a Metal Sulfide-Oxidizing Archaeon from a Hot Spring. Journal of Bacteriology, 2011, 193, 3387-3388.	2.2	39
65	Salegentibacter catena sp. nov., isolated from sediment of the South China Sea, and emended description of the genus Salegentibacter. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 219-222.	1.7	38
66	Haloarcula amylolytica sp. nov., an extremely halophilic archaeon isolated from Aibi salt lake in Xin-Jiang, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 103-106.	1.7	38
67	Micrococcus flavus sp. nov., isolated from activated sludge in a bioreactor. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 66-69.	1.7	38
68	Characterization of a Unique Pathway for 4-Cresol Catabolism Initiated by Phosphorylation in Corynebacterium glutamicum. Journal of Biological Chemistry, 2016, 291, 6583-6594.	3.4	38
69	Multi-omics study reveals that statin therapy is associated with restoration of gut microbiota homeostasis and improvement in outcomes in patients with acute coronary syndrome. Theranostics, 2021, 11, 5778-5793.	10.0	38
70	Title is missing!. Biotechnology Letters, 1997, 19, 11-14.	2.2	37
71	Haloterrigena saccharevitans sp. nov., an extremely halophilic archaeon from Xin-Jiang, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 2539-2542.	1.7	37
72	Sanguibacter marinus sp. nov., isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1755-1758.	1.7	37

#	Article	IF	CITATIONS
73	Haloterrigena longa sp. nov. and Haloterrigena limicola sp. nov., extremely halophilic archaea isolated from a salt lake. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1837-1840.	1.7	37
74	Wenxinia marina gen. nov., sp. nov., a novel member of the Roseobacter clade isolated from oilfield sediments of the South China Sea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1711-1716.	1.7	37
75	Physiological adaptation of <i>Corynebacterium glutamicum</i> to benzoate as alternative carbon source – a membrane proteomeâ€centric view. Proteomics, 2009, 9, 3635-3651.	2.2	37
76	Deinococcus reticulitermitis sp. nov., isolated from a termite gut. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 78-83.	1.7	36
77	Assimilation of aromatic compounds by Comamonas testosteroni: characterization and spreadability of protocatechuate 4,5-cleavage pathway in bacteria. Applied Microbiology and Biotechnology, 2013, 97, 6031-6041.	3.6	36
78	Automated Chemotactic Sorting and Single-cell Cultivation of Microbes using Droplet Microfluidics. Scientific Reports, 2016, 6, 24192.	3.3	36
79	Yangia pacifica gen. nov., sp. nov., a novel member of the Roseobacter clade from coastal sediment of the East China Sea. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 529-533.	1.7	35
80	Genomic analysis of Acidianus hospitalis W1 a host for studying crenarchaeal virus and plasmid life cycles. Extremophiles, $2011, 15, 487-497$.	2.3	35
81	Functional characterization of a gene cluster involved in gentisate catabolism in Rhodococcus sp. strain NCIMB 12038. Applied Microbiology and Biotechnology, 2011, 90, 671-678.	3.6	35
82	Bacterial chemotaxis on SlipChip. Lab on A Chip, 2014, 14, 3074-3080.	6.0	35
83	The global catalogue of microorganisms 10K type strain sequencing project: closing the genomic gaps for the validly published prokaryotic and fungi species. GigaScience, 2018, 7, .	6.4	35
84	Changes to gut amino acid transporters and microbiome associated with increased E/I ratio in Chd8+/ \hat{a} ° mouse model of ASD-like behavior. Nature Communications, 2022, 13, 1151.	12.8	35
85			

#	Article	IF	CITATIONS
91	Zhouia amylolytica gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from sediment of the South China Sea. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2825-2829.	1.7	33
92	Novel <i>Alcaligenes ammonioxydans</i> sp. nov. from wastewater treatment sludge oxidizes ammonia to <scp>N₂</scp> with a previously unknown pathway. Environmental Microbiology, 2021, 23, 6965-6980.	3.8	33
93	Cloning and heterologous expression of a sulfur oxygenase/reductase gene from the thermoacidophilic archaeonAcidianussp. S5 inEscherichia coli. FEMS Microbiology Letters, 2000, 193, 217-221.	1.8	32
94	Simultaneous biodegradation of nitrogen-containing aromatic compounds in a sequencing batch bioreactor. Journal of Environmental Sciences, 2007, 19, 530-535.	6.1	32
95	Phenylacetic Acid Catabolism and Its Transcriptional Regulation in Corynebacterium glutamicum. Applied and Environmental Microbiology, 2012, 78, 5796-5804.	3.1	32
96	<i>Corynebacterium glutamicum</i> Contains 3-Deoxy- <scp>d</scp> -Arabino-Heptulosonate 7-Phosphate Synthases That Display Novel Biochemical Features. Applied and Environmental Microbiology, 2008, 74, 5497-5503.	3.1	31
97	Halobiforma lacisalsi sp. nov., isolated from a salt lake in China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1949-1952.	1.7	30
98	Natronorubrum aibiense sp. nov., an extremely halophilic archaeon isolated from Aibi salt lake in Xin-Jiang, China, and emended description of the genus Natronorubrum. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1515-1517.	1.7	30
99	PcaO Positively Regulates <i>pcaHG</i> of the \hat{l}^2 -Ketoadipate Pathway in <i>Corynebacterium glutamicum</i> . Journal of Bacteriology, 2010, 192, 1565-1572.	2.2	30
100	Resolution of carbon metabolism and sulfur-oxidation pathways of Metallosphaera cuprina Ar-4 via comparative proteomics. Journal of Proteomics, 2014, 109, 276-289.	2.4	30
101	Developing a Synthetic Biology Toolkit for <i>Comamonas testosteroni</i> , an Emerging Cellular Chassis for Bioremediation. ACS Synthetic Biology, 2018, 7, 1753-1762.	3.8	30
102	Purification and properties of the sulfur oxygenase/reductase from the acidothermophilic archaeon, Acidianus strain S5. Extremophiles, 2003, 7, 131-134.	2.3	29
103	A Novel Deaminase Involved in Chloronitrobenzene and Nitrobenzene Degradation with Comamonas sp. Strain CNB-1. Journal of Bacteriology, 2007, 189, 2677-2682.	2.2	29
104	Metabolic flux responses to genetic modification for shikimic acid production by Bacillus subtilis strains. Microbial Cell Factories, 2014, 13, 40.	4.0	29
105	Natronorubrum sulfidifaciens sp. nov., an extremely haloalkaliphilic archaeon isolated from Aiding salt lake in Xin-Jiang, China. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 738-740.	1.7	28
106	Responses of soil microbiome to steel corrosion. Npj Biofilms and Microbiomes, 2021, 7, 6.	6.4	28
107	Phycicoccus cremeus sp. nov., isolated from forest soil, and emended description of the genus Phycicoccus. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 71-75.	1.7	27
108	Parapedobacter pyrenivorans sp. nov., isolated from a pyrene-degrading microbial enrichment, and emended description of the genus Parapedobacter. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3994-3999.	1.7	27

#	Article	IF	Citations
109	Benzoate Metabolism Intermediate Benzoyl Coenzyme A Affects Gentisate Pathway Regulation in Comamonas testosteroni. Applied and Environmental Microbiology, 2014, 80, 4051-4062.	3.1	27
110	Abundant Taxa and Favorable Pathways in the Microbiome of Soda-Saline Lakes in Inner Mongolia. Frontiers in Microbiology, 2020, 11, 1740.	3.5	27
111	A new subclass of intrinsic aminoglycoside nucleotidyltransferases, ANT(3")-II, is horizontally transferred among Acinetobacter spp. by homologous recombination. PLoS Genetics, 2017, 13, e1006602.	3.5	27
112	Visualizing the invisible: class excursions to ignite children's enthusiasm for microbes. Microbial Biotechnology, 2020, 13, 844-887.	4.2	26
113	<i>Casimicrobium huifangae</i> gen. nov., sp. nov., a Ubiquitous "Most-Wanted―Core Bacterial Taxon from Municipal Wastewater Treatment Plants. Applied and Environmental Microbiology, 2020, 86, .	3.1	26
114	Crystal Structures and Site-directed Mutagenesis of a Mycothiol-dependent Enzyme Reveal a Novel Folding and Molecular Basis for Mycothiol-mediated Maleylpyruvate Isomerization. Journal of Biological Chemistry, 2007, 282, 16288-16294.	3.4	25
115	A novel chemoreceptor MCP2983 from Comamonas testosteroni specifically binds to cis-aconitate and triggers chemotaxis towards diverse organic compounds. Applied Microbiology and Biotechnology, 2015, 99, 2773-2781.	3.6	25
116	Environmental Adaptability and Quorum Sensing: Iron Uptake Regulation during Biofilm Formation by Paracoccus denitrificans. Applied and Environmental Microbiology, 2018, 84, .	3.1	25
117	Clostridium algifaecis sp. nov., an anaerobic bacterial species from decomposing algal scum. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3844-3848.	1.7	24
118	Biochemical and Molecular Characterization of the Gentisate Transporter GenK in Corynebacterium glutamicum. PLoS ONE, 2012, 7, e38701.	2.5	24
119	The ncgl1108 (PheP Cg) gene encodes a new l-Phe transporter in Corynebacterium glutamicum. Applied Microbiology and Biotechnology, 2011, 90, 2005-2013.	3.6	23
120	The TetR-Type Transcriptional Repressor RolR from Corynebacterium glutamicum Regulates Resorcinol Catabolism by Binding to a Unique Operator, <i>rolO</i> . Applied and Environmental Microbiology, 2012, 78, 6009-6016.	3.1	22
121	A New Acyl-homoserine Lactone Molecule Generated by Nitrobacter winogradskyi. Scientific Reports, 2016, 6, 22903.	3.3	22
122	Chemotaxis Towards Aromatic Compounds: Insights from Comamonas testosteroni. International Journal of Molecular Sciences, 2019, 20, 2701.	4.1	22
123	Roseburia hominis Increases Intestinal Melatonin Level by Activating p-CREB-AANAT Pathway. Nutrients, 2022, 14, 117.	4.1	22
124	Pseudomonas linyingensis sp. nov.: A Novel Bacterium Isolated from Wheat Soil Subjected to Long-term Herbicides Application. Current Microbiology, 2012, 65, 595-600.	2.2	20
125	Gryllotalpicola reticulitermitis sp. nov., isolated from a termite gut. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 85-89.	1.7	20
126	Chemotactic screening of imidazolinone-degrading bacteria by microfluidic SlipChip. Journal of Hazardous Materials, 2019, 366, 512-519.	12.4	20

#	Article	IF	Citations
127	Paenibacillus taihuensis sp. nov., isolated from an eutrophic lake. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3652-3658.	1.7	19
128	Structures of aminophenol dioxygenase in complex with intermediate, product and inhibitor. Acta Crystallographica Section D: Biological Crystallography, 2013, 69, 32-43.	2.5	19
129	Undibacterium terreum sp. nov., isolated from permafrost soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2296-2300.	1.7	19
130	Consumers of 4-chloro-2-methylphenoxyacetic acid from agricultural soil and drilosphere harbor <i>cadA</i> , <i>r/sdpA</i> , and <i>tfdA</i> -like gene encoding oxygenases. FEMS Microbiology Ecology, 2013, 86, 114-129.	2.7	19
131	Proteomic and molecular investigations revealed that Acidithiobacillus caldus adopts multiple strategies for adaptation to NaCl stress. Science Bulletin, 2014, 59, 301-309.	1.7	19
132	Metallosphaera tengchongensis sp. nov., an acidothermophilic archaeon isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 537-542.	1.7	19
133	Selective oxidation of aliphatic C–H bonds in alkylphenols by a chemomimetic biocatalytic system. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E5129-E5137.	7.1	19
134	Host Gasdermin D restrains systemic endotoxemia by capturing Proteobacteria in the colon of high-fat diet-feeding mice. Gut Microbes, 2021, 13, 1946369.	9.8	19
135	Hymenobacter cavernae sp. nov., isolated from a karst cave. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4825-4829.	1.7	19
136	Isolation and characterization of ferrous- and sulfur-oxidizing bacteria from Tengchong solfataric region, China. Journal of Environmental Sciences, 2009, 21, 1247-1252.	6.1	18
137	Frateuria terrea sp. nov., isolated from forest soil, and emended description of the genus Frateuria. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 443-447.	1.7	18
138	Parabacteroides acidifaciens sp. nov., isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 761-766.	1.7	18
139	Genetic and biochemical identification of the chorismate mutase from Corynebacterium glutamicum. Microbiology (United Kingdom), 2009, 155, 3382-3391.	1.8	17
140	Proteomic and molecular investigation on the physiological adaptation of Comamonas sp. strain CNB-1 growing on 4-chloronitrobenzene. Biodegradation, 2009, 20, 55-66.	3.0	17
141	Devosia nitraria sp. nov., a novel species isolated from the roots of Nitraria sibirica in China. Antonie Van Leeuwenhoek, 2017, 110, 1475-1483.	1.7	17
142	Insights into palladium nanoparticles produced by Shewanella oneidensis MR-1: Roles of NADH dehydrogenases and hydrogenases. Environmental Research, 2020, 191, 110196.	7. 5	17
143	Harnessing microfluidic streak plate technique to investigate the gut microbiome ofReticulitermes chinensis. MicrobiologyOpen, 2019, 8, e00654.	3.0	16
144	Nanoclimate environment of cyanobacterial communities in China's hot and cold hyperarid deserts. Journal of Geophysical Research, 2007, 112 , .	3.3	15

#	Article	IF	CITATIONS
145	Genetic characterization of 4-cresol catabolism in Corynebacterium glutamicum. Journal of Biotechnology, 2014, 192, 355-365.	3.8	15
146	Alicyclobacillus fodiniaquatilis sp. nov., isolated from acid mine water. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4915-4920.	1.7	15
147	Organic fertilizer potentiates the transfer of typical antibiotic resistance gene among special bacterial species. Journal of Hazardous Materials, 2022, 435, 128985.	12.4	15
148	Asticcacaulis taihuensis sp. nov., a novel stalked bacterium isolated from Taihu Lake, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1239-1242.	1.7	14
149	Construction and application of an expression vector from the new plasmid pLAtc1 of Acidithiobacillus caldus. Applied Microbiology and Biotechnology, 2014, 98, 4083-4094.	3.6	14
150	Tumebacillus algifaecis sp. nov., isolated from decomposing algal scum. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2194-2198.	1.7	14
151	Preparation of Uniformly Sized Agarose Microcapsules by Membrane Emulsification for Application in Sorting Bacteria. Industrial & Engineering Chemistry Research, 2008, 47, 6386-6390.	3.7	13
152	Methylopila henanense sp. nov., a novel methylotrophic bacterium isolated from tribenuron methyl-contaminated wheat soil. Antonie Van Leeuwenhoek, 2015, 107, 329-336.	1.7	13
153	Engineering the bacterium Comamonas testosteroni CNB-1: Plasmid curing and genetic manipulation. Biochemical Engineering Journal, 2018, 133, 74-82.	3.6	13
154	The ligandâ€binding domain of a chemoreceptor from <i>Comamonas testosteroni</i> has a previously unknown homotrimeric structure. Molecular Microbiology, 2019, 112, 906-917.	2.5	13
155	iMeta: Integrated metaâ€omics for biology and environments. , 2022, 1, .		13
156	Crystal Structures of the Transcriptional Repressor RolR Reveals a Novel Recognition Mechanism between Inducer and Regulator. PLoS ONE, 2011, 6, e19529.	2.5	12
157	Interaction between DAHP synthase and chorismate mutase endows new regulation on DAHP synthase activity in Corynebacterium glutamicum. Applied Microbiology and Biotechnology, 2013, 97, 10373-10380.	3.6	12
158	Hybrid Two-Component Sensors for Identification of Bacterial Chemoreceptor Function. Applied and Environmental Microbiology, 2019, 85, .	3.1	12
159	Bacteria and Metabolic Potential in Karst Caves Revealed by Intensive Bacterial Cultivation and Genome Assembly. Applied and Environmental Microbiology, 2021, 87, .	3.1	12
160	Mobile genetic elements mediate the mixotrophic evolution of novel <i>Alicyclobacillus</i> species for acid mine drainage adaptation. Environmental Microbiology, 2021, 23, 3896-3912.	3.8	12
161	Effect of preferential UV photolysis on the source control of antibiotic resistome during subsequent biological treatment systems. Journal of Hazardous Materials, 2021, 414, 125484.	12.4	12
162	Niabella beijingensis sp. nov. and Thermomonas beijingensis sp. nov., two bacteria from constructed wetland. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	12

#	Article	IF	CITATIONS
163	Key Factors Governing Microbial Community in Extremely Acidic Mine Drainage (pH <3). Frontiers in Microbiology, 2021, 12, 761579.	3.5	12
164	Genetic cloning and functional expression in Escherichia coli of an archaerhodopsin gene from Halorubrum xinjiangense. Extremophiles, 2006, 10, 29-33.	2.3	11
165	Crenobacter cavernae sp. nov., isolated from a karst cave, and emended description of the genus Crenobacter. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 476-480.	1.7	11
166	Conserved residues in the aromatic acid/H+ symporter family are important for benzoate uptake by NCgl2325 in Corynebacterium glutamicum. International Biodeterioration and Biodegradation, 2011, 65, 527-532.	3.9	10
167	Parapedobacter defluvii sp. nov., isolated from the sewage treatment packing of a coking chemical plant. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4698-4703.	1.7	10
168	Pararoseburia lenta gen. nov., sp. nov. isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	10
169	Construction of an easy-to-use CRISPR-Cas9 system by patching a newly designed EXIT circuit. Journal of Biological Engineering, $2017, 11, 32$.	4.7	9
170	Enhanced Microbial Interactions and Deterministic Successions During Anoxic Decomposition of Microcystis Biomass in Lake Sediment. Frontiers in Microbiology, 2019, 10, 2474.	3.5	9
171	Submerged macrophytes recruit unique microbial communities and drive functional zonation in an aquatic system. Applied Microbiology and Biotechnology, 2021, 105, 7517-7528.	3.6	9
172	Genetic Foundations of Direct Ammonia Oxidation (Dirammox) to N $<$ sub $>$ 2 $<$ /sub $>$ and MocR-Like Transcriptional Regulator DnfR in Alcaligenes faecalis Strain JQ135. Applied and Environmental Microbiology, 2022, 88, aem0226121.	3.1	9
173	Alicyclobacillus curvatus sp. nov. and Alicyclobacillus mengziensis sp. nov., two acidophilic bacteria isolated from acid mine drainage. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	9
174	Archaeal and Bacterial Sulfur Oxygenase-Reductases: Genetic Diversity and Physiological Function. , 2008, , 217-224.		8
175	Comparative Genomic Analysis Reveals the Metabolism and Evolution of the Thermophilic Archaeal Genus Metallosphaera. Frontiers in Microbiology, 2020, 11, 1192.	3.5	8
176	Blautia intestinalis sp. nov., isolated from human feces. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	8
177	Identification and quantification of mycothiol in Actinobacteria by a novel enzymatic method. Applied Microbiology and Biotechnology, 2010, 88, 1393-1401.	3.6	7
178	Rufibacter latericius sp. nov., isolated from Baiyang Lake. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5943-5949.	1.7	7
179	Bacteroides propionicigenes sp. nov., isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	7
180	Dirammox Is Widely Distributed and Dependently Evolved in Alcaligenes and Is Important to Nitrogen Cycle. Frontiers in Microbiology, 2022, 13, .	3.5	6

#	Article	IF	CITATIONS
181	Unraveling the kinetic diversity of microbial 3-dehydroquinate dehydratases of shikimate pathway. AMB Express, 2015, 5, 7.	3.0	5
182	PapA, a peptidoglycanâ€essociated protein, interacts with OmpC and maintains cell envelope integrity. Environmental Microbiology, 2021, 23, 600-612.	3.8	5
183	Tropical and temperate wastewater treatment plants assemble different and diverse microbiomes. Applied Microbiology and Biotechnology, 2021, 105, 853-867.	3.6	5
184	Cultivation and characterization of symbiotic bacteria from the gut of Reticulitermes chinensis. Applied Environmental Biotechnology, 2016, 1, 3.	2.4	5
185	The enriched gut commensal Faeciroseburia intestinalis contributes to the anti-metabolic disorders effects of the Ganoderma meroterpene derivative. Food Science and Human Wellness, 2022, 11, 85-96.	4.9	4
186	Physiology, Taxonomy, and Sulfur Metabolism of the Sulfolobales, an Order of Thermoacidophilic Archaea. Frontiers in Microbiology, 2021, 12, 768283.	3.5	4
187	Crystallization and preliminary crystallographic analysis of 2-aminophenol 1,6-dioxygenase complexed with substrate and with an inhibitor. Acta Crystallographica Section F: Structural Biology Communications, 2012, 68, 1337-1340.	0.7	3
188	<i>Candidatus</i> Kaistella beijingensis sp. nov., Isolated from a Municipal Wastewater Treatment Plant, Is Involved in Sludge Foaming. Applied and Environmental Microbiology, 2021, 87, e0153421.	3.1	3
189	The monkey microbial biobank brings previously uncultivated bioresources for nonhuman primate and human gut microbiomes., 2022, 1, 210-217.		3
190	Site-directed mutagenesis reveals new and essential elements for iron-coordination of the sulfur oxygenase reductase from the acidothermophilic Acidianus tengchongensis. Science Bulletin, 2009, 54, 652-657.	1.7	2
191	Structural Basis for Selective Oxidation of Phosphorylated Ethylphenols by Cytochrome P450 Monooxygenase CreJ. Applied and Environmental Microbiology, 2021, 87, .	3.1	2
192	Cloning and heterologous expression of a sulfur oxygenase/reductase gene from the thermoacidophilic archaeon Acidianus sp. S5 in Escherichia coli. FEMS Microbiology Letters, 2000, 193, 217-221.	1.8	2
193	Title is missing!. Biotechnology Letters, 1998, 20, 963-967.	2.2	2
194	Degradation of pyrene and characterization of Saccharothrix sp. PYX-6 from the oligotrophic Tianchi Lake in Xinjiang Uygur Autonomous Region, China. Science Bulletin, 2003, 48, 2210-2215.	1.7	1
195	The Response Regulator FlmD Regulates Biofilm Formation in Comamonas testosteroni through the Transcriptional Activator SoxR. Microorganisms, 2022, 10, 356.	3.6	1
196	Mechanistic studies of O2-resistant N2-fixation in N2-fixing Escherichia coli. Biotechnology Letters, 1998, 20, 889-893.	2.2	0
197	Environmental microbiology in China. Environmental Microbiology, 2021, 23, 529-529.	3.8	0
198	Biosynthesis of poly (3-mercaptopropionate) and poly (3-mercaptopropionate-co-3-hydroxybutyrate) with recombinant Escherichia coli. Shengwu Gongcheng Xuebao/Chinese Journal of Biotechnology, 2003, 19, 195-9.	0.2	0