

# Chui-Ping Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2111236/publications.pdf>

Version: 2024-02-01

84  
papers

2,469  
citations

236925

25  
h-index

206112

48  
g-index

84  
all docs

84  
docs citations

84  
times ranked

1138  
citing authors

#	ARTICLE	IF	CITATIONS
1	Generation of an Enhanced Multi-Mode Optomechanical-Like Quantum System and Its Application in Creating Hybrid Entangled States. <i>Annalen Der Physik</i> , 2022, 534, .	2.4	5
2	Two-Photon Blockade with Second-Order Nonlinearity in Cavity Systems. <i>International Journal of Theoretical Physics</i> , 2022, 61, 1.	1.2	1
3	Hybrid controlled-sum gate with one superconducting qutrit and one cat-state qutrit and application in hybrid entangled state preparation. <i>Physical Review A</i> , 2022, 105, .	2.5	3
4	Efficient scheme for realizing a multiplex-controlled phase gate with photonic qubits in circuit quantum electrodynamics. <i>Frontiers of Physics</i> , 2022, 17, .	5.0	8
5	Single-step implementation of a hybrid controlled-not gate with one superconducting qubit simultaneously controlling multiple target cat-state qubits. <i>Physical Review A</i> , 2022, 105, .	2.5	7
6	Entanglement dynamics in anti-PT-symmetric systems. <i>Physical Review Research</i> , 2022, 4, .	3.6	6
7	Transfer of quantum entangled states between superconducting qubits and microwave field qubits. <i>Frontiers of Physics</i> , 2022, 17, .	5.0	3
8	One-step implementation of a coherent conversion between microwave and optical cavities via an ensemble of nitrogen-vacancy centers. <i>Physical Review A</i> , 2021, 103, .	2.5	13
9	Implementing a quantum search algorithm with nonorthogonal states. <i>Physical Review A</i> , 2021, 103, .	2.5	6
10	Transferring quantum entangled states between multiple single-photon-state qubits and coherent-state qubits in circuit QED. <i>Frontiers of Physics</i> , 2021, 16, 1.	5.0	5
11	Construction of a qudit using Schrödinger cat states and generation of hybrid entanglement between a discrete-variable qudit and a continuous-variable qudit. <i>Physical Review A</i> , 2021, 104, .	2.5	6
12	Generation of generalized hybrid entanglement in cavity electro-optic systems. <i>Quantum Science and Technology</i> , 2021, 6, 025003.	5.8	24
13	Nonadiabatic quantum state engineering by time-dependent decoherence-free subspaces in open quantum systems. <i>New Journal of Physics</i> , 2021, 23, 113005.	2.9	10
14	Experimental demonstration of coherence flow in PT- and anti-PT-symmetric systems. <i>Communications Physics</i> , 2021, 4, .	5.3	17
15	n-photon blockade with an n-photon parametric drive. <i>Physical Review A</i> , 2021, 104, .	2.5	15
16	Coherence and quantum Fisher information in general single-qubit parameter estimation processes. <i>Physical Review A</i> , 2021, 104, .	2.5	2
17	Quantum Optical Switching Based on Local Single-excitation Resonance. <i>International Journal of Theoretical Physics</i> , 2020, 59, 2606-2616.	1.2	0
18	Conventional photon blockade with a three-wave mixing. <i>Physical Review A</i> , 2020, 102, .	2.5	23

#	ARTICLE	IF	CITATIONS
19	Preparation of entangled W states with cat-state qubits in circuit QED. Quantum Information Processing, 2020, 19, 1.	2.2	8
20	Implementing a multi-target-qubit controlled-not gate with logical qubits outside a decoherence-free subspace and its application in creating quantum entangled states. Physical Review A, 2020, 101, .	2.5	14
21	Generation of hybrid Greenberger-Horne-Zeilinger entangled states of particlelike and wavelike optical qubits in circuit QED. Physical Review A, 2020, 101, .	2.5	12
22	Generation of quantum entangled states of multiple groups of qubits distributed in multiple cavities. Physical Review A, 2020, 101, .	2.5	9
23	One-step transfer of quantum information for a photonic cat-state qubit. Quantum Information Processing, 2020, 19, 1.	2.2	3
24	Transferring entangled states of photonic cat-state qubits in circuit QED. Frontiers of Physics, 2020, 15, 1.	5.0	11
25	Efficient scheme for creating a W-type optical entangled coherent state. Optics Express, 2020, 28, 35622.	3.4	6
26	Non-Markovianity in experimentally simulated quantum channels: Role of counterrotating-wave terms. Physical Review A, 2019, 100, .	2.5	6
27	Quantum Interface between a Superconducting Qubit and Spin Ensembles. Annalen Der Physik, 2019, 531, 1900036.	2.4	4
28	Experimental demonstration of quantum walks with initial superposition states. Npj Quantum Information, 2019, 5, .	6.7	18
29	Fast preparation of entangled states of two qutrits in cavity or circuit QED. Journal of Modern Optics, 2019, 66, 891-897.	1.3	1
30	One-step implementation of a multi-target-qubit controlled phase gate with cat-state qubits in circuit QED. Frontiers of Physics, 2019, 14, 1.	5.0	21
31	Circuit QED: generation of two-transmon-qutrit entangled states via resonant interaction. Quantum Information Processing, 2018, 17, 1.	2.2	4
32	Circuit QED: single-step realization of a multiqubit controlled phase gate with one microwave photonic qubit simultaneously controlling $n \hat{a}^\dagger$ 1 microwave photonic qubits. Optics Express, 2018, 26, 30689.	3.4	17
33	Generalized coupling system between a superconducting qubit and two nanomechanical resonators. Physical Review A, 2018, 98, .	2.5	10
34	Multiplex-controlled phase gate with qubits distributed in a multicavity system. Physical Review A, 2018, 97, .	2.5	14
35	Deterministic generation of Greenberger-Horne-Zeilinger entangled states of cat-state qubits in circuit QED. Optics Letters, 2018, 43, 5126.	3.3	19
36	Universal quantum gate with hybrid qubits in circuit quantum electrodynamics. Optics Letters, 2018, 43, 5765.	3.3	9

#	ARTICLE	IF	CITATIONS
37	Generating double NOON states of photons in circuit QED. <i>Physical Review A</i> , 2017, 95, .	2.5	18
38	Transferring multiqubit entanglement onto memory qubits in a decoherence-free subspace. <i>Quantum Information Processing</i> , 2017, 16, 1.	2.2	2
39	Transferring arbitrary d-dimensional quantum states of a superconducting transmon qubit in circuit QED. <i>Scientific Reports</i> , 2017, 7, 7039.	3.3	15
40	Universal controlled-phase gate with cat-state qubits in circuit QED. <i>Physical Review A</i> , 2017, 96, .	2.5	21
41	10-Qubit Entanglement and Parallel Logic Operations with a Superconducting Circuit. <i>Physical Review Letters</i> , 2017, 119, 180511.	7.8	313
42	Entangling two oscillators with arbitrary asymmetric initial states. <i>Physical Review A</i> , 2017, 95, .	2.5	28
43	Experimental simulation of a quantum channel without the rotating-wave approximation: testing quantum temporal steering. <i>Optica</i> , 2017, 4, 1065.	9.3	15
44	Entangling superconducting qubits in a multi-cavity system. <i>New Journal of Physics</i> , 2016, 18, 013025.	2.9	41
45	Multi-target-qubit unconventional geometric phase gate in a multi-cavity system. <i>Scientific Reports</i> , 2016, 6, 21562.	3.3	20
46	Crosstalk-insensitive method for simultaneously coupling multiple pairs of resonators. <i>Physical Review A</i> , 2016, 93, .	2.5	13
47	Generation of a macroscopic entangled coherent state using quantum memories in circuit QED. <i>Scientific Reports</i> , 2016, 6, 32004.	3.3	33
48	Transferring multipartite entanglement among different cavities. <i>Quantum Information Processing</i> , 2016, 15, 215-231.	2.2	1
49	One-step transfer or exchange of arbitrary multipartite quantum states with a single-qubit coupler. <i>Physical Review B</i> , 2015, 92, .	3.2	9
50	Quantum Delayed-Choice Experiment with a Beam Splitter in a Quantum Superposition. <i>Physical Review Letters</i> , 2015, 115, 260403.	7.8	32
51	Scalable quantum information transfer between nitrogen-vacancy-center ensembles. <i>Annals of Physics</i> , 2015, 355, 170-181.	2.8	4
52	Efficient transfer of an arbitrary qutrit state in circuit quantum electrodynamics. <i>Optics Letters</i> , 2015, 40, 5602.	3.3	15
53	Deterministic transfer of multiqubit GHZ entangled states and quantum secret sharing between different cavities. <i>Quantum Information Processing</i> , 2015, 14, 4461-4474.	2.2	8
54	Efficient scheme for generation of photonic NOON states in circuit QED. <i>Optics Letters</i> , 2015, 40, 2221.	3.3	28

#	ARTICLE	IF	CITATIONS
55	Controlled teleportation with the control of two groups of agents via entanglement. Quantum Information Processing, 2015, 14, 1055-1068.	2.2	15
56	Circuit QED: implementation of the three-qubit refined Deutschâ€œJozsa quantum algorithm. Quantum Information Processing, 2014, 13, 2769-2782.	2.2	1
57	Generating multipartite entangled states of qubits distributed in different cavities. Quantum Information Processing, 2014, 13, 1381-1395.	2.2	9
58	Generation of macroscopic entangled coherent states with large Josephson junctions. Physics Letters, Section A: General, Atomic and Solid State Physics, 2014, 378, 1536-1539.	2.1	4
59	Controllable coupling between a charge qubit and a spin ensemble. Physical Review A, 2014, 89, .	2.5	1
60	Single-step implementation of a multiple-target-qubit controlled phase gate without need of classical pulses. Optics Letters, 2014, 39, 3312.	3.3	29
61	Fast and simple scheme for generating NOON states of photons in circuit QED. Scientific Reports, 2014, 4, 3898.	3.3	51
62	Generating entanglement between microwave photons and qubits in multiple cavities coupled by a superconducting qutrit. Physical Review A, 2013, 87, .	2.5	92
63	Entanglement generation and quantum information transfer between spatially-separated qubits in different cavities. New Journal of Physics, 2013, 15, 115003.	2.9	31
64	Preparing Greenbergerâ€œHorneâ€œZeilinger Entangled Photon Fock States of Three Cavities Coupled by a Superconducting Flux Qutrit. Journal of the Physical Society of Japan, 2013, 82, 084801.	1.6	1
65	Proposal for Implementing the Three-Qubit Refined Deutschâ€œJozsa Quantum Algorithm. Journal of the Physical Society of Japan, 2013, 82, 084802.	1.6	0
66	Generation of Greenberger-Horne-Zeilinger entangled states of photons in multiple cavities via a superconducting qutrit or an atom through resonant interaction. Physical Review A, 2012, 86, .	2.5	70
67	Proposal for realizing a multiqubit tunable phase gate of one qubit simultaneously controlling target qubits using cavity QED. Physical Review A, 2012, 86, .	2.5	11
68	Preparation of $\langle n \rangle$ -qubit Greenberger-Horne-Zeilinger entangled states in cavity QED: An approach with tolerance to nonidentical qubit-cavity coupling constants. Physical Review A, 2011, 83, .	2.5	29
69	A proposal for implementing an n-qubit controlled-rotation gate with three-level superconducting qubit systems in cavity QED. Journal of Physics Condensed Matter, 2011, 23, 225702.	1.8	4
70	Quantum logical gates with four-level superconducting quantum interference devices coupled to a superconducting resonator. Physical Review A, 2010, 82, .	2.5	13
71	Quantum information transfer with superconducting flux qubits coupled to a resonator. Physical Review A, 2010, 82, .	2.5	34
72	Arbitrary control of coherent dynamics for distant qubits in a quantum network. Physical Review A, 2010, 82, .	2.5	50

#	ARTICLE	IF	CITATIONS
73	Phase gate of one qubit simultaneously controlling $n$ qubits in a cavity. Physical Review A, 2010, 81, .	2.5	72
74	Multiqubit tunable phase gate of one qubit simultaneously controlling $n$ qubits in a cavity. Physical Review A, 2010, 82, .	2.5	50
75	Realization of $n$ -qubit controlled-Ugate with superconducting quantum interference devices or atoms in cavity QED. Physical Review A, 2006, 73, .	2.5	82
76	Rotation gate for a three-level superconducting quantum interference device qubit with resonant interaction. Physical Review A, 2006, 74, .	2.5	27
77	A scheme for the teleportation of multiqubit quantum information via the control of many agents in a network. Physics Letters, Section A: General, Atomic and Solid State Physics, 2005, 343, 267-273.	2.1	28
78	$n$ -qubit-controlled phase gate with superconducting quantum-interference devices coupled to a resonator. Physical Review A, 2005, 72, .	2.5	89
79	Simplified realization of two-qubit quantum phase gate with four-level systems in cavity QED. Physical Review A, 2004, 70, .	2.5	39
80	A small error-correction code for protecting three-qubit quantum information. JETP Letters, 2004, 79, 236-240.	1.4	1
81	Quantum Information Transfer and Entanglement with SQUID Qubits in Cavity QED: A Dark-State Scheme with Tolerance for Nonuniform Device Parameter. Physical Review Letters, 2004, 92, 117902.	7.8	179
82	Efficient many-party controlled teleportation of multiqubit quantum information via entanglement. Physical Review A, 2004, 70, .	2.5	206
83	Possible realization of entanglement, logical gates, and quantum-information transfer with superconducting-quantum-interference-device qubits in cavity QED. Physical Review A, 2003, 67, .	2.5	248
84	A Proposal of Teleportation for Three-Particle Entangled State. Chinese Physics Letters, 1999, 16, 628-629.	3.3	47