

Baoli Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2111716/publications.pdf>

Version: 2024-02-01

25
papers

922
citations

840776

11
h-index

580821

25
g-index

31
all docs

31
docs citations

31
times ranked

1968
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyurethane foam sampling for the determination of acetochlor in the air of workplace-gas chromatography. <i>Chemical Papers</i> , 2022, 76, 2375-2384.	2.2	4
2	Toilets dominate environmental detection of severe acute respiratory syndrome coronavirus 2 in a hospital. <i>Science of the Total Environment</i> , 2021, 753, 141710.	8.0	114
3	A Multimodality Machine Learning Approach to Differentiate Severe and Nonsevere COVID-19: Model Development and Validation. <i>Journal of Medical Internet Research</i> , 2021, 23, e23948.	4.3	27
4	Evaluating the Effectiveness of Earplugs in Preventing Noise-Induced Hearing Loss in an Auto Parts Factory in China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7190.	2.6	9
5	Verifying earplug attenuation and evaluating the effectiveness of one-on-one training along with earplug fit testing at nine facilities in China. <i>American Journal of Industrial Medicine</i> , 2021, 64, 771-780.	2.1	5
6	A missense variant rs2585405 in clock gene PER1 is associated with the increased risk of noise-induced hearing loss in a Chinese occupational population. <i>BMC Medical Genomics</i> , 2021, 14, 221.	1.5	3
7	Accurately Differentiating Between Patients With COVID-19, Patients With Other Viral Infections, and Healthy Individuals: Multimodal Late Fusion Learning Approach. <i>Journal of Medical Internet Research</i> , 2021, 23, e25535.	4.3	30
8	Lead and noise exposures at eight Chinese registered electronics recycling facilities. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 230, 113611.	4.3	2
9	A reverse-transcription recombinase-aided amplification assay for the rapid detection of N gene of severe acute respiratory syndrome coronavirus 2(SARS-CoV-2). <i>Virology</i> , 2020, 549, 1-4.	2.4	29
10	Association of viral load with serum biomarkers among COVID-19 cases. <i>Virology</i> , 2020, 546, 122-126.	2.4	68
11	Co-infection with respiratory pathogens among COVID-2019 cases. <i>Virus Research</i> , 2020, 285, 198005.	2.2	419
12	THE FREQUENCIES OF X-RAY EXAMINATIONS AND CT SCANS: FINDINGS FROM A SAMPLE INVESTIGATION IN JIANGSU, CHINA. <i>Radiation Protection Dosimetry</i> , 2020, 190, 38-44.	0.8	5
13	Salt-Inducible Kinase 3 Haplotypes Associated with Noise-Induced Hearing Loss in Chinese Workers. <i>Audiology and Neuro-Otology</i> , 2020, 25, 200-208.	1.3	3
14	Variations in the potassium voltage-gated channel subfamily E regulatory subunit 1 gene associated with noise-induced hearing loss in the Chinese population. <i>Environmental Science and Pollution Research</i> , 2020, 27, 18822-18830.	5.3	2
15	Effects of occupational exposure to dust on chest radiograph, pulmonary function, blood pressure and electrocardiogram among coal miners in an eastern province, China. <i>BMC Public Health</i> , 2019, 19, 1229.	2.9	13
16	Association between single nucleotide polymorphism (rs4252424) in TRPV5 calcium channel gene and lead poisoning in Chinese workers. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e562.	1.2	4
17	Characteristics and Trends of Pneumoconiosis in the Jiangsu Province, China, 2006-2017. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 437.	2.6	20
18	Analysis of Polymorphisms Associated with Base Excision Repair in Patients Susceptible and Resistant to Noise-Induced Hearing Loss. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Correlation between CAT polymorphism and susceptibility to DMAc-induced abnormal liver function: a case-control study of Chinese population. <i>Biomarkers</i> , 2018, 23, 147-153.	1.9	7
20	Effects of glyphosate exposure on sperm concentration in rodents: A systematic review and meta-analysis. <i>Environmental Toxicology and Pharmacology</i> , 2017, 55, 148-155.	4.0	47
21	PON2 and ATP2B2 gene polymorphisms with noise-induced hearing loss. <i>Journal of Thoracic Disease</i> , 2016, 8, 430-438.	1.4	13
22	Plasma microRNAs expression profile in female workers occupationally exposed to mercury. <i>Journal of Thoracic Disease</i> , 2016, 8, 833-841.	1.4	23
23	Genetic Variations in the Promoter of the APE1 Gene Are Associated with DMF-Induced Abnormal Liver Function: A Case-Control Study in a Chinese Population. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 752.	2.6	10
24	Genetic variation in APE1 gene promoter is associated with noise-induced hearing loss in a Chinese population. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 621-628.	2.3	14
25	A Functional Ser326Cys Polymorphism in hOGG1 Is Associated with Noise-Induced Hearing Loss in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e89662.	2.5	37