

Abderrahmane Kaidi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2113210/publications.pdf>

Version: 2024-02-01

13
papers

3,327
citations

759233

12
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

6490
citing authors

#	ARTICLE	IF	CITATIONS
1	Streamlined histone-based fluorescence lifetime imaging microscopy (FLIM) for studying chromatin organisation. <i>Biology Open</i> , 2018, 7, .	1.2	11
2	The small molecule inhibitor YK-4-279 disrupts mitotic progression of neuroblastoma cells, overcomes drug resistance and synergizes with inhibitors of mitosis. <i>Cancer Letters</i> , 2017, 403, 74-85.	7.2	32
3	A transient pool of nuclear F-actin at mitotic exit controls chromatin organization. <i>Nature Cell Biology</i> , 2017, 19, 1389-1399.	10.3	170
4	LGR5 regulates pro-survival MEK/ERK and proliferative Wnt/ β -catenin signalling in neuroblastoma. <i>Oncotarget</i> , 2015, 6, 40053-40067.	1.8	67
5	KAT5 tyrosine phosphorylation couples chromatin sensing to ATM signalling. <i>Nature</i> , 2013, 498, 70-74.	27.8	149
6	Chromothripsis and cancer: causes and consequences of chromosome shattering. <i>Nature Reviews Cancer</i> , 2012, 12, 663-670.	28.4	333
7	Regulation of DNA-damage responses and cell-cycle progression by the chromatin remodelling factor CHD4. <i>EMBO Journal</i> , 2010, 29, 3130-3139.	7.8	300
8	The COX-2/PGE2 pathway: key roles in the hallmarks of cancer and adaptation to the tumour microenvironment. <i>Carcinogenesis</i> , 2009, 30, 377-386.	2.8	1,058
9	Is the downregulation of EphB2 receptor expression during colorectal tumorigenesis due to hypoxia?. <i>Gut</i> , 2007, 56, 1637-1638.	12.1	8
10	Prostaglandin F ₂ α stimulates motility and invasion in colorectal tumor cells. <i>International Journal of Cancer</i> , 2007, 121, 734-740.	5.1	60
11	Interaction between β -catenin and HIF-1 promotes cellular adaptation to hypoxia. <i>Nature Cell Biology</i> , 2007, 9, 210-217.	10.3	433
12	Mediators of PGE2 synthesis and signalling downstream of COX-2 represent potential targets for the prevention/treatment of colorectal cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2006, 1766, 104-119.	7.4	83
13	Direct Transcriptional Up-regulation of Cyclooxygenase-2 by Hypoxia-Inducible Factor (HIF)-1 Promotes Colorectal Tumor Cell Survival and Enhances HIF-1 Transcriptional Activity during Hypoxia. <i>Cancer Research</i> , 2006, 66, 6683-6691.	0.9	270