

Stephen John Martin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2116131/publications.pdf>

Version: 2024-02-01

114
papers

5,788
citations

76326

40
h-index

85541

71
g-index

114
all docs

114
docs citations

114
times ranked

3404
citing authors

#	ARTICLE	IF	CITATIONS
1	Cold case: The disappearance of Egypt bee virus, a fourth distinct master strain of deformed wing virus linked to honeybee mortality in 1970s Egypt. <i>Virology Journal</i> , 2022, 19, 12.	3.4	17
2	Deformed wing virus prevalence and load in honeybees in South Africa. <i>Archives of Virology</i> , 2021, 166, 237-241.	2.1	12
3	Spatial distribution of recapping behaviour indicates clustering around Varroa infested cells. <i>Journal of Apicultural Research</i> , 2021, 60, 707-716.	1.5	4
4	Elevated recapping behaviour and reduced Varroa destructor reproduction in natural Varroa resistant <i>Apis mellifera</i> honey bees from the UK. <i>Apidologie</i> , 2021, 52, 647-657.	2.0	12
5	Ten Years of Deformed Wing Virus (DWW) in Hawaiian Honey Bees (<i>Apis mellifera</i>), the Dominant DWW-A Variant Is Potentially Being Replaced by Variants with a DWW-B Coding Sequence. <i>Viruses</i> , 2021, 13, 969.	3.3	13
6	Parallel evolution of <i>Varroa</i> resistance in honey bees: a common mechanism across continents?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211375.	2.6	17
7	Vulnerability of island insect pollinator communities to pathogens. <i>Journal of Invertebrate Pathology</i> , 2021, 186, 107670.	3.2	2
8	Varroa destructor reproduction and cell re-capping in mite-resistant <i>Apis mellifera</i> populations. <i>Apidologie</i> , 2020, 51, 369-381.	2.0	37
9	RNAseq of Deformed Wing Virus and Other Honey Bee-Associated Viruses in Eight Insect Taxa with or without Varroa Infestation. <i>Viruses</i> , 2020, 12, 1229.	3.3	19
10	Detection and Replication of Moku Virus in Honey Bees and Social Wasps. <i>Viruses</i> , 2020, 12, 607.	3.3	20
11	Complete mitochondrial DNA sequence of the parasitic honey bee mite <i>Varroa destructor</i> (Mesostigmata: Varroidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 635-636.	0.4	3
12	Complete mitochondrial DNA sequence of the small hive beetle <i>Aethina tumida</i> (Insecta: Coleoptera) from Hawaii. <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 1522-1523.	0.4	3
13	Phenotypic Plasticity of Nest-Mate Recognition Cues in <i>Formica exsecta</i> Ants. <i>Journal of Chemical Ecology</i> , 2019, 45, 735-740.	1.8	4
14	Deformed Wing Virus in Honeybees and Other Insects. <i>Annual Review of Virology</i> , 2019, 6, 49-69.	6.7	151
15	RNAseq Analysis Reveals Virus Diversity within Hawaiian Apiary Insect Communities. <i>Viruses</i> , 2019, 11, 397.	3.3	28
16	DWV-A Lethal to Honey Bees (<i>Apis mellifera</i>): A Colony Level Survey of DWV Variants (A, B, and C) in England, Wales, and 32 States across the US. <i>Viruses</i> , 2019, 11, 426.	3.3	62
17	Asian Honey Bee <i>Apis cerana</i> Foraging on Mushrooms. <i>Bee World</i> , 2019, 96, 10-11.	0.8	2
18	Occurrence of deformed wing virus variants in the stingless bee <i>Melipona subnitida</i> and honey bee <i>Apis mellifera</i> populations in Brazil. <i>Journal of General Virology</i> , 2019, 100, 289-294.	2.9	37

#	ARTICLE	IF	CITATIONS
19	Evidence of Varroa-mediated deformed wing virus spillover in Hawaii. <i>Journal of Invertebrate Pathology</i> , 2018, 151, 126-130.	3.2	33
20	A vast 4,000-year-old spatial pattern of termite mounds. <i>Current Biology</i> , 2018, 28, R1292-R1293.	3.9	45
21	Is the Salivary Gland Associated with Honey Bee Recognition Compounds in Worker Honey Bees (<i>Apis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	10
22	The complete mitochondrial genome of a Buckfast bee, <i>Apis mellifera</i> (Insecta: Hymenoptera: Apidae) in Northern Ireland. <i>Mitochondrial DNA Part B: Resources</i> , 2018, 3, 338-339.	0.4	6
23	Life history and chemical ecology of the Warrior wasp <i>Synoecca septentrionalis</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.5	10
24	Covert deformed wing virus infections have long-term deleterious effects on honeybee foraging and survival. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162149.	2.6	100
25	Are Isomeric Alkenes Used in Species Recognition among Neo-Tropical Stingless Bees (<i>Melipona</i> Spp). <i>Journal of Chemical Ecology</i> , 2017, 43, 1066-1072.	1.8	10
26	Complete mitochondrial DNA sequence of the tropical hornet <i>Vespa affinis</i> (Insecta, Hymenoptera). <i>Mitochondrial DNA Part B: Resources</i> , 2017, 2, 776-777.	0.4	5
27	A Comparison of Deformed Wing Virus in Deformed and Asymptomatic Honey Bees. <i>Insects</i> , 2017, 8, 28.	2.2	45
28	Novel RNA Virus Genome Discovered in Ghost Ants (<i>Tapinoma melanocephalum</i>) from Hawaii. <i>Genome Announcements</i> , 2017, 5, .	0.8	4
29	Use of Mass-Participation Outdoor Events to Assess Human Exposure to Tickborne Pathogens. <i>Emerging Infectious Diseases</i> , 2017, 23, 463-467.	4.3	19
30	ABC Assay: Method Development and Application to Quantify the Role of Three DWV Master Variants in Overwinter Colony Losses of European Honey Bees. <i>Viruses</i> , 2017, 9, 314.	3.3	62
31	Species-Specific Cuticular Hydrocarbon Stability within European <i>Myrmica</i> Ants. <i>Journal of Chemical Ecology</i> , 2016, 42, 1052-1062.	1.8	33
32	The occurrence of ecto-parasitic <i>Leptus</i> sp. mites on Africanized honey bees. <i>Journal of Apicultural Research</i> , 2016, 55, 243-246.	1.5	3
33	Moku virus; a new Iflavirus found in wasps, honey bees and Varroa. <i>Scientific Reports</i> , 2016, 6, 34983.	3.3	55
34	Diversity in a honey bee pathogen: first report of a third master variant of the Deformed Wing Virus quasispecies. <i>ISME Journal</i> , 2016, 10, 1264-1273.	9.8	147
35	Superinfection exclusion and the long-term survival of honey bees in Varroa-infested colonies. <i>ISME Journal</i> , 2016, 10, 1182-1191.	9.8	88
36	Using Errors by Guard Honeybees (<i>Apis mellifera</i>) to Gain New Insights into Nestmate Recognition Signals. <i>Chemical Senses</i> , 2015, 40, 649-653.	2.0	10

#	ARTICLE	IF	CITATIONS
37	Evolution of Cuticular Hydrocarbons in the Hymenoptera: a Meta-Analysis. <i>Journal of Chemical Ecology</i> , 2015, 41, 871-883.	1.8	90
38	Evidence for Passive Chemical Camouflage in the Parasitic Mite <i>Varroa destructor</i> . <i>Journal of Chemical Ecology</i> , 2015, 41, 178-186.	1.8	26
39	Evidence for colony-specific differences in chemical mimicry in the parasitic mite <i>Varroa destructor</i> . <i>Chemoecology</i> , 2015, 25, 215-222.	1.1	16
40	Chemical deception among ant social parasites. <i>Environmental Epigenetics</i> , 2014, 60, 62-75.	1.8	33
41	Nest-mate recognition cues are not used during or influenced by mating in the ant <i>Formica exsecta</i> . <i>Ethology Ecology and Evolution</i> , 2014, 26, 40-48.	1.4	3
42	Is the bee louse <i>Braula coeca</i> (Diptera) using chemical camouflage to survive within honeybee colonies?. <i>Chemoecology</i> , 2014, 24, 165-169.	1.1	13
43	Recognition of nestmate eggs in the ant <i>Formica fusca</i> is based on queen derived cues. <i>Environmental Epigenetics</i> , 2014, 60, 131-136.	1.8	11
44	Do the honeybee pathogens <i>Nosema ceranae</i> and deformed wing virus act synergistically?. <i>Environmental Microbiology Reports</i> , 2013, 5, 506-510.	2.4	39
45	Studies of long chain lipids in insects by high temperature gas chromatography and high temperature gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1297, 236-240.	3.7	27
46	Sources of Variation in Cuticular Hydrocarbons in the Ant <i>Formica exsecta</i> . <i>Journal of Chemical Ecology</i> , 2013, 39, 1415-1423.	1.8	23
47	The role of deformed wing virus in the initial collapse of varroa infested honey bee colonies in the UK. <i>Journal of Apicultural Research</i> , 2013, 52, 251-258.	1.5	29
48	Standard methods for varroa research. <i>Journal of Apicultural Research</i> , 2013, 52, 1-54.	1.5	264
49	Transcriptome Characterisation of the Ant <i>Formica exsecta</i> with New Insights into the Evolution of Desaturase Genes in Social Hymenoptera. <i>PLoS ONE</i> , 2013, 8, e68200.	2.5	14
50	Deformed wing virus. <i>Virulence</i> , 2012, 3, 589-591.	4.4	58
51	Cuticular hydrocarbon profiles as a taxonomic tool: advantages, limitations and technical aspects. <i>Physiological Entomology</i> , 2012, 37, 25-32.	1.5	106
52	Distribution, spread, and impact of the invasive hornet <i>Vespa velutina</i> in South Korea. <i>Journal of Asia-Pacific Entomology</i> , 2012, 15, 473-477.	0.9	109
53	Weak patriline effects are present in the cuticular hydrocarbon profiles of isolated <i>Formica exsecta</i> ants but they disappear in the colony environment. <i>Ecology and Evolution</i> , 2012, 2, 2333-2346.	1.9	12
54	Global Honey Bee Viral Landscape Altered by a Parasitic Mite. <i>Science</i> , 2012, 336, 1304-1306.	12.6	548

#	ARTICLE	IF	CITATIONS
55	Conspecific Ant Aggression is Correlated with Chemical Distance, but not with Genetic or Spatial Distance. <i>Behavior Genetics</i> , 2012, 42, 323-331.	2.1	38
56	Distribution, spread and impact of the invasive hornet <i>Vespa velutina</i> in South Korea. <i>Entomological Research</i> , 2011, 41, 276-276.	1.1	6
57	Task Group Differences in Cuticular Lipids in the Honey Bee <i>Apis mellifera</i> . <i>Journal of Chemical Ecology</i> , 2011, 37, 205-212.	1.8	72
58	Is parasite pressure a driver of chemical cue diversity in ants?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 496-503.	2.6	55
59	Genetic diversity, colony chemical phenotype, and nest mate recognition in the ant <i>Formica fusca</i> . <i>Behavioral Ecology</i> , 2011, 22, 710-716.	2.2	39
60	Male production by non-natal workers in the bumblebee, <i>Bombus deuteronymus</i> (Hymenoptera: Apidae). <i>Journal of Ethology</i> , 2010, 28, 61-66.	0.8	24
61	Host Specific Social Parasites (<i>Psithyrus</i>) Indicate Chemical Recognition System in Bumblebees. <i>Journal of Chemical Ecology</i> , 2010, 36, 855-863.	1.8	77
62	Sex Allocation: Size Matters for Red Spider Mites. <i>Current Biology</i> , 2010, 20, R1080-R1081.	3.9	2
63	The epidemiology of cloudy wing virus infections in honey bee colonies in the UK. <i>Journal of Apicultural Research</i> , 2010, 49, 66-71.	1.5	20
64	Sexual selection in honey bees: colony variation and the importance of size in male mating success. <i>Behavioral Ecology</i> , 2010, 21, 520-525.	2.2	47
65	Prevalence and persistence of deformed wing virus (DWV) in untreated or acaricide-treated <i>Varroa destructor</i> infested honey bee (<i>Apis mellifera</i>) colonies. <i>Journal of Apicultural Research</i> , 2010, 49, 72-79.	1.5	52
66	Honey bee colony collapse and changes in viral prevalence associated with <i>Varroa destructor</i> . <i>Journal of Apicultural Research</i> , 2010, 49, 93-94.	1.5	109
67	Queen condition, mating frequency, queen loss, and levels of worker reproduction in the hornets <i>Vespa affinis</i> and <i>V. simillima</i> . <i>Ecological Entomology</i> , 2009, 34, 43-49.	2.2	9
68	Population changes of <i>Tropilaelaps clareae</i> mites in <i>Apis mellifera</i> colonies in Pakistan. <i>Journal of Apicultural Research</i> , 2009, 48, 46-49.	1.5	8
69	Deformed Wing Virus Implicated in Overwintering Honeybee Colony Losses. <i>Applied and Environmental Microbiology</i> , 2009, 75, 7212-7220.	3.1	247
70	How Reliable is the Analysis of Complex Cuticular Hydrocarbon Profiles by Multivariate Statistical Methods?. <i>Journal of Chemical Ecology</i> , 2009, 35, 375-382.	1.8	56
71	Nestmate and Task Cues are Influenced and Encoded Differently within Ant Cuticular Hydrocarbon Profiles. <i>Journal of Chemical Ecology</i> , 2009, 35, 368-374.	1.8	81
72	A Review of Ant Cuticular Hydrocarbons. <i>Journal of Chemical Ecology</i> , 2009, 35, 1151-1161.	1.8	229

#	ARTICLE	IF	CITATIONS
73	Long-term stability of hornet cuticular hydrocarbons facilitates chemotaxonomy using museum specimens. <i>Biological Journal of the Linnean Society</i> , 2009, 96, 732-737.	1.6	28
74	Colony-specific Hydrocarbons Identify Nest Mates in Two Species of <i>Formica</i> Ant. <i>Journal of Chemical Ecology</i> , 2008, 34, 1072-1080.	1.8	79
75	Is the social parasite <i>Vespa dybowskii</i> using chemical transparency to get her eggs accepted?. <i>Journal of Insect Physiology</i> , 2008, 54, 700-707.	2.0	42
76	Chemical basis of nest-mate discrimination in the ant <i>Formica exsecta</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 1271-1278.	2.6	149
77	Chemical deterrent enables a socially parasitic ant to invade multiple hosts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2717-2722.	2.6	37
78	Mating structure and male production in <i>Vespa analis</i> and <i>Vespa simillima</i> (Hymenoptera: Vespidae). <i>Journal of Insect Physiology</i> , 2007, 53, 106-118.	0.6	8
79	Setosa membrane structure and occurrence of eicosenol in honeybees (<i>Apis mellifera</i>). <i>Apidologie</i> , 2007, 38, 104-109.	2.0	3
80	Higher removal rate of eggs laid by anarchistic queens: a cost of anarchy?. <i>Behavioral Ecology and Sociobiology</i> , 2007, 61, 1847-1853.	1.4	1
81	Prior experience with eggs laid by non-nestmate queens induces egg acceptance errors in ant workers. <i>Behavioral Ecology and Sociobiology</i> , 2007, 62, 223-228.	1.4	20
82	Early collapse of <i>Vespa simillima</i> (Hymenoptera, Vespidae) colonies in central Japan. <i>Entomological Science</i> , 2006, 9, 373-376.	0.6	1
83	Quantifying honey bee mating range and isolation in semi-isolated valleys by DNA microsatellite paternity analysis. <i>Conservation Genetics</i> , 2006, 6, 527-537.	1.5	56
84	Longevity and detection of persistent foraging trails in Pharaoh's ants, <i>Monomorium pharaonis</i> (L.). <i>Animal Behaviour</i> , 2006, 71, 351-359.	1.9	68
85	Mortality of mite offspring: a major component of <i>Varroa destructor</i> resistance in a population of Africanized bees. <i>Apidologie</i> , 2006, 37, 67-74.	2.0	37
86	Role of esters in egg removal behaviour in honeybee (<i>Apis mellifera</i>) colonies. <i>Behavioral Ecology and Sociobiology</i> , 2005, 59, 24-29.	1.4	6
87	Morphology of the Dufour gland within the honey bee sting gland complex. <i>Apidologie</i> , 2005, 36, 543-546.	2.0	19
88	Learning and Discrimination of Individual Cuticular Hydrocarbons by Honeybees (<i>Apis mellifera</i>). <i>Chemical Senses</i> , 2005, 30, 327-335.	2.0	107
89	Absence of nepotism toward imprisoned young queens during swarming in the honey bee. <i>Behavioral Ecology</i> , 2005, 16, 403-409.	2.2	18
90	Role of hydrocarbons in egg recognition in the honeybee. <i>Physiological Entomology</i> , 2004, 29, 395-399.	1.5	14

#	ARTICLE	IF	CITATIONS
91	Egg marking pheromones of anarchistic worker honeybees (<i>Apis mellifera</i>). Behavioral Ecology, 2004, 15, 839-844.	2.2	27
92	Acaricide (pyrethroid) resistance in <i>Varroa destructor</i> . Bee World, 2004, 85, 67-69.	0.8	58
93	Africanized honeybees have unique tolerance to <i>Varroa</i> mites. Trends in Parasitology, 2004, 20, 112-114.	3.3	86
94	Conservation of Bio synthetic pheromone pathways in honeybees <i>Apis</i> . Die Naturwissenschaften, 2004, 91, 232-236.	1.6	14
95	Mating structure and male production in the giant hornet <i>Vespa mandarina</i> (Hymenoptera: Vespidae). Applied Entomology and Zoology, 2004, 39, 343-349.	1.2	18
96	Comparing data on the reproduction of <i>Varroa destructor</i> . Genetics and Molecular Research, 2003, 2, 1-6.	0.2	115
97	Reproduction of <i>Varroa destructor</i> in South African honey bees: does cell space influence <i>Varroa</i> male survivorship?. Apidologie, 2002, 33, 51-61.	2.0	43
98	Reassessing the role of the honeybee (<i>Apis mellifera</i>) Dufour's gland in egg marking. Die Naturwissenschaften, 2002, 89, 528-532.	1.6	37
99	Parasitic Cape honeybee workers, <i>Apis mellifera capensis</i> , evade policing. Nature, 2002, 415, 163-165.	27.8	126
100	Reproduction of <i>Varroa destructor</i> in worker brood of Africanized honey bees (<i>Apis mellifera</i>). Experimental and Applied Acarology, 2002, 27, 79-88.	1.6	27
101	Effect of acaricide resistance on reproductive ability of the honey bee mite <i>Varroa destructor</i> . Experimental and Applied Acarology, 2002, 27, 195-207.	1.6	14
102	Usurpation of African <i>Apis mellifera scutellata</i> colonies by parasitic <i>Apis mellifera capensis</i> workers. Apidologie, 2002, 33, 215-232.	2.0	41
103	The role of <i>Varroa</i> and viral pathogens in the collapse of honeybee colonies: a modelling approach. Journal of Applied Ecology, 2001, 38, 1082-1093.	4.0	282
104	<i>Varroa destructor</i> reproduction during the winter in <i>Apis mellifera</i> colonies in UK. Experimental and Applied Acarology, 2001, 25, 321-325.	1.6	21
105	Title is missing!. Experimental and Applied Acarology, 1999, 23, 659-667.	1.6	51
106	A population model for the ectoparasitic mite <i>Varroa jacobsoni</i> in honey bee (<i>Apis mellifera</i>) colonies. Ecological Modelling, 1998, 109, 267-281.	2.5	141
107	A scientific note on <i>Varroa jacobsoni</i> Oudemans and the collapse of <i>Apis mellifera</i> L. colonies in the United Kingdom. Apidologie, 1998, 29, 369-370.	2.0	59
108	Non-reproduction in the honeybee mite <i>Varroa jacobsoni</i> . Experimental and Applied Acarology, 1997, 21, 539-549.	1.6	54

#	ARTICLE	IF	CITATIONS
109	Effect of host brood type on the number of offspring laid by the honeybee parasite <i>Varroa jacobsoni</i> . <i>Experimental and Applied Acarology</i> , 1996, 20, 387-390.	1.6	9
110	Protection, promotion and cooperation in the European semiconductor industry. Review of <i>Industrial Organization</i> , 1996, 11, 721-735.	0.7	16
111	Nest thermoregulation in <i>Vespa simillima</i> , <i>V.tropica</i> and <i>V.analis</i> . <i>Ecological Entomology</i> , 1990, 15, 301-310.	2.2	18
112	Evolution of species-specific cuticular hydrocarbon patterns in <i>Formica</i> ants. <i>Biological Journal of the Linnean Society</i> , 0, 95, 131-140.	1.6	119
113	Colony and species recognition among the <i>Formica</i> ants. , 0, , 106-122.		1
114	Standard methods for varroa research. , 0, .		1