
## Ramon Salazar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2116861/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The consensus molecular subtypes of colorectal cancer. Nature Medicine, 2015, 21, 1350-1356.	30.7	3,596
2	ESMO consensus guidelines for the management of patients with metastatic colorectal cancer. Annals of Oncology, 2016, 27, 1386-1422.	1.2	2,545
3	Gastroenteropancreatic neuroendocrine tumours. Lancet Oncology, The, 2008, 9, 61-72.	10.7	1,474
4	ENETS Consensus Guidelines Update for the Management of Distant Metastatic Disease of Intestinal, Pancreatic, Bronchial Neuroendocrine Neoplasms (NEN) and NEN of Unknown Primary Site. Neuroendocrinology, 2016, 103, 172-185.	2.5	844
5	Localised colon cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2020, 31, 1291-1305.	1.2	591
6	Gene Expression Signature to Improve Prognosis Prediction of Stage II and III Colorectal Cancer. Journal of Clinical Oncology, 2011, 29, 17-24.	1.6	487
7	MED12 Controls the Response to Multiple Cancer Drugs through Regulation of TGF-Î <sup>2</sup> Receptor Signaling. Cell, 2012, 151, 937-950.	28.9	371
8	Personalizing Colon Cancer Adjuvant Therapy: Selecting Optimal Treatments for Individual Patients. Journal of Clinical Oncology, 2015, 33, 1787-1796.	1.6	303
9	Colorectal cancer intrinsic subtypes predict chemotherapy benefit, deficient mismatch repair and epithelialâ€toâ€mesenchymal transition. International Journal of Cancer, 2014, 134, 552-562.	5.1	286
10	Clinical Portrait of the SARS-CoV-2 Epidemic in European Patients with Cancer. Cancer Discovery, 2020, 10, 1465-1474.	9.4	151
11	Concordance of blood- and tumor-based detection of RAS mutations to guide anti-EGFR therapy in metastatic colorectal cancer. Annals of Oncology, 2017, 28, 1294-1301.	1.2	150
12	Chemotherapy and role of the proliferation marker Ki-67 in digestive neuroendocrine tumors. Endocrine-Related Cancer, 2007, 14, 221-232.	3.1	142
13	A combined oncogenic pathway signature of <i>BRAF</i> , <i>KRAS</i> and <i>PI3KCA</i> mutation improves colorectal cancer classification and cetuximab treatment prediction. Gut, 2013, 62, 540-549.	12.1	121
14	Phase 1 study of intravenous administration of the chimeric adenovirus enadenotucirev in patients undergoing primary tumor resection. , 2017, 5, 71.		113
15	Genomic Classifier ColoPrint Predicts Recurrence in Stage II Colorectal Cancer Patients More Accurately Than Clinical Factors. Oncologist, 2015, 20, 127-133.	3.7	109
16	Aberrant gene expression in mucosa adjacent to tumor reveals a molecular crosstalk in colon cancer. Molecular Cancer, 2014, 13, 46.	19.2	108
17	Discovery and Validation of New Potential Biomarkers for Early Detection of Colon Cancer. PLoS ONE, 2014, 9, e106748.	2.5	99
18	Differences between CAFs and their paired NCF from adjacent colonic mucosa reveal functional heterogeneity of CAFs, providing prognostic information. Molecular Oncology, 2014, 8, 1290-1305.	4.6	98

#	Article	IF	CITATIONS
19	Sorafenib and bevacizumab combination targeted therapy in advanced neuroendocrine tumour: A phase II study of Spanish Neuroendocrine Tumour Group (GETNE0801). European Journal of Cancer, 2013, 49, 3780-3787.	2.8	84
20	Context matters—consensus molecular subtypes of colorectal cancer as biomarkers for clinical trials. Annals of Oncology, 2019, 30, 520-527.	1.2	80
21	Prevalence and impact of COVID-19 sequelae on treatment and survival of patients with cancer who recovered from SARS-CoV-2 infection: evidence from the OnCovid retrospective, multicentre registry study. Lancet Oncology, The, 2021, 22, 1669-1680.	10.7	73
22	A Vulnerability of a Subset of Colon Cancers with Potential Clinical Utility. Cell, 2016, 165, 317-330.	28.9	70
23	Gene Expression Differences between Colon and Rectum Tumors. Clinical Cancer Research, 2011, 17, 7303-7312.	7.0	69
24	A phase 1 dose escalation study of the oncolytic adenovirus enadenotucirev, administered intravenously to patients with epithelial solid tumors (EVOLVE). , 2019, 7, 20.		68
25	Infectious complications in 126 patients treated with high-dose chemotherapy and autologous peripheral blood stem cell transplantation. Bone Marrow Transplantation, 1999, 23, 27-33.	2.4	67
26	Innovations therapy: mammalian target of rapamycin (mTOR) inhibitors for the treatment of neuroendocrine tumors. Cancer and Metastasis Reviews, 2011, 30, 27-34.	5.9	67
27	A Phase 1 Trial of Oncolytic Adenovirus ICOVIR-5 Administered Intravenously to Cutaneous and Uveal Melanoma Patients. Human Gene Therapy, 2019, 30, 352-364.	2.7	66
28	Comparison and applicability of molecular classifications for gastric cancer. Cancer Treatment Reviews, 2019, 77, 29-34.	7.7	65
29	Lung metastases share common immune features regardless of primary tumor origin. , 2020, 8, e000491.		63
30	<i>DPYD</i> Genotyping to Predict Adverse Events Following Treatment With Fluorouracil-Based Adjuvant Chemotherapy in Patients With Stage III Colon Cancer. JAMA Oncology, 2016, 2, 655.	7.1	62
31	Phase II Study of BEZ235 versus Everolimus in Patients with Mammalian Target of Rapamycin Inhibitor-NaĀ <sup>-</sup> ve Advanced Pancreatic Neuroendocrine Tumors. Oncologist, 2018, 23, 766-e90.	3.7	59
32	Phase I Clinical and Pharmacokinetic Study of Kahalalide F Administered Weekly as a 1-Hour Infusion to Patients with Advanced Solid Tumors. Clinical Cancer Research, 2008, 14, 1116-1123.	7.0	57
33	A robust genomic signature for the detection of colorectal cancer patients with microsatellite instability phenotype and high mutation frequency. Journal of Pathology, 2012, 228, 586-595.	4.5	55
34	Association of Prognostic Value of Primary Tumor Location in Stage III Colon Cancer With <i>RAS</i> and <i>BRAF</i> Mutational Status. JAMA Oncology, 2018, 4, e173695.	7.1	55
35	Overcoming Resistance to Anti-EGFR Therapy in Colorectal Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , e149-e156.	3.8	53
36	Exome Sequencing Reveals <i>AMER1</i> as a Frequently Mutated Gene in Colorectal Cancer. Clinical Cancer Research, 2015, 21, 4709-4718.	7.0	52

#	Article	IF	CITATIONS
37	Time-Dependent COVID-19 Mortality in Patients With Cancer. JAMA Oncology, 2022, 8, 114.	7.1	50
38	Outcomes of the SARS-CoV-2 omicron (B.1.1.529) variant outbreak among vaccinated and unvaccinated patients with cancer in Europe: results from the retrospective, multicentre, OnCovid registry study. Lancet Oncology, The, 2022, 23, 865-875.	10.7	50
39	Molecular Subtypes and the Evolution of Treatment Decisions in Metastatic Colorectal Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2018, 38, 231-238.	3.8	46
40	Functional patient-derived organoid screenings identify MCLA-158 as a therapeutic EGFR × LGR5 bispecific antibody with efficacy in epithelial tumors. Nature Cancer, 2022, 3, 418-436.	13.2	46
41	Geriatric Assessment Predicts Survival and Competing Mortality in Elderly Patients with Early Colorectal Cancer: Can It Help in Adjuvant Therapy Decision-Making?. Oncologist, 2017, 22, 934-943.	3.7	45
42	Carcinoma-associated fibroblasts affect sensitivity to oxaliplatin and 5FU in colorectal cancer cells. Oncotarget, 2016, 7, 59766-59780.	1.8	42
43	A randomized phase II study of capecitabine-based chemoradiation with or without bevacizumab in resectable locally advanced rectal cancer: clinical and biological features. BMC Cancer, 2015, 15, 60.	2.6	41
44	Impact of circulating tumor DNA mutant allele fraction on prognosis in <i>RAS</i> â€mutant metastatic colorectal cancer. Molecular Oncology, 2019, 13, 1827-1835.	4.6	40
45	Determinants of enhanced vulnerability to coronavirus disease 2019 in UK patients with cancer: a European study. European Journal of Cancer, 2021, 150, 190-202.	2.8	37
46	Gastroenteropancreatic neuroendocrine tumors: diagnosis and treatment. Annals of Gastroenterology, 2013, 26, 29-36.	0.6	35
47	Clinicopathological risk factors of Stage II colon cancer: results of a prospective study. Colorectal Disease, 2013, 15, 414-422.	1.4	34
48	VCN-01 disrupts pancreatic cancer stroma and exerts antitumor effects. , 2021, 9, e003254.		31
49	A 5-gene classifier from the carcinoma-associated fibroblast transcriptomic profile and clinical outcome in colorectal cancer. Oncotarget, 2014, 5, 6437-6452.	1.8	30
50	Systemic pro-inflammatory response identifies patients with cancer with adverse outcomes from SARS-CoV-2 infection: the OnCovid Inflammatory Score. , 2021, 9, e002277.		30
51	Phase I study of weekly kahalalide F as prolonged infusion in patients with advanced solid tumors. Cancer Chemotherapy and Pharmacology, 2013, 72, 75-83.	2.3	29
52	BRAF-induced tumorigenesis is IKKα-dependent but NF-κB–independent. Science Signaling, 2015, 8, ra38.	3.6	29
53	The Evolution of Our Molecular Understanding of Colorectal Cancer: What We Are Doing Now, What the Future Holds, and How Tumor Profiling Is Just the Beginning. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2014, , 91-99.	3.8	27
54	Translational research in neuroendocrine tumors: pitfalls and opportunities. Oncogene, 2017, 36, 1899-1907.	5.9	26

#	Article	IF	CITATIONS
55	Phase I, multicenter, open-label study of intravenous VCN-01 oncolytic adenovirus with or without nab-paclitaxel plus gemcitabine in patients with advanced solid tumors. , 2022, 10, e003255.		26
56	Lymphocytic infiltration in stage II microsatellite stable colorectal tumors: A retrospective prognosis biomarker analysis. PLoS Medicine, 2020, 17, e1003292.	8.4	25
57	Intratumor CMS Heterogeneity Impacts Patient Prognosis in Localized Colon Cancer. Clinical Cancer Research, 2021, 27, 4768-4780.	7.0	25
58	Intrinsic cancer subtypes-next steps into personalized medicine. Cellular Oncology (Dordrecht), 2015, 38, 3-16.	4.4	24
59	Clinical utility of colon cancer molecular subtypes: Validation of two main colorectal molecular classifications on the PETACC-8 phase III trial cohort Journal of Clinical Oncology, 2017, 35, 3509-3509.	1.6	24
60	Guidelines for biomarker testing in colorectal carcinoma (CRC): a national consensus of the Spanish Society of Pathology (SEAP) and the Spanish Society of Medical Oncology (SEOM). Clinical and Translational Oncology, 2012, 14, 726-739.	2.4	23
61	Factors Predicting Adherence to a Tailored-Dose Adjuvant Treatment on the Basis of Geriatric Assessment in Elderly People With Colorectal Cancer: A Prospective Study. Clinical Colorectal Cancer, 2018, 17, e59-e68.	2.3	21
62	Phase II study of high-sensitivity genotyping of KRAS, NRAS, BRAF and PIK3CA to ultra-select metastatic colorectal cancer patients for panitumumab plus FOLFIRI: the ULTRA trial. Annals of Oncology, 2019, 30, 796-803.	1.2	21
63	Phase II study of preoperative bevacizumab, capecitabine and radiotherapy for resectable locally-advanced rectal cancer. BMC Cancer, 2015, 15, 59.	2.6	20
64	Vaccination against SARS-CoV-2 protects from morbidity, mortalityÂand sequelae from COVID19 in patients with cancer. European Journal of Cancer, 2022, 171, 64-74.	2.8	19
65	A phase I and pharmacokinetic study of elisidepsin (PM02734) in patients with advanced solid tumors. Cancer Chemotherapy and Pharmacology, 2012, 70, 673-681.	2.3	18
66	Ultra-selection of metastatic colorectal cancer patients using next-generation sequencing to improve clinical efficacy of anti-EGFR therapy. Annals of Oncology, 2019, 30, 439-446.	1.2	18
67	Molecular targeted therapies in the treatment of gastroenteropancreatic neuroendocrine tumors. Targeted Oncology, 2009, 4, 287-296.	3.6	16
68	A Monotonic and Prognostic Genomic Signature from Fibroblasts for Colorectal Cancer Initiation, Progression, and Metastasis. Molecular Cancer Research, 2014, 12, 1254-1266.	3.4	16
69	Synthetic lethal interaction of cetuximab with MEK1/2 inhibition in <i>NRAS</i> -mutant metastatic colorectal cancer. Oncotarget, 2016, 7, 82185-82199.	1.8	16
70	Nanofluidic Digital PCR and Extended Genotyping of <i>RAS</i> and <i>BRAF</i> for Improved Selection of Metastatic Colorectal Cancer Patients for Anti-EGFR Therapies. Molecular Cancer Therapeutics, 2016, 15, 1106-1112.	4.1	15
71	RET-fusions: a novel paradigm in colorectal cancer. Annals of Oncology, 2018, 29, 1340-1343.	1.2	15
72	Phase I clinical and pharmacokinetic study of trabectedin and carboplatin in patients with advanced solid tumors. Investigational New Drugs, 2012, 30, 616-628.	2.6	14

#	Article	IF	CITATIONS
73	Phase Ib/II study of elisidepsin in metastatic or advanced gastroesophageal cancer (IMAGE trial). Cancer Chemotherapy and Pharmacology, 2016, 77, 819-827.	2.3	14
74	Genotype-based selection of treatment of patients with advanced colorectal cancer (SETICC): a pharmacogenetic-based randomized phase II trial. Annals of Oncology, 2018, 29, 439-444.	1.2	14
75	Investigating the concordance in molecular subtypes of primary colorectal tumors and their matched synchronous liver metastasis. International Journal of Cancer, 2020, 147, 2303-2315.	5.1	14
76	COVID-19 Sequelae and the Host Proinflammatory Response: An Analysis From the OnCovid Registry. Journal of the National Cancer Institute, 2022, 114, 979-987.	6.3	14
77	DNA methylation events in transcription factors and gene expression changes in colon cancer. Epigenomics, 2020, 12, 1593-1610.	2.1	13
78	Update of the recommendations for the determination of biomarkers in colorectal carcinoma: National Consensus of the Spanish Society of Medical Oncology and the Spanish Society of Pathology. Clinical and Translational Oncology, 2020, 22, 1976-1991.	2.4	13
79	RAMSETE: A single-arm, multicenter, single-stage phase II trial of RAD001 (everolimus) in advanced and metastatic silent neuro-endocrine tumours in Europe Journal of Clinical Oncology, 2012, 30, 4122-4122.	1.6	13
80	The 40 <i>S</i> -LARP1 complex reprograms the cellular translatome upon mTOR inhibition to preserve the protein synthetic capacity. Science Advances, 2021, 7, eabg9275.	10.3	13
81	Optimization of <i>RAS/BRAF</i> Mutational Analysis Confirms Improvement in Patient Selection for Clinical Benefit to Anti-EGFR Treatment in Metastatic Colorectal Cancer. Molecular Cancer Therapeutics, 2017, 16, 1999-2007.	4.1	12
82	Potential Synergies for Combined Targeted Therapy in the Treatment of Neuroendocrine Cancer. Drugs, 2011, 71, 841-852.	10.9	11
83	Phase I study of weekly plitidepsin as 1-hour infusion combined with carboplatin in patients with advanced solid tumors or lymphomas. Investigational New Drugs, 2011, 29, 1406-1413.	2.6	11
84	Updated guidelines for biomarker testing in colorectal carcinoma: a national consensus of the Spanish Society of Pathology and the Spanish Society of Medical Oncology. Clinical and Translational Oncology, 2015, 17, 264-273.	2.4	11
85	Persistence of long-term COVID-19 sequelae in patients with cancer: An analysis from the OnCovid registry. European Journal of Cancer, 2022, 170, 10-16.	2.8	11
86	Streptozotocin, 1982–2022: Forty Years from the FDA's Approval to Treat Pancreatic Neuroendocrine Tumors. Neuroendocrinology, 2022, 112, 1155-1167.	2.5	11
87	Phase II study of preoperative bevacizumab, capecitabine, and radiotherapy for resectable locally advanced rectal cancer Journal of Clinical Oncology, 2011, 29, 516-516.	1.6	10
88	Optimizing Anti-EGFR Therapy in Colorectal Cancer. Clinical Cancer Research, 2015, 21, 5415-5416.	7.0	9
89	Unmet Medical Needs in Metastatic Lung and Digestive Neuroendocrine Neoplasms. Neuroendocrinology, 2019, 108, 18-25.	2.5	9
90	3180 Clinical portrait of the SARS-CoV-2 epidemic in European cancer patients. Annals of Oncology, 2020, 31, S1366.	1.2	9

#	Article	lF	CITATIONS
91	Phase II randomized trial of capecitabine with bevacizumab and external beam radiation therapy asÂpreoperative treatment for patients with resectable locally advanced rectal adenocarcinoma: long termÂresults. BMC Cancer, 2020, 20, 1164.	2.6	7
92	Identifying causal models between genetically regulated methylation patterns and gene expression in healthy colon tissue. Clinical Epigenetics, 2021, 13, 162.	4.1	6
93	Mutanome and expression of immune response genes in microsatellite stable colon cancer. Oncotarget, 2016, 7, 17711-17725.	1.8	6
94	Phase II study of preoperative radiotherapy and concomitant weekly intravenous oxaliplatin combined with oral capecitabine for stages II–III rectal cancer. Clinical and Translational Oncology, 2012, 14, 592-598.	2.4	5
95	Complete and Sustained Objective Response per RECIST to Irvalec (PM02734) in Undifferentiated Large Cell Esophageal Adenocarcinoma: A Case Report and a Review of the Literature. Case Reports in Oncology, 2012, 5, 354-358.	0.7	5
96	New Approaches but the Same Flaws in the Search for Prognostic Signatures. Clinical Cancer Research, 2014, 20, 2019-2022.	7.0	5
97	Circulating cell-free DNA as predictor of treatment failure after neoadjuvant chemoradiotherapy before surgery in patients with locally advanced rectal cancer: is it ready for primetime?. Annals of Oncology, 2018, 29, 532-534.	1.2	5
98	The PARSC trial, a prospective study for the assessment of recurrence risk in stage II colon cancer (CC) patients using ColoPrint Journal of Clinical Oncology, 2012, 30, 678-678.	1.6	5
99	COVID-19 in breast cancer patients: a subanalysis of the OnCovid registry. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592110534.	3.2	5
100	Molecular markers in colorectal cancer: clinical relevance in stage II colon cancer. Colorectal Cancer, 2013, 2, 243-263.	0.8	4
101	Paracrine Network: Another Step in the Complexity of Resistance to EGFR Blockade?. Clinical Cancer Research, 2014, 20, 6227-6229.	7.0	4
102	Pancreatic NETs: where do we stand now?. Cancer and Metastasis Reviews, 2014, 33, 361-366.	5.9	4
103	Prognosis and Therapeutic Implications for Emerging Colorectal Cancer Subtypes. Current Colorectal Cancer Reports, 2014, 10, 55-61.	0.5	4
104	Specialist palliative and end-of-life care for patients with cancer and SARS-CoV-2 infection: a European perspective. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592110422.	3.2	4
105	Study on activation of the IGF-1R mTOR pathway in neuroendocrine tumours (NETs) Journal of Clinical Oncology, 2013, 31, 4139-4139.	1.6	4
106	Fooled by Randomness. The Misleading Effect of Treatment Crossover in Randomized Trials of Therapies with Marginal Treatment Benefit. Cancer Investigation, 2022, 40, 184-188.	1.3	4
107	Selective activity over a constitutively active RETâ€variant of the oral multikinase inhibitor dovitinib: Results of the CNIOâ€BR002 phase lâ€trial. Molecular Oncology, 2014, 8, 1719-1728.	4.6	3
108	A phase I trial of oncolytic adenovirus ICOVIR-5 administered intravenously to melanoma patients. Human Gene Therapy Clinical Development, 2018, , .	3.1	3

#	Article	IF	CITATIONS
109	Three Versus Six Months of Adjuvant Doublet Chemotherapy for Patients With Colorectal Cancer: A Multi-Country Cost-Effectiveness and Budget Impact Analysis. Clinical Colorectal Cancer, 2021, 20, 236-244.	2.3	2
110	Genomic classifier (ColoPrint) to predict outcome and chemotherapy benefit in stage II and III colon cancer patients Journal of Clinical Oncology, 2013, 31, 3612-3612.	1.6	2
111	Comparison of ColoPrint risk classification with clinical risk in the prospective PARSC trial Journal of Clinical Oncology, 2014, 32, 465-465.	1.6	2
112	Expression of the insulin gene is regulated by opioid peptides. Biomedica Biochimica Acta, 1990, 49, 1165-70.	0.1	2
113	A phase I clinical and pharmacokinetic study (LIPOTEC - GP PHARM/DOXO 01) of a new liposomal doxorubicin given as 3-week schedule in patients with solid tumors. Journal of Liposome Research, 2009, 19, 261-266.	3.3	1
114	Phase I study of carboplatin in combination with PM00104 (Zalypsis®) in patients with advanced solid tumors. Investigational New Drugs, 2014, 32, 644-652.	2.6	1
115	Light and shade of intrahepatic arterial radiotherapy in mCRC. Nature Reviews Clinical Oncology, 2016, 13, 467-468.	27.6	1
116	DPYD genotype-guided fluoropyrimidines dose: is it ready for prime time?. Annals of Oncology, 2017, 28, 2913-2914.	1.2	1
117	Bayesian interpretation of the ESMO guideline for localized colorectal cancer: a better IDEA. Annals of Oncology, 2021, 32, 938-939.	1.2	1
118	Potential role of mTOR phosphorylation status as a negative predictor to everolimus plus octreotide in NETs Journal of Clinical Oncology, 2014, 32, 484-484.	1.6	1
119	Prognostic value of PAM50 in residual breast cancer following neoadjuvant endocrine therapy (NET): A retrospective analysis with long follow-up Journal of Clinical Oncology, 2019, 37, 575-575.	1.6	1
120	Tenth anniversary of bevacizumab in colorectal cancer: has it fulfilled its promise?. Future Oncology, 2014, 10, 149-152.	2.4	0
121	SUNRISE-DI study. The daily sunrise is easier to predict than the benefit of adjuvant treatment in colon cancer. ESMO Open, 2021, 6, 100205.	4.5	0
122	Olaratumab-induced Biomarker Modulation in Sarcomas—Letter. Molecular Cancer Therapeutics, 2021, 20, 2093-2093.	4.1	0
123	Phase I combination study of plitidepsin and carboplatin in advanced solid tumours. Journal of Clinical Oncology, 2007, 25, 2558-2558.	1.6	0
124	Development and validation of a genomic signature to identify colorectal cancer patients with microsatellite instability Journal of Clinical Oncology, 2012, 30, 466-466.	1.6	0
125	<i>hSRBC</i> promoter CpG island hypermethylation as resistant predictive biomarker of oxaliplatin based chemotherapy in metastasic colorectal cancer patients Journal of Clinical Oncology, 2013, 31, e14609-e14609.	1.6	0
126	Association of colorectal cancer intrinsic subtypes with prognosis, chemotherapy response, deficient mismatch repair, and epithelial to mesenchymal transition (EMT) Journal of Clinical Oncology, 2013, 31, 3530-3530.	1.6	0

#	Article	IF	CITATIONS
127	Duloxetine in symptomatic chemotherapy-induced peripheral neuropathy: Single-center experience beyond the clinical trial Journal of Clinical Oncology, 2015, 33, e20713-e20713.	1.6	0
128	Prospective Multicentric Observational Study of COVID19 in Oncohematological Patients in the Catalonia Region: The Opposite Effect of Steroids on Survival. Blood, 2020, 136, 34-35.	1.4	0