

John LÃ¶fblom

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2118526/publications.pdf>

Version: 2024-02-01

82
papers

3,038
citations

172207

29
h-index

174990

52
g-index

84
all docs

84
docs citations

84
times ranked

3061
citing authors

#	ARTICLE	IF	CITATIONS
1	Transferrin Receptor Binding BBB-Shuttle Facilitates Brain Delivery of Anti- \hat{A}^2 -Affibodies. <i>Pharmaceutical Research</i> , 2022, , 1.	1.7	1
2	Targeting Tumor Cells Overexpressing the Human Epidermal Growth Factor Receptor 3 with Potent Drug Conjugates Based on Affibody Molecules. <i>Biomedicines</i> , 2022, 10, 1293.	1.4	2
3	The Use of a Non-Conventional Long-Lived Gallium Radioisotope ^{66}Ga Improves Imaging Contrast of EGFR Expression in Malignant Tumours Using DFO-ZEGFR:2377 Affibody Molecule. <i>Pharmaceutics</i> , 2021, 13, 292.	2.0	10
4	HER3 PET Imaging: ^{68}Ga -Labeled Affibody Molecules Provide Superior HER3 Contrast to ^{89}Zr -Labeled Antibody and Antibody-Fragment-Based Tracers. <i>Cancers</i> , 2021, 13, 4791.	1.7	6
5	Discovery, optimization and biodistribution of an Affibody molecule for imaging of CD69. <i>Scientific Reports</i> , 2021, 11, 19151.	1.6	8
6	Increasing thermal stability and improving biodistribution of VEGFR2-binding affibody molecules by a combination of in silico and directed evolution approaches. <i>Scientific Reports</i> , 2020, 10, 18148.	1.6	5
7	Evaluating the Therapeutic Efficacy of Mono- and Bivalent Affibody-Based Fusion Proteins Targeting HER3 in a Pancreatic Cancer Xenograft Model. <i>Pharmaceutics</i> , 2020, 12, 551.	2.0	9
8	Benefit of Later-Time-Point PET Imaging of HER3 Expression Using Optimized Radiocobalt-Labeled Affibody Molecules. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1972.	1.8	9
9	Influence of Residualizing Properties of the Radiolabel on Radionuclide Molecular Imaging of HER3 Using Affibody Molecules. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1312.	1.8	7
10	An Affibody Molecule Is Actively Transported into the Cerebrospinal Fluid via Binding to the Transferrin Receptor. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2999.	1.8	12
11	Dissecting the Structural Organization of Multiprotein Amyloid Aggregates Using a Bottom-Up Approach. <i>ACS Chemical Neuroscience</i> , 2020, 11, 1447-1457.	1.7	5
12	Optimal composition and position of histidine-containing tags improves biodistribution of $^{99\text{m}}\text{Tc}$ -labeled DARPIn G3. <i>Scientific Reports</i> , 2019, 9, 9405.	1.6	34
13	VEGFR2-Specific Ligands Based on Affibody Molecules Demonstrate Agonistic Effects when Tetrameric in the Soluble Form or Immobilized via Spider Silk. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 6474-6484.	2.6	2
14	Optimization of HER3 expression imaging using affibody molecules: Influence of chelator for labeling with indium-111. <i>Scientific Reports</i> , 2019, 9, 655.	1.6	18
15	Affibody-Mediated Sequestration of Amyloid \hat{A}^2 Demonstrates Preventive Efficacy in a Transgenic Alzheimer's Disease Mouse Model. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 64.	1.7	16
16	Improved contrast of affibody-mediated imaging of HER3 expression in mouse xenograft model through co-injection of a trivalent affibody for in vivo blocking of hepatic uptake. <i>Scientific Reports</i> , 2019, 9, 6779.	1.6	8
17	Comparison of tumor-targeting properties of directly and indirectly radioiodinated designed ankyrin repeat protein (DARPIn) G3 variants for molecular imaging of HER2. <i>International Journal of Oncology</i> , 2019, 54, 1209-1220.	1.4	19
18	Molecular Design of HER3-Targeting Affibody Molecules: Influence of Chelator and Presence of HEHEHE-Tag on Biodistribution of ^{68}Ga -Labeled Tracers. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1080.	1.8	21

#	ARTICLE	IF	CITATIONS
19	Comparative evaluation of affibody- and antibody fragments-based CAIX imaging probes in mice bearing renal cell carcinoma xenografts. <i>Scientific Reports</i> , 2019, 9, 14907.	1.6	14
20	Increase in negative charge of ⁶⁸ Ga/chelator complex reduces unspecific hepatic uptake but does not improve imaging properties of HER3-targeting affibody molecules. <i>Scientific Reports</i> , 2019, 9, 17710.	1.6	14
21	Autotransporter-mediated Display of a Na ⁺ -ve Affibody Library on the Outer Membrane of <i>Escherichia coli</i> . <i>Biotechnology Journal</i> , 2019, 14, e1800359.	1.8	9
22	Comparative Evaluation of Two DARPin Variants: Effect of Affinity, Size, and Label on Tumor Targeting Properties. <i>Molecular Pharmaceutics</i> , 2019, 16, 995-1008.	2.3	35
23	Directed evolution of the 3C protease from coxsackievirus using a novel fluorescence-assisted intracellular method. <i>Biological Chemistry</i> , 2019, 400, 405-415.	1.2	8
24	Influence of composition of cysteine-containing peptide-based chelators on biodistribution of ^{99m} Tc-labeled anti-EGFR affibody molecules. <i>Amino Acids</i> , 2018, 50, 981-994.	1.2	16
25	Cyclic versus Noncyclic Chelating Scaffold for ⁸⁹ Zr-Labeled ZEGFR:2377 Affibody Bioconjugates Targeting Epidermal Growth Factor Receptor Overexpression. <i>Molecular Pharmaceutics</i> , 2018, 15, 175-185.	2.3	31
26	Affibody-mediated imaging of EGFR expression in prostate cancer using radiocobalt-labeled DOTA-ZEGFR:2377. <i>Oncology Reports</i> , 2018, 41, 534-542.	1.2	4
27	Preclinical Evaluation of [⁶⁸ Ga]Ga-DFO-ZEGFR:2377: A Promising Affibody-Based Probe for Noninvasive PET Imaging of EGFR Expression in Tumors. <i>Cells</i> , 2018, 7, 141.	1.8	21
28	Radionuclide imaging of VEGFR2 in glioma vasculature using biparatopic affibody conjugate: proof-of-principle in a murine model. <i>Theranostics</i> , 2018, 8, 4462-4476.	4.6	25
29	Influence of Molecular Design on the Targeting Properties of ABD-Fused Mono- and Bi-Valent Anti-HER3 Affibody Therapeutic Constructs. <i>Cells</i> , 2018, 7, 164.	1.8	19
30	Evaluation of the Therapeutic Potential of a HER3-Binding Affibody Construct TAM-HER3 in Comparison with a Monoclonal Antibody, Seribantumab. <i>Molecular Pharmaceutics</i> , 2018, 15, 3394-3403.	2.3	19
31	In vivo evaluation of a novel format of a bivalent HER3-targeting and albumin-binding therapeutic affibody construct. <i>Scientific Reports</i> , 2017, 7, 43118.	1.6	20
32	Affibody Molecules in Biotechnological and Medical Applications. <i>Trends in Biotechnology</i> , 2017, 35, 691-712.	4.9	259
33	Insights from engineering the Affibody-Fc interaction with a computational-experimental method. <i>Protein Engineering, Design and Selection</i> , 2017, 30, 593-601.	1.0	9
34	The use of radiocobalt as a label improves imaging of EGFR using DOTA-conjugated Affibody molecule. <i>Scientific Reports</i> , 2017, 7, 5961.	1.6	29
35	Identification of proteins that specifically recognize and bind protofibrillar aggregates of amyloid- β . <i>Scientific Reports</i> , 2017, 7, 5949.	1.6	17
36	<i>Staphylococcus carnosus</i> : from starter culture to protein engineering platform. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 8293-8307.	1.7	36

#	ARTICLE	IF	CITATIONS
37	Protease substrate profiling using bacterial display of self-blocking affinity proteins and flow-cytometric sorting. <i>Biotechnology Journal</i> , 2017, 12, 1600365.	1.8	7
38	Flow-cytometric screening of aggregation-inhibitors using a fluorescence-assisted intracellular method. <i>Biotechnology Journal</i> , 2017, 12, 1600364.	1.8	3
39	Evaluation of a radiocobalt-labelled affibody molecule for imaging of human epidermal growth factor receptor 3 expression. <i>International Journal of Oncology</i> , 2017, 51, 1765-1774.	1.4	10
40	P3-050: An Affibody to Monomeric A β as a Novel Therapeutic Approach for Alzheimer's Disease Pathology. , 2016, 12, P835-P836.		1
41	PET imaging of epidermal growth factor receptor expression in tumours using 89Zr-labelled ZEGFR:2377 affibody molecules. <i>International Journal of Oncology</i> , 2016, 48, 1325-1332.	1.4	50
42	Targeting HER3 using mono- and bispecific antibodies or alternative scaffolds. <i>MAbs</i> , 2016, 8, 1195-1209.	2.6	37
43	Comparative Evaluation of Affibody Molecules for Radionuclide Imaging of in Vivo Expression of Carbonic Anhydrase IX. <i>Molecular Pharmaceutics</i> , 2016, 13, 3676-3687.	2.3	30
44	Feasibility of imaging of epidermal growth factor receptor expression with ZEGFR:2377 affibody molecule labeled with 99mTc using a peptide-based cysteine-containing chelator. <i>International Journal of Oncology</i> , 2016, 49, 2285-2293.	1.4	27
45	Novel affinity binders for neutralization of vascular endothelial growth factor (VEGF) signaling. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 1671-1683.	2.4	18
46	Investigating affinity-maturation strategies and reproducibility of fluorescence-activated cell sorting using a recombinant ADAPT library displayed on staphylococci. <i>Protein Engineering, Design and Selection</i> , 2016, 29, 187-195.	1.0	8
47	Affibody-mediated PET imaging of HER3 expression in malignant tumours. <i>Scientific Reports</i> , 2015, 5, 15226.	1.6	56
48	A truncated and dimeric format of an Affibody library on bacteria enables FACS-mediated isolation of amyloid-beta aggregation inhibitors with subnanomolar affinity. <i>Biotechnology Journal</i> , 2015, 10, 1707-1718.	1.8	35
49	Comparative evaluation of 111In-labeled NOTA-conjugated affibody molecules for visualization of HER3 expression in malignant tumors. <i>Oncology Reports</i> , 2015, 34, 1042-1048.	1.2	30
50	A new prodrug form of Affibody molecules (pro-Affibody) is selectively activated by cancer-associated proteases. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 1405-1415.	2.4	17
51	An engineered affibody molecule with pH-dependent binding to FcRn mediates extended circulatory half-life of a fusion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17110-17115.	3.3	43
52	A protease substrate profiling method that links site-specific proteolysis with antibiotic resistance. <i>Biotechnology Journal</i> , 2014, 9, 155-162.	1.8	6
53	An engineered autotransporter-based surface expression vector enables efficient display of Affibody molecules on OmpT-negative <i>E. coli</i> as well as protease-mediated secretion in OmpT-positive strains. <i>Microbial Cell Factories</i> , 2014, 13, 179.	1.9	19
54	¹⁸⁸ Re-Z _{HER2:V2} , a Promising Affibody-Based Targeting Agent Against HER2-Expressing Tumors: Preclinical Assessment. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1842-1848.	2.8	23

#	ARTICLE	IF	CITATIONS
55	Engineering of a bispecific affibody molecule towards HER2 and HER3 by addition of an albumin-binding domain allows for affinity purification and in vivo half-life extension. <i>Biotechnology Journal</i> , 2014, 9, 1215-1222.	1.8	46
56	Selection of an optimal cysteine-containing peptide-based chelator for labeling of affibody molecules with ¹⁸⁸ Re. <i>European Journal of Medicinal Chemistry</i> , 2014, 87, 519-528.	2.6	19
57	Imaging of HER3-expressing xenografts in mice using a ^{99m} Tc(CO) ₃ -HEHEHE-ZHER3:08699 affibody molecule. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1450-1459.	3.3	40
58	Simultaneous targeting of two ligand-binding sites on VEGFR2 using biparatopic Affibody molecules results in dramatically improved affinity. <i>Scientific Reports</i> , 2014, 4, 7518.	1.6	31
59	Engineering of Bispecific Affinity Proteins with High Affinity for ERBB2 and Adaptable Binding to Albumin. <i>PLoS ONE</i> , 2014, 9, e103094.	1.1	50
60	Development and characterization of small bispecific albumin-binding domains with high affinity for ErbB3. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 3973-3985.	2.4	28
61	Staphylococcal display for combinatorial protein engineering of a head-to-tail affibody dimer binding the Alzheimer amyloid- β peptide. <i>Biotechnology Journal</i> , 2013, 8, 139-145.	1.8	14
62	Affinity proteins and their generation. <i>Journal of Chemical Technology and Biotechnology</i> , 2013, 88, 25-38.	1.6	16
63	Surface display of a single-domain antibody library on Gram-positive bacteria. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1081-1093.	2.4	53
64	Inhibiting HER3-Mediated Tumor Cell Growth with Affibody Molecules Engineered to Low Picomolar Affinity by Position-Directed Error-Prone PCR-Like Diversification. <i>PLoS ONE</i> , 2013, 8, e62791.	1.1	61
65	Robust Expression of the Human Neonatal Fc Receptor in a Truncated Soluble Form and as a Full-Length Membrane-Bound Protein in Fusion with eGFP. <i>PLoS ONE</i> , 2013, 8, e81350.	1.1	7
66	Optimizing Membrane Protein Overexpression in the Escherichia coli strain Lemo21(DE3). <i>Journal of Molecular Biology</i> , 2012, 423, 648-659.	2.0	132
67	Cellular Effects of HER3-Specific Affibody Molecules. <i>PLoS ONE</i> , 2012, 7, e40023.	1.1	39
68	Parallel Immunizations of Rabbits Using the Same Antigen Yield Antibodies with Similar, but Not Identical, Epitopes. <i>PLoS ONE</i> , 2012, 7, e45817.	1.1	13
69	Engineering Bispecificity into a Single Albumin-Binding Domain. <i>PLoS ONE</i> , 2011, 6, e25791.	1.1	37
70	Non-immunoglobulin based protein scaffolds. <i>Current Opinion in Biotechnology</i> , 2011, 22, 843-848.	3.3	128
71	Bacterial display in combinatorial protein engineering. <i>Biotechnology Journal</i> , 2011, 6, 1115-1129.	1.8	90
72	Combining phage and staphylococcal surface display for generation of ErbB3-specific Affibody molecules. <i>Protein Engineering, Design and Selection</i> , 2011, 24, 385-396.	1.0	62

#	ARTICLE	IF	CITATIONS
73	Affibody molecules: Engineered proteins for therapeutic, diagnostic and biotechnological applications. <i>FEBS Letters</i> , 2010, 584, 2670-2680.	1.3	521
74	Exploring epitopes of antibodies toward the human tryptophanyl-tRNA synthetase. <i>New Biotechnology</i> , 2010, 27, 129-137.	2.4	17
75	Staphylococcal Surface Display in Combinatorial Protein Engineering and Epitope Mapping of Antibodies. <i>Recent Patents on Biotechnology</i> , 2010, 4, 171-182.	0.4	22
76	Epitope Mapping Using Gram-Positive Surface Display. <i>Current Protocols in Immunology</i> , 2010, 90, Unit9.9.	3.6	11
77	Simplified characterization through site-specific protease-mediated release of affinity proteins selected by staphylococcal display. <i>FEMS Microbiology Letters</i> , 2008, 278, 128-136.	0.7	12
78	Epitope mapping of antibodies using bacterial surface display. <i>Nature Methods</i> , 2008, 5, 1039-1045.	9.0	90
79	A novel affinity protein selection system based on staphylococcal cell surface display and flow cytometry. <i>Protein Engineering, Design and Selection</i> , 2008, 21, 247-255.	1.0	68
80	Evaluation of Staphylococcal Cell Surface Display and Flow Cytometry for Postselectional Characterization of Affinity Proteins in Combinatorial Protein Engineering Applications. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6714-6721.	1.4	40
81	Optimization of electroporation-mediated transformation: <i>Staphylococcus carnosus</i> as model organism. <i>Journal of Applied Microbiology</i> , 2007, 102, 736-747.	1.4	132
82	Fine affinity discrimination by normalized fluorescence activated cell sorting in staphylococcal surface display. <i>FEMS Microbiology Letters</i> , 2005, 248, 189-198.	0.7	45