

Hak Yong Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2126840/publications.pdf>

Version: 2024-02-01

351
papers

18,521
citations

11651

70
h-index

22832

112
g-index

352
all docs

352
docs citations

352
times ranked

18610
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of lanthanide-doped strontium aluminate nanoparticles encapsulated in polyacrylonitrile nanofibres: photoluminescence properties for anticounterfeiting applications. <i>Luminescence</i> , 2022, 37, 40-50.	2.9	18
2	Engineering the abundant heterointerfaces of integrated bimetallic sulfide-coupled 2D MOF-derived mesoporous CoS ₂ nanoarray hybrids for electrocatalytic water splitting. <i>Materials Today Nano</i> , 2022, 17, 100146.	4.6	76
3	Production of photoluminescent transparent poly(methyl methacrylate) for smart windows. <i>Luminescence</i> , 2022, 37, 97-107.	2.9	20
4	A review on nanofiber reinforced aerogels for energy storage and conversion applications. <i>Journal of Energy Storage</i> , 2022, 46, 103927.	8.1	39
5	Fabrication, microstructure characterization, and degradation performance of electrospun mats based on poly(3-hydroxybutyrate-co- β -hydroxyvalerate)/polyethylene glycol blend for potential tissue engineering. <i>Luminescence</i> , 2022, 37, 323-331.	2.9	1
6	Ruthenium nanoparticles integrated bimetallic metal-organic framework electrocatalysts for multifunctional electrode materials and practical water electrolysis in seawater. <i>Nanoscale</i> , 2022, 14, 6557-6569.	5.6	24
7	Highly ordered nanoarrays catalysts embedded in carbon nanotubes as highly efficient and robust air electrode for flexible solid-state rechargeable zinc-air batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 616, 679-690.	9.4	22
8	Metal-organic framework assisted vanadium oxide nanorods as efficient electrode materials for water oxidation. <i>Journal of Colloid and Interface Science</i> , 2022, 618, 475-482.	9.4	62
9	Carbon Nanofiber Double Active Layer and Co-Incorporation as New Anode Modification Strategies for Power-Enhanced Microbial Fuel Cells. <i>Polymers</i> , 2022, 14, 1542.	4.5	8
10	Polypyrrole Nanotunnels with Luminal and Abluminal Layered Double Hydroxide Nanosheets Grown on a Carbon Cloth for Energy Storage Applications. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 23285-23296.	8.0	28
11	Deriving activated carbon using microwave combustion technique and its energy storage applications: a topical review. <i>Carbon Letters</i> , 2022, 32, 1151-1171.	5.9	14
12	Homogeneous Elongation of N-Doped CNTs over Nano-Fibrillated Hollow-Carbon-Nanofiber: Mass and Charge Balance in Asymmetric Supercapacitors Is No Longer Problematic. <i>Advanced Science</i> , 2022, 9, e2200650.	11.2	32
13	Three-dimensional carbon nanofiber-based anode for high generated current and power from air-cathode micro-sized MFC. <i>RSC Advances</i> , 2022, 12, 15486-15492.	3.6	1
14	Metal-organic frameworks of rare earth metals embedded side-by-side nanofiber as a switchable luminescent sensor for Fe ³⁺ and Cu ²⁺ in aqueous media. <i>Journal of Luminescence</i> , 2022, 249, 119029.	3.1	2
15	Phytic Acid-Enhanced Electrospun PCL-Polypyrrole Nanofibrous Mat: Preparation, Characterization, and Mechanism. <i>Macromolecular Research</i> , 2022, 30, 791-798.	2.4	4
16	Progresses on electrospun metal-organic frameworks nanofibers and their wastewater treatment applications. <i>Materials Today Chemistry</i> , 2022, 25, 100974.	3.5	33
17	Biaxial Stretchability in High-Performance, All-Solid-State Supercapacitor with a Double-Layer Anode and a Faradic Cathode Based on Graphitic-2200 Knitted Carbon Fiber. <i>Advanced Energy Materials</i> , 2021, 11, 2002961.	19.5	38
18	Self-assembled polypyrrole hierarchical porous networks as the cathode and porous three dimensional carbonaceous networks as the anode materials for asymmetric supercapacitor. <i>Journal of Energy Storage</i> , 2021, 33, 102080.	8.1	48

#	ARTICLE	IF	CITATIONS
19	Controlled Selenium Infiltration of Cobalt Phosphide Nanostructure Arrays from a Two-Dimensional Cobalt Metal-Organic Framework: A Self-Supported Electrode for Flexible Quasi-Solid-State Asymmetric Supercapacitors. <i>ACS Applied Energy Materials</i> , 2021, 4, 404-415.	5.1	53
20	Asymmetric Supercapacitors: Biaxial Stretchability in High-Performance, All-Solid-State Supercapacitor with a Double-Layer Anode and a Faradic Cathode Based on Graphitic 2200 Knitted Carbon Fiber (Adv. Tj ETQq 0050 rgBTI/Overlock	10.6	110
21	Highly Oriented Nitrogen-doped Carbon Nanotube Integrated Bimetallic Cobalt Copper Organic Framework for Non-enzymatic Electrochemical Glucose and Hydrogen Peroxide Sensor. <i>Electroanalysis</i> , 2021, 33, 1333-1345.	2.9	36
22	Green Synthesis of Silver Nanoparticles Using Aqueous Rhizome Extract of <i>Corallocarpus Epigaeus</i> for Biomedical Applications. <i>Applied Science and Convergence Technology</i> , 2021, 30, 54-61.	0.9	4
23	Fabrication of electrically highly conductive, mechanically strong, and near-infrared responsive phytic acid crosslinked polypyrrole coated Korean paper. <i>Materials Today Communications</i> , 2021, 26, 102081.	1.9	3
24	Integrating the Essence of a Metal-Organic Framework with Electrospinning: A New Approach for Making a Metal Nanoparticle Confined N-Doped Carbon Nanotubes/Porous Carbon Nanofibrous Membrane for Energy Storage and Conversion. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 23732-23742.	8.0	43
25	A Review of Electrospun Carbon Nanofiber-Based Negative Electrode Materials for Supercapacitors. <i>Electrochem</i> , 2021, 2, 236-250.	3.3	21
26	Integrated hybrid of graphitic carbon-encapsulated Cu ₂ O on multilayered mesoporous carbon from copper MOFs and polyaniline for asymmetric supercapacitor and oxygen reduction reactions. <i>Carbon</i> , 2021, 179, 89-99.	10.3	110
27	Technological trends in heavy metals removal from industrial wastewater: A review. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105688.	6.7	343
28	Templated fabrication of perfectly aligned metal-organic framework-supported iron-doped copper-cobalt selenide nanostructure on hollow carbon nanofibers for an efficient trifunctional electrode material. <i>Applied Catalysis B: Environmental</i> , 2021, 293, 120209.	20.2	64
29	A metal-organic framework derived cobalt oxide/nitrogen-doped carbon nanotube nanotentacles on electrospun carbon nanofiber for electrochemical energy storage. <i>Chemical Engineering Journal</i> , 2021, 420, 129679.	12.7	44
30	Temperature-controlled in situ synthesized carbon nanotube-protected vanadium phosphate particle-anchored electrospun carbon nanofibers for high energy density symmetric supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2021, 600, 740-751.	9.4	26
31	Construction of iron doped cobalt- vanadate- cobalt oxide with metal-organic framework oriented nanoflakes for portable rechargeable zinc-air batteries powered total water splitting. <i>Nano Energy</i> , 2021, 88, 106238.	16.0	72
32	Effect of Process Control Parameters on the Filtration Performance of PAN-CTAB Nanofiber/Nanonet Web Combined with Meltblown Nonwoven. <i>Polymers</i> , 2021, 13, 3591.	4.5	7
33	Breakthroughs in the fabrication of electrospun-nanofiber-supported thin film composite/nanocomposite membranes for the forward osmosis process: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 1727-1795.	12.8	40
34	Zeolitic imidazolate framework derived Co ₃ S ₄ hybridized MoS ₂ -Ni ₃ S ₂ heterointerface for electrochemical overall water splitting reactions. <i>Electrochimica Acta</i> , 2020, 334, 135537.	5.2	47
35	Oxalic acid assisted rapid synthesis of mesoporous NiCo ₂ O ₄ nanorods as electrode materials with higher energy density and cycle stability for high-performance asymmetric hybrid supercapacitor applications. <i>Journal of Colloid and Interface Science</i> , 2020, 564, 65-76.	9.4	52
36	Facile one pot sonochemical synthesis of CoFe ₂ O ₄ /MWCNTs hybrids with well-dispersed MWCNTs for asymmetric hybrid supercapacitor applications. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 3073-3085.	7.1	81

#	ARTICLE	IF	CITATIONS
37	A ZIF-8-derived nanoporous carbon nanocomposite wrapped with Co ₃ O ₄ -polyaniline as an efficient electrode material for an asymmetric supercapacitor. <i>Journal of Electroanalytical Chemistry</i> , 2020, 856, 113670.	3.8	87
38	Fabrication of Nonmetal-Modulated Dual Metal-Organic Platform for Overall Water Splitting and Rechargeable Zinc-Air Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41704-41717.	8.0	43
39	Phytic acid controlled <i>in situ</i> synthesis of amorphous cobalt phosphate/carbon composite as anode materials with a high mass loading for symmetrical supercapacitor: amorphization of the electrode to boost the energy density. <i>Nanoscale Advances</i> , 2020, 2, 4918-4929.	4.6	22
40	Hybrid Electrodes Based on Zn-Ni-Co Ternary Oxide Nanowires and Nanosheets for Ultra-High-Rate Asymmetric Supercapacitors. <i>ACS Applied Nano Materials</i> , 2020, 3, 8679-8690.	5.0	51
41	Graphene Oxide Coated Zinc Oxide Core-Shell Nanofibers for Enhanced Photocatalytic Performance and Durability. <i>Coatings</i> , 2020, 10, 1183.	2.6	10
42	Template-Assisted Fabrication of ZnO/Co ₃ O ₄ One-Dimensional Metal-Organic Framework Array Decorated with Amorphous Iron Oxide/Hydroxide Nanoparticles as an Efficient Electrocatalyst for the Oxygen Evolution Reaction. <i>Energy & Fuels</i> , 2020, 34, 7716-7725.	5.1	27
43	Metal-organic framework-assisted bimetallic Ni@Cu microsphere for enzyme-free electrochemical sensing of glucose. <i>Journal of Electroanalytical Chemistry</i> , 2020, 873, 114356.	3.8	41
44	Copper/terbium dual metal organic frameworks incorporated side-by-side electrospun nanofibrous membrane: A novel tactics for an efficient adsorption of particulate matter and luminescence property. <i>Journal of Colloid and Interface Science</i> , 2020, 578, 155-163.	9.4	46
45	Designed Assembly of Porous Cobalt Oxide/Carbon Nanotentacles on Electrospun Hollow Carbon Nanofibers Network for Supercapacitor. <i>ACS Applied Energy Materials</i> , 2020, 3, 3435-3444.	5.1	65
46	Engineering the Hierarchical Heterostructures of Zn-Ni-Co Nanoneedles Arrays@Co-Ni-LDH Nanosheets Core-Shell Electrodes for a Hybrid Asymmetric Supercapacitor with High Energy Density and Excellent Cyclic Stability. <i>ACS Applied Energy Materials</i> , 2020, 3, 7383-7396.	5.1	72
47	Integration of Cobalt Metal-Organic Frameworks into an Interpenetrated Prussian Blue Analogue to Derive Dual Metal-Organic Framework-Assisted Cobalt Iron Derivatives for Enhancing Electrochemical Total Water Splitting. <i>Journal of Physical Chemistry C</i> , 2020, 124, 14465-14476.	3.1	38
48	Flexible Transparent Symmetric Solid-State Supercapacitors Based on NiO-Decorated Nanofiber-Based Composite Electrodes with Excellent Mechanical Flexibility and Cyclability. <i>ACS Applied Energy Materials</i> , 2020, 3, 2394-2403.	5.1	24
49	Vertically Aligned Metal-Organic Framework Derived from Sacrificial Cobalt Nanowire Template Interconnected with Nickel Foam Supported Selenite Network as an Integrated 3D Electrode for Overall Water Splitting. <i>Inorganic Chemistry</i> , 2020, 59, 3817-3827.	4.0	42
50	A multicore-shell architecture with a phase-selective (±)MnO ₂ shell for an aqueous-KOH-based supercapacitor with high operating potential. <i>Chemical Engineering Journal</i> , 2020, 387, 124028.	12.7	50
51	Characterization and antibacterial activity of rice grain-shaped ZnS nanoparticles immobilized inside the polymer electrospun nanofibers. <i>Advanced Composites and Hybrid Materials</i> , 2020, 3, 8-15.	21.1	47
52	An innovative synthetic approach for core-shell multiscale hierarchically porous boron and nitrogen codoped carbon nanofibers for the oxygen reduction reaction. <i>Journal of Power Sources</i> , 2020, 453, 227883.	7.8	31
53	PAN-ZnO/PAN-Mn ₃ O ₄ /CeO ₂ Janus nanofibers: Controlled fabrication and enhanced photocatalytic properties under UV and visible light. <i>Chemical Physics Letters</i> , 2020, 759, 138050.	2.6	11
54	Three-dimensional porous carbonaceous network with in-situ entrapped metallic cobalt for supercapacitor application. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 622-630.	9.4	44

#	ARTICLE	IF	CITATIONS
55	Preparation and characterization of nickel nanoparticles decorated carbon fibers derived from discarded ostrich eggshell membranes for supercapacitors application. <i>Functional Composites and Structures</i> , 2019, 1, 045004.	3.4	13
56	Silver nanoparticles entrapped cobalt oxide nanohairs/electrospun carbon nanofibers nanocomposite in apt architecture for high performance supercapacitors. <i>Composites Part B: Engineering</i> , 2019, 178, 107482.	12.0	37
57	Autoclave Mediated Synthesis of Silver Nanoparticles Using Aqueous Extract of <i>Canna indica</i> L. Rhizome and Evaluation of Its Antimicrobial Activity. <i>Macromolecular Research</i> , 2019, 27, 1155-1160.	2.4	5
58	Superstable, Highly Efficient, and Recyclable Fibrous Metal-Organic Framework Membranes for Precious Metal Recovery from Strong Acidic Solutions. <i>Small</i> , 2019, 15, e1805242.	10.0	54
59	Electrochemical Cathodic Treatment of Mild Steel as a Host for Ni(OH) ₂ Catalyst for Oxygen Evolution Reaction in Alkaline Media. <i>ChemElectroChem</i> , 2019, 6, 4391-4401.	3.4	11
60	Effective charge separation of inverted polymer solar cells using versatile MoS ₂ nanosheets as an electron transport layer. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15356-15363.	10.3	19
61	Enhancing the performance and stability of NiCo ₂ O ₄ nanoneedle coated on Ni foam electrodes with Ni seed layer for supercapacitor applications. <i>Ceramics International</i> , 2019, 45, 13099-13111.	4.8	19
62	In-situ fabrication of manganese oxide nanorods decorated manganese oxide nanosheets as an efficient and durable catalyst for oxygen reduction reaction. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 568, 311-318.	4.7	18
63	In-built fabrication of MOF assimilated B/N co-doped 3D porous carbon nanofiber network as a binder-free electrode for supercapacitors. <i>Electrochimica Acta</i> , 2019, 301, 209-219.	5.2	96
64	Metal-organic framework derived Co ₃ O ₄ /MoS ₂ heterostructure for efficient bifunctional electrocatalysts for oxygen evolution reaction and hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2019, 248, 202-210.	20.2	309
65	Fabrication of Hierarchically Structured MOF@Co ₃ O ₄ on Well-aligned CuO Nanowire with an Enhanced Electrocatalytic Property. <i>Electroanalysis</i> , 2019, 31, 966-974.	2.9	22
66	Polydopamine-based Implantable Multifunctional Nanocarpet for Highly Efficient Photothermal-chemo Therapy. <i>Scientific Reports</i> , 2019, 9, 2943.	3.3	55
67	Dual functional nickel cobalt/MWCNT composite electrode-based electrochemical capacitor and enzymeless glucose biosensor applications: Influence of Ni/Co molar ratio. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 73, 1-7.	5.8	31
68	Nitrogen doped graphene quantum dots (N-GQDs)/Co ₃ O ₄ composite material as an efficient bi-functional electrocatalyst for oxygen evolution and oxygen reduction reactions. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 4726-4737.	7.1	80
69	Facile synthesis and characterization of carbon quantum dots and photovoltaic applications. <i>Thin Solid Films</i> , 2018, 660, 672-677.	1.8	44
70	Carbon nanofibers wrapped with zinc oxide nano-flakes as promising electrode material for supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2018, 522, 40-47.	9.4	92
71	Effective strategies for anode surface modification for power harvesting and industrial wastewater treatment using microbial fuel cells. <i>Journal of Environmental Management</i> , 2018, 206, 228-235.	7.8	18
72	Electrospun salicylic acid/polyurethane composite nanofibers for biomedical applications. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2018, 67, 739-744.	3.4	26

#	ARTICLE	IF	CITATIONS
73	Engineered carbon fiber papers as flexible binder-free electrodes for high-performance capacitive energy storage. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 59, 277-285.	5.8	22
74	Influence of Sn content on the electrocatalytic activity of NiSn alloy nanoparticles-incorporated carbon nanofibers toward methanol oxidation. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 21333-21344.	7.1	25
75	Environment-friendly, durable, electro-conductive, and highly transparent heaters based on silver nanowire functionalized keratin nanofiber textiles. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7847-7854.	5.5	17
76	Ultrasound assisted formation of Mn ₂ SnO ₄ nanocube as electrodes for high performance symmetrical hybrid supercapacitors. <i>Electrochimica Acta</i> , 2018, 278, 93-105.	5.2	37
77	Facile green synthesis of silver nanodendrite/cellulose acetate thin film electrodes for flexible supercapacitors. <i>Carbohydrate Polymers</i> , 2017, 163, 153-161.	10.2	20
78	One-step synthesis of Co-TiC-carbon composite nanofibers at low temperature. <i>Ceramics International</i> , 2017, 43, 5828-5831.	4.8	18
79	Highly flexible, erosion resistant and nitrogen doped hollow SiC fibrous mats for high temperature thermal insulators. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2664-2672.	10.3	77
80	Synthesis and characterization of reduced graphene oxide decorated with CeO ₂ -doped MnO ₂ nanorods for supercapacitor applications. <i>Journal of Colloid and Interface Science</i> , 2017, 494, 338-344.	9.4	118
81	Characterization of pitch prepared from pyrolysis fuel oil via electron beam irradiation. <i>Radiation Physics and Chemistry</i> , 2017, 135, 127-132.	2.8	6
82	Electrospun nanofibers: New generation materials for advanced applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 217, 36-48.	3.5	397
83	Rational designed strategy to dispel mutual interference of mercuric and ferric ions towards robust, pH-stable fluorescent carbon nanodots. <i>Analyst, The</i> , 2017, 142, 1149-1156.	3.5	20
84	Novel magnetically separable silver-iron oxide nanoparticles decorated graphitic carbon nitride nano-sheets: A multifunctional photocatalyst via one-step hydrothermal process. <i>Journal of Colloid and Interface Science</i> , 2017, 496, 343-352.	9.4	60
85	Moderated surface defects of Ni particles encapsulated with NiO nanofibers as supercapacitor with high capacitance and energy density. <i>Journal of Colloid and Interface Science</i> , 2017, 500, 155-163.	9.4	66
86	Preparation of zero-valent Co/N-CNFs as an immobilized thin film onto graphite disc for methanol electrooxidation. <i>Fibers and Polymers</i> , 2017, 18, 696-705.	2.1	14
87	Electricity generation from real industrial wastewater using a single-chamber air cathode microbial fuel cell with an activated carbon anode. <i>Bioprocess and Biosystems Engineering</i> , 2017, 40, 1151-1161.	3.4	18
88	Electrospun CoCr ₇ C ₃ -supported C nanofibers: Effective, durable, and chemically stable catalyst for H ₂ gas generation from ammonia borane. <i>Molecular Catalysis</i> , 2017, 434, 32-38.	2.0	25
89	A facile ultrasonic-assisted fabrication of nitrogen-doped carbon dots/BiOBr up-conversion nanocomposites for visible light photocatalytic enhancements. <i>Scientific Reports</i> , 2017, 7, 45086.	3.3	64
90	Electrospun Co-TiC nanoparticles embedded on carbon nanofibers: Active and chemically stable counter electrode for methanol fuel cells and dye-sensitized solar cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 10407-10415.	7.1	30

#	ARTICLE	IF	CITATIONS
91	ZnO@C (core@shell) microspheres derived from spent coffee grounds as applicable non-precious electrode material for DMFCs. <i>Scientific Reports</i> , 2017, 7, 1738.	3.3	27
92	Polypyrrole-Decorated Hierarchical NiCo ₂ O ₄ Nanoneedles/Carbon Fiber Papers for Flexible High-Performance Supercapacitor Applications. <i>Electrochimica Acta</i> , 2017, 247, 524-534.	5.2	80
93	Graphite Sheets as High-Performance Low-Cost Anodes for Microbial Fuel Cells Using Real Food Wastewater. <i>Chemical Engineering and Technology</i> , 2017, 40, 2243-2250.	1.5	40
94	Green synthesis of fluorescent carbon dots from carrot juice for in vitro cellular imaging. <i>Carbon Letters</i> , 2017, 21, 61-67.	5.9	68
95	Dyeing of electrospun nylon 6 nanofibers with reactive dyes using electron beam irradiation. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 39, 16-20.	5.8	12
96	Expeditious and eco-friendly fabrication of highly uniform microflower superstructures and their applications in highly durable methanol oxidation and high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12253-12262.	10.3	72
97	In-situ synthesis of nanofibers with various ratios of BiOCl _x /BiOBry/BiOI _z for effective trichloroethylene photocatalytic degradation. <i>Applied Surface Science</i> , 2016, 384, 192-199.	6.1	100
98	Flexible 3D Nanoporous Graphene for Desalination and Bio-decontamination of Brackish Water via Asymmetric Capacitive Deionization. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 25313-25325.	8.0	123
99	Facile Synthesis of Core/Shell-like NiCo ₂ O ₄ -Decorated MWCNTs and its Excellent Electrocatalytic Activity for Methanol Oxidation. <i>Scientific Reports</i> , 2016, 6, 20313.	3.3	102
100	Nano-designed CaCO ₃ @rGO photo-catalyst for effective adsorption and simultaneous removal of organic pollutant. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 9593-9598.	2.2	4
101	Environment friendly, transparent nanofiber textiles consolidated with high efficiency PLEDs for wearable electronics. <i>Organic Electronics</i> , 2016, 36, 89-96.	2.6	25
102	Supercapacitors based on ternary nanocomposite of TiO ₂ @Pt/graphenes. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3894-3900.	2.2	8
103	Photoluminescent and transparent Nylon-6 nanofiber mat composited by CdSe@ZnS quantum dots and poly (methyl methacrylate). <i>Polymer</i> , 2016, 85, 89-95.	3.8	9
104	Effective photocatalytic efficacy of hydrothermally synthesized silver phosphate decorated titanium dioxide nanocomposite fibers. <i>Journal of Colloid and Interface Science</i> , 2016, 465, 225-232.	9.4	55
105	Glucose oxidase stabilized fluorescent gold nanoparticles as an ideal sensor matrix for dual mode sensing of glucose. <i>RSC Advances</i> , 2016, 6, 7212-7223.	3.6	21
106	The (2Å–Å) tunnels structured manganese dioxide nanorods with δ phase for lithium air batteries. <i>Superlattices and Microstructures</i> , 2016, 90, 184-190.	3.1	23
107	Nano-engineered ZnO/CeO ₂ dots@CNFs for fuel cell application. <i>Arabian Journal of Chemistry</i> , 2016, 9, 219-228.	4.9	40
108	High Strength Electrospun Nanofiber Mats via CNT Reinforcement: A Review. <i>Composites Research</i> , 2016, 29, 186-193.	0.1	9

#	ARTICLE	IF	CITATIONS
109	Influence of copper content on the electrocatalytic activity toward methanol oxidation of Co/Cu alloy nanoparticles-decorated CNFs. <i>Scientific Reports</i> , 2015, 5, 16695.	3.3	63
110	Influence of orientation on ordered microstructure of PAN-based fibers during electron beam irradiation stabilization. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 32, 120-122.	5.8	18
111	Synthesis and characterization of Co/SrCO ₃ nanorods-decorated carbon nanofibers as novel electrocatalyst for methanol oxidation in alkaline medium. <i>Ceramics International</i> , 2015, 41, 6575-6582.	4.8	39
112	Catalytic hydrolysis of ammonia borane for hydrogen generation using Cu(0) nanoparticles supported on TiO ₂ nanofibers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 470, 194-201.	4.7	55
113	One pot synthesis of Cu-doped TiO ₂ carbon nanofibers for dehydrogenation of ammonia borane. <i>Ceramics International</i> , 2015, 41, 6137-6140.	4.8	18
114	CuO-decorated, carbon-doped rutile TiO ₂ nanofibers via one step electrospinning: Effective photocatalyst for azo dyes degradation under solar light. <i>Chemical Engineering and Processing: Process Intensification</i> , 2015, 95, 202-207.	3.6	15
115	Electrospun composite nanofibers of polyacrylonitrile and Ag ₂ CO ₃ nanoparticles for visible light photocatalysis and antibacterial applications. <i>Journal of Materials Science</i> , 2015, 50, 4477-4485.	3.7	33
116	PAN electrospun nanofibers reinforced with Ag ₂ CO ₃ nanoparticles: Highly efficient visible light photocatalyst for photodegradation of organic contaminants in waste water. <i>Macromolecular Research</i> , 2015, 23, 149-155.	2.4	20
117	Cobalt-incorporated, nitrogen-doped carbon nanofibers as effective non-precious catalyst for methanol electrooxidation in alkaline medium. <i>Applied Catalysis A: General</i> , 2015, 498, 230-240.	4.3	62
118	Effective and highly recyclable nanosilica produced from the rice husk for effective removal of organic dyes. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 134-145.	5.8	45
119	High-efficiency super capacitors based on hetero-structured MnO ₂ nanorods. <i>Journal of Alloys and Compounds</i> , 2015, 642, 210-215.	5.5	51
120	Flexible transparent electrode based on PANi nanowire/nylon nanofiber reinforced cellulose acetate thin film as supercapacitor. <i>Chemical Engineering Journal</i> , 2015, 273, 603-609.	12.7	87
121	In-situ synthesis of Ni/N-doped CNFs-supported graphite disk as effective immobilized catalyst for methanol electrooxidation. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 14845-14856.	7.1	27
122	Synthesis and characterization of Nitrogen-doped & CaCO ₃ -decorated reduced graphene oxide nanocomposite for electrochemical supercapacitors. <i>Electrochimica Acta</i> , 2015, 184, 193-202.	5.2	36
123	CuO-doped TiO ₂ nanofibers as potential photocatalyst and antimicrobial agent. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 26, 251-258.	5.8	39
124	Co/CeO ₂ -decorated carbon nanofibers as effective non-precious electro-catalyst for fuel cells application in alkaline medium. <i>Ceramics International</i> , 2015, 41, 2271-2278.	4.8	64
125	Hierarchical TiO ₂ /ZnO Nanostructure as Novel Non-precious Electrocatalyst for Ethanol Electrooxidation. <i>Journal of Materials Science and Technology</i> , 2015, 31, 97-105.	10.7	18
126	Facile fabrication of hierarchical cellulose nanospicules via hydrolytic hydrogenation. <i>Carbohydrate Polymers</i> , 2015, 117, 408-413.	10.2	9

#	ARTICLE	IF	CITATIONS
127	Influence of Nitrogen doping on the Catalytic Activity of Ni-incorporated Carbon Nanofibers for Alkaline Direct Methanol Fuel Cells. <i>Electrochimica Acta</i> , 2014, 142, 228-239.	5.2	66
128	Effect of the Core/Shell-Structured Meta-Aramid/Epoxy Nanofiber on the Mechanical and Thermal Properties in Epoxy Adhesive Composites by Electrospinning. <i>Journal of Adhesion</i> , 2014, 90, 787-801.	3.0	19
129	The influence of the core-shell structured meta-aramid/epoxy nanofiber mats on interfacial bonding strength and the mechanical properties of epoxy adhesives at cryogenic environment. <i>Journal of Adhesion Science and Technology</i> , 2014, 28, 950-962.	2.6	8
130	Cobalt/copper-decorated carbon nanofibers as novel non-precious electrocatalyst for methanol electrooxidation. <i>Nanoscale Research Letters</i> , 2014, 9, 2.	5.7	112
131	Antimicrobial activity of electrospun polyurethane nanofibers containing composite materials. <i>Korean Journal of Chemical Engineering</i> , 2014, 31, 855-860.	2.7	9
132	Influence of lactic acid on degradation and biocompatibility of electrospun poly(ϵ -caprolactone) fibers. <i>Polymer International</i> , 2014, 63, 1212-1218.	3.1	13
133	Electrospun Ag-CoF doped PU nanofibers: Effective visible light catalyst for photodegradation of organic dyes. <i>Macromolecular Research</i> , 2014, 22, 895-900.	2.4	7
134	Graphene/SnO ₂ nanocomposite as an effective electrode material for saline water desalination using capacitive deionization. <i>Ceramics International</i> , 2014, 40, 14627-14634.	4.8	83
135	The study of efficiency of Al ₂ O ₃ drop coated electrospun meta-aramid nanofibers as separating membrane in lithium-ion secondary batteries. <i>Materials Letters</i> , 2014, 132, 384-388.	2.6	31
136	Synthesis and photocatalytic activities of CdS/TiO ₂ nanoparticles supported on carbon nanofibers for high efficient adsorption and simultaneous decomposition of organic dyes. <i>Journal of Colloid and Interface Science</i> , 2014, 434, 159-166.	9.4	98
137	Recent Progress on the Fabrication of Ultrafine Polyamide-6 Based Nanofibers Via Electrospinning: A Topical Review. <i>Nano-Micro Letters</i> , 2014, 6, 89-107.	27.0	39
138	Hollow carbon nanofibers as an effective electrode for brackish water desalination using the capacitive deionization process. <i>New Journal of Chemistry</i> , 2014, 38, 198-205.	2.8	118
139	Enhanced electrical properties of electrospun nylon66 nanofibers containing carbon nanotube fillers and Ag nanoparticles. <i>Fibers and Polymers</i> , 2014, 15, 918-923.	2.1	7
140	Bactericidal efficacy of electrospun rosin/poly(ϵ -caprolactone) nanofibers. <i>Macromolecular Research</i> , 2014, 22, 139-145.	2.4	3
141	ZnO&Fe ₂ O ₃ -incorporated TiO ₂ nanofibers as super effective photocatalyst for water splitting under visible light radiation. <i>Applied Catalysis A: General</i> , 2014, 481, 19-26.	4.3	39
142	Graphene wrapped MnO ₂ -nanostructures as effective and stable electrode materials for capacitive deionization desalination technology. <i>Desalination</i> , 2014, 344, 289-298.	8.2	151
143	Synthesis and characterization of electrospun cadmium sulfide- and lead sulfide-blended poly(vinyl Tj ETQq1 1 0.784314 rgBJ /Overlo	4.0	5
144	Interior synthesizing of ZnO nanoflakes inside nylon-6 electrospun nanofibers. <i>Journal of Applied Polymer Science</i> , 2013, 127, 2025-2032.	2.6	20

#	ARTICLE	IF	CITATIONS
145	Preparation and characterization of chlorinated cross-linked chitosan/cotton knit for biomedical applications. <i>Macromolecular Research</i> , 2013, 21, 1241-1246.	2.4	23
146	Multipurpose polyurethane antimicrobial metal composite films via wet cast technology. <i>Macromolecular Research</i> , 2013, 21, 843-851.	2.4	6
147	Synthesis of poly(glycolide-caprolactone) copolymers for application as bioabsorbable suture materials. <i>Macromolecular Research</i> , 2013, 21, 687-692.	2.4	7
148	Fabrication and photocatalytic activity of electrospun nylon-6 nanofibers containing tourmaline and titanium dioxide nanoparticles. <i>Ceramics International</i> , 2013, 39, 7143-7148.	4.8	23
149	Photocatalytic TiO ₂ @RGO/nylon-6 spider-wave-like nano-nets via electrospinning and hydrothermal treatment. <i>Journal of Membrane Science</i> , 2013, 429, 225-234.	8.2	103
150	RGO/Nylon-6 composite mat with unique structural features and electrical properties obtained from electrospinning and hydrothermal process. <i>Fibers and Polymers</i> , 2013, 14, 970-975.	2.1	21
151	Inactivation of Foodborne Pathogens by NiO/TiO ₂ Composite Nanofibers: A Novel Biomaterial System. <i>Food and Bioprocess Technology</i> , 2013, 6, 988-996.	4.7	29
152	Facile preparation of graphene induced from electron-beam irradiated graphite. <i>Materials Letters</i> , 2013, 105, 236-238.	2.6	10
153	Preparation of nylon-6/chitosan composites by nanospider technology and their use as candidate for antibacterial agents. <i>Korean Journal of Chemical Engineering</i> , 2013, 30, 422-428.	2.7	22
154	Mn ₂ O ₃ /TiO ₂ nanofibers with broad-spectrum antibiotics effect and photocatalytic activity for preliminary stage of water desalination. <i>Ceramics International</i> , 2013, 39, 2239-2246.	4.8	33
155	Influence of antimicrobial additives on the formation of rosin nanofibers via electrospinning. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 104, 262-267.	5.0	29
156	Effective NiCu NPs-doped carbon nanofibers as counter electrodes for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2013, 102, 142-148.	5.2	65
157	Encapsulation of CoS nanoparticles in PAN electrospun nanofibers: Effective and reusable catalyst for ammonia borane hydrolysis and dyes photodegradation. <i>Ceramics International</i> , 2013, 39, 1469-1476.	4.8	42
158	Influence of the nanofibrous morphology on the catalytic activity of NiO nanostructures: an effective impact toward methanol electrooxidation. <i>Nanoscale Research Letters</i> , 2013, 8, 402.	5.7	97
159	Mechanical behavior of electrospun Nylon66 fibers reinforced with pristine and treated multi-walled carbon nanotube fillers. <i>Ceramics International</i> , 2013, 39, 8199-8206.	4.8	17
160	Fabrication and characterization of ZnO semiconductor nanoparticles decorated electrospun polyacrylonitrile nanofibers. <i>Journal of Colloid and Interface Science</i> , 2013, 397, 65-72.	9.4	18
161	Cadmium-doped cobalt/carbon nanoparticles as a novel nonprecious electrocatalyst for methanol oxidation. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 3387-3394.	7.1	46
162	Pd-doped Co nanofibers immobilized on a chemically stable metallic bipolar plate as novel strategy for direct formic acid fuel cells. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 7438-7447.	7.1	38

#	ARTICLE	IF	CITATIONS
163	Electrospun Cu-doped titania nanofibers for photocatalytic hydrolysis of ammonia borane. <i>Applied Catalysis A: General</i> , 2013, 467, 98-106.	4.3	53
164	Preparation and characterization of copper oxide particles incorporated polyurethane composite nanofibers by electrospinning. <i>Ceramics International</i> , 2013, 39, 9651-9658.	4.8	25
165	Novel Cd-doped Co/C nanoparticles for electrochemical supercapacitors. <i>Materials Letters</i> , 2013, 99, 168-171.	2.6	51
166	Ethanol electro-oxidation using cadmium-doped cobalt/carbon nanoparticles as novel non precious electrocatalyst. <i>Applied Catalysis A: General</i> , 2013, 455, 193-198.	4.3	59
167	Antibacterial ciprofloxacin HCl incorporated polyurethane composite nanofibers via electrospinning for biomedical applications. <i>Ceramics International</i> , 2013, 39, 4937-4944.	4.8	29
168	Preparation and characterization of nylon-6/gelatin composite nanofibers via electrospinning for biomedical applications. <i>Fibers and Polymers</i> , 2013, 14, 718-723.	2.1	23
169	Enhanced bactericidal effect of novel CuO/TiO ₂ composite nanorods and a mechanism thereof. <i>Composites Part B: Engineering</i> , 2013, 45, 904-910.	12.0	52
170	Influence of temperature on the photodegradation process using Ag-doped TiO ₂ nanostructures: Negative impact with the nanofibers. <i>Journal of Molecular Catalysis A</i> , 2013, 366, 333-340.	4.8	113
171	Development of Cd-doped Co Nanoparticles Encapsulated in Graphite Shell as Novel Electrode Material for the Capacitive Deionization Technology. <i>Nano-Micro Letters</i> , 2013, 5, 303-313.	27.0	22
172	Development of multi-channel carbon nanofibers as effective electrosorptive electrodes for a capacitive deionization process. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11001.	10.3	63
173	Influence of CdO-doping on the photoluminescence properties of ZnO nanofibers: Effective visible light photocatalyst for waste water treatment. <i>Journal of Luminescence</i> , 2012, 132, 1668-1677.	3.1	121
174	Toward facile synthesizing of diamond nanostructures via nanotechnological approach: Lonsdaleite carbon nanofibers by electrospinning. <i>Materials Research Bulletin</i> , 2012, 47, 2140-2147.	5.2	26
175	Pd-Co-doped carbon nanofibers with photoactivity as effective counter electrodes for DSSCs. <i>Chemical Engineering Journal</i> , 2012, 211-212, 9-15.	12.7	55
176	Electrical characterization of nylon-6 composite nanofibers. <i>Journal of Physics and Chemistry of Solids</i> , 2012, 73, 1326-1330.	4.0	4
177	Silver-Loaded Biomimetic Hydroxyapatite Grafted Poly(ϵ -caprolactone) Composite Nanofibers: A Cytotoxicity Study. <i>Journal of Biomedical Nanotechnology</i> , 2012, 8, 125-132.	1.1	19
178	Activated carbon/silver-doped polyurethane electrospun nanofibers: Single mat for different pollutants treatment. <i>Macromolecular Research</i> , 2012, 20, 1243-1248.	2.4	16
179	Zinc oxide's hierarchical nanostructure and its photocatalytic properties. <i>Applied Surface Science</i> , 2012, 258, 3695-3702.	6.1	36
180	Synthesis and characterization of Pd-doped Co nanofibers as a multifunctional nanostructure. <i>Materials Letters</i> , 2012, 85, 120-123.	2.6	31

#	ARTICLE	IF	CITATIONS
181	Synthesis and characterizations of Pt nanorods on electrospun polyamide-6 nanofibers templates. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 826-831.	3.5	3
182	Electrospun core-shell nanofibers from homogeneous solution of poly(vinyl alcohol)/bovine serum albumin. <i>International Journal of Biological Macromolecules</i> , 2012, 50, 1292-1298.	7.5	28
183	Electrospun nickel doped titanium dioxide nanofibers as an effective photocatalyst for the hydrolytic dehydrogenation of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 10036-10045.	7.1	37
184	Wound-dressing materials with antibacterial activity from electrospun polyurethane-dextran nanofiber mats containing ciprofloxacin HCl. <i>Carbohydrate Polymers</i> , 2012, 90, 1786-1793.	10.2	404
185	Nematic shaped cadmium sulfide doped electrospun nanofiber mat: Highly efficient, reusable, solar light photocatalyst. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 409, 21-29.	4.7	37
186	Chemically stable electrospun NiCu nanorods@carbon nanofibers for highly efficient dehydrogenation of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 17715-17723.	7.1	61
187	Photocatalytic release of hydrogen from ammonia borane-complex using Ni(0)-doped TiO ₂ /C electrospun nanofibers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 410, 59-65.	4.7	41
188	Emu oil-based electrospun nanofibrous scaffolds for wound skin tissue engineering. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 415, 454-460.	4.7	93
189	Formation and properties of polyester/copolyester conjugate fibers prepared by ultra-high-speed melt spinning technique. <i>Polymer Engineering and Science</i> , 2012, 52, 149-156.	3.1	2
190	Mechanical property enhancement of non-bonding electrospun mats via adhesive. <i>Polymer International</i> , 2012, 61, 844-849.	3.1	10
191	Synthesis and characterization of spider-web-like electrospun mats of meta-aramid. <i>Polymer International</i> , 2012, 61, 1675-1682.	3.1	36
192	A study on electrospun nylon-6/TiO ₂ composite nanofibers. <i>Journal of the Korean Physical Society</i> , 2012, 60, 1741-1744.	0.7	0
193	A macroscopically oriented lyotropic chromonic liquid crystalline nanofiber mat embedding self-assembled Sunset-Yellow FCF nanocolumns. <i>Journal of Materials Chemistry</i> , 2012, 22, 13477.	6.7	10
194	Synthesis, characterization, and photocatalytic properties of ZnO nano-flower containing TiO ₂ NPs. <i>Ceramics International</i> , 2012, 38, 2943-2950.	4.8	76
195	Inactivation of pathogenic <i>Klebsiella pneumoniae</i> by CuO/TiO ₂ nanofibers: A multifunctional nanomaterial via one-step electrospinning. <i>Ceramics International</i> , 2012, 38, 4525-4532.	4.8	72
196	Photocatalytic activities of electrospun tin oxide doped titanium dioxide nanofibers. <i>Ceramics International</i> , 2012, 38, 4533-4540.	4.8	33
197	Novel electrospun nanofiber mats as effective catalysts for water photosplitting. <i>Ceramics International</i> , 2012, 38, 5175-5180.	4.8	19
198	Characterization and antibacterial properties of Ag NPs loaded nylon-6 nanocomposite prepared by one-step electrospinning process. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 395, 94-99.	4.7	90

#	ARTICLE	IF	CITATIONS
199	Encapsulation of CdO/ZnO NPs in PU electrospun nanofibers as novel strategy for effective immobilization of the photocatalysts. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 401, 8-16.	4.7	56
200	Synthesis and study of the photoluminescence and optical characteristics of Cd/CdO nanorods prepared by the electrospinning process. <i>Materials Letters</i> , 2012, 66, 225-228.	2.6	20
201	Titanium-based polymeric electrospun nanofiber mats as a novel organic semiconductor. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 34-42.	3.5	29
202	Mesoporous nickel hydroxyapatite nanocomposite for microwave-assisted Henry reaction. <i>Tetrahedron Letters</i> , 2012, 53, 2980-2984.	1.4	39
203	Antibacterial activity and interaction mechanism of electrospun zinc-doped titania nanofibers. <i>Applied Microbiology and Biotechnology</i> , 2012, 93, 743-751.	3.6	97
204	Fabrication of highly porous poly (μ -caprolactone) microfibers via electrospinning. <i>Journal of Porous Materials</i> , 2012, 19, 217-223.	2.6	32
205	Hydroxyapatite Mineralization on the Calcium Chloride Blended Polyurethane Nanofiber via Biomimetic Method. <i>Nanoscale Research Letters</i> , 2011, 6, 2.	5.7	63
206	Synthesis and Electrical Properties of TiO ₂ Nanoparticles Embedded in Polyamide-6 Nanofibers Via Electrospinning. <i>Nano-Micro Letters</i> , 2011, 3, 56-61.	27.0	17
207	Electrospun cross linked rosin fibers. <i>Applied Surface Science</i> , 2011, 258, 1385-1389.	6.1	12
208	Bactericidal Activity and In Vitro Cytotoxicity Assessment of Hydroxyapatite Containing Gold Nanoparticles. <i>Journal of Biomedical Nanotechnology</i> , 2011, 7, 342-350.	1.1	19
209	Nanobiotechnology approach to fabricate polycaprolactone nanofibers containing solid titanium nanoparticles as future implant materials. <i>International Journal of Materials Research</i> , 2011, 102, 1481-1487.	0.3	3
210	A Novel Bio-Nanocomposites Composed of Hydroxyapatite Reinforced with TiO ₂ Electrospun Nanofiber Consolidated Using High-Frequency Induction Heating. <i>International Journal of Applied Ceramic Technology</i> , 2011, 8, 523-531.	2.1	13
211	Improvement of tensile properties and tuning of the biodegradation behavior of polycaprolactone by addition of electrospun fibers. <i>Polymer</i> , 2011, 52, 4054-4060.	3.8	49
212	Effect of lactic acid on polymer crystallization chain conformation and fiber morphology in an electrospun nylon-6 mat. <i>Polymer</i> , 2011, 52, 4851-4856.	3.8	60
213	Preparation and electrical characterization of polyamide-6/chitosan composite nanofibers via electrospinning. <i>Materials Letters</i> , 2011, 65, 493-496.	2.6	29
214	Fabrication of polymeric microfibers containing rice-like oligomeric hydrogel nanoparticles on their surface: A novel strategy in the electrospinning process. <i>Materials Letters</i> , 2011, 65, 1441-1444.	2.6	12
215	Preparation of the crosslinked poly(vinyl alcohol)/blocked isocyanate prepolymers nanofibers with hydrolyzed products of <i>Scutellariae Radix</i> . <i>Materials Letters</i> , 2011, 65, 2772-2775.	2.6	6
216	Effect of polymer molecular weight on the fiber morphology of electrospun mats. <i>Journal of Colloid and Interface Science</i> , 2011, 364, 107-111.	9.4	51

#	ARTICLE	IF	CITATIONS
217	Fabrication of highly porous poly (ϵ -caprolactone) fibers for novel tissue scaffold via water-bath electrospinning. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 88, 587-592.	5.0	114
218	Electrical properties of ultrafine nylon-6 nanofibers prepared via electrospinning. <i>Fibers and Polymers</i> , 2011, 12, 1021-1024.	2.1	12
219	Synthesis and film formation of iron-cobalt nanofibers encapsulated in graphite shell: magnetic, electric and optical properties study. <i>Journal of Materials Chemistry</i> , 2011, 21, 10957.	6.7	56
220	Synthesis and characterization of bovine femur bone hydroxyapatite containing silver nanoparticles for the biomedical applications. <i>Journal of Nanoparticle Research</i> , 2011, 13, 1917-1927.	1.9	58
221	Transition behaviors and hybrid nanofibers of poly(vinyl alcohol) and polyethylene glycol-POSS telechelic blends. <i>Colloid and Polymer Science</i> , 2011, 289, 863-870.	2.1	30
222	Fabrication of poly(caprolactone) nanofibers containing hydroxyapatite nanoparticles and their mineralization in a simulated body fluid. <i>Fibers and Polymers</i> , 2011, 12, 50-56.	2.1	11
223	Preparation and characterizations of anisotropic chitosan nanofibers via electrospinning. <i>Macromolecular Research</i> , 2011, 19, 345-350.	2.4	42
224	Point-bonded electrospun polystyrene fibrous mats fabricated via the addition of poly(butylacrylate) adhesive. <i>Polymer Engineering and Science</i> , 2011, 51, 894-901.	3.1	4
225	Polymer nanofiber-templated fabrication and characterization of gallium oxide nanofibers consisting of granular nanoparticles. <i>Polymer International</i> , 2011, 60, 322-326.	3.1	7
226	Preparation and characterization of electrospun ultrafine polyamide-6 nanofibers. <i>Polymer International</i> , 2011, 60, 1475-1480.	3.1	27
227	Multifunctional baicalein blended poly(vinyl alcohol) composite nanofibers via electrospinning. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 384, 605-611.	4.7	27
228	Preparation of polyamide-6/chitosan composite nanofibers by a single solvent system via electrospinning for biomedical applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 83, 173-178.	5.0	100
229	Lecithin blended polyamide-6 high aspect ratio nanofiber scaffolds via electrospinning for human osteoblast cell culture. <i>Materials Science and Engineering C</i> , 2011, 31, 486-493.	7.3	53
230	Co ₃ O ₄ -ZnO hierarchical nanostructures by electrospinning and hydrothermal methods. <i>Applied Surface Science</i> , 2011, 257, 7975-7981.	6.1	27
231	Electrospun nylon-6 spider-net like nanofiber mat containing TiO ₂ nanoparticles: A multifunctional nanocomposite textile material. <i>Journal of Hazardous Materials</i> , 2011, 185, 124-130.	12.4	231
232	Photocatalytic and antibacterial properties of a TiO ₂ /nylon-6 electrospun nanocomposite mat containing silver nanoparticles. <i>Journal of Hazardous Materials</i> , 2011, 189, 465-471.	12.4	193
233	Spectroscopic investigations on the photodegradation of toluidine blue dye using cadmium sulphide nanoparticles prepared by a novel method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 78, 1592-1598.	3.9	51
234	In-vitro cytotoxicity and cell uptake study of gelatin-coated magnetic iron oxide nanoparticles. <i>Journal of Microencapsulation</i> , 2011, 28, 240-247.	2.8	17

#	ARTICLE	IF	CITATIONS
235	Human Osteoblast Cytotoxicity Study of Electrospun Polyurethane/Calcium Chloride Ultrafine Nanofibers. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 4749-4756.	0.9	14
236	Fabrication of Mineralized Collagen from Bovine Waste Materials by Hydrothermal Method as Promised Biomaterials. <i>Journal of Biomaterials and Tissue Engineering</i> , 2011, 1, 194-197.	0.1	7
237	Co ₃ O ₄ , ZnO, Co ₃ O ₄ -ZnO Nanofibers and Their Properties. <i>Journal of Nanoengineering and Nanomanufacturing</i> , 2011, 1, 196-202.	0.3	10
238	Biologically Active Polycaprolactone/Titanium Hybrid Electrospun Nanofibers for Hard Tissue Engineering. <i>Science of Advanced Materials</i> , 2011, 3, 730-734.	0.7	17
239	Development of electrospun metallic hybrid nanofibers via metallization. <i>Polymers for Advanced Technologies</i> , 2010, 21, 746-751.	3.2	29
240	Functionalization of Electrospun Titanium Oxide Nanofibers with Silver Nanoparticles: Strongly Effective Photocatalyst. <i>International Journal of Applied Ceramic Technology</i> , 2010, 7, E54.	2.1	49
241	Gallium arsenide (GaAs) nanofibers by electrospinning technique as future energy server materials. <i>Fibers and Polymers</i> , 2010, 11, 384-390.	2.1	9
242	Effects of silver content and morphology on the catalytic activity of silver-grafted titanium oxide nanostructure. <i>Fibers and Polymers</i> , 2010, 11, 700-709.	2.1	36
243	Synthesis of poly(vinyl alcohol) (PVA) nanofibers incorporating hydroxyapatite nanoparticles as future implant materials. <i>Macromolecular Research</i> , 2010, 18, 59-66.	2.4	50
244	Photocatalytic activity of ZnO-TiO ₂ hierarchical nanostructure prepared by combined electrospinning and hydrothermal techniques. <i>Macromolecular Research</i> , 2010, 18, 233-240.	2.4	81
245	Boron nitride nanofibers by the electrospinning technique. <i>Macromolecular Research</i> , 2010, 18, 551-557.	2.4	18
246	Effect of solvents on high aspect ratio polyamide-6 nanofibers via electrospinning. <i>Macromolecular Research</i> , 2010, 18, 759-765.	2.4	33
247	In vitro bioactivity of sol-gel-derived hydroxyapatite particulate nanofiber modified titanium. <i>Journal of Materials Science: Materials in Medicine</i> , 2010, 21, 685-694.	3.6	17
248	Electrospun titanium dioxide nanofibers containing hydroxyapatite and silver nanoparticles as future implant materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2010, 21, 2551-2559.	3.6	26
249	Electronic characterization and photocatalytic properties of TiO ₂ /CdO electrospun nanofibers. <i>Journal of Materials Science</i> , 2010, 45, 1272-1279.	3.7	52
250	Physiochemical characterizations of electrospun (ZnO-GeO ₂) nanofibers and their optical properties. <i>Journal of Materials Science</i> , 2010, 45, 3833-3840.	3.7	6
251	Mechanical properties of titania nanofiber mats fabricated by electrospinning of sol-gel precursor. <i>Journal of Sol-Gel Science and Technology</i> , 2010, 54, 188-194.	2.4	37
252	Formation of electrospun nylon-6/methoxy poly(ethylene glycol) oligomer spider-wave nanofibers. <i>Materials Letters</i> , 2010, 64, 2087-2090.	2.6	55

#	ARTICLE	IF	CITATIONS
253	Silver Nanofibres by a Novel Electrospinning Process: Nanofibres with Plasmon Resonance in the IR Region and Thermal Hysteresis Electrical Conductivity Features. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1481-1488.	2.0	13
254	Self synthesise of silver nanoparticles in/on polyurethane nanofibers: Nano-biotechnological approach. <i>Journal of Applied Polymer Science</i> , 2010, 115, 3189-3198.	2.6	37
255	Poly(μ -caprolactone) filled with electrospun nylon fibres: A model for a facile composite fabrication. <i>European Polymer Journal</i> , 2010, 46, 968-976.	5.4	91
256	Structural, thermal, mechanical and bioactivity evaluation of silver-loaded bovine bone hydroxyapatite grafted poly(μ -caprolactone) nanofibers via electrospinning. <i>Surface and Coatings Technology</i> , 2010, 205, 174-181.	4.8	54
257	Formation of high aspect ratio polyamide-6 nanofibers via electrically induced double layer during electrospinning. <i>Applied Surface Science</i> , 2010, 256, 6318-6323.	6.1	41
258	Fabrication of titanium dioxide nanofibers containing hydroxyapatite nanoparticles. <i>Applied Surface Science</i> , 2010, 257, 296-301.	6.1	13
259	Polymeric nanofibers containing solid nanoparticles prepared by electrospinning and their applications. <i>Chemical Engineering Journal</i> , 2010, 156, 487-495.	12.7	105
260	Effect of successive electrospinning and the strength of hydrogen bond on the morphology of electrospun nylon-6 nanofibers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 370, 87-94.	4.7	103
261	Preparation and characterization of poly(vinyl alcohol) nanofiber mats crosslinked with blocked isocyanate prepolymer. <i>Polymer International</i> , 2010, 59, 1683-1689.	3.1	33
262	Electrospun poly(vinyl alcohol) nanofibers: effects of degree of hydrolysis and enhanced water stability. <i>Polymer Journal</i> , 2010, 42, 273-276.	2.7	182
263	CoNi Bimetallic Nanofibers by Electrospinning: Nickel-Based Soft Magnetic Material with Improved Magnetic Properties. <i>Journal of Physical Chemistry C</i> , 2010, 114, 15589-15593.	3.1	117
264	Biomimetic hydroxyapatite particulate nanofiber modified silicon: <i>in vitro</i> bioactivity. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 88A, 384-391.	4.0	7
265	Synthesis and characterization of brush copolymers based on methoxy poly(ethylene glycol) and poly(μ -caprolactone). <i>Journal of Applied Polymer Science</i> , 2009, 111, 1540-1548.	2.6	5
266	Synthesis, characterization and aqueous dispersion of dextran-g-poly(1,4-dioxan-2-one) copolymers. <i>Carbohydrate Polymers</i> , 2009, 78, 833-840.	10.2	20
267	Bioactivity of gelatin coated magnetic iron oxide nanoparticles: <i>in vitro</i> evaluation. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 573-581.	3.6	22
268	Polyelectrolyte multilayer coated nanofibrous mats: Controlled surface morphology and cell culture. <i>Fibers and Polymers</i> , 2009, 10, 419-424.	2.1	10
269	Electrospun antimicrobial polyurethane nanofibers containing silver nanoparticles for biotechnological applications. <i>Macromolecular Research</i> , 2009, 17, 688-696.	2.4	139
270	Preparation of nanofibers consisting of MnO/Mn ₃ O ₄ by using the electrospinning technique: the nanofibers have two band-gap energies. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 95, 769-776.	2.3	36

#	ARTICLE	IF	CITATIONS
271	Gelatin-coated magnetic iron oxide nanoparticles as carrier system: Drug loading and in vitro drug release study. <i>International Journal of Pharmaceutics</i> , 2009, 365, 180-189.	5.2	203
272	Preparation of MnO nanofibers by novel hydrothermal treatment of manganese acetate/PVA electrospun nanofiber mats. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 162, 205-208.	3.5	15
273	Spider-net within the N6, PVA and PU electrospun nanofiber mats using salt addition: Novel strategy in the electrospinning process. <i>Polymer</i> , 2009, 50, 4389-4396.	3.8	208
274	Extraction of pure natural hydroxyapatite from the bovine bones bio waste by three different methods. <i>Journal of Materials Processing Technology</i> , 2009, 209, 3408-3415.	6.3	280
275	Phase Behaviors and Structures of a Symmetrically Tapered Biphenylamide. <i>Journal of Physical Chemistry B</i> , 2009, 113, 5843-5854.	2.6	12
276	Columnar Structures from Asymmetrically Tapered Biphenylamide. <i>Journal of Physical Chemistry B</i> , 2009, 113, 13499-13508.	2.6	10
277	Synchronized Polymerization and Fabrication of Poly(acrylic acid) and Nylon Hybrid Mats in Electrospinning. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 750-757.	8.0	32
278	Cobalt nanofibers encapsulated in a graphite shell by an electrospinning process. <i>Journal of Materials Chemistry</i> , 2009, 19, 7371.	6.7	120
279	Production of Smooth and Pure Nickel Metal Nanofibers by the Electrospinning Technique: Nanofibers Possess Splendid Magnetic Properties. <i>Journal of Physical Chemistry C</i> , 2009, 113, 531-536.	3.1	141
280	Influence of Cobalt Nanoparticles's Incorporation on the Magnetic Properties of the Nickel Nanofibers: Cobalt-Doped Nickel Nanofibers Prepared by Electrospinning. <i>Journal of Physical Chemistry C</i> , 2009, 113, 19452-19457.	3.1	47
281	In vitro hydrolytic degradation of poly(ϵ -caprolactone) grafted dextran fibers and films. <i>Polymer Degradation and Stability</i> , 2008, 93, 2172-2179.	5.8	18
282	Hydrophobically modified chitosan/gold nanoparticles for DNA delivery. <i>Journal of Nanoparticle Research</i> , 2008, 10, 151-162.	1.9	53
283	Production of beads like hollow nickel oxide nanoparticles using colloidal -gel electrospinning methodology. <i>Journal of Materials Science</i> , 2008, 43, 860-864.	3.7	13
284	Physicochemical characterizations of nanobelts consisting of three mixed oxides (Co ₃ O ₄ , CuO, and TiO ₂). <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 2511-2516.	3.7	25
285	Antimicrobial drug release scaffolds of natural and synthetic biodegradable polymers. <i>Macromolecular Research</i> , 2008, 16, 303-307.	2.4	25
286	Physicochemical characterization of self-assembled poly(ϵ -caprolactone) grafted dextran nanoparticles. <i>Colloid and Polymer Science</i> , 2008, 286, 517-524.	2.1	18
287	Novel production method and <i>in vitro</i> cell compatibility of porous Ti-6Al-4V alloy disk for hard tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 86A, 289-299.	4.0	30
288	Enhanced mechanical properties of multilayer nano-coated electrospun nylon 6 fibers via a layer-by-layer self-assembly. <i>Journal of Applied Polymer Science</i> , 2008, 107, 2211-2216.	2.6	53

#	ARTICLE	IF	CITATIONS
289	Poly(ϵ -caprolactone) grafted dextran biodegradable electrospun matrix: A novel scaffold for tissue engineering. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1447-1454.	2.6	37
290	Synthesis of hydroxyapatite crystals using titanium oxide electrospun nanofibers. <i>Materials Science and Engineering C</i> , 2008, 28, 70-74.	7.3	25
291	Carbon nanotube-hydroxyapatite nanocomposite for DNA complexation. <i>Materials Science and Engineering C</i> , 2008, 28, 64-69.	7.3	32
292	Multi-walled carbon nanotubes/TiO ₂ composite nanofiber by electrospinning. <i>Materials Science and Engineering C</i> , 2008, 28, 75-79.	7.3	109
293	Physiochemical characterizations of hydroxyapatite extracted from bovine bones by three different methods: Extraction of biologically desirable HAp. <i>Materials Science and Engineering C</i> , 2008, 28, 1381-1387.	7.3	151
294	N-hexanoyl chitosan-stabilized magnetic nanoparticles: enhancement of adenoviral-mediated gene expression both in vitro and in vivo. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2008, 4, 146-154.	3.3	46
295	Encapsulation of Fe ₃ O ₄ in gelatin nanoparticles: Effect of different parameters on size and stability of the colloidal dispersion. <i>Journal of Microencapsulation</i> , 2008, 25, 21-30.	2.8	40
296	Laboratory formulated magnetic nanoparticles for enhancement of viral gene expression in suspension cell line. <i>Journal of Virological Methods</i> , 2008, 147, 213-218.	2.1	52
297	Surface Plasmon Resonances, Optical Properties, and Electrical Conductivity Thermal Hysteresis of Silver Nanofibers Produced by the Electrospinning Technique. <i>Langmuir</i> , 2008, 24, 11982-11987.	3.5	85
298	Synthesis and Optical Properties of Two Cobalt Oxides (CoO and Co ₃ O ₄) Nanofibers Produced by Electrospinning Process. <i>Journal of Physical Chemistry C</i> , 2008, 112, 12225-12233.	3.1	216
299	A Study on the PVAc/FeSO ₄ Composite Nanofibers via Electrospinning. <i>Journal of Fiber Science and Technology</i> , 2008, 64, 306-311.	0.0	5
300	Amphiphilic triblock copolymer based on poly(p-dioxanone) and poly(ethylene glycol): Synthesis, characterization, and aqueous dispersion. <i>Journal of Applied Polymer Science</i> , 2007, 103, 2695-2702.	2.6	14
301	Novel amphiphilic triblock copolymer based on PPDO, PCL, and PEG: Synthesis, characterization, and aqueous dispersion. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 292, 69-78.	4.7	47
302	N-Acylated chitosan stabilized iron oxide nanoparticles as a novel nano-matrix and ceramic modification. <i>Carbohydrate Polymers</i> , 2007, 69, 467-477.	10.2	73
303	Synthesis and characterization of amine-functionalized amphiphilic block copolymers based on poly(ethylene glycol) and poly(caprolactone). <i>Polymer International</i> , 2007, 56, 518-524.	3.1	9
304	Observation of Toughness Improvement of the Hydroxyapatite Bioceramics Densified Using High-Frequency Induction Heat Sintering. <i>International Journal of Applied Ceramic Technology</i> , 2007, 4, 30-37.	2.1	26
305	Radical scavenger for the stabilization of gold nanoparticles. <i>Materials Letters</i> , 2007, 61, 4225-4230.	2.6	9
306	Effect of collector temperature and conductivity on the chain conformation of nylon 6 electrospun nanofibers. <i>Fibers and Polymers</i> , 2007, 8, 186-191.	2.1	5

#	ARTICLE	IF	CITATIONS
307	Stabilization of gold nanoparticles by hydrophobically-modified polycations. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 579-589.	3.5	25
308	Immobilization of collagen on gold nanoparticles: preparation, characterization, and hydroxyapatite growth. <i>Journal of Materials Chemistry</i> , 2006, 16, 4642.	6.7	43
309	Deposition of Gold Nanoparticles on Electrospun MgTiO ₃ Ceramic Nanofibers. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 510-513.	0.9	12
310	Novel block copolymer (PPDO/PLLA-b-PEG): Enhancement of DNA uptake and cell transfection. <i>Acta Biomaterialia</i> , 2006, 2, 207-212.	8.3	18
311	Spectroscopic identification of SAu interaction in cysteine capped gold nanoparticles. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006, 63, 160-163.	3.9	257
312	Carbon nanotubes assisted biomimetic synthesis of hydroxyapatite from simulated body fluid. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 426, 202-207.	5.6	82
313	Effect of collector temperature on the porous structure of electrospun fibers. <i>Macromolecular Research</i> , 2006, 14, 59-65.	2.4	57
314	Mechanical behaviors and characterization of electrospun polysulfone/polyurethane blend nonwovens. <i>Macromolecular Research</i> , 2006, 14, 331-337.	2.4	51
315	Study of electrolyte induced aggregation of gold nanoparticles capped by amino acids. <i>Journal of Colloid and Interface Science</i> , 2006, 299, 191-197.	9.4	98
316	Synthesis and characterization of hydroxyapatite using carbon nanotubes as a nano-matrix. <i>Scripta Materialia</i> , 2006, 54, 131-135.	5.2	104
317	Ceramic modification of N-acylated chitosan stabilized gold nanoparticles. <i>Scripta Materialia</i> , 2006, 54, 2029-2034.	5.2	13
318	Stabilization of gold nanoparticles by thiol functionalized poly(ϵ -Caprolactone) for the labeling of PCL biocarrier. <i>Materials Chemistry and Physics</i> , 2006, 98, 463-469.	4.0	21
319	Electrospun nanofibers of block copolymer of trimethylene carbonate and ϵ -caprolactone. <i>Journal of Applied Polymer Science</i> , 2006, 99, 1462-1470.	2.6	26
320	Hydrophilic nanofibrous structure of polylactide; fabrication and cell affinity. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 78A, 247-257.	4.0	103
321	An improved hydrophilicity via electrospinning for enhanced cell attachment and proliferation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2006, 78B, 283-290.	3.4	267
322	Electrospun nonwovens of shape-memory polyurethane block copolymers. <i>Journal of Applied Polymer Science</i> , 2005, 96, 460-465.	2.6	103
323	Characterization of PVOH nonwoven mats prepared from Surfactant-Polymer system via electrospinning. <i>Macromolecular Research</i> , 2005, 13, 385-390.	2.4	43
324	Preparation of electrospun oxidized cellulose mats and their in vitro degradation behavior. <i>Macromolecular Research</i> , 2005, 13, 62-67.	2.4	45

#	ARTICLE	IF	CITATIONS
325	Preparation of regenerated cellulose fiber via carbonation (II). <i>Fibers and Polymers</i> , 2005, 6, 95-102.	2.1	9
326	Effects of blend ratio and heat treatment on the properties of the electrospun poly(ethylene terephthalate) / poly(ethylene glycol) blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 2558-2566.	2.1	10
327	Thermal decomposition kinetics of copolymers derived from p-dioxanone, L-lactide and poly(ethylene terephthalate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 2558-2566.	2.1	8
328	Titanium dioxide nanofibers prepared by using electrospinning method. <i>Fibers and Polymers</i> , 2004, 5, 105-109.	2.1	115
329	The effect of molecular weight and the linear velocity of drum surface on the properties of electrospun poly(ethylene terephthalate) nonwovens. <i>Fibers and Polymers</i> , 2004, 5, 122-127.	2.1	130
330	Novel biodegradable electrospun membrane: scaffold for tissue engineering. <i>Biomaterials</i> , 2004, 25, 2595-2602.	11.4	440
331	Synthesis and hydrolytic degradation of a random copolymer derived from 1,4-dioxan-2-one and glycolide. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 2558-2566.	2.1	16
332	Synthesis and characterization of ABA-type block copolymers of trimethylene carbonate and ϵ -caprolactone. <i>Polymer International</i> , 2004, 53, 312-319.	3.1	13
333	Role of molecular weight of atactic poly(vinyl alcohol) (PVA) in the structure and properties of PVA nanofabric prepared by electrospinning. <i>Journal of Applied Polymer Science</i> , 2004, 93, 1638-1646.	2.6	330
334	Nanofibrous mats of poly(trimethylene terephthalate) via electrospinning. <i>Polymer</i> , 2004, 45, 295-301.	3.8	65
335	The photoluminescence properties of zinc oxide nanofibres prepared by electrospinning. <i>Nanotechnology</i> , 2004, 15, 320-323.	2.6	98
336	Novel Polymeric Micelles of Amphiphilic Triblock Copolymer Poly (p-Dioxanone-co-L-Lactide)-block-Poly (ethylene glycol). <i>Pharmaceutical Research</i> , 2003, 20, 2021-2027.	3.5	15
337	Preparation and characterization of H4SiMo12O40/poly(vinyl alcohol) fiber mats produced by an electrospinning method. <i>Journal of Applied Polymer Science</i> , 2003, 89, 1573-1578.	2.6	51
338	Nonisothermal crystallization and melting behavior of the copolymer derived from p-dioxanone and poly(ethylene glycol). <i>European Polymer Journal</i> , 2003, 39, 1365-1375.	5.4	37
339	Aqueous solution properties of amphiphilic triblock copolymer poly(p-dioxanone-co-lactide)-block-poly(ethylene glycol). <i>European Polymer Journal</i> , 2003, 39, 1603-1608.	5.4	29
340	Transport properties of electrospun nylon 6 nonwoven mats. <i>European Polymer Journal</i> , 2003, 39, 1883-1889.	5.4	212
341	Mechanical behavior of electrospun fiber mats of poly(vinyl chloride)/polyurethane polyblends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 1256-1262.	2.1	196
342	Biodegradable electrospun mat: Novel block copolymer of poly (p-dioxanone-co-L-lactide)-block-poly(ethylene glycol). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 1955-1964.	2.1	30

#	ARTICLE	IF	CITATIONS
343	Synthesis and characterization of ABA type tri-block copolymers derived from p-dioxanone, L-lactide and poly(ethylene glycol). Polymer International, 2003, 52, 6-14.	3.1	36
344	Preparation and characterization of nanoscaled poly(vinyl alcohol) fibers via electrospinning. Fibers and Polymers, 2002, 3, 73-79.	2.1	168
345	Thermal and mechanical properties of diglycidylether of bisphenol A/ trimethylolpropane triglycidylether epoxy blends cured with benzylpyrazinium salts. Polymer International, 2002, 51, 386-392.	3.1	15
346	Preparation and characterization of a nanoscale poly(vinyl alcohol) fiber aggregate produced by an electrospinning method. Journal of Polymer Science, Part B: Polymer Physics, 2002, 40, 1261-1268.	2.1	298
347	Influence of a mixing solvent with tetrahydrofuran and N,N-dimethylformamide on electrospun poly(vinyl chloride) nonwoven mats. Journal of Polymer Science, Part B: Polymer Physics, 2002, 40, 2259-2268.	2.1	215
348	Thermogravimetric study of copolymers derived from p-dioxanone, L-lactide and poly(ethylene glycol). Journal of Polymer Science, Part B: Polymer Physics, 2002, 40, 2259-2268.	2.1	215
349	Pattern of polymer nanofibers via electrospinning. , 0, , .		0
350	Preparation of porous filament via electrospinning. , 0, , .		1
351	Water-Resistant Poly(Vinyl Alcohol) Hybrid Nanofibers Incorporating Polyhedral Oligosilsesquioxane (POSS). Advanced Materials Research, 0, 89-91, 727-732.	0.3	4