David I Warton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2127336/publications.pdf

Version: 2024-02-01

90 papers

17,857 citations

45 h-index 89 g-index

92 all docs 92 docs citations 92 times ranked 22240 citing authors

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 1 | Fast modelâ€based ordination with copulas. Methods in Ecology and Evolution, 2022, 13, 194-202. | 5.2 | 11 |
| 2 | Modeling recreational fishing intensity in a complex urbanised estuary. Journal of Environmental Management, 2021, 279, 111529. | 7.8 | 10 |
| 3 | Selecting the model for multiple imputation of missing data: Just use an IC!. Statistics in Medicine, 2021, 40, 2467-2497. | 1.6 | 12 |
| 4 | What is the effective sample size of a spatial point process?. Australian and New Zealand Journal of Statistics, 2021, 63, 144-158. | 0.9 | 4 |
| 5 | Analyzing environmentalâ€trait interactions in ecological communities with fourthâ€corner latent variable models. Environmetrics, 2021, 32, e2683. | 1.4 | 11 |
| 6 | Tropical plants do not have narrower temperature tolerances, but are more at risk from warming because they are close to their upper thermal limits. Global Ecology and Biogeography, 2020, 29, 1387-1398. | 5.8 | 68 |
| 7 | fitzRoy - An R Package to Encourage Reproducible Sports Analysis. R Journal, 2020, 12, 82. | 1.8 | 1 |
| 8 | Untangling direct species associations from indirect mediator species effects with graphical models. Methods in Ecology and Evolution, 2019, 10, 1571-1583. | 5. 2 | 57 |
| 9 | gllvm: Fast analysis of multivariate abundance data with generalized linear latent variable models in <scp>r</scp> . Methods in Ecology and Evolution, 2019, 10, 2173-2182. | 5.2 | 88 |
| 10 | Efficient estimation of generalized linear latent variable models. PLoS ONE, 2019, 14, e0216129. | 2.5 | 45 |
| 11 | A comprehensive evaluation of predictive performance of 33 species distribution models at species and community levels. Ecological Monographs, 2019, 89, e01370. | 5.4 | 290 |
| 12 | A Generalized Estimating Equation Approach to Multivariate Adaptive Regression Splines. Journal of Computational and Graphical Statistics, 2018, 27, 245-253. | 1.7 | 13 |
| 13 | Model averaging in ecology: a review of Bayesian, informationâ€theoretic, and tactical approaches for predictive inference. Ecological Monographs, 2018, 88, 485-504. | 5.4 | 209 |
| 14 | A general algorithm for covariance modeling of discrete data. Journal of Multivariate Analysis, 2018, 165, 86-100. | 1.0 | 22 |
| 15 | Why You Cannot Transform Your Way out of Trouble for Small Counts. Biometrics, 2018, 74, 362-368. | 1.4 | 38 |
| 16 | Order Selection and Sparsity in Latent Variable Models via the Ordered Factor LASSO. Biometrics, 2018, 74, 1311-1319. | 1.4 | 22 |
| 17 | Effect of contact load upon attrition-corrosion of human dental enamel. Wear, 2018, 414-415, 101-108. | 3.1 | 7 |
| 18 | Variational Approximations for Generalized Linear Latent Variable Models. Journal of Computational and Graphical Statistics, 2017, 26, 35-43. | 1.7 | 51 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Frequent inundation helps counteract land use impacts on wetland propagule banks. Applied Vegetation Science, 2017, 20, 459-467. | 1.9 | 15 |
| 20 | Graphical diagnostics for occupancy models with imperfect detection. Methods in Ecology and Evolution, 2017, 8, 408-419. | 5.2 | 46 |
| 21 | Technical advances at the interface between ecology and statistics: improving the biodiversity knowledge generation workflow. Methods in Ecology and Evolution, 2017, 8, 396-397. | 5.2 | 3 |
| 22 | Plant traits of propagule banks and standing vegetation reveal flooding alleviates impacts of agriculture on wetland restoration. Journal of Applied Ecology, 2017, 54, 1907-1918. | 4.0 | 30 |
| 23 | Crossâ€validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure. Ecography, 2017, 40, 913-929. | 4.5 | 1,092 |
| 24 | Generalized Linear Latent Variable Models for Multivariate Count and Biomass Data in Ecology. Journal of Agricultural, Biological, and Environmental Statistics, 2017, 22, 498-522. | 1.4 | 47 |
| 25 | Thirty years of change in a benthic macroinvertebrate community of southwestern Lake Ontario after invasion by four Ponto-Caspian species. Freshwater Science, 2017, 36, 90-102. | 1.8 | 14 |
| 26 | The central role of meanâ€variance relationships in the analysis of multivariate abundance data: a response to Roberts (2017). Methods in Ecology and Evolution, 2017, 8, 1408-1414. | 5.2 | 33 |
| 27 | The PIT-trap—A "model-free―bootstrap procedure for inference about regression models with discrete, multivariate responses. PLoS ONE, 2017, 12, e0181790. | 2.5 | 78 |
| 28 | Modelâ€based assessment of ecological community classifications. Journal of Vegetation Science, 2016, 27, 704-715. | 2.2 | 15 |
| 29 | Three points to consider when choosing a <scp>LM</scp> or <scp>GLM</scp> test for count data. Methods in Ecology and Evolution, 2016, 7, 882-890. | 5.2 | 133 |
| 30 | Extending Joint Models in Community Ecology: A Response to Beissinger et al Trends in Ecology and Evolution, 2016, 31, 737-738. | 8.7 | 24 |
| 31 | Multi-species distribution modeling using penalized mixture of regressions. Annals of Applied Statistics, 2015, 9, . | 1.1 | 20 |
| 32 | Model-based thinking for community ecology. Plant Ecology, 2015, 216, 669-682. | 1.6 | 120 |
| 33 | Point process models for presenceâ€only analysis. Methods in Ecology and Evolution, 2015, 6, 366-379. | 5.2 | 319 |
| 34 | Tuning Parameter Selection for the Adaptive Lasso Using ERIC. Journal of the American Statistical Association, 2015, 110, 262-269. | 3.1 | 50 |
| 35 | New opportunities at the interface between ecology and statistics. Methods in Ecology and Evolution, 2015, 6, 363-365. | 5.2 | 7 |
| 36 | Order selection in finite mixture models: complete or observed likelihood information criteria?. Biometrika, 2015, 102, 724-730. | 2.4 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | So Many Variables: Joint Modeling in Community Ecology. Trends in Ecology and Evolution, 2015, 30, 766-779. | 8.7 | 607 |
| 38 | Responses of foliageâ€living spider assemblage composition and traits to a climatic gradient in <scp><i>T</i></scp> <i>hemeda</i> grasslands. Austral Ecology, 2015, 40, 225-237. | 1.5 | 13 |
| 39 | A climate of uncertainty: accounting for error in climate variables for species distribution models. Methods in Ecology and Evolution, 2015, 6, 412-423. | 5.2 | 66 |
| 40 | Modelâ€based approaches to unconstrained ordination. Methods in Ecology and Evolution, 2015, 6, 399-411. | 5.2 | 195 |
| 41 | Does morphology predict trophic position and habitat use of ant species and assemblages?. Oecologia, 2015, 177, 519-531. | 2.0 | 70 |
| 42 | <scp>CATS</scp> regression – a modelâ€based approach to studying traitâ€based community assembly. Methods in Ecology and Evolution, 2015, 6, 389-398. | 5.2 | 75 |
| 43 | The fourthâ \in corner solution â \in " using predictive models to understand how species traits interact with the environment. Methods in Ecology and Evolution, 2014, 5, 344-352. | 5.2 | 226 |
| 44 | Fast forward selection for generalized estimating equations with a large number of predictor variables. Biometrics, 2014, 70, 110-120. | 1.4 | 16 |
| 45 | Topoclimate versus macroclimate: how does climate mapping methodology affect species distribution models and climate change projections?. Diversity and Distributions, 2014, 20, 952-963. | 4.1 | 62 |
| 46 | A modelâ€based approach to studying changes in compositional heterogeneity. Methods in Ecology and Evolution, 2014, 5, 156-164. | 5.2 | 19 |
| 47 | To mix or not to mix: comparing the predictive performance of mixture models vs. separate species distribution models. Ecology, 2013, 94, 1913-1919. | 3.2 | 80 |
| 48 | Equivalence of MAXENT and Poisson Point Process Models for Species Distribution Modeling in Ecology. Biometrics, 2013, 69, 274-281. | 1.4 | 369 |
| 49 | Advancing our thinking in presenceâ€only and usedâ€ovailable analysis. Journal of Animal Ecology, 2013, 82, 1125-1134. | 2.8 | 49 |
| 50 | Finite Mixture of Regression Modeling for High-Dimensional Count and Biomass Data in Ecology. Journal of Agricultural, Biological, and Environmental Statistics, 2013, 18, 357-375. | 1.4 | 52 |
| 51 | Robust tests for one or more allometric lines. Journal of Theoretical Biology, 2013, 333, 38-46. | 1.7 | 23 |
| 52 | Communityâ€level vs speciesâ€specific approaches to model selection. Ecography, 2013, 36, 1291-1298. | 4.5 | 46 |
| 53 | Model-Based Control of Observer Bias for the Analysis of Presence-Only Data in Ecology. PLoS ONE, 2013, 8, e79168. | 2.5 | 140 |
| 54 | Are Introduced Species Better Dispersers Than Native Species? A Global Comparative Study of Seed Dispersal Distance. PLoS ONE, 2013, 8, e68541. | 2.5 | 27 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Invasions: the trail behind, the path ahead, and a test of a disturbing idea. Journal of Ecology, 2012, 100, 116-127. | 4.0 | 180 |
| 56 | A novel approach to quantify and locate potential microrefugia using topoclimate, climate stability, and isolation from the matrix. Global Change Biology, 2012, 18, 1866-1879. | 9.5 | 176 |
| 57 | Distanceâ€based multivariate analyses confound location and dispersion effects. Methods in Ecology and Evolution, 2012, 3, 89-101. | 5.2 | 905 |
| 58 | smatr $3\hat{a}\in$ an R package for estimation and inference about allometric lines. Methods in Ecology and Evolution, 2012, 3, 257-259. | 5.2 | 1,244 |
| 59 | mvabund– an R package for modelâ€based analysis of multivariate abundance data. Methods in Ecology and Evolution, 2012, 3, 471-474. | 5.2 | 1,166 |
| 60 | The arcsine is asinine: the analysis of proportions in ecology. Ecology, 2011, 92, 3-10. | 3.2 | 1,801 |
| 61 | Global patterns of leaf mechanical properties. Ecology Letters, 2011, 14, 301-312. | 6.4 | 418 |
| 62 | Putting plant resistance traits on the map: a test of the idea that plants are better defended at lower latitudes. New Phytologist, 2011, 191, 777-788. | 7.3 | 155 |
| 63 | Regularized Sandwich Estimators for Analysis of High-Dimensional Data Using Generalized Estimating Equations. Biometrics, 2011, 67, 116-123. | 1.4 | 78 |
| 64 | Compositional analysis of overdispersed counts using generalized estimating equations. Environmental and Ecological Statistics, 2011, 18, 427-446. | 3.5 | 7 |
| 65 | Robust estimation and inference for bivariate line-fitting in allometry. Biometrical Journal, 2011, 53, 652-672. | 1.0 | 33 |
| 66 | Correction note: Poisson point process models solve the "pseudo-absence problem―for presence-only data in ecology. Annals of Applied Statistics, 2010, 4, . | 1.1 | 8 |
| 67 | Poisson point process models solve the "pseudo-absence problem―for presence-only data in ecology. Annals of Applied Statistics, 2010, 4, . | 1.1 | 226 |
| 68 | Global patterns in plant height. Journal of Ecology, 2009, 97, 923-932. | 4.0 | 611 |
| 69 | Which Wald statistic? Choosing a parameterization of the Wald statistic to maximize power in k-sample generalized estimating equations. Journal of Statistical Planning and Inference, 2008, 138, 3269-3282. | 0.6 | 4 |
| 70 | Raw data graphing: an informative but underâ€utilized tool for the analysis of multivariate abundances. Austral Ecology, 2008, 33, 290-300. | 1.5 | 34 |
| 71 | Penalized Normal Likelihood and Ridge Regularization of Correlation and Covariance Matrices. Journal of the American Statistical Association, 2008, 103, 340-349. | 3.1 | 110 |
| 72 | How Many Words Do You Know? An Integrated Assessment Task for Introductory Statistics Students. Journal of Statistics Education, 2007, 15, . | 1.4 | 1 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 73 | Robustness to Failure of Assumptions of Tests for a Common Slope Amongst Several Allometric Lines – A Simulation Study. Biometrical Journal, 2007, 49, 286-299. | 1.0 | 7 |
| 74 | A metacommunityâ€scale comparison of speciesâ€abundance distribution models for plant communities of eastern Australia. Ecography, 2007, 30, 449-458. | 4.5 | 12 |
| 75 | Global metaâ€analysis shows that relationships of leaf mass per area with species shade tolerance depend on leaf habit and ontogeny. New Phytologist, 2007, 176, 764-774. | 7.3 | 101 |
| 76 | Bivariate lineâ€fitting methods for allometry. Biological Reviews, 2006, 81, 259-291. | 10.4 | 1,870 |
| 77 | Evidence at hand: Diversity, functional implications, and locomotor prediction in intrinsic hand proportions of diprotodontian marsupials. Journal of Morphology, 2006, 267, 1469-1485. | 1.2 | 43 |
| 78 | Assessing the generality of global leaf trait relationships. New Phytologist, 2005, 166, 485-496. | 7.3 | 1,704 |
| 79 | Modulation of leaf economic traits and trait relationships by climate. Global Ecology and Biogeography, 2005, 14, 411-421. | 5 . 8 | 669 |
| 80 | Many zeros does not mean zero inflation: comparing the goodness-of-fit of parametric models to multivariate abundance data. Environmetrics, 2005, 16, 275-289. | 1.4 | 171 |
| 81 | Modelling of wildlife fatality hotspots along the Snowy Mountain Highway in New South Wales, Australia. Biological Conservation, 2005, 126, 474-490. | 4.1 | 173 |
| 82 | Does a latitudinal gradient in seedling survival favour larger seeds in the tropics? Ecology Letters, 2004, 7, 911-914. | 6.4 | 24 |
| 83 | Sprouting by semi-arid plants: testing a dichotomy and predictive traits. Oikos, 2004, 107, 72-89. | 2.7 | 84 |
| 84 | A MANOVA STATISTIC IS JUST AS POWERFUL AS DISTANCE-BASED STATISTICS, FOR MULTIVARIATE ABUNDANCES. Ecology, 2004, 85, 858-874. | 3. 2 | 48 |
| 85 | Site-to-site variation in the demography of a fire-affected perennial, Acacia suaveolens, at Ku-ring-gai Chase National Park, New South Wales, Australia. Austral Ecology, 2003, 28, 38-47. | 1.5 | 17 |
| 86 | Seed size and survival in the soil in arid Australia. Austral Ecology, 2003, 28, 575-585. | 1.5 | 58 |
| 87 | DO SMALL-SEEDED SPECIES HAVE HIGHER SURVIVAL THROUGH SEED PREDATION THAN LARGE-SEEDED SPECIES?. Ecology, 2003, 84, 3148-3161. | 3.2 | 175 |
| 88 | Common Slope Tests for Bivariate Errors-in-Variables Models. Biometrical Journal, 2002, 44, 161-174. | 1.0 | 265 |
| 89 | The Time Value of Leaf Area. American Naturalist, 2000, 155, 649-656. | 2.1 | 103 |
| 90 | The fungicides Terrazole and Terraclor and the nematicide Fenamiphos have little effect on root colonisation by Glomus mosseae and growth of cotton seedlings. Mycorrhiza, 1997, 7, 155-159. | 2.8 | 18 |