

Pierdomenico Perata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2128492/publications.pdf>

Version: 2024-02-01

167
papers

14,015
citations

17405

63
h-index

22764

112
g-index

172
all docs

172
docs citations

172
times ranked

11149
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Mobile plant <scp>microRNAs</scp> allow communication within and between organisms. New Phytologist, 2022, 235, 2176-2182. | 3.5 | 11 |
| 2 | <i>Botrytis cinerea</i> induces local hypoxia in Arabidopsis leaves. New Phytologist, 2021, 229, 173-185. | 3.5 | 40 |
| 3 | Auxin is required for the long coleoptile trait in <i>japonica</i> rice under submergence. New Phytologist, 2021, 229, 85-93. | 3.5 | 25 |
| 4 | Plant performance and food security in a wetter world. New Phytologist, 2021, 229, 5-7. | 3.5 | 11 |
| 5 | Energy and sugar signaling during hypoxia. New Phytologist, 2021, 229, 57-63. | 3.5 | 58 |
| 6 | Evidences for a Nutritional Role of Iodine in Plants. Frontiers in Plant Science, 2021, 12, 616868. | 1.7 | 44 |
| 7 | The Oxidative Paradox in Low Oxygen Stress in Plants. Antioxidants, 2021, 10, 332. | 2.2 | 23 |
| 8 | Targeted knockout of the gene OshOL1 removes methyl iodide emissions from rice plants. Scientific Reports, 2021, 11, 17010. | 1.6 | 8 |
| 9 | Fruit Colour and Novel Mechanisms of Genetic Regulation of Pigment Production in Tomato Fruits. Horticulturae, 2021, 7, 259. | 1.2 | 23 |
| 10 | Nocturnal gibberellin biosynthesis is carbon dependent and adjusts leaf expansion rates to variable conditions. Plant Physiology, 2021, 185, 228-239. | 2.3 | 10 |
| 11 | Exogenous miRNAs induce post-transcriptional gene silencing in plants. Nature Plants, 2021, 7, 1379-1388. | 4.7 | 57 |
| 12 | ARGONAUTE1 and ARGONAUTE4 Regulate Gene Expression and Hypoxia Tolerance. Plant Physiology, 2020, 182, 287-300. | 2.3 | 22 |
| 13 | Ethylene Signaling Controls Fast Oxygen Sensing in Plants. Trends in Plant Science, 2020, 25, 3-6. | 4.3 | 34 |
| 14 | Similar and Yet Different: Oxygen Sensing in Animals and Plants. Trends in Plant Science, 2020, 25, 6-9. | 4.3 | 13 |
| 15 | Alternative Splicing in the Anthocyanin Fruit Gene Encoding an R2R3 MYB Transcription Factor Affects Anthocyanin Biosynthesis in Tomato Fruits. Plant Communications, 2020, 1, 100006. | 3.6 | 62 |
| 16 | Arabidopsis phenotyping reveals the importance of alcohol dehydrogenase and pyruvate decarboxylase for aerobic plant growth. Scientific Reports, 2020, 10, 16669. | 1.6 | 44 |
| 17 | Anthocyanins from Purple Tomatoes as Novel Antioxidants to Promote Human Health. Antioxidants, 2020, 9, 1017. | 2.2 | 35 |
| 18 | Differential submergence tolerance between juvenile and adult Arabidopsis plants involves the ANAC017 transcription factor. Plant Journal, 2020, 104, 979-994. | 2.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Jasmonate Signalling Contributes to Primary Root Inhibition Upon Oxygen Deficiency in <i>Arabidopsis thaliana</i> . <i>Plants</i> , 2020, 9, 1046. | 1.6 | 23 |
| 20 | RNAi Mediated Hypoxia Stress Tolerance in Plants. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9394. | 1.8 | 7 |
| 21 | An Improved HRPE-Based Transcriptional Output Reporter to Detect Hypoxia and Anoxia in Plant Tissue. <i>Biosensors</i> , 2020, 10, 197. | 2.3 | 13 |
| 22 | The calcineurin \hat{I}^2 -like interacting protein kinase CIPK25 regulates potassium homeostasis under low oxygen in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 2678-2689. | 2.4 | 19 |
| 23 | The Many Facets of Hypoxia in Plants. <i>Plants</i> , 2020, 9, 745. | 1.6 | 74 |
| 24 | What's behind Purple Tomatoes? Insight into the Mechanisms of Anthocyanin Synthesis in Tomato Fruits. <i>Plant Physiology</i> , 2020, 182, 1841-1853. | 2.3 | 35 |
| 25 | Conserved N-terminal cysteine dioxygenases transduce responses to hypoxia in animals and plants. <i>Science</i> , 2019, 365, 65-69. | 6.0 | 146 |
| 26 | A Ratiometric Sensor Based on Plant N-Terminal Degrons Able to Report Oxygen Dynamics in <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Biology</i> , 2019, 431, 2810-2820. | 2.0 | 24 |
| 27 | Zinc Excess Induces a Hypoxia-Like Response by Inhibiting Cysteine Oxidases in Poplar Roots. <i>Plant Physiology</i> , 2019, 180, 1614-1628. | 2.3 | 19 |
| 28 | Exploring Legume-Rhizobia Symbiotic Models for Waterlogging Tolerance. <i>Frontiers in Plant Science</i> , 2019, 10, 578. | 1.7 | 19 |
| 29 | Conservation of ethanol fermentation and its regulation in land plants. <i>Journal of Experimental Botany</i> , 2019, 70, 1815-1827. | 2.4 | 51 |
| 30 | Endogenous Hypoxia in Lateral Root Primordia Controls Root Architecture by Antagonizing Auxin Signaling in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2019, 12, 538-551. | 3.9 | 105 |
| 31 | Dissection of coleoptile elongation in <i>Oryza japonica</i> rice under submergence through integrated genome-wide association mapping and transcriptional analyses. <i>Plant, Cell and Environment</i> , 2019, 42, 1832-1846. | 2.8 | 36 |
| 32 | Iodine Accumulation and Tolerance in Sweet Basil (<i>Ocimum basilicum</i> L.) With Green or Purple Leaves Grown in Floating System Technique. <i>Frontiers in Plant Science</i> , 2019, 10, 1494. | 1.7 | 40 |
| 33 | Effect of Iodine treatments on <i>Ocimum basilicum</i> L.: Biofortification, phenolics production and essential oil composition. <i>PLoS ONE</i> , 2019, 14, e0226559. | 1.1 | 34 |
| 34 | A Synthetic Oxygen Sensor for Plants Based on Animal Hypoxia Signaling. <i>Plant Physiology</i> , 2019, 179, 986-1000. | 2.3 | 26 |
| 35 | Group VII Ethylene Response Factors in <i>Arabidopsis</i> : Regulation and Physiological Roles. <i>Plant Physiology</i> , 2018, 176, 1143-1155. | 2.3 | 84 |
| 36 | The rice <i>SUB1A</i> gene: Making adaptation to submergence and post-submergence possible. <i>Plant, Cell and Environment</i> , 2018, 41, 717-720. | 2.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Gene Regulation and Survival under Hypoxia Requires Starch Availability and Metabolism. <i>Plant Physiology</i> , 2018, 176, 1286-1298. | 2.3 | 95 |
| 38 | Optimizing shelf life conditions for anthocyanin-rich tomatoes. <i>PLoS ONE</i> , 2018, 13, e0205650. | 1.1 | 17 |
| 39 | The <i>atroviolacea</i> Gene Encodes an R3-MYB Protein Repressing Anthocyanin Synthesis in Tomato Plants. <i>Frontiers in Plant Science</i> , 2018, 9, 830. | 1.7 | 73 |
| 40 | Transcriptome profiling of short-term response to chilling stress in tolerant and sensitive <i>Oryza sativa</i> ssp. <i>Japonica</i> seedlings. <i>Functional and Integrative Genomics</i> , 2018, 18, 627-644. | 1.4 | 34 |
| 41 | New insights into reactive oxygen species and nitric oxide signalling under low oxygen in plants. <i>Plant, Cell and Environment</i> , 2017, 40, 473-482. | 2.8 | 99 |
| 42 | Phenotiki: an open software and hardware platform for affordable and easy image-based phenotyping of rosette-shaped plants. <i>Plant Journal</i> , 2017, 90, 204-216. | 2.8 | 96 |
| 43 | Community recommendations on terminology and procedures used in flooding and low oxygen stress research. <i>New Phytologist</i> , 2017, 214, 1403-1407. | 3.5 | 146 |
| 44 | Flooding and low oxygen responses in plants. <i>Functional Plant Biology</i> , 2017, 44, iii. | 1.1 | 62 |
| 45 | Age-dependent regulation of <i>ERF1</i> transcription factor activity in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2017, 40, 2333-2346. | 2.8 | 47 |
| 46 | A calcineurin B-like protein participates in low oxygen signalling in rice. <i>Functional Plant Biology</i> , 2017, 44, 917. | 1.1 | 17 |
| 47 | Iodine biofortification of crops: agronomic biofortification, metabolic engineering and iodine bioavailability. <i>Current Opinion in Biotechnology</i> , 2017, 44, 16-26. | 3.3 | 123 |
| 48 | Functional Balancing of the Hypoxia Regulators RAP2.12 and HRA1 Takes Place in vivo in <i>Arabidopsis thaliana</i> Plants. <i>Frontiers in Plant Science</i> , 2017, 8, 591. | 1.7 | 20 |
| 49 | <i>Ascophyllum nodosum</i> Seaweed Extract Alleviates Drought Stress in <i>Arabidopsis</i> by Affecting Photosynthetic Performance and Related Gene Expression. <i>Frontiers in Plant Science</i> , 2017, 8, 1362. | 1.7 | 137 |
| 50 | Plant responses to flooding stress. <i>Current Opinion in Plant Biology</i> , 2016, 33, 64-71. | 3.5 | 254 |
| 51 | Universal stress protein HRU1 mediates ROS homeostasis under anoxia. <i>Nature Plants</i> , 2015, 1, 15151. | 4.7 | 96 |
| 52 | New mechanistic links between sugar and hormone signalling networks. <i>Current Opinion in Plant Biology</i> , 2015, 25, 130-137. | 3.5 | 179 |
| 53 | Tomato R2R3-MYB Proteins <i>SIANT1</i> and <i>SIANT2</i> : Same Protein Activity, Different Roles. <i>PLoS ONE</i> , 2015, 10, e0136365. | 1.1 | 133 |
| 54 | A Trihelix DNA Binding Protein Counterbalances Hypoxia-Responsive Transcriptional Activation in <i>Arabidopsis</i> . <i>PLoS Biology</i> , 2014, 12, e1001950. | 2.6 | 86 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Plant cysteine oxidases control the oxygen-dependent branch of the N-end-rule pathway. <i>Nature Communications</i> , 2014, 5, 3425. | 5.8 | 293 |
| 56 | Plant responses to flooding. <i>Frontiers in Plant Science</i> , 2014, 5, 226. | 1.7 | 34 |
| 57 | Ethylene influences in vitro regeneration frequency in the FR13A rice harbouring the SUB1A gene. <i>Plant Growth Regulation</i> , 2014, 72, 97-103. | 1.8 | 12 |
| 58 | Analysis of the role of the pyruvate decarboxylase gene family in <i>Arabidopsis thaliana</i> under low oxygen conditions. <i>Plant Biology</i> , 2014, 16, 28-34. | 1.8 | 81 |
| 59 | Physiological responses to Megafofol® treatments in tomato plants under drought stress: A phenomic and molecular approach. <i>Scientia Horticulturae</i> , 2014, 174, 185-192. | 1.7 | 149 |
| 60 | A reassessment of the role of sucrose synthase in the hypoxic sucrose ethanol transition in <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2014, 37, 2294-2302. | 2.8 | 42 |
| 61 | Transcriptional Regulation Under Low Oxygen Stress in Plants. <i>Plant Cell Monographs</i> , 2014, , 77-93. | 0.4 | 0 |
| 62 | Iodine Fortification of Vegetables Improves Human Iodine Nutrition: In Vivo Evidence for a New Model of Iodine Prophylaxis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E694-E697. | 1.8 | 49 |
| 63 | Quiescence in rice submergence tolerance: an evolutionary hypothesis. <i>Trends in Plant Science</i> , 2013, 18, 377-381. | 4.3 | 26 |
| 64 | Nighttime Sugar Starvation Orchestrates Gibberellin Biosynthesis and Plant Growth in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 3760-3769. | 3.1 | 76 |
| 65 | Low Oxygen Response Mechanisms in Green Organisms. <i>International Journal of Molecular Sciences</i> , 2013, 14, 4734-4761. | 1.8 | 81 |
| 66 | New Role for an Old Rule: N-end Rule-Mediated Degradation of Ethylene Responsive Factor Proteins Governs Low Oxygen Response in Plants. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 31-39. | 4.1 | 31 |
| 67 | <i>APETALA2</i> /Ethylene Responsive Factor (<i>AP2</i> / <i>ERF</i>) transcription factors: mediators of stress responses and developmental programs. <i>New Phytologist</i> , 2013, 199, 639-649. | 3.5 | 768 |
| 68 | Accumulation of anthocyanins in tomato skin extends shelf life. <i>New Phytologist</i> , 2013, 200, 650-655. | 3.5 | 78 |
| 69 | Tomato fruits: a good target for iodine biofortification. <i>Frontiers in Plant Science</i> , 2013, 4, 205. | 1.7 | 94 |
| 70 | GENOMIC APPROACHES TO UNVEIL THE PHYSIOLOGICAL PATHWAYS ACTIVATED IN ARABIDOPSIS TREATED WITH PLANT-DERIVED RAW EXTRACTS. <i>Acta Horticulturae</i> , 2013, , 161-174. | 0.1 | 17 |
| 71 | A Mutant in the <i>ADH1</i> Gene of <i>Chlamydomonas reinhardtii</i> Elicits Metabolic Restructuring during Anaerobiosis. <i>Plant Physiology</i> , 2012, 158, 1293-1305. | 2.3 | 60 |
| 72 | Reactive Oxygen Species-Driven Transcription in Arabidopsis under Oxygen Deprivation. <i>Plant Physiology</i> , 2012, 159, 184-196. | 2.3 | 117 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Misexpression of a Chloroplast Aspartyl Protease Leads to Severe Growth Defects and Alters Carbohydrate Metabolism in Arabidopsis. <i>Plant Physiology</i> , 2012, 160, 1237-1250. | 2.3 | 34 |
| 74 | Metabolic engineering of the iodine content in Arabidopsis. <i>Scientific Reports</i> , 2012, 2, 338. | 1.6 | 32 |
| 75 | How plants sense low oxygen. <i>Plant Signaling and Behavior</i> , 2012, 7, 813-816. | 1.2 | 14 |
| 76 | Making sense of low oxygen sensing. <i>Trends in Plant Science</i> , 2012, 17, 129-138. | 4.3 | 465 |
| 77 | ROS signaling as common element in low oxygen and heat stresses. <i>Plant Physiology and Biochemistry</i> , 2012, 59, 3-10. | 2.8 | 100 |
| 78 | Distinct Mechanisms Regulating Gene Expression Coexist within the Fermentative Pathways in <i>Chlamydomonas reinhardtii</i> . <i>Scientific World Journal</i> , The, 2012, 2012, 1-9. | 0.8 | 4 |
| 79 | <i>SUB1A</i> -dependent and -independent mechanisms are involved in the flooding tolerance of wild rice species. <i>Plant Journal</i> , 2012, 72, 282-293. | 2.8 | 88 |
| 80 | Oxygen sensing in plants is mediated by an N-end rule pathway for protein destabilization. <i>Nature</i> , 2011, 479, 419-422. | 13.7 | 628 |
| 81 | Iodine biofortification in tomato. <i>Journal of Plant Nutrition and Soil Science</i> , 2011, 174, 480-486. | 1.1 | 77 |
| 82 | Anthocyanin tomato mutants: Overview and characterization of an anthocyanin-less somaclonal mutant. <i>Plant Biosystems</i> , 2011, 145, 436-444. | 0.8 | 18 |
| 83 | Transcriptional analysis in high-anthocyanin tomatoes reveals synergistic effect of <i>Aft</i> and <i>atv</i> genes. <i>Journal of Plant Physiology</i> , 2011, 168, 270-279. | 1.6 | 116 |
| 84 | Proteomic identification of differentially expressed proteins in the anoxic rice coleoptile. <i>Journal of Plant Physiology</i> , 2011, 168, 2234-2243. | 1.6 | 29 |
| 85 | Regulatory interplay of the <i>Sub1A</i> and <i>CIPK15</i> pathways in the regulation of α -amylase production in flooded rice plants. <i>Plant Biology</i> , 2011, 13, 611-619. | 1.8 | 39 |
| 86 | Alcohol dehydrogenase and hydrogenase transcript fluctuations during a day-night cycle in <i>Chlamydomonas reinhardtii</i> : the role of anoxia. <i>New Phytologist</i> , 2011, 190, 488-498. | 3.5 | 16 |
| 87 | Plants and flooding stress. <i>New Phytologist</i> , 2011, 190, 269-273. | 3.5 | 83 |
| 88 | Transcript profiling of chitosan-treated Arabidopsis seedlings. <i>Journal of Plant Research</i> , 2011, 124, 619-629. | 1.2 | 87 |
| 89 | Distinct mechanisms for aerenchyma formation in leaf sheaths of rice genotypes displaying a quiescence or escape strategy for flooding tolerance. <i>Annals of Botany</i> , 2011, 107, 1335-1343. | 1.4 | 87 |
| 90 | HRE-Type Genes are Regulated by Growth-Related Changes in Internal Oxygen Concentrations During the Normal Development of Potato (<i>Solanum tuberosum</i>) Tubers. <i>Plant and Cell Physiology</i> , 2011, 52, 1957-1972. | 1.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Iodine Fortification Plant Screening Process and Accumulation in Tomato Fruits and Potato Tubers. <i>Communications in Soil Science and Plant Analysis</i> , 2011, 42, 706-718. | 0.6 | 59 |
| 92 | Genomic and transcriptomic analysis of the AP2/ERF superfamily in <i>Vitis vinifera</i> . <i>BMC Genomics</i> , 2010, 11, 719. | 1.2 | 307 |
| 93 | HRE1 and HRE2, two hypoxia-inducible ethylene response factors, affect anaerobic responses in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2010, 62, 302-315. | 2.8 | 384 |
| 94 | Hormonal interplay during adventitious root formation in flooded tomato plants. <i>Plant Journal</i> , 2010, 63, 551-562. | 2.8 | 237 |
| 95 | The Heat-Inducible Transcription Factor <i>HsfA2</i> Enhances Anoxia Tolerance in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2010, 152, 1471-1483. | 2.3 | 226 |
| 96 | Identification of Grapevine Cultivar Biomarkers Using Surface-Enhanced Laser Desorption and Ionization (SELDI-TOF-MS). <i>American Journal of Enology and Viticulture</i> , 2010, 61, 492-497. | 0.9 | 5 |
| 97 | Chapter 4 Low Oxygen Signaling and Tolerance in Plants. <i>Advances in Botanical Research</i> , 2009, 50, 139-198. | 0.5 | 64 |
| 98 | Comparative analysis of anoxic coleoptile elongation in rice varieties: relationship between coleoptile length and carbohydrate levels, fermentative metabolism and anaerobic gene expression. <i>Plant Biology</i> , 2009, 11, 561-573. | 1.8 | 39 |
| 99 | Rice germination and seedling growth in the absence of oxygen. <i>Annals of Botany</i> , 2009, 103, 181-196. | 1.4 | 238 |
| 100 | Purple as a tomato: towards high anthocyanin tomatoes. <i>Trends in Plant Science</i> , 2009, 14, 237-241. | 4.3 | 174 |
| 101 | Expansin gene expression and anoxic coleoptile elongation in rice cultivars. <i>Journal of Plant Physiology</i> , 2009, 166, 1576-1580. | 1.6 | 36 |
| 102 | Biochemical and Molecular Aspects of Modified and Controlled Atmospheres. , 2009, , . | | 4 |
| 103 | <i>Arabidopsis thaliana</i> MYB75/PAP1 transcription factor induces anthocyanin production in transgenic tomato plants. <i>Functional Plant Biology</i> , 2008, 35, 606. | 1.1 | 141 |
| 104 | Gibberellins, jasmonate and abscisic acid modulate the sucrose-induced expression of anthocyanin biosynthetic genes in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2008, 179, 1004-1016. | 3.5 | 336 |
| 105 | Heat acclimation and cross-tolerance against anoxia in <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2008, 31, 1029-1037. | 2.8 | 87 |
| 106 | Heterologous microarray experiments allow the identification of the early events associated with potato tuber cold sweetening. <i>BMC Genomics</i> , 2008, 9, 176. | 1.2 | 47 |
| 107 | Transcript Profiling of the Anoxic Rice Coleoptile. <i>Plant Physiology</i> , 2007, 144, 218-231. | 2.3 | 287 |
| 108 | Submergence tolerance in rice requires Sub1A, an ethylene-response-factor-like gene. <i>Trends in Plant Science</i> , 2007, 12, 43-46. | 4.3 | 131 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Plant neurobiology: no brain, no gain?. Trends in Plant Science, 2007, 12, 135-136. | 4.3 | 146 |
| 110 | Sugar effects on early seedling development in Arabidopsis. Plant Growth Regulation, 2007, 52, 217-228. | 1.8 | 40 |
| 111 | Sucrose-Specific Induction of the Anthocyanin Biosynthetic Pathway in Arabidopsis. Plant Physiology, 2006, 140, 637-646. | 2.3 | 738 |
| 112 | Identification of sugar-modulated genes and evidence for in vivo sugar sensing in Arabidopsis. Journal of Plant Research, 2006, 119, 115-123. | 1.2 | 108 |
| 113 | Differential expression of two fructokinases in Oryza sativa seedlings grown under aerobic and anaerobic conditions. Journal of Plant Research, 2006, 119, 351-356. | 1.2 | 22 |
| 114 | A turanose-insensitive mutant suggests a role for WOX5 in auxin homeostasis in Arabidopsis thaliana. Plant Journal, 2005, 44, 633-645. | 2.8 | 99 |
| 115 | A Genome-Wide Analysis of the Effects of Sucrose on Gene Expression in Arabidopsis Seedlings under Anoxia. Plant Physiology, 2005, 137, 1130-1138. | 2.3 | 273 |
| 116 | The Use of Microarrays to Study the Anaerobic Response in Arabidopsis. Annals of Botany, 2005, 96, 661-668. | 1.4 | 54 |
| 117 | Copper localization in Cannabis sativa L. grown in a copper-rich solution. Euphytica, 2004, 140, 33-38. | 0.6 | 46 |
| 118 | Anoxia Effects on Plant Physiology. , 2004, , 1-3. | | 0 |
| 119 | ̂-Amylase Expression under Anoxia in Rice Seedlings: An Update. Russian Journal of Plant Physiology, 2003, 50, 737-743. | 0.5 | 22 |
| 120 | Gibberellins are not required for rice germination under anoxia. Plant and Soil, 2003, 253, 137-143. | 1.8 | 20 |
| 121 | Sugar Modulation of alpha-Amylase Genes under Anoxia. Annals of Botany, 2003, 91, 143-148. | 1.4 | 64 |
| 122 | Anoxia: The Role of Carbohydrates in Cereal Germination. , 2003, , 123-131. | | 0 |
| 123 | The slender Rice Mutant, with Constitutively Activated Gibberellin Signal Transduction, Has Enhanced Capacity for Abscisic Acid Level. Plant and Cell Physiology, 2002, 43, 974-979. | 1.5 | 26 |
| 124 | Elicitors of defence responses repress a gibberellin signalling pathway in barley embryos. Journal of Plant Physiology, 2002, 159, 1383-1386. | 1.6 | 7 |
| 125 | Repression of ̂-Amylase Activity by Anoxia in Grains of Barley is Independent of Ethanol Toxicity or Action of Abscisic Acid. Plant Biology, 2002, 4, 266-272. | 1.8 | 11 |
| 126 | Why and How Do Plant Cells Sense Sugars?. Annals of Botany, 2001, 88, 803-812. | 1.4 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Carbohydrate→ethanol transition in cereal grains under anoxia. <i>New Phytologist</i> , 2001, 151, 607-612. | 3.5 | 24 |
| 128 | Characterization of isoforms of hexose kinases in rice embryo. <i>Phytochemistry</i> , 2000, 53, 195-200. | 1.4 | 31 |
| 129 | Glucose modulates the abscisic acid-inducible Rab16A gene in cereal embryos. <i>Plant Molecular Biology</i> , 2000, 42, 451-460. | 2.0 | 18 |
| 130 | Glucose repression of alpha-amylase in barley embryos is independent of GAMYB transcription. <i>Plant Molecular Biology</i> , 2000, 44, 85-90. | 2.0 | 10 |
| 131 | Sugar Uptake and Transport in Rice Embryo. Expression of Companion Cell-Specific Sucrose Transporter (OsSUT1) Induced by Sugar and Light. <i>Plant Physiology</i> , 2000, 124, 85-94. | 2.3 | 117 |
| 132 | Glucose and Disaccharide-Sensing Mechanisms Modulate the Expression of α -amylase in Barley Embryos1. <i>Plant Physiology</i> , 2000, 123, 939-948. | 2.3 | 92 |
| 133 | Sucrose-Starch Conversion in Heterotrophic Tissues of Plants. <i>Critical Reviews in Plant Sciences</i> , 1999, 18, 489-525. | 2.7 | 15 |
| 134 | Sucrose Synthesis in Cereal Grains under Oxygen Deprivation. <i>Journal of Plant Research</i> , 1999, 112, 353-359. | 1.2 | 20 |
| 135 | Sugar sensing and α -amylase gene repression in rice embryos. <i>Planta</i> , 1998, 204, 420-428. | 1.6 | 89 |
| 136 | Effect of anoxia on gibberellic acid-induced protease and α -amylase processing in barley seeds. <i>Journal of Plant Physiology</i> , 1998, 152, 44-50. | 1.6 | 9 |
| 137 | Functional dissection of a sugar-repressed α -amylase gene (RAmy1A) promoter in rice embryos. <i>FEBS Letters</i> , 1998, 423, 81-85. | 1.3 | 93 |
| 138 | Sugar Repression of a Gibberellin-Dependent Signaling Pathway in Barley Embryos.. <i>Plant Cell</i> , 1997, 9, 2197-2208. | 3.1 | 162 |
| 139 | Sugar Repression of a Gibberellin-Dependent Signaling Pathway in Barley Embryos. <i>Plant Cell</i> , 1997, 9, 2197. | 3.1 | 43 |
| 140 | Mobilization of Endosperm Reserves in Cereal Seeds under Anoxia. <i>Annals of Botany</i> , 1997, 79, 49-56. | 1.4 | 157 |
| 141 | Effects of anoxia on sucrose degrading enzymes in cereal seeds. <i>Journal of Plant Physiology</i> , 1997, 150, 251-258. | 1.6 | 30 |
| 142 | Shrunken-1-encoded sucrose synthase is not required for the sucrose-ethanol transition in maize under anaerobic conditions. <i>Plant Science</i> , 1996, 119, 1-10. | 1.7 | 12 |
| 143 | Anaerobic carbohydrate metabolism in wheat and barley, two anoxia-intolerant cereal seeds. <i>Journal of Experimental Botany</i> , 1996, 47, 999-1006. | 2.4 | 43 |
| 144 | Effect of Anoxia on Carbohydrate Metabolism in Rice Seedlings. <i>Plant Physiology</i> , 1995, 108, 735-741. | 2.3 | 203 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Amylolytic Activities in Cereal Seeds under Aerobic and Anaerobic Conditions. <i>Plant Physiology</i> , 1995, 109, 1069-1076. | 2.3 | 164 |
| 146 | Effect of anoxia on gibberellic acid-induced protease and α -amylase processing in barley seeds. <i>Giornale Botanico Italiano</i> (Florence, Italy: 1962), 1995, 129, 1134-1134. | 0.0 | 0 |
| 147 | Effect of anoxia on the induction of α -amylase in cereal seeds. <i>Planta</i> , 1993, 191, 402. | 1.6 | 88 |
| 148 | Plant responses to anaerobiosis. <i>Plant Science</i> , 1993, 93, 1-17. | 1.7 | 307 |
| 149 | Immunological Detection of Acetaldehyde-Protein Adducts in Ethanol-Treated Carrot Cells. <i>Plant Physiology</i> , 1992, 98, 913-918. | 2.3 | 40 |
| 150 | Distinct Profiles of ADP- and UDP-Specific Sucrose Synthases in Developing Rice Grains. <i>Bioscience, Biotechnology and Biochemistry</i> , 1992, 56, 695-696. | 0.6 | 3 |
| 151 | Artifactual detection of ADP-dependent sucrose synthase in crude plant extracts. <i>FEBS Letters</i> , 1992, 309, 283-287. | 1.3 | 12 |
| 152 | Effect of anoxia on starch breakdown in rice and wheat seeds. <i>Planta</i> , 1992, 188, 611-8. | 1.6 | 168 |
| 153 | Effect of Leaf Senescence on Glyoxylate Cycle Enzyme Activities. <i>Functional Plant Biology</i> , 1992, 19, 723. | 1.1 | 15 |
| 154 | Ethanol metabolism in suspension cultured carrot cells. <i>Physiologia Plantarum</i> , 1991, 82, 103-108. | 2.6 | 22 |
| 155 | Monoclonal Antibody Recognition of Abscisic Acid Analogs. <i>Plant Physiology</i> , 1991, 95, 46-51. | 2.3 | 52 |
| 156 | Level of Abscisic Acid in Integuments, Nucellus, Endosperm, and Embryo of Peach Seeds (<i>Prunus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 2.3 | 14 |
| 157 | Ethanol-Induced Injuries to Carrot Cells. <i>Plant Physiology</i> , 1991, 95, 748-752. | 2.3 | 153 |
| 158 | Ethanol metabolism in suspension cultured carrot cells. <i>Physiologia Plantarum</i> , 1991, 82, 103-108. | 2.6 | 1 |
| 159 | A monoclonal antibody for the detection of conjugated forms of abscisic acid in plant tissues. <i>Journal of Plant Growth Regulation</i> , 1990, 9, 1-6. | 2.8 | 23 |
| 160 | Pattern of Variations in Abscisic Acid Content in Suspensors, Embryos, and Integuments of Developing <i>Phaseolus coccineus</i> Seeds. <i>Plant Physiology</i> , 1990, 94, 1776-1780. | 2.3 | 26 |
| 161 | Abscisic Acid Levels during Early Seed Development in <i>Sechium edule</i> Sw. <i>Plant Physiology</i> , 1989, 91, 1351-1355. | 2.3 | 10 |
| 162 | Solid Phase Radioimmunoassay for the Quantitation of Abscisic Acid in Plant Crude Extracts Using a New Monoclonal Antibody. <i>Journal of Plant Physiology</i> , 1989, 134, 441-446. | 1.6 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Ethanol production and toxicity in suspension-cultured carrot cells and embryos. <i>Planta</i> , 1988, 173, 322-329. | 1.6 | 28 |
| 164 | Influence of Ethanol on Plant Cells and Tissues. <i>Journal of Plant Physiology</i> , 1986, 126, 181-188. | 1.6 | 41 |
| 165 | Physiological Responses of Cereal Seedlings to Ethanol. <i>Journal of Plant Physiology</i> , 1985, 119, 77-85. | 1.6 | 27 |
| 166 | Sucrose-Starch Conversion in Heterotrophic Tissues of Plants. , 0, . | | 14 |
| 167 | Bacterial Endophytes Contribute to Rice Seedling Establishment Under Submergence. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 5 |