

# Babu Valliyodan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2135070/publications.pdf>

Version: 2024-02-01

81  
papers

10,119  
citations

76326

40  
h-index

71685

76  
g-index

87  
all docs

87  
docs citations

87  
times ranked

10509  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome sequence of the palaeopolyploid soybean. <i>Nature</i> , 2010, 463, 178-183.	27.8	3,854
2	Understanding regulatory networks and engineering for enhanced drought tolerance in plants. <i>Current Opinion in Plant Biology</i> , 2006, 9, 189-195.	7.1	695
3	Neglecting legumes has compromised human health and sustainable food production. <i>Nature Plants</i> , 2016, 2, 16112.	9.3	529
4	Application of genomics-assisted breeding for generation of climate resilient crops: progress and prospects. <i>Frontiers in Plant Science</i> , 2015, 6, 563.	3.6	243
5	Global agricultural intensification during climate change: a role for genomics. <i>Plant Biotechnology Journal</i> , 2016, 14, 1095-1098.	8.3	221
6	Integrating omic approaches for abiotic stress tolerance in soybean. <i>Frontiers in Plant Science</i> , 2014, 5, 244.	3.6	213
7	Molecular and genetic bases of heat stress responses in crop plants and breeding for increased resilience and productivity. <i>Journal of Experimental Botany</i> , 2020, 71, 3780-3802.	4.8	186
8	A reference-grade wild soybean genome. <i>Nature Communications</i> , 2019, 10, 1216.	12.8	183
9	Soybean ( <i>Glycine max</i> ) SWEET gene family: insights through comparative genomics, transcriptome profiling and whole genome re-sequencing analysis. <i>BMC Genomics</i> , 2015, 16, 520.	2.8	173
10	Genomic-assisted haplotype analysis and the development of high-throughput SNP markers for salinity tolerance in soybean. <i>Scientific Reports</i> , 2016, 6, 19199.	3.3	161
11	Regulation of growth response to water stress in the soybean primary root. I. Proteomic analysis reveals region-specific regulation of phenylpropanoid metabolism and control of free iron in the elongation zone. <i>Plant, Cell and Environment</i> , 2010, 33, 223-243.	5.7	158
12	Understanding abiotic stress tolerance mechanisms in soybean: A comparative evaluation of soybean response to drought and flooding stress. <i>Plant Physiology and Biochemistry</i> , 2015, 86, 109-120.	5.8	156
13	Landscape of genomic diversity and trait discovery in soybean. <i>Scientific Reports</i> , 2016, 6, 23598.	3.3	151
14	Molecular characterization of stress-inducible GmNAC genes in soybean. <i>Molecular Genetics and Genomics</i> , 2009, 281, 647-664.	2.1	138
15	Genetic diversity of root system architecture in response to drought stress in grain legumes. <i>Journal of Experimental Botany</i> , 2018, 69, 3267-3277.	4.8	124
16	Genetic diversity and genomic strategies for improving drought and waterlogging tolerance in soybeans. <i>Journal of Experimental Botany</i> , 2017, 68, erw433.	4.8	118
17	Identification and Comparative Analysis of Differential Gene Expression in Soybean Leaf Tissue under Drought and Flooding Stress Revealed by RNA-Seq. <i>Frontiers in Plant Science</i> , 2016, 7, 1044.	3.6	116
18	Evaluation of Candidate Reference Genes for Normalization of Quantitative RT-PCR in Soybean Tissues under Various Abiotic Stress Conditions. <i>PLoS ONE</i> , 2012, 7, e46487.	2.5	115

#	ARTICLE	IF	CITATIONS
19	Construction and comparison of three reference-quality genome assemblies for soybean. <i>Plant Journal</i> , 2019, 100, 1066-1082.	5.7	113
20	Expanding Omics Resources for Improvement of Soybean Seed Composition Traits. <i>Frontiers in Plant Science</i> , 2015, 6, 1021.	3.6	105
21	SoyDB: a knowledge database of soybean transcription factors. <i>BMC Plant Biology</i> , 2010, 10, 14.	3.6	104
22	Genome-wide transcriptome analysis of soybean primary root under varying water-deficit conditions. <i>BMC Genomics</i> , 2016, 17, 57.	2.8	99
23	Spatial distribution of transcript changes in the maize primary root elongation zone at low water potential. <i>BMC Plant Biology</i> , 2008, 8, 32.	3.6	94
24	Soybean Knowledge Base (SoyKB): a web resource for soybean translational genomics. <i>BMC Genomics</i> , 2012, 13, S15.	2.8	93
25	Dissecting genomic hotspots underlying seed protein, oil, and sucrose content in an interspecific mapping population of soybean using high-density linkage mapping. <i>Plant Biotechnology Journal</i> , 2018, 16, 1939-1953.	8.3	93
26	Genome-wide expression analysis of soybean NF-Y genes reveals potential function in development and drought response. <i>Molecular Genetics and Genomics</i> , 2015, 290, 1095-1115.	2.1	85
27	Root xylem plasticity to improve water use and yield in water-stressed soybean. <i>Journal of Experimental Botany</i> , 2017, 68, erw472.	4.8	81
28	Genomic-assisted phylogenetic analysis and marker development for next generation soybean cyst nematode resistance breeding. <i>Plant Science</i> , 2016, 242, 342-350.	3.6	78
29	Adapting legume crops to climate change using genomic approaches. <i>Plant, Cell and Environment</i> , 2019, 42, 6-19.	5.7	74
30	Genetic variants in root architecture-related genes in a <i>Glycine soja</i> accession, a potential resource to improve cultivated soybean. <i>BMC Genomics</i> , 2015, 16, 132.	2.8	67
31	Whole-genome re-sequencing reveals the impact of the interaction of copy number variants of the <i>Rhg1</i> and <i>Rhg4</i> genes on broad-based resistance to soybean cyst nematode. <i>Plant Biotechnology Journal</i> , 2019, 17, 1595-1611.	8.3	65
32	Single Feature Polymorphism Discovery in Rice. <i>PLoS ONE</i> , 2007, 2, e284.	2.5	57
33	Overexpression of AtDREB1D transcription factor improves drought tolerance in soybean. <i>Molecular Biology Reports</i> , 2014, 41, 7995-8008.	2.3	56
34	Expression of Root-Related Transcription Factors Associated with Flooding Tolerance of Soybean ( <i>Glycine max</i> ). <i>International Journal of Molecular Sciences</i> , 2014, 15, 17622-17643.	4.1	55
35	Genome-wide analysis and expression profiling of the PIN auxin transporter gene family in soybean ( <i>Glycine max</i> ). <i>BMC Genomics</i> , 2015, 16, 951.	2.8	55
36	Comparative analysis of the drought-responsive transcriptome in soybean lines contrasting for canopy wilting. <i>Plant Science</i> , 2015, 240, 65-78.	3.6	53

#	ARTICLE	IF	CITATIONS
37	Sequencing the USDA core soybean collection reveals gene loss during domestication and breeding. <i>Plant Genome</i> , 2022, 15, e20109.	2.8	53
38	The importance of slow canopy wilting in drought tolerance in soybean. <i>Journal of Experimental Botany</i> , 2020, 71, 642-652.	4.8	49
39	Soybean ( <i>Glycine max</i> ) Haplotype Map (GmHapMap): a universal resource for soybean translational and functional genomics. <i>Plant Biotechnology Journal</i> , 2021, 19, 324-334.	8.3	48
40	A Sweetpotato Geranylgeranyl Pyrophosphate Synthase Gene, IbGGPS, Increases Carotenoid Content and Enhances Osmotic Stress Tolerance in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2015, 10, e0137623.	2.5	48
41	A major natural genetic variation associated with root system architecture and plasticity improves waterlogging tolerance and yield in soybean. <i>Plant, Cell and Environment</i> , 2018, 41, 2169-2182.	5.7	47
42	Characterization of the XTH Gene Family: New Insight to the Roles in Soybean Flooding Tolerance. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2705.	4.1	47
43	Functional Analysis of Water Stress-Responsive Soybean GmNAC003 and GmNAC004 Transcription Factors in Lateral Root Development in <i>Arabidopsis</i> . <i>PLoS ONE</i> , 2014, 9, e84886.	2.5	46
44	Identification of new loci for salt tolerance in soybean by high-resolution genome-wide association mapping. <i>BMC Genomics</i> , 2019, 20, 318.	2.8	46
45	Evaluation of genetic variation among Brazilian soybean cultivars through genome resequencing. <i>BMC Genomics</i> , 2016, 17, 110.	2.8	43
46	Cloning, functional expression and phylogenetic analysis of plant sterol 24C-methyltransferases involved in sitosterol biosynthesis. <i>Phytochemistry</i> , 2009, 70, 1982-1998.	2.9	40
47	Genetic variation among 481 diverse soybean accessions, inferred from genomic re-sequencing. <i>Scientific Data</i> , 2021, 8, 50.	5.3	38
48	Understanding genetic control of root system architecture in soybean: Insights into the genetic basis of lateral root number. <i>Plant, Cell and Environment</i> , 2019, 42, 212-229.	5.7	36
49	Small RNA profiles in soybean primary root tips under water deficit. <i>BMC Systems Biology</i> , 2016, 10, 126.	3.0	33
50	The MsPRP2 promoter enables strong heterologous gene expression in a root-specific manner and is enhanced by overexpression of <i>Alfini</i> 1. <i>Planta</i> , 2004, 219, 925-935.	3.2	31
51	A Bayesian model for detection of high-order interactions among genetic variants in genome-wide association studies. <i>BMC Genomics</i> , 2015, 16, 1011.	2.8	31
52	Genomic differences between cultivated soybean, <i>G. max</i> and its wild relative <i>G. soja</i> . <i>BMC Genomics</i> , 2013, 14, S5.	2.8	30
53	Molecular characterization of <i>Glycine max</i> squalene synthase genes in seed phytosterol biosynthesis. <i>Plant Physiology and Biochemistry</i> , 2013, 73, 23-32.	5.8	30
54	Soybean TIP Gene Family Analysis and Characterization of GmTIP1;5 and GmTIP2;5 Water Transport Activity. <i>Frontiers in Plant Science</i> , 2016, 7, 1564.	3.6	30

#	ARTICLE	IF	CITATIONS
55	Evaluation of high yielding soybean germplasm under water limitation. <i>Journal of Integrative Plant Biology</i> , 2016, 58, 475-491.	8.5	29
56	Identification and characterization of a stachyose synthase gene controlling reduced stachyose content in soybean. <i>Theoretical and Applied Genetics</i> , 2015, 128, 2167-2176.	3.6	28
57	PGen: large-scale genomic variations analysis workflow and browser in SoyKB. <i>BMC Bioinformatics</i> , 2016, 17, 337.	2.6	27
58	Nutritional Composition of the Green Leaves of Quinoa ( <i>Chenopodium quinoa</i> Willd.). <i>Journal of Food Research</i> , 2019, 8, 55.	0.3	27
59	Chromosome-length genome assemblies of six legume species provide insights into genome organization, evolution, and agronomic traits for crop improvement. <i>Journal of Advanced Research</i> , 2022, 42, 315-329.	9.5	20
60	A Simple Analytical Method for High-Throughput Screening of Major Sugars from Soybean by Normal-Phase HPLC with Evaporative Light Scattering Detection. <i>Chromatography Research International</i> , 2015, 2015, 1-8.	0.4	19
61	Whole-genome resequencing identifies quantitative trait loci associated with mycorrhizal colonization of soybean. <i>Theoretical and Applied Genetics</i> , 2020, 133, 409-417.	3.6	19
62	Mapping Quantitative Trait Loci for Soybean Seedling Shoot and Root Architecture Traits in an Inter-Specific Genetic Population. <i>Frontiers in Plant Science</i> , 2020, 11, 1284.	3.6	19
63	Comprehensive Analysis of the Soybean ( <i>Glycine max</i> ) GmLAX Auxin Transporter Gene Family. <i>Frontiers in Plant Science</i> , 2016, 7, 282.	3.6	18
64	Soybean transcription factor ORFeome associated with drought resistance: a valuable resource to accelerate research on abiotic stress resistance. <i>BMC Genomics</i> , 2015, 16, 596.	2.8	17
65	Application of Digital PCR in the Analysis of Transgenic Soybean Plants. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2016, 07, 403-417.	0.7	17
66	Machine learning models outperform deep learning models, provide interpretation and facilitate feature selection for soybean trait prediction. <i>BMC Plant Biology</i> , 2022, 22, 180.	3.6	15
67	Metabolic engineering of soybean affords improved phytosterol seed traits. <i>Plant Biotechnology Journal</i> , 2012, 10, 12-19.	8.3	13
68	Haplotype mapping uncovers unexplored variation in wild and domesticated soybean at the major protein locus <i>cqProt-003</i> . <i>Theoretical and Applied Genetics</i> , 2022, 135, 1443-1455.	3.6	13
69	SoyMetDB: The soybean metabolome database. , 2010, , .		12
70	Genome-wide transcriptional profiling for elucidating the effects of brassinosteroids on <i>Glycine max</i> during early vegetative development. <i>Scientific Reports</i> , 2019, 9, 16085.	3.3	12
71	Mapping of partial resistance to <i>Phytophthora sojae</i> in soybean PIs using whole-genome sequencing reveals a major QTL. <i>Plant Genome</i> , 2022, 15, e20184.	2.8	11
72	Genomics Approaches To Soybean Improvement. , 2007, , 243-279.		10

#	ARTICLE	IF	CITATIONS
73	Genomics of Abiotic Stress in Soybean. , 2008, , 343-372.		10
74	GmBZL3 acts as a major BR signaling regulator through crosstalk with multiple pathways in Glycine max. BMC Plant Biology, 2019, 19, 86.	3.6	10
75	Comparative genome analysis to identify SNPs associated with high oleic acid and elevated protein content in soybean. Genome, 2018, 61, 217-222.	2.0	6
76	Prediction of Soybean Root Response in the Field Using Nondestructive Seedling Threeâ€Dimensional Root Features. The Plant Phenome Journal, 2018, 1, 1-15.	2.0	6
77	Sequencing, Assembly, and Annotation of the Soybean Genome. Compendium of Plant Genomes, 2017, , 73-82.	0.5	5
78	Advances in Genetics and Breeding of Salt Tolerance in Soybean. , 2018, , 217-237.		4
79	The renoprotective effects of soy protein in the aging kidney. Medical Research Archives, 2020, 8, .	0.2	4
80	Biological Mechanisms that Influence Soy Protein Concentration and Composition. , 2012, , 129-157.		2
81	From Hype to Hope: Genome-Wide Association Studies in Soybean. Compendium of Plant Genomes, 2017, , 95-109.	0.5	0