

Graeme P Young

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2135511/publications.pdf>

Version: 2024-02-01

149
papers

7,083
citations

53794

45
h-index

62596

80
g-index

154
all docs

154
docs citations

154
times ranked

7947
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of methylated <i>BCAT1</i> and <i>IKZF1</i> after curative treatment as a prognostic indicator for colorectal cancer recurrence. <i>Cancer Medicine</i> , 2023, 12, 1319-1329.	2.8	5
2	Assessment of tumor burden and response to therapy in patients with colorectal cancer using a quantitative ctDNA test for methylated <i>BCAT1/IKZF1</i> . <i>Molecular Oncology</i> , 2022, 16, 2031-2041.	4.6	12
3	Detection of hypermethylated <i>BCAT1</i> and <i>IKZF1</i> DNA in blood and tissues of colorectal, breast and prostate cancer patients. <i>Cancer Biomarkers</i> , 2022, 34, 493-503.	1.7	4
4	Detection of recurrent colorectal cancer with high specificity using a reporting threshold for circulating tumor DNA methylated in <i>BCAT1</i> and <i>IKZF1</i> . <i>Cancer</i> , 2022, , .	4.1	8
5	Faecal immunochemical test mitigates risk of delayed colonoscopy in people with elevated risk of colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1067-1075.	2.8	3
6	Accuracy of blood-based biomarkers for screening precancerous colorectal lesions: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2022, 12, e060712.	1.9	1
7	Features associated with high-risk sessile serrated polyps at index and follow-up colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1620-1626.	2.8	2
8	Evaluation of a panel of tumor-specific differentially-methylated DNA regions in <i>IRF4</i> , <i>IKZF1</i> and <i>BCAT1</i> for blood-based detection of colorectal cancer. <i>Clinical Epigenetics</i> , 2021, 13, 14.	4.1	14
9	Variables Associated with Detection of Methylated <i>BCAT1</i> or <i>IKZF1</i> in Blood from Patients Without Colonoscopically Evident Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 774-781.	2.5	3
10	The impact of coronavirus disease 2019 on surveillance colonoscopies in South Australia. <i>JGH Open</i> , 2021, 5, 486-492.	1.6	8
11	Rescue of Nonparticipants in Colorectal Cancer Screening: A Randomized Controlled Trial of Three Noninvasive Test Options. <i>Cancer Prevention Research</i> , 2021, 14, 803-810.	1.5	11
12	The influence of the surveillance time interval on the risk of advanced neoplasia after non-advanced adenoma removal. <i>Medical Journal of Australia</i> , 2021, 215, 465-470.	1.7	1
13	The Effect of the Variability in Fecal Immunochemical Test Sample Collection Technique on Clinical Performance. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 175-181.	2.5	5
14	Reducing the number of surveillance colonoscopies with faecal immunochemical tests. <i>Gut</i> , 2020, 69, 784-785.	12.1	9
15	Circulating epigenetic biomarkers for detection of recurrent colorectal cancer. <i>Cancer</i> , 2020, 126, 1460-1469.	4.1	33
16	Detection of advanced colorectal neoplasia and relative colonoscopy workloads using quantitative faecal immunochemical tests: an observational study exploring the effects of simultaneous adjustment of both sample number and test positivity threshold. <i>BMJ Open Gastroenterology</i> , 2020, 7, e000517.	2.7	7
17	Evaluation of Circulating Tumor DNA for Methylated <i>BCAT1</i> and <i>IKZF1</i> to Detect Recurrence of Stage II/Stage III Colorectal Cancer (CRC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2702-2709.	2.5	23
18	Both Sample Number and Test Positivity Threshold Determine Colonoscopy Efficiency in Detection of Colorectal Cancer With Quantitative Fecal Immunochemical Tests. <i>Gastroenterology</i> , 2020, 159, 1561-1563.e3.	1.3	4

#	ARTICLE	IF	CITATIONS
19	The Capacity of the Fecal Microbiota From Malawian Infants to Ferment Resistant Starch. <i>Frontiers in Microbiology</i> , 2019, 10, 1459.	3.5	11
20	Effect of Native and Acetylated Dietary Resistant Starches on Intestinal Fermentative Capacity of Normal and Stunted Children in Southern India. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3922.	2.6	6
21	Resistant Starch Is Actively Fermented by Infant Faecal Microbiota and Increases Microbial Diversity. <i>Nutrients</i> , 2019, 11, 1345.	4.1	21
22	Low Sensitivity of Fecal Immunochemical Tests and Blood-Based Markers of DNA Hypermethylation for Detection of Sessile Serrated Adenomas/Polyps. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2555-2562.	2.3	25
23	The Global Paradigm Shift in Screening for Colorectal Cancer. <i>Gastroenterology</i> , 2019, 156, 843-851.e2.	1.3	60
24	A Randomized Controlled Trial Testing Provision of Fecal and Blood Test Options on Participation for Colorectal Cancer Screening. <i>Cancer Prevention Research</i> , 2019, 12, 631-640.	1.5	9
25	The significance of the small adenoma: a longitudinal study of surveillance colonoscopy in an Australian population. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 563-569.	1.6	6
26	The Use of Circulating Tumor DNA to Monitor and Predict Response to Treatment in Colorectal Cancer. <i>Frontiers in Genetics</i> , 2019, 10, 1118.	2.3	63
27	Sessile Serrated Polyps with Synchronous Conventional Adenomas Increase Risk of Future Advanced Neoplasia. <i>Digestive Diseases and Sciences</i> , 2019, 64, 1680-1685.	2.3	26
28	Demand for Colonoscopy in Colorectal Cancer Screening Using a Quantitative Fecal Immunochemical Test and Age/Sex-Specific Thresholds for Test Positivity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 704-709.	2.5	12
29	Uptake of a colorectal cancer screening blood test in people with elevated risk for cancer who cannot or will not complete a faecal occult blood test. <i>European Journal of Cancer Prevention</i> , 2018, 27, 425-432.	1.3	11
30	The impact of sample type and procedural attributes on relative acceptability of different colorectal cancer screening regimens. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 1825-1836.	1.8	27
31	Effects of Dietary Fibre from the Traditional Indonesian Food, Green Cincau (<i>Premna oblongifolia</i>) Tj ETQq1 1 0.784314 rgBT /Overloc of Colon Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2593.	4.1	7
32	Methylation and Gene Expression of <i>BCAT1</i> and <i>IKZF1</i> in Colorectal Cancer Tissues. <i>Clinical Medicine Insights: Oncology</i> , 2018, 12, 117955491877506.	1.3	19
33	Circulating tumour DNA for monitoring colorectal cancer—a prospective cohort study to assess relationship to tissue methylation, cancer characteristics and surgical resection. <i>Clinical Epigenetics</i> , 2018, 10, 63.	4.1	46
34	Relationship between post-surgery detection of methylated circulating tumor DNA with risk of residual disease and recurrence-free survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1741-1750.	2.5	38
35	The Use of Circulating Tumor DNA for Prognosis of Gastrointestinal Cancers. <i>Frontiers in Oncology</i> , 2018, 8, 275.	2.8	27
36	Web-Based Communication Strategies Designed to Improve Intention to Minimize Risk for Colorectal Cancer: Randomized Controlled Trial. <i>JMIR Cancer</i> , 2018, 4, e2.	2.4	2

#	ARTICLE	IF	CITATIONS
37	Drug-development concepts as guides for optimizing clinical trials of supplemental zinc for populations at risk of deficiency or diarrhea. <i>Nutrition Reviews</i> , 2017, 75, 147-162.	5.8	4
38	Effect of sample storage temperature and buffer formulation on faecal immunochemical test haemoglobin measurements. <i>Journal of Medical Screening</i> , 2017, 24, 176-181.	2.3	16
39	Analysis of the Anti-Cancer Effects of Cincau Extract (<i>Premna oblongifolia</i> Merr) and Other Types of Non-Digestible Fibre Using Faecal Fermentation Supernatants and Caco-2 Cells as a Model of the Human Colon. <i>Nutrients</i> , 2017, 9, 355.	4.1	12
40	Evaluation of Methylation Biomarkers for Detection of Circulating Tumor DNA and Application to Colorectal Cancer. <i>Genes</i> , 2016, 7, 125.	2.4	47
41	A cross-sectional study comparing a blood test for methylated <i>BCAT1</i> and <i>IKZF1</i> tumor-derived DNA with <i>CEA</i> for detection of recurrent colorectal cancer. <i>Cancer Medicine</i> , 2016, 5, 2763-2772.	2.8	84
42	Recommendations for a stepwise comparative approach to the evaluation of new screening tests for colorectal cancer. <i>Cancer</i> , 2016, 122, 826-839.	4.1	24
43	Gender differences in faecal haemoglobin concentration. <i>Journal of Medical Screening</i> , 2016, 23, 54-54.	2.3	3
44	A Blood Test for Methylated <i>BCAT1</i> and <i>IKZF1</i> vs. a Fecal Immunochemical Test for Detection of Colorectal Neoplasia. <i>Clinical and Translational Gastroenterology</i> , 2016, 7, e137.	2.5	75
45	Manipulation of the gut microbiota using resistant starch is associated with protection against colitis-associated colorectal cancer in rats. <i>Carcinogenesis</i> , 2016, 37, 366-375.	2.8	121
46	Improving Participation in Colorectal Cancer Screening: a Randomised Controlled Trial of Sequential Offers of Faecal then Blood Based Non-Invasive Tests. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 16, 8455-8460.	1.2	17
47	Evaluation of an assay for methylated <i>BCAT1</i> and <i>IKZF1</i> in plasma for detection of colorectal neoplasia. <i>BMC Cancer</i> , 2015, 15, 654.	2.6	96
48	The Relevance of the Colon to Zinc Nutrition. <i>Nutrients</i> , 2015, 7, 572-583.	4.1	40
49	The Potential for Zinc Stable Isotope Techniques and Modelling to Determine Optimal Zinc Supplementation. <i>Nutrients</i> , 2015, 7, 4271-4295.	4.1	15
50	A Two-Gene Blood Test for Methylated DNA Sensitive for Colorectal Cancer. <i>PLoS ONE</i> , 2015, 10, e0125041.	2.5	59
51	Improving the reporting of evaluations of faecal immunochemical tests for haemoglobin. <i>European Journal of Cancer Prevention</i> , 2015, 24, 24-26.	1.3	32
52	Colorectal cancer screening: a global overview of existing programmes. <i>Gut</i> , 2015, 64, 1637-1649.	12.1	899
53	Blood Tests for Colorectal Cancer Screening in the Standard Risk Population. <i>Current Colorectal Cancer Reports</i> , 2015, 11, 397-407.	0.5	7
54	Factors affecting faecal immunochemical test positive rates: demographic, pathological, behavioural and environmental variables. <i>Journal of Medical Screening</i> , 2015, 22, 187-193.	2.3	56

#	ARTICLE	IF	CITATIONS
55	Advances in Fecal Occult Blood Tests: The FIT Revolution. <i>Digestive Diseases and Sciences</i> , 2015, 60, 609-622.	2.3	155
56	Ideal colonoscopic surveillance intervals to reduce incidence of advanced adenoma and colorectal cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1147-1154.	2.8	18
57	Fecal Immunochemical Test. , 2015, , 1-4.		0
58	Fecal Immunochemical Test. , 2015, , 1702-1705.		0
59	Quality Indicators and Benchmarks for Guideline-Recommended Fecal Occult Blood Tests. , 2015, , 65-79.		1
60	Population Screening for Colorectal Cancer Means Getting FIT: The Past, Present, and Future of Colorectal Cancer Screening Using the Fecal Immunochemical Test for Hemoglobin (FIT). <i>Gut and Liver</i> , 2014, 8, 117-130.	2.9	148
61	A standard for Faecal Immunochemical Tests for Haemoglobin Evaluation Reporting (FITTER). <i>Annals of Clinical Biochemistry</i> , 2014, 51, 301-302.	1.6	26
62	Behavioural and demographic predictors of adherence to three consecutive faecal occult blood test screening opportunities: a population study. <i>BMC Public Health</i> , 2014, 14, 238.	2.9	48
63	Zinc deficiency in children with environmental enteropathy—development of new strategies: report from an expert workshop. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1198-1207.	4.7	31
64	Oral Rehydration Therapy in the Second Decade of the Twenty-first Century. <i>Current Gastroenterology Reports</i> , 2014, 16, 376.	2.5	78
65	A panel of genes methylated with high frequency in colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 54.	2.6	138
66	Dietary Manipulation of Oncogenic MicroRNA Expression in Human Rectal Mucosa: A Randomized Trial. <i>Cancer Prevention Research</i> , 2014, 7, 786-795.	1.5	94
67	Exploring the Validity of the Continuum of Resistance Model for Discriminating Early from Late and Non-uptake of Colorectal Cancer Screening: Implications for the Design of Invitation and Reminder Letters. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 572-581.	1.7	6
68	Dietary Red Meat Aggravates Dextran Sulfate Sodium-Induced Colitis in Mice Whereas Resistant Starch Attenuates Inflammation. <i>Digestive Diseases and Sciences</i> , 2013, 58, 3475-3482.	2.3	66
69	Ambivalence and Its Influence on Participation in Screening for Colorectal Cancer. <i>Qualitative Health Research</i> , 2013, 23, 1188-1201.	2.1	15
70	Making colorectal cancer screening FITTER for purpose with quantitative faecal immunochemical tests for haemoglobin (FIT). <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 2065-7.	2.3	14
71	Shift to earlier stage at diagnosis as a consequence of the National Bowel Cancer Screening Program. <i>Medical Journal of Australia</i> , 2013, 198, 327-330.	1.7	74
72	Combination of Selenium and Green Tea Improves the Efficacy of Chemoprevention in a Rat Colorectal Cancer Model by Modulating Genetic and Epigenetic Biomarkers. <i>PLoS ONE</i> , 2013, 8, e64362.	2.5	46

#	ARTICLE	IF	CITATIONS
73	Guaiac based faecal occult blood testing for colorectal cancer screening: an obsolete strategy?. <i>Gut</i> , 2012, 61, 959-960.	12.1	25
74	A Proposal to Standardize Reporting Units for Fecal Immunochemical Tests for Hemoglobin. <i>Journal of the National Cancer Institute</i> , 2012, 104, 810-814.	6.3	141
75	Screening for colorectal cancer and advanced colorectal neoplasia in kidney transplant recipients: cross sectional prevalence and diagnostic accuracy study of faecal immunochemical testing for haemoglobin and colonoscopy. <i>BMJ, The</i> , 2012, 345, e4657-e4657.	6.0	40
76	Butyrate delivered by butyrylated starch increases distal colonic epithelial apoptosis in carcinogen-treated rats. <i>Carcinogenesis</i> , 2012, 33, 197-202.	2.8	79
77	Newer Fecal Tests: Opportunities for Professionals in Laboratory Medicine. <i>Clinical Chemistry</i> , 2012, 58, 963-965.	3.2	12
78	Comparing Fecal Immunochemical Tests: Improved Standardization Is Needed. <i>Gastroenterology</i> , 2012, 142, 422-424.	1.3	52
79	The urgency of saving lives through bowel cancer screening. <i>Medical Journal of Australia</i> , 2012, 196, 490-491.	1.7	3
80	Discovery and Validation of Molecular Biomarkers for Colorectal Adenomas and Cancer with Application to Blood Testing. <i>PLoS ONE</i> , 2012, 7, e29059.	2.5	33
81	Sample preference for colorectal cancer screening tests: Blood or stool?. <i>Open Journal of Preventive Medicine</i> , 2012, 02, 326-331.	0.3	33
82	Predictors of Re-participation in Faecal Occult Blood Test-Based Screening for Colorectal Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 5989-5994.	1.2	20
83	DNA Methylation in the Rectal Mucosa Is Associated with Crypt Proliferation and Fecal Short-Chain Fatty Acids. <i>Digestive Diseases and Sciences</i> , 2011, 56, 387-396.	2.3	23
84	Psychosocial Variables Associated with Colorectal Cancer Screening in South Australia. <i>International Journal of Behavioral Medicine</i> , 2011, 18, 302-309.	1.7	37
85	Fecal Tests: From Blood to Molecular Markers. <i>Current Colorectal Cancer Reports</i> , 2011, 7, 62-70.	0.5	20
86	Inhibition by Resistant Starch of Red Meat-Induced Promutagenic Adducts in Mouse Colon. <i>Cancer Prevention Research</i> , 2011, 4, 1920-1928.	1.5	65
87	Colorectal Neoplasia Differentially Expressed (CRNDE), a Novel Gene with Elevated Expression in Colorectal Adenomas and Adenocarcinomas. <i>Genes and Cancer</i> , 2011, 2, 829-840.	1.9	219
88	Fecal Immunochemical Test. , 2011, , 1387-1389.		0
89	Synbiotic intervention of <i>Bifidobacterium lactis</i> and resistant starch protects against colorectal cancer development in rats. <i>Carcinogenesis</i> , 2010, 31, 246-251.	2.8	175
90	Interval Fecal Immunochemical Testing in a Colonoscopic Surveillance Program Speeds Detection of Colorectal Neoplasia. <i>Gastroenterology</i> , 2010, 139, 1918-1926.	1.3	84

#	ARTICLE	IF	CITATIONS
91	A human, double-blind, placebo-controlled, crossover trial of prebiotic, probiotic, and synbiotic supplementation: effects on luminal, inflammatory, epigenetic, and epithelial biomarkers of colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 578-586.	4.7	131
92	Population-based screening for colorectal cancer: Australian research and implementation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, S33-42.	2.8	35
93	Effect of high amylose maize starches on colonic fermentation and apoptotic response to DNA-damage in the colon of rats. <i>Nutrition and Metabolism</i> , 2009, 6, 11.	3.0	88
94	Which fecal occult blood test is best to screen for colorectal cancer?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2009, 6, 140-141.	17.8	21
95	Demographic associations with stage of readiness to screen for colorectal cancer. <i>Health Promotion Journal of Australia</i> , 2009, 20, 7-12.	1.2	17
96	Bioavailability of selenium from selenium-enriched milk assessed in the artificially reared neonatal pig. <i>Nutrition and Dietetics</i> , 2008, 65, S37-S40.	1.8	15
97	Effects of high-amylose maize starch and butyrylated high-amylose maize starch on azoxymethane-induced intestinal cancer in rats. <i>Carcinogenesis</i> , 2008, 29, 2190-2194.	2.8	96
98	Map of differential transcript expression in the normal human large intestine. <i>Physiological Genomics</i> , 2008, 33, 50-64.	2.3	75
99	A Randomized Controlled Trial of Glucose versus Amylase Resistant Starch Hypo-Osmolar Oral Rehydration Solution for Adult Acute Dehydrating Diarrhea. <i>PLoS ONE</i> , 2008, 3, e1587.	2.5	50
100	Suppression of azoxymethane-induced colon cancer development in rats by dietary resistant starch. <i>Cancer Biology and Therapy</i> , 2007, 6, 1621-1626.	3.4	65
101	Fermentation of starch and protein in the colon: Implications for genomic instability. <i>Cancer Biology and Therapy</i> , 2007, 6, 259-260.	3.4	14
102	New Stool Screening Tests for Colorectal Cancer. <i>Digestion</i> , 2007, 76, 26-33.	2.3	33
103	Diet and Genomic Stability. <i>Forum of Nutrition</i> , 2007, 60, 91-96.	3.7	7
104	Evaluation of Oral Rehydration Solution by Whole-Gut Perfusion in Rats: Effect of Osmolarity, Sodium Concentration and Resistant Starch. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 43, 568-575.	1.8	11
105	Molecular approaches to stool screening for colorectal cancer. <i>Current Colorectal Cancer Reports</i> , 2006, 2, 30-35.	0.5	1
106	Comparison of a brush-sampling fecal immunochemical test for hemoglobin with a sensitive guaiac-based fecal occult blood test in detection of colorectal neoplasia. <i>Cancer</i> , 2006, 107, 2152-2159.	4.1	161
107	Amylase-Resistant Starch as Adjunct to Oral Rehydration Therapy in Children with Diarrhea. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 42, 362-368.	1.8	70
108	Effect of dietary resistant starch and protein on colonic fermentation and intestinal tumourigenesis in rats. <i>Carcinogenesis</i> , 2006, 28, 240-245.	2.8	109

#	ARTICLE	IF	CITATIONS
109	A Synbiotic Combination of Resistant Starch and Bifidobacterium lactis Facilitates Apoptotic Deletion of Carcinogen-Damaged Cells in Rat Colon. <i>Journal of Nutrition</i> , 2005, 135, 996-1001.	2.9	177
110	Dietary fibre and colorectal cancer: A model for environment " gene interactions. <i>Molecular Nutrition and Food Research</i> , 2005, 49, 571-584.	3.3	130
111	Resistant Starch and Colorectal Neoplasia. <i>Journal of AOAC INTERNATIONAL</i> , 2004, 87, 775-786.	1.5	40
112	Resistant starch and colorectal neoplasia. <i>Journal of AOAC INTERNATIONAL</i> , 2004, 87, 775-86.	1.5	8
113	Choice of fecal occult blood tests for colorectal cancer screening: recommendations based on performance characteristics in population studies. a WHO (World Health Organization) and OMED (World Organization for Digestive Endoscopy) report 1. <i>American Journal of Gastroenterology</i> , 2002, 97, 2499-2507.	0.4	137
114	Choice of fecal occult blood tests for colorectal cancer screening: recommendations based on performance characteristics in population studies a WHO (World Health Organization) and OMED (World Organization for Digestive Endoscopy) report. <i>American Journal of Gastroenterology</i> , 2002, 97, 2499-2507.	0.4	123
115	Applying evidence-based guidelines improves use of colonoscopy resources in patients with a moderate risk of colorectal neoplasia. <i>Medical Journal of Australia</i> , 2002, 176, 155-157.	1.7	56
116	Preventing cancer: dietary lifestyle or clinical intervention?. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002, 11, S618-S631.	0.4	20
117	Effect of dietary restriction on participation in faecal occult blood test screening for colorectal cancer. <i>Medical Journal of Australia</i> , 2001, 175, 195-198.	1.7	66
118	Folate deficiency diminishes the occurrence of aberrant crypt foci in the rat colon but does not alter global DNA methylation status. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000, 15, 1158-1164.	2.8	41
119	Amylase-Resistant Starch plus Oral Rehydration Solution for Cholera. <i>New England Journal of Medicine</i> , 2000, 342, 308-313.	27.0	237
120	Folate deficiency reduces the development of colorectal cancer in rats. <i>Carcinogenesis</i> , 2000, 21, 2261-2265.	2.8	73
121	Interference of Plant Peroxidases with Guaiac-based Fecal Occult Blood Tests Is Avoidable. <i>Clinical Chemistry</i> , 1999, 45, 123-126.	3.2	56
122	Confusion about secondary prevention for bowel cancer: resolving issues at the front line. <i>Medical Journal of Australia</i> , 1999, 170, 102-103.	1.7	4
123	A study of laboratory based faecal occult blood testing in Melbourne, Australia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 396-400.	2.8	11
124	Screening for colorectal cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 205-212.	1.6	21
125	A comparative study of the influence of differing barley brans on DMH-induced intestinal tumours in male Sprague-Dawley rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 113-119.	2.8	42
126	Measurement of faecal 1₁-antitrypsin: Methodologies and clinical application. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 311-318.	2.8	3

#	ARTICLE	IF	CITATIONS
127	A new approach to fecal occult blood testing based on the detection of haptoglobin. , 1996, 78, 48-56.		17
128	A controlled trial of cisapride in anorexia nervosa. International Journal of Eating Disorders, 1995, 17, 347-357.	4.0	58
129	DNA repair and inherited cancer. Journal of Gastroenterology and Hepatology (Australia), 1995, 10, 108-109.	2.8	1
130	Evaluation of new occult blood tests for detection of colorectal neoplasia. Gastroenterology, 1993, 104, 1661-1668.	1.3	155
131	Contrasting effects of butyrate on the expression of phenotypic markers of differentiation in neoplastic and non-neoplastic colonic epithelial cells in vitro. Journal of Gastroenterology and Hepatology (Australia), 1992, 7, 165-172.	2.8	69
132	Readability and sensitivity of a new faecal occult blood test in a hospital ward environment: Comparison with an established test. Medical Journal of Australia, 1992, 156, 420-423.	1.7	16
133	Selecting an Occult Blood Test for Use as a Screening Tool for Large Bowel Cancer. Frontiers of Gastrointestinal Research, 1991, 18, 135-156.	0.1	32
134	Different fibers have different regional effects on luminal contents of rat colon. Gastroenterology, 1991, 101, 1274-1281.	1.3	132
135	Pathophysiology of Bleeding from Large Bowel Neoplasms. Nihon Daicho Komonbyo Gakkai Zasshi, 1991, 44, 582-582.	0.0	0
136	Haem in the gut. Part II. Faecal excretion of haem and haem-derived porphyrins and their detection. Journal of Gastroenterology and Hepatology (Australia), 1990, 5, 194-203.	2.8	34
137	Haem in the gut. I. Fate of haemoproteins and the absorption of haem. Journal of Gastroenterology and Hepatology (Australia), 1989, 4, 537-545.	2.8	38
138	A random walk model for evaluating clinical trials involving serial observations. Statistics in Medicine, 1988, 7, 581-590.	1.6	8
139	Catheter Sepsis during Parenteral Nutrition: The Safety of Long-term OpSite Dressings. Journal of Parenteral and Enteral Nutrition, 1988, 12, 365-370.	2.6	35
140	Antibiotic-associated colitis caused by Clostridium difficile : relapse and risk factors. Medical Journal of Australia, 1986, 144, 303-306.	1.7	28
141	Testing for Clostridium difficile. Medical Journal of Australia, 1986, 144, 55-55.	1.7	0
142	Parenteral nutrition. Medical Journal of Australia, 1985, 143, 597-601.	1.7	7
143	Reply to Drs Leong and Sage. Australian and New Zealand Journal of Medicine, 1977, 7, 539-540.	0.5	0
144	Neoplastic and Nonneoplastic Polyps of the Colon and Rectum. , 0, , 1611-1639.		1

#	ARTICLE	IF	CITATIONS
145	Approach to the Patient with Occult Gastrointestinal Bleeding. , 0, , 152-169.		2
146	Approach to Screening for Colorectal Cancer. , 0, , 170-182.		0
147	Lower Gastrointestinal Disorders. , 0, , 301-320.		0
148	FIT for purpose: enhanced applications for faecal immunochemical tests. Journal of Laboratory and Precision Medicine, 0, 3, 28-28.	1.1	7
149	Neoplastic and Nonneoplastic Polyps of the Colon and Rectum. , 0, , 423-448.		3