

Masahira Hattori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2139483/publications.pdf>

Version: 2024-02-01

310
papers

76,247
citations

3116

95
h-index

616

266
g-index

323
all docs

323
docs citations

323
times ranked

82148
citing authors

#	ARTICLE	IF	CITATIONS
1	Initial sequencing and analysis of the human genome. <i>Nature</i> , 2001, 409, 860-921.	13.7	21,074
2	Enterotypes of the human gut microbiome. <i>Nature</i> , 2011, 473, 174-180.	13.7	5,800
3	A comprehensive two-hybrid analysis to explore the yeast protein interactome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 4569-4574.	3.3	3,325
4	Treg induction by a rationally selected mixture of Clostridia strains from the human microbiota. <i>Nature</i> , 2013, 500, 232-236.	13.7	2,339
5	Bifidobacteria can protect from enteropathogenic infection through production of acetate. <i>Nature</i> , 2011, 469, 543-547.	13.7	1,836
6	Whole genome sequencing of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Lancet, The</i> , 2001, 357, 1225-1240.	6.3	1,835
7	Obesity-induced gut microbial metabolite promotes liver cancer through senescence secretome. <i>Nature</i> , 2013, 499, 97-101.	13.7	1,774
8	Dideoxy sequencing method using denatured plasmid templates. <i>Analytical Biochemistry</i> , 1986, 152, 232-238.	1.1	1,641
9	Genome sequence of the endocellular bacterial symbiont of aphids <i>Buchnera</i> sp. <i>APS. Nature</i> , 2000, 407, 81-86.	13.7	1,194
10	Complete Genome Sequence of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 and Genomic Comparison with a Laboratory Strain K-12. <i>DNA Research</i> , 2001, 8, 11-22.	1.5	1,190
11	The DNA sequence of human chromosome 21. <i>Nature</i> , 2000, 405, 311-319.	13.7	1,144
12	Complete genome sequence and comparative analysis of the industrial microorganism <i>Streptomyces avermitilis</i> . <i>Nature Biotechnology</i> , 2003, 21, 526-531.	9.4	1,108
13	Genome sequence of <i>Vibrio parahaemolyticus</i> : a pathogenic mechanism distinct from that of <i>V. cholerae</i> . <i>Lancet, The</i> , 2003, 361, 743-749.	6.3	928
14	A physical map of the human genome. <i>Nature</i> , 2001, 409, 934-941.	13.7	865
15	Th17 Cell Induction by Adhesion of Microbes to Intestinal Epithelial Cells. <i>Cell</i> , 2015, 163, 367-380.	13.5	846
16	Genome sequence of an industrial microorganism <i>Streptomyces avermitilis</i> : Deducing the ability of producing secondary metabolites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12215-12220.	3.3	784
17	Comparative Metagenomics Revealed Commonly Enriched Gene Sets in Human Gut Microbiomes. <i>DNA Research</i> , 2007, 14, 169-181.	1.5	760
18	A defined commensal consortium elicits CD8 T cells and anti-cancer immunity. <i>Nature</i> , 2019, 565, 600-605.	13.7	741

#	ARTICLE	IF	CITATIONS
19	Enterotypes in the landscape of gut microbial community composition. <i>Nature Microbiology</i> , 2018, 3, 8-16.	5.9	717
20	Complete genome sequence of <i>Clostridium perfringens</i> , an anaerobic flesh-eater. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 996-1001.	3.3	651
21	Two FOXP3+CD4+ T cell subpopulations distinctly control the prognosis of colorectal cancers. <i>Nature Medicine</i> , 2016, 22, 679-684.	15.2	641
22	Ectopic colonization of oral bacteria in the intestine drives T _H 1 cell induction and inflammation. <i>Science</i> , 2017, 358, 359-365.	6.0	612
23	Dysbiosis in the Gut Microbiota of Patients with Multiple Sclerosis, with a Striking Depletion of Species Belonging to Clostridia XIVa and IV Clusters. <i>PLoS ONE</i> , 2015, 10, e0137429.	1.1	609
24	Towards standards for human fecal sample processing in metagenomic studies. <i>Nature Biotechnology</i> , 2017, 35, 1069-1076.	9.4	581
25	Genome sequence of the endocellular obligate symbiont of tsetse flies, <i>Wigglesworthia glossinidia</i> . <i>Nature Genetics</i> , 2002, 32, 402-407.	9.4	573
26	Genome Sequence of the Streptomycin-Producing Microorganism <i>Streptomyces griseus</i> IFO 13350. <i>Journal of Bacteriology</i> , 2008, 190, 4050-4060.	1.0	534
27	The 160-Kilobase Genome of the Bacterial Endosymbiont <i>Carsonella</i> . <i>Science</i> , 2006, 314, 267-267.	6.0	501
28	A Novel Superoxide-producing NAD(P)H Oxidase in Kidney. <i>Journal of Biological Chemistry</i> , 2001, 276, 1417-1423.	1.6	456
29	Continuum of overlapping clones spanning the entire human chromosome 21q. <i>Nature</i> , 1992, 359, 380-387.	13.7	436
30	Foxp3+ T Cells Regulate Immunoglobulin A Selection and Facilitate Diversification of Bacterial Species Responsible for Immune Homeostasis. <i>Immunity</i> , 2014, 41, 152-165.	6.6	431
31	The gut microbiome of healthy Japanese and its microbial and functional uniqueness. <i>DNA Research</i> , 2016, 23, 125-133.	1.5	387
32	Evolutionary origin of insect <i>Wolbachia</i> nutritional mutualism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10257-10262.	3.3	327
33	Comparative genomics reveal the mechanism of the parallel evolution of O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17939-17944.	3.3	325
34	Massive genome erosion and functional adaptations provide insights into the symbiotic lifestyle of <i>Sodalis glossinidius</i> in the tsetse host. <i>Genome Research</i> , 2005, 16, 149-156.	2.4	324
35	Defensive Bacteriome Symbiont with a Drastically Reduced Genome. <i>Current Biology</i> , 2013, 23, 1478-1484.	1.8	314
36	Dysbiosis of Salivary Microbiota in Inflammatory Bowel Disease and Its Association With Oral Immunological Biomarkers. <i>DNA Research</i> , 2014, 21, 15-25.	1.5	307

#	ARTICLE	IF	CITATIONS
37	Insights into the evolution of Archaea and eukaryotic protein modifier systems revealed by the genome of a novel archaeal group. <i>Nucleic Acids Research</i> , 2011, 39, 3204-3223.	6.5	303
38	Fecal microbiota transplantation for patients with steroid-resistant acute graft-versus-host disease of the gut. <i>Blood</i> , 2016, 128, 2083-2088.	0.6	279
39	Robustness of Gut Microbiota of Healthy Adults in Response to Probiotic Intervention Revealed by High-Throughput Pyrosequencing. <i>DNA Research</i> , 2013, 20, 241-253.	1.5	272
40	Gut pathobionts underlie intestinal barrier dysfunction and liver T helper 17 cell immune response in primary sclerosing cholangitis. <i>Nature Microbiology</i> , 2019, 4, 492-503.	5.9	270
41	Genome Sequence of the Lager Brewing Yeast, an Interspecies Hybrid. <i>DNA Research</i> , 2009, 16, 115-129.	1.5	269
42	The complete genomic sequence of <i>Nocardia farcinica</i> IFM 10152. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14925-14930.	3.3	266
43	Bifidobacterium-Rich Fecal Donor May Be a Positive Predictor for Successful Fecal Microbiota Transplantation in Patients with Irritable Bowel Syndrome. <i>Digestion</i> , 2017, 96, 29-38.	1.2	266
44	Comparative Genome Analysis of <i>Lactobacillus reuteri</i> and <i>Lactobacillus fermentum</i> Reveal a Genomic Island for Reuterin and Cobalamin Production. <i>DNA Research</i> , 2008, 15, 151-161.	1.5	255
45	Genome Sequence of the Tsetse Fly (<i>Glossina morsitans</i>): Vector of African Trypanosomiasis. <i>Science</i> , 2014, 344, 380-386.	6.0	254
46	Novel bile acid biosynthetic pathways are enriched in the microbiome of centenarians. <i>Nature</i> , 2021, 599, 458-464.	13.7	251
47	Genome Sequence of an M3 Strain of <i>Streptococcus pyogenes</i> Reveals a Large-Scale Genomic Rearrangement in Invasive Strains and New Insights into Phage Evolution. <i>Genome Research</i> , 2003, 13, 1042-1055.	2.4	248
48	Determination of the Genome Sequence of <i>Porphyromonas gingivalis</i> Strain ATCC 33277 and Genomic Comparison with Strain W83 Revealed Extensive Genome Rearrangements in <i>P. gingivalis</i> . <i>DNA Research</i> , 2008, 15, 215-225.	1.5	243
49	Genomic analysis of <i>Bacteroides fragilis</i> reveals extensive DNA inversions regulating cell surface adaptation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14919-14924.	3.3	241
50	L1 family of repetitive DNA sequences in primates may be derived from a sequence encoding a reverse transcriptase-related protein. <i>Nature</i> , 1986, 321, 625-628.	13.7	229
51	Construction and Analysis of a Human-Chimpanzee Comparative Clone Map. <i>Science</i> , 2002, 295, 131-134.	6.0	228
52	Whole genome sequence of <i>Staphylococcus saprophyticus</i> reveals the pathogenesis of uncomplicated urinary tract infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13272-13277.	3.3	227
53	The Human Intestinal Microbiome: A New Frontier of Human Biology. <i>DNA Research</i> , 2009, 16, 1-12.	1.5	227
54	Complete genome of the uncultured Termite Group 1 bacteria in a single host protist cell. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5555-5560.	3.3	220

#	ARTICLE	IF	CITATIONS
55	Genome of an Endosymbiont Coupling N ₂ Fixation to Cellulolysis Within Protist Cells in Termite Gut. <i>Science</i> , 2008, 322, 1108-1109.	6.0	217
56	Inhibition of Dectin-1 Signaling Ameliorates Colitis by Inducing Lactobacillus-Mediated Regulatory T Cell Expansion in the Intestine. <i>Cell Host and Microbe</i> , 2015, 18, 183-197.	5.1	215
57	A large-scale full-length cDNA analysis to explore the budding yeast transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17846-17851.	3.3	213
58	DNA sequence and comparative analysis of chimpanzee chromosome 22. <i>Nature</i> , 2004, 429, 382-388.	13.7	212
59	Accelerated evolution in the protein-coding regions is universal in crotalinae snake venom gland phospholipase A2 isozyme genes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 5605-5609.	3.3	200
60	Characterization of the 17 strains of regulatory T cell-inducing human-derived Clostridia. <i>Gut Microbes</i> , 2014, 5, 333-339.	4.3	182
61	Dysbiosis and compositional alterations with aging in the gut microbiota of patients with heart failure. <i>PLoS ONE</i> , 2017, 12, e0174099.	1.1	182
62	The complete genomic sequence of <i>Mycoplasma penetrans</i> , an intracellular bacterial pathogen in humans. <i>Nucleic Acids Research</i> , 2002, 30, 5293-5300.	6.5	178
63	Acetate-producing bifidobacteria protect the host from enteropathogenic infection via carbohydrate transporters. <i>Gut Microbes</i> , 2012, 3, 449-454.	4.3	174
64	Whole-genome screening indicates a possible burst of formation of processed pseudogenes and Alu repeats by particular L1 subfamilies in ancestral primates. <i>Genome Biology</i> , 2003, 4, R74.	13.9	172
65	The Whole-genome Sequencing of the Obligate Intracellular Bacterium <i>Orientia tsutsugamushi</i> Revealed Massive Gene Amplification During Reductive Genome Evolution. <i>DNA Research</i> , 2008, 15, 185-199.	1.5	166
66	Accelerated evolution of <i>Trimeresurus flavoviridis</i> venom gland phospholipase A2 isozymes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 5964-5968.	3.3	165
67	A Deeply Branching Thermophilic Bacterium with an Ancient Acetyl-CoA Pathway Dominates a Subsurface Ecosystem. <i>PLoS ONE</i> , 2012, 7, e30559.	1.1	161
68	Comparison of whole genome sequences of <i>Chlamydia pneumoniae</i> J138 from Japan and CWL029 from USA. <i>Nucleic Acids Research</i> , 2000, 28, 2311-2314.	6.5	160
69	Genome Evolution and Plasticity of <i>Serratia marcescens</i> , an Important Multidrug-Resistant Nosocomial Pathogen. <i>Genome Biology and Evolution</i> , 2014, 6, 2096-2110.	1.1	155
70	Gut microorganisms act together to exacerbate inflammation in spinal cords. <i>Nature</i> , 2020, 585, 102-106.	13.7	153
71	A proliferative probiotic Bifidobacterium strain in the gut ameliorates progression of metabolic disorders via microbiota modulation and acetate elevation. <i>Scientific Reports</i> , 2017, 7, 43522.	1.6	150
72	Sequence analysis of a KpnI family member near the 3' end of human β -globin gene. <i>Nucleic Acids Research</i> , 1985, 13, 7813-7827.	6.5	148

#	ARTICLE	IF	CITATIONS
73	Ageing-related changes in the diversity of women's skin microbiomes associated with oral bacteria. <i>Scientific Reports</i> , 2017, 7, 10567.	1.6	148
74	Reductive Evolution of Bacterial Genome in Insect Gut Environment. <i>Genome Biology and Evolution</i> , 2011, 3, 702-714.	1.1	147
75	Cd1d-dependent regulation of bacterial colonization in the intestine of mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 1241-1250.	3.9	146
76	Genome sequence of <i>Symbiobacterium thermophilum</i> , an uncultivable bacterium that depends on microbial commensalism. <i>Nucleic Acids Research</i> , 2004, 32, 4937-4944.	6.5	144
77	Efficient and Stable Transformation of <i>Lactuca sativa</i> L. cv. Cisco (lettuce) Plastids. <i>Transgenic Research</i> , 2006, 15, 205-217.	1.3	140
78	Efficacy of Indigo Naturalis in a Multicenter Randomized Controlled Trial of Patients With Ulcerative Colitis. <i>Gastroenterology</i> , 2018, 154, 935-947.	0.6	139
79	The genome sequence of <i>Clostridium botulinum</i> type C neurotoxin-converting phage and the molecular mechanisms of unstable lysogeny. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17472-17477.	3.3	135
80	The effect of fecal microbiota transplantation on psychiatric symptoms among patients with irritable bowel syndrome, functional diarrhea and functional constipation: An open-label observational study. <i>Journal of Affective Disorders</i> , 2018, 235, 506-512.	2.0	134
81	Evolution in an oncogenic bacterial species with extreme genome plasticity: <i>Helicobacter pylori</i> East Asian genomes. <i>BMC Microbiology</i> , 2011, 11, 104.	1.3	132
82	Influence of Proton-Pump Inhibitors on the Luminal Microbiota in the Gastrointestinal Tract. <i>Clinical and Translational Gastroenterology</i> , 2015, 6, e89.	1.3	132
83	A Simplified Method for the Preparation of Transcriptionally Active Liver Nuclear Extracts. <i>DNA and Cell Biology</i> , 1990, 9, 777-781.	0.9	129
84	The Human and Mouse <i>Period1</i> Genes: Five Well-Conserved E-Boxes Additively Contribute to the Enhancement of <i>mPer1</i> Transcription. <i>Genomics</i> , 2000, 65, 224-233.	1.3	129
85	Anammox organism <i>KSU-1</i> expresses a Nir-type copper-containing nitrite reductase instead of a NirS-type with cytochrome <i>cd₁</i> . <i>FEBS Letters</i> , 2012, 586, 1658-1663.	1.3	127
86	Small genome symbiont underlies cuticle hardness in beetles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8382-E8391.	3.3	127
87	Complete Genome Sequences of Rat and Mouse Segmented Filamentous Bacteria, a Potent Inducer of Th17 Cell Differentiation. <i>Cell Host and Microbe</i> , 2011, 10, 273-284.	5.1	125
88	Architecture and anatomy of the genomic locus encoding the human leukemia-associated transcription factor <i>RUNX1/AML1</i> . <i>Gene</i> , 2001, 262, 23-33.	1.0	123
89	Chromosome-wide assessment of replication timing for human chromosomes 11q and 21q: disease-related genes in timing-switch regions. <i>Human Molecular Genetics</i> , 2002, 11, 13-21.	1.4	119
90	Cloning and Characterization of Mevalonate Pathway Genes in a Natural Rubber Producing Plant, <i>Hevea brasiliensis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2049-2060.	0.6	115

#	ARTICLE	IF	CITATIONS
91	Identification of an internal cis-element essential for the human Li transcription and a nuclear factor(s) binding to the element. <i>Nucleic Acids Research</i> , 1992, 20, 3139-3145.	6.5	112
92	Comparative analysis of chimpanzee and human Y chromosomes unveils complex evolutionary pathway. <i>Nature Genetics</i> , 2006, 38, 158-167.	9.4	110
93	A 2-Mb Sequence-Ready Contig Map and a Novel Immunoglobulin Superfamily Gene IGSF4 in the LOH Region of Chromosome 11q23.2. <i>Genomics</i> , 1999, 62, 139-146.	1.3	108
94	Evolutionary changes of multiple visual pigment genes in the complete genome of Pacific bluefin tuna. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11061-11066.	3.3	106
95	Insight into the Transmission Biology and Species-Specific Functional Capabilities of Tsetse (Diptera: Tj ETQq1 1 0.784314 rgBT/Ove	1.8	105
96	Alterations of the gut ecological and functional microenvironment in different stages of multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 22402-22412.	3.3	103
97	Multiple Omics Uncovers Host-Gut Microbial Mutualism During Prebiotic Fructooligosaccharide Supplementation. <i>DNA Research</i> , 2014, 21, 469-480.	1.5	101
98	Gut microbiota-derived D-serine protects against acute kidney injury. <i>JCI Insight</i> , 2018, 3, .	2.3	99
99	Tonoplast- and Plasma Membrane-Localized Aquaporin-Family Transporters in Blue Hydrangea Sepals of Aluminum Hyperaccumulating Plant. <i>PLoS ONE</i> , 2012, 7, e43189.	1.1	97
100	An Improved DNA Isolation Method for Metagenomic Analysis of the Microbial Flora of the Human Intestine. <i>Microbes and Environments</i> , 2007, 22, 214-222.	0.7	95
101	Microbial Populations Responsive to Denitrification-Inducing Conditions in Rice Paddy Soil, as Revealed by Comparative 16S rRNA Gene Analysis. <i>Applied and Environmental Microbiology</i> , 2009, 75, 7070-7078.	1.4	94
102	Complete nucleotide sequence of the prophage VT1-Sakai carrying the Shiga toxin 1 genes of the enterohemorrhagic <i>Escherichia coli</i> O157:H7 strain derived from the Sakai outbreak. <i>Gene</i> , 2000, 258, 127-139.	1.0	93
103	The Lifestyle of the Segmented Filamentous Bacterium: A Non-Culturable Gut-Associated Immunostimulating Microbe Inferred by Whole-Genome Sequencing. <i>DNA Research</i> , 2011, 18, 291-303.	1.5	93
104	Intestinal Dysbiosis and Biotin Deprivation Induce Alopecia through Overgrowth of <i>Lactobacillus murinus</i> in Mice. <i>Cell Reports</i> , 2017, 20, 1513-1524.	2.9	93
105	Unusually high conservation of untranslated sequences in cDNAs for <i>Trimeresurus flavoviridis</i> phospholipase A2 isozymes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 8557-8561.	3.3	91
106	Contribution of Asian mouse subspecies <i>Mus musculus molossinus</i> to genomic constitution of strain C57BL/6J, as defined by BAC-end sequence-SNP analysis. <i>Genome Research</i> , 2004, 14, 2439-2447.	2.4	90
107	Genome Sequence of the Cat Pathogen, <i>Chlamydomyces felis</i> . <i>DNA Research</i> , 2006, 13, 15-23.	1.5	89
108	Complete Genome Sequence and Comparative Analysis of the Wild-type Commensal <i>Escherichia coli</i> Strain SE11 Isolated from a Healthy Adult. <i>DNA Research</i> , 2008, 15, 375-386.	1.5	88

#	ARTICLE	IF	CITATIONS
109	Chromosome Painting In Silico in a Bacterial Species Reveals Fine Population Structure. <i>Molecular Biology and Evolution</i> , 2013, 30, 1454-1464.	3.5	87
110	Microbiome profile of the amniotic fluid as a predictive biomarker of perinatal outcome. <i>Scientific Reports</i> , 2017, 7, 12171.	1.6	86
111	Complete Genome Sequence of the Probiotic <i>Lactobacillus rhamnosus</i> ATCC 53103. <i>Journal of Bacteriology</i> , 2009, 191, 7630-7631.	1.0	85
112	Circadian oscillations of microbial and functional composition in the human salivary microbiome. <i>DNA Research</i> , 2017, 24, 261-270.	1.5	85
113	Identification and characterization of a 500-kb homozygously deleted region at 1p36.2-p36.3 in a neuroblastoma cell line. <i>Oncogene</i> , 2000, 19, 4302-4307.	2.6	82
114	Individual <i>Apostichopus japonicus</i> fecal microbiome reveals a link with polyhydroxybutyrate producers in host growth gaps. <i>Scientific Reports</i> , 2016, 6, 21631.	1.6	81
115	Genomic Adaptation of the <i>Lactobacillus casei</i> Group. <i>PLoS ONE</i> , 2013, 8, e75073.	1.1	81
116	Complete Genome Sequence and Comparative Analysis of the Fish Pathogen <i>Lactococcus garvieae</i> . <i>PLoS ONE</i> , 2011, 6, e23184.	1.1	80
117	Comparative Genomic Insights into Ecophysiology of Neutrophilic, Microaerophilic Iron Oxidizing Bacteria. <i>Frontiers in Microbiology</i> , 2015, 6, 1265.	1.5	78
118	Effects of bowel preparation on the human gut microbiome and metabolome. <i>Scientific Reports</i> , 2019, 9, 4042.	1.6	78
119	Complete Genome Sequence of <i>Bradyrhizobium</i> sp. S23321: Insights into Symbiosis Evolution in Soil Oligotrophs. <i>Microbes and Environments</i> , 2012, 27, 306-315.	0.7	76
120	Draft Genome Sequencing and Comparative Analysis of <i>Aspergillus sojae</i> NBRC4239. <i>DNA Research</i> , 2011, 18, 165-176.	1.5	75
121	Human chromosome 11 DNA sequence and analysis including novel gene identification. <i>Nature</i> , 2006, 440, 497-500.	13.7	74
122	Qualitative Rather than Quantitative Changes Are Hallmarks of Fibroblasts in Bleomycin-Induced Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2013, 183, 758-773.	1.9	73
123	Optimization of Data-Independent Acquisition Mass Spectrometry for Deep and Highly Sensitive Proteomic Analysis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5932.	1.8	73
124	Comparative genomic analyses of <i>Streptococcus mutans</i> provide insights into chromosomal shuffling and species-specific content. <i>BMC Genomics</i> , 2009, 10, 358.	1.2	72
125	A novel method for making nested deletions and its application for sequencing of a 300 kb region of human APP locus. <i>Nucleic Acids Research</i> , 1997, 25, 1802-1808.	6.5	71
126	Cloning and Characterization of the 2-C-Methyl-D-erythritol 4-Phosphate (MEP) Pathway Genes of a Natural-Rubber Producing Plant, <i>Hevea brasiliensis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2903-2917.	0.6	71

#	ARTICLE	IF	CITATIONS
127	Uremic Toxin-Producing Gut Microbiota in Rats with Chronic Kidney Disease. <i>Nephron</i> , 2017, 135, 51-60.	0.9	71
128	A Unique Dermal Dendritic Cell Subset That Skews the Immune Response toward Th2. <i>PLoS ONE</i> , 2013, 8, e73270.	1.1	70
129	Positive and negative regulatory elements for the expression of the Alzheimer's disease amyloid precursor-encoding gene in mouse. <i>Gene</i> , 1992, 112, 189-195.	1.0	69
130	Distribution and Evolution of Nitrogen Fixation Genes in the Phylum <i>Bacteroidetes</i> . <i>Microbes and Environments</i> , 2015, 30, 44-50.	0.7	67
131	Commensal <i>Lactobacillus</i> Controls Immune Tolerance during Acute Liver Injury in Mice. <i>Cell Reports</i> , 2017, 21, 1215-1226.	2.9	67
132	Comparative Genome Analysis of the Mouse Imprinted Gene Impact and Its Nonimprinted Human Homolog IMPACT: Toward the Structural Basis for Species-Specific Imprinting. <i>Genome Research</i> , 2000, 10, 1878-1889.	2.4	66
133	The genomic structure and expression of MJD, the Machado-Joseph disease gene. <i>Journal of Human Genetics</i> , 2001, 46, 413-422.	1.1	66
134	Ecophysiological consequences of alcoholism on human gut microbiota: implications for ethanol-related pathogenesis of colon cancer. <i>Scientific Reports</i> , 2016, 6, 27923.	1.6	66
135	Mucin O-glycans facilitate symbiosynthesis to maintain gut immune homeostasis. <i>EBioMedicine</i> , 2019, 48, 513-525.	2.7	66
136	Long-read metagenomic exploration of extrachromosomal mobile genetic elements in the human gut. <i>Microbiome</i> , 2019, 7, 119.	4.9	65
137	Computer-guided design of optimal microbial consortia for immune system modulation. <i>ELife</i> , 2018, 7, .	2.8	65
138	RNA polymerase III dependence of the human L1 promoter and possible participation of the RNA polymerase II factor YY1 in the RNA polymerase III transcription system. <i>Nucleic Acids Research</i> , 1995, 23, 3704-3709.	6.5	64
139	Comparative Genome Analysis of Three Eukaryotic Parasites with Differing Abilities To Transform Leukocytes Reveals Key Mediators of <i>Theileria</i> -Induced Leukocyte Transformation. <i>MBio</i> , 2012, 3, e00204-12.	1.8	64
140	<i>Methylocaldum marinum</i> sp. nov., a thermotolerant, methane-oxidizing bacterium isolated from marine sediments, and emended description of the genus <i>Methylocaldum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3240-3246.	0.8	63
141	Nucleotide Sequence Database Policies. <i>Science</i> , 2002, 298, 1333b-1333.	6.0	62
142	Complete Genome Sequence of the Wild-Type Commensal <i>Escherichia coli</i> Strain SE15, Belonging to Phylogenetic Group B2. <i>Journal of Bacteriology</i> , 2010, 192, 1165-1166.	1.0	62
143	Birth and death of genes linked to chromosomal inversion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1501-1506.	3.3	62
144	CTRP3 plays an important role in the development of collagen-induced arthritis in mice. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 42-48.	1.0	58

#	ARTICLE	IF	CITATIONS
145	CTRP6 is an endogenous complement regulator that can effectively treat induced arthritis. <i>Nature Communications</i> , 2015, 6, 8483.	5.8	58
146	Complete Genome Sequences of <i>Arcobacter butzleri</i> ED-1 and <i>Arcobacter</i> sp. Strain L, Both Isolated from a Microbial Fuel Cell. <i>Journal of Bacteriology</i> , 2011, 193, 6411-6412.	1.0	56
147	Highly efficient lipid production in the green alga <i>Parachlorella kessleri</i> : draft genome and transcriptome endorsed by whole-cell 3D ultrastructure. <i>Biotechnology for Biofuels</i> , 2016, 9, 13.	6.2	56
148	High-sensitive fluorescent DNA sequencing and its application for detection and mass-screening of point mutations. <i>Electrophoresis</i> , 1992, 13, 560-565.	1.3	54
149	Complete Genome Sequence of the Bacterium <i>Porphyromonas gingivalis</i> TDC60, Which Causes Periodontal Disease. <i>Journal of Bacteriology</i> , 2011, 193, 4259-4260.	1.0	54
150	<i>Methyloceanibacter caenitepidi</i> gen. nov., sp. nov., a facultatively methylotrophic bacterium isolated from marine sediments near a hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 462-468.	0.8	54
151	DNA sequence and analysis of human chromosome 18. <i>Nature</i> , 2005, 437, 551-555.	13.7	53
152	Complete Nucleotide Sequence of TOL Plasmid pDK1 Provides Evidence for Evolutionary History of IncP-7 Catabolic Plasmids. <i>Journal of Bacteriology</i> , 2010, 192, 4337-4347.	1.0	53
153	Deciphering the relationship among phosphate dynamics, electron-dense body and lipid accumulation in the green alga <i>Parachlorella kessleri</i> . <i>Scientific Reports</i> , 2016, 6, 25731.	1.6	53
154	Genome Analysis of a Novel <i>Bradyrhizobium</i> sp. DOA9 Carrying a Symbiotic Plasmid. <i>PLoS ONE</i> , 2015, 10, e0117392.	1.1	52
155	Mutual reinforcement of inflammation and carcinogenesis by the <i>Helicobacter pylori</i> CagA oncoprotein. <i>Scientific Reports</i> , 2015, 5, 10024.	1.6	52
156	Gallbladder-derived surfactant protein D regulates gut commensal bacteria for maintaining intestinal homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10178-10183.	3.3	52
157	Polymicrobial Amniotic Fluid Infection with <i>Mycoplasma/Ureaplasma</i> and Other Bacteria Induces Severe Intra-Amniotic Inflammation Associated with Poor Perinatal Prognosis in Preterm Labor. <i>American Journal of Reproductive Immunology</i> , 2016, 75, 112-125.	1.2	51
158	Fecal microbiota transplantation with frozen capsules for a patient with refractory acute gut graft-versus-host disease. <i>Blood Advances</i> , 2018, 2, 3097-3101.	2.5	51
159	Complete Genome Sequence of <i>Lactococcus lactis</i> IO-1, a Lactic Acid Bacterium That Utilizes Xylose and Produces High Levels of L-Lactic Acid. <i>Journal of Bacteriology</i> , 2012, 194, 2102-2103.	1.0	49
160	Genome Analysis Suggests that the Soil Oligotrophic Bacterium <i>Agromonas oligotrophica</i> (<i>Bradyrhizobium oligotrophicum</i>) Is a Nitrogen-Fixing Symbiont of <i>Aeschynomene indica</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 2542-2551.	1.4	49
161	Genomic Analysis by Deep Sequencing of the Probiotic <i>Lactobacillus brevis</i> KB290 Harboring Nine Plasmids Reveals Genomic Stability. <i>PLoS ONE</i> , 2013, 8, e60521.	1.1	49
162	Dysbiosis of the salivary microbiota in pediatric-onset primary sclerosing cholangitis and its potential as a biomarker. <i>Scientific Reports</i> , 2018, 8, 5480.	1.6	49

#	ARTICLE	IF	CITATIONS
163	Comparative Genomic Sequence Analysis of the Human Chromosome 21 Down Syndrome Critical Region. <i>Genome Research</i> , 2002, 12, 1323-1332.	2.4	48
164	Clinical impact of pre-transplant gut microbial diversity on outcomes of allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2017, 96, 1517-1523.	0.8	48
165	Nucleotide Substitutions in <i>Staphylococcus aureus</i> Strains, Mu50, Mu3, and N315. <i>DNA Research</i> , 2004, 11, 51-56.	1.5	47
166	Advanced Microbial Taxonomy Combined with Genome-Based-Approaches Reveals that <i>Vibrio astriarenae</i> sp. nov., an Agarolytic Marine Bacterium, Forms a New Clade in Vibrionaceae. <i>PLoS ONE</i> , 2015, 10, e0136279.	1.1	47
167	Coordinated Changes in DNA Methylation in Antigen-Specific Memory CD4 T Cells. <i>Journal of Immunology</i> , 2013, 190, 4076-4091.	0.4	46
168	Horizontal Gene Acquisition of <i>Liberibacter</i> Plant Pathogens from a Bacteriome-Confined Endosymbiont of Their Psyllid Vector. <i>PLoS ONE</i> , 2013, 8, e82612.	1.1	46
169	Draft Genome Sequence of the Betaproteobacterial Endosymbiont Associated with the Fungus <i>Mortierella elongata</i> FMR23-6. <i>Genome Announcements</i> , 2014, 2, .	0.8	46
170	Major Anaerobic Bacteria Responsible for the Production of Carcinogenic Acetaldehyde from Ethanol in the Colon and Rectum. <i>Alcohol and Alcoholism</i> , 2016, 51, 395-401.	0.9	46
171	Identification of a novel <i>Staphylococcus pseudintermedius</i> exfoliative toxin gene and its prevalence in isolates from canines with pyoderma and healthy dogs. <i>FEMS Microbiology Letters</i> , 2010, 312, 169-175.	0.7	45
172	Structural and functional analysis of a 0.5-Mb chicken region orthologous to the imprinted mammalian <i>Ascl2/Mash2-lgf2-H19</i> region. <i>Genome Research</i> , 2005, 15, 154-165.	2.4	44
173	Seasonal Transition of Active Bacterial and Archaeal Communities in Relation to Water Management in Paddy Soils. <i>Microbes and Environments</i> , 2013, 28, 370-380.	0.7	44
174	Japanese subgingival microbiota in health vs disease and their roles in predicted functions associated with periodontitis. <i>Odontology / the Society of the Nippon Dental University</i> , 2020, 108, 280-291.	0.9	44
175	Prebiotics protect against acute graft-versus-host disease and preserve the gut microbiota in stem cell transplantation. <i>Blood Advances</i> , 2020, 4, 4607-4617.	2.5	42
176	Analysis of Early Bacterial Communities on Volcanic Deposits on the Island of Miyake (Miyake-jima), Japan: a 6-year Study at a Fixed Site. <i>Microbes and Environments</i> , 2012, 27, 19-29.	0.7	41
177	In silico Inference of Inclusion Membrane Protein Family in Obligate Intracellular Parasites Chlamydiae. <i>DNA Research</i> , 2003, 10, 9-17.	1.5	40
178	<i>Bifidobacterium kashiwanohense</i> sp. nov., isolated from healthy infant faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2610-2615.	0.8	40
179	TH1 cell-inducing <i>Escherichia coli</i> strain identified from the small intestinal mucosa of patients with Crohn's disease. <i>Gut Microbes</i> , 2020, 12, 1788898.	4.3	40
180	Complete Genome Sequence of <i>Fingoldia magna</i> , an Anaerobic Opportunistic Pathogen. <i>DNA Research</i> , 2008, 15, 39-47.	1.5	39

#	ARTICLE	IF	CITATIONS
181	Complete Genomic Sequence of the Equol-Producing Bacterium <i>Eggerthella</i> sp. Strain YY7918, Isolated from Adult Human Intestine. <i>Journal of Bacteriology</i> , 2011, 193, 5570-5571.	1.0	39
182	Time-series metagenomic analysis reveals robustness of soil microbiome against chemical disturbance. <i>DNA Research</i> , 2015, 22, 413-424.	1.5	39
183	Complete Nucleotide Sequence of the IncN Plasmid Encoding IMP-6 and CTX-M-2 from Emerging Carbapenem-Resistant Enterobacteriaceae in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 1356-1359.	1.4	39
184	Complete Genome Sequence of <i>Phascolarctobacterium faecium</i> JCM 30894, a Succinate-Utilizing Bacterium Isolated from Human Feces. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	38
185	Influence of <i>Porphyromonas gingivalis</i> in gut microbiota of streptozotocin-induced diabetic mice. <i>Oral Diseases</i> , 2019, 25, 868-880.	1.5	37
186	<i>Sharpea azabuensis</i> gen. nov., sp. nov., a Gram-positive, strictly anaerobic bacterium isolated from the faeces of thoroughbred horses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2682-2686.	0.8	36
187	Pancreatic glycoprotein 2 is a first line of defense for mucosal protection in intestinal inflammation. <i>Nature Communications</i> , 2021, 12, 1067.	5.8	35
188	Genome-Wide Survey of Mutual Homologous Recombination in a Highly Sexual Bacterial Species. <i>Genome Biology and Evolution</i> , 2012, 4, 628-640.	1.1	34
189	Complete Genome Sequence of <i>Leptospirillum ferrooxidans</i> Strain C2-3, Isolated from a Fresh Volcanic Ash Deposit on the Island of Miyake, Japan. <i>Journal of Bacteriology</i> , 2012, 194, 4122-4123.	1.0	34
190	Identification and Cloning of a Novel cDNA Belonging to Tetratricopeptide Repeat Gene Family from Down Syndrome-Critical Region 21q22.2. <i>Journal of Biochemistry</i> , 1996, 120, 820-827.	0.9	33
191	Construction and analysis of EST libraries of the trans-polyisoprene producing plant, <i>Eucommia ulmoides</i> Oliver. <i>Planta</i> , 2012, 236, 1405-1417.	1.6	33
192	A Histone Methyltransferase ESET Is Critical for T Cell Development. <i>Journal of Immunology</i> , 2016, 197, 2269-2279.	0.4	33
193	Interferon- γ constrains cytokine production of group 2 innate lymphoid cells. <i>Immunology</i> , 2016, 147, 21-29.	2.0	32
194	Single fecal microbiota transplantation failed to change intestinal microbiota and had limited effectiveness against ulcerative colitis in Japanese patients. <i>Intestinal Research</i> , 2017, 15, 68.	1.0	32
195	Expression of Rat α 2-Macroglobulin Gene during Pregnancy. <i>Journal of Biochemistry</i> , 1986, 100, 989-993.	0.9	31
196	A case for a <i>Glossina</i> genome project. <i>Trends in Parasitology</i> , 2005, 21, 107-111.	1.5	31
197	Gastric acid inhibitor aggravates indomethacin-induced small intestinal injury via reducing <i>Lactobacillus johnsonii</i> . <i>Scientific Reports</i> , 2019, 9, 17490.	1.6	31
198	Orphan Peak Analysis: A Novel Method for Detection of Point Mutations Using an Automated Fluorescence DNA Sequencer. <i>Genomics</i> , 1993, 15, 415-417.	1.3	30

#	ARTICLE	IF	CITATIONS
199	Systematic Identification and Sequence Analysis of the Genomic Islands of the Enteropathogenic <i>Escherichia coli</i> Strain B171-8 by the Combined Use of Whole-Genome PCR Scanning and Fosmid Mapping. <i>Journal of Bacteriology</i> , 2008, 190, 6948-6960.	1.0	30
200	Complete Genome Sequence of the Denitrifying and N2O-Reducing Bacterium <i>Azoarcus</i> sp. Strain KH32C. <i>Journal of Bacteriology</i> , 2012, 194, 1255-1255.	1.0	29
201	Structures of genes encoding TATA α -binding proteins from <i>Trimeresurus gramineus</i> and <i>T. flavoviridis</i> snakes. <i>Gene</i> , 1995, 152, 209-213.	1.0	27
202	Production of inbred and hybrid transgenic mice carrying large (> 200 kb) foreign DNA fragments by intracytoplasmic sperm injection. <i>Molecular Reproduction and Development</i> , 2005, 72, 329-335.	1.0	27
203	<i>Alistipes communis</i> sp. nov., <i>Alistipes dispar</i> sp. nov. and <i>Alistipes onderdonkii</i> subsp. <i>vulgaris</i> subsp. nov., isolated from human faeces, and creation of <i>Alistipes onderdonkii</i> subsp. <i>onderdonkii</i> subsp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 473-480.	0.8	27
204	DNA hypermethylation and silencing of <i>PITX1</i> correlated with advanced stage and poor postoperative prognosis of esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 84434-84448.	0.8	27
205	Bacterial Population Dynamics in a Laboratory Activated Sludge Reactor Monitored by Pyrosequencing of 16S rRNA. <i>Microbes and Environments</i> , 2013, 28, 65-70.	0.7	26
206	Characterization of Early Microbial Communities on Volcanic Deposits along a Vegetation Gradient on the Island of Miyake, Japan. <i>Microbes and Environments</i> , 2014, 29, 38-49.	0.7	26
207	<i>Staphylococcus cohnii</i> is a potentially biotherapeutic skin commensal alleviating skin inflammation. <i>Cell Reports</i> , 2021, 35, 109052.	2.9	26
208	Complete Genome Sequence of the Equol-Producing Bacterium <i>Adlercreutzia equolifaciens</i> DSM 19450. <i>Genome Announcements</i> , 2013, 1, .	0.8	25
209	Genomic structure and evolution of the mating type locus in the green seaweed <i>Ulva partita</i> . <i>Scientific Reports</i> , 2017, 7, 11679.	1.6	25
210	Insights into the Evolution of Shells and Love Darts of Land Snails Revealed from Their Matrix Proteins. <i>Genome Biology and Evolution</i> , 2019, 11, 380-397.	1.1	25
211	Proteome analysis of shell matrix proteins in the brachiopod <i>Laqueus rubellus</i> . <i>Proteome Science</i> , 2015, 13, 21.	0.7	24
212	<i>Lactobacillus kosoi</i> sp. nov., a fructophilic species isolated from <i>kāso</i> , a Japanese sugar-vegetable fermented beverage. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1149-1156.	0.7	24
213	Ancient DNA analysis of food remains in human dental calculus from the Edo period, Japan. <i>PLoS ONE</i> , 2020, 15, e0226654.	1.1	24
214	Molecular Cloning of a cDNA Encoding Rat NADH-Cytochrome b5 Reductase and the Corresponding Gene1. <i>Journal of Biochemistry</i> , 1990, 107, 810-816.	0.9	23
215	Genomic analysis of a NF1 -related pseudogene on human chromosome 21. <i>Gene</i> , 1994, 147, 277-280.	1.0	23
216	Comparison of Outer Membrane Protein Genes <i>ompA</i> and <i>ompP</i> in the Whole Genome Sequences of <i>Chlamydia pneumoniae</i> isolates from Japan and the United States. <i>Journal of Infectious Diseases</i> , 2000, 181, S524-S527.	1.9	23

#	ARTICLE	IF	CITATIONS
217	Our Second Genome—Human Metagenome. <i>Advances in Microbial Physiology</i> , 2013, 62, 119-144.	1.0	23
218	Comprehensive single-cell transcriptome analysis reveals heterogeneity in endometrioid adenocarcinoma tissues. <i>Scientific Reports</i> , 2017, 7, 14225.	1.6	23
219	Complete Genome Sequence of <i>Bacillus cereus</i> NC7401, Which Produces High Levels of the Emetic Toxin Cereulide. <i>Journal of Bacteriology</i> , 2012, 194, 4767-4768.	1.0	22
220	Unique pioneer microbial communities exposed to volcanic sulfur dioxide. <i>Scientific Reports</i> , 2016, 6, 19687.	1.6	22
221	The influences of low protein diet on the intestinal microbiota of mice. <i>Scientific Reports</i> , 2020, 10, 17077.	1.6	22
222	Revealing the microbial assemblage structure in the human gut microbiome using latent Dirichlet allocation. <i>Microbiome</i> , 2020, 8, 95.	4.9	22
223	Rare Occurrence of ras and p53 Gene Mutations in Mouse Stomach Tumors Induced by N-Methyl-N-nitrosourea. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 363-368.	1.7	21
224	Familial 14-Mb deletion at 21q11.2—q21.3 and variable phenotypic expression. <i>Journal of Human Genetics</i> , 2002, 47, 0511-0516.	1.1	20
225	Complete Genome Sequence of the Serotype k <i>Streptococcus mutans</i> Strain LJ23. <i>Journal of Bacteriology</i> , 2012, 194, 2754-2755.	1.0	20
226	Global gene expression analysis of gill tissues from normal and thermally selected strains of rainbow trout. <i>Fisheries Science</i> , 2012, 78, 1041-1049.	0.7	20
227	<i>Vibrio ishigakensis</i> sp. nov., in <i>Halioticoli</i> clade isolated from seawater in Okinawa coral reef area, Japan. <i>Systematic and Applied Microbiology</i> , 2016, 39, 330-335.	1.2	20
228	Identification of cis-acting elements involved in an alternative splicing of the amyloid precursor protein (APP) gene. <i>Gene</i> , 1996, 175, 203-208.	1.0	19
229	Criteria for gene identification and features of genome organization: analysis of 6.5 Mb of DNA sequence from human chromosome 21. <i>Gene</i> , 2000, 247, 215-232.	1.0	19
230	<i>Lactobacillus equicursoris</i> sp. nov., isolated from the faeces of a thoroughbred racehorse. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 109-112.	0.8	19
231	5-Aminosalicylic acid intolerance is associated with a risk of adverse clinical outcomes and dysbiosis in patients with ulcerative colitis. <i>Intestinal Research</i> , 2020, 18, 69-78.	1.0	19
232	Mode of activation of the GC box/Spl-dependent promoter of the human NADH-cytochrome b5 reductase-encoding gene. <i>Gene</i> , 1995, 164, 351-355.	1.0	18
233	Identification of Two Novel Primate-Specific Genes in DSCR. <i>DNA Research</i> , 2002, 9, 89-97.	1.5	18
234	Emergence of <i>Staphylococcus aureus</i> Carrying Multiple Drug Resistance Genes on a Plasmid Encoding Exfoliative Toxin B. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 6131-6140.	1.4	17

#	ARTICLE	IF	CITATIONS
235	Two Types of Coagulogen mRNAs Found in Horseshoe Crab (<i>Tachypleus tridentatus</i>) Hemocytes: Molecular Cloning and Nucleotide Sequences ¹ . <i>Journal of Biochemistry</i> , 1986, 100, 213-220.	0.9	16
236	The L1 family (Kpnl family) sequence near the 3' end of human β^2 -globin gene may have been derived from an active L1 sequence. <i>Nucleic Acids Research</i> , 1987, 15, 4007-4020.	6.5	16
237	<i>Tepidicaulis marinus</i> gen. nov., sp. nov., a marine bacterium that reduces nitrate to nitrous oxide under strictly microaerobic conditions. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1749-1754.	0.8	16
238	Effects of storage temperature, storage time, and Cary-Blair transport medium on the stability of the gut microbiota. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 256-260.	0.6	16
239	Complete Genome Sequence of the Denitrifying and N ₂ -O-Reducing Bacterium <i>Pseudogulbenkiania</i> sp. Strain NH8B. <i>Journal of Bacteriology</i> , 2011, 193, 6395-6396.	1.0	15
240	<i>Vibrio aphrogenes</i> sp. nov., in the Rumoiensis clade isolated from a seaweed. <i>PLoS ONE</i> , 2017, 12, e0180053.	1.1	15
241	Hematopoietic Cell Transplantation Rescues Inflammatory Bowel Disease and Dysbiosis of Gut Microbiota in XIAP Deficiency. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3767-3780.	2.0	15
242	Isolation of a Novel Human Gene from the Down Syndrome Critical Region of Chromosome 21q22.2. <i>Journal of Biochemistry</i> , 1997, 122, 872-877.	0.9	14
243	A 210-kb Segment of Tandem Repeats and Retroelements Located between Imprinted Subdomains of Mouse Distal Chromosome 7. <i>DNA Research</i> , 2004, 11, 325-334.	1.5	14
244	The identification and functional implications of human-specific "fixed" amino acid substitutions in the glutamate receptor family. <i>BMC Evolutionary Biology</i> , 2009, 9, 224.	3.2	14
245	Confounding effects of microbiome on the susceptibility of TNFSF15 to Crohn's disease in the Ryukyu Islands. <i>Human Genetics</i> , 2017, 136, 387-397.	1.8	14
246	Draft Genome Sequencing of the Highly Halotolerant and Allopolyploid Yeast <i>Zygosaccharomyces rouxii</i> NBRC 1876. <i>Genome Announcements</i> , 2017, 5, .	0.8	14
247	A potential network structure of symbiotic bacteria involved in carbon and nitrogen metabolism of wood-utilizing insect larvae. <i>Science of the Total Environment</i> , 2022, 836, 155520.	3.9	14
248	Comparative analysis of proteolytic enzymes need for processing of antihypertensive peptides between <i>Lactobacillus helveticus</i> CM4 and DPC4571. <i>Journal of Bioscience and Bioengineering</i> , 2013, 115, 246-252.	1.1	13
249	Complete Genomic Sequence of the <i>O</i> -Desmethylangolensin-Producing Bacterium <i>Clostridium</i> rRNA Cluster XIVa Strain SY8519, Isolated from Adult Human Intestine. <i>Journal of Bacteriology</i> , 2011, 193, 5568-5569.	1.0	12
250	Revealing microbial community structures in large- and small-scale activated sludge systems by barcoded pyrosequencing of 16S rRNA gene. <i>Water Science and Technology</i> , 2012, 66, 2155-2161.	1.2	12
251	Genomic Features of <i>Lactococcus lactis</i> IO-1, a Lactic Acid Bacterium That Utilizes Xylose and Produces High Levels of L-Lactic Acid. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1804-1808.	0.6	11
252	Complete Genomic DNA Sequence of the East Asian Spotted Fever Disease Agent <i>Rickettsia japonica</i> . <i>PLoS ONE</i> , 2013, 8, e71861.	1.1	11

#	ARTICLE	IF	CITATIONS
253	Changes in the bacterial community in the fermentation process of <i>kāʻiso</i> , a Japanese sugar-vegetable fermented beverage. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 403-410.	0.6	11
254	Long-read metagenomics of multiple displacement amplified DNA of low-biomass human gut phageomes by SACRA preprocessing chimeric reads. <i>DNA Research</i> , 2021, 28, .	1.5	11
255	<i>Trimeresurus flavoviridis</i> venom gland phospholipase A2 isozymes genes have evolved via accelerated substitutions. <i>Journal of Molecular Recognition</i> , 1995, 8, 40-46.	1.1	10
256	Repeated selective enrichment process of sediment microbiota occurred in sea cucumber guts. <i>Environmental Microbiology Reports</i> , 2019, 11, 797-807.	1.0	10
257	Sequence-Tagged NotI Sites of Human Chromosome 21: Sequence Analysis and Mapping. <i>Genomics</i> , 1993, 17, 39-44.	1.3	9
258	Genome Sequence of <i>Candidatus Serratia symbiotica</i> Strain IS, a Facultative Bacterial Symbiont of the Pea Aphid <i>Acyrtosiphon pisum</i> . <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	9
259	Alteration of oxidative-stress and related marker levels in mouse colonic tissues and fecal microbiota structures with chronic ethanol administration: Implications for the pathogenesis of ethanol-related colorectal cancer. <i>PLoS ONE</i> , 2021, 16, e0246580.	1.1	9
260	An exon-trapping system with a newly constructed trapping vector pEXT2; its application to the proximal region of the human chromosome 21 long arm. <i>FEBS Letters</i> , 1993, 325, 303-308.	1.3	8
261	Molecular cloning and characterization of a gene expressed in mouse developing tongue, mDscr5 gene, a homolog of human DSCR5 (Down syndrome Critical Region gene 5). <i>Mammalian Genome</i> , 2001, 12, 347-351.	1.0	8
262	Altered microbiota composition reflects enhanced communication in 15q11-13 CNV mice. <i>Neuroscience Research</i> , 2020, 161, 59-67.	1.0	8
263	Rebamipide ameliorates indomethacin-induced small intestinal damage and proton pump inhibitor-induced exacerbation of this damage by modulation of small intestinal microbiota. <i>PLoS ONE</i> , 2021, 16, e0245995.	1.1	8
264	<i>Lentilactobacillus kosonis</i> sp. nov., isolated from <i>kāʻiso</i> , a Japanese sugar-vegetable fermented beverage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
265	Multiple nutritional and gut microbial factors associated with allergic rhinitis: the Hitachi Health Study. <i>Scientific Reports</i> , 2022, 12, 3359.	1.6	8
266	Identification of the homozygously deleted region at chromosome 1p36.2 in human neuroblastoma. <i>Medical and Pediatric Oncology</i> , 2000, 35, 516-521.	1.0	7
267	Part three in the book of genes. <i>Nature</i> , 2001, 414, 854-855.	13.7	7
268	Large-scale microfabricated channel plates for high-throughput, fully automated DNA sequencing. <i>Electrophoresis</i> , 2008, 29, 4723-4732.	1.3	7
269	Complete genome sequence of <i>Bifidobacterium catenulatum</i> JCM 1194T isolated from human feces. <i>Journal of Biotechnology</i> , 2015, 210, 25-26.	1.9	7
270	Complete genome sequence of <i>Bifidobacterium pseudocatenulatum</i> JCM 1200T isolated from infant feces. <i>Journal of Biotechnology</i> , 2015, 210, 68-69.	1.9	7

#	ARTICLE	IF	CITATIONS
271	Complete Genome Sequence of a Phenanthrene Degradar, Mycobacterium sp. Strain EPa45 (NBRC) Tj ETQq1 1 0.784314 rgBT /Overl	0.8	7
272	First microbiota assessments of children's paddling pool waters evaluated using 16S rRNA gene-based metagenome analysis. Journal of Infection and Public Health, 2016, 9, 362-365.	1.9	7
273	Dysbiosis in the Salivary Microbiome Associated with IgA Nephropathy—Japanese Cohort Study. Microbes and Environments, 2021, 36, n/a.	0.7	7
274	Sixty New STSs (Sequence-Tagged Sites) of Human Chromosome 21. DNA Research, 1994, 1, 85-89.	1.5	6
275	Complete nucleotide sequence of pLD-TEX-KL, a 66-kb plasmid of Legionella dumoffii TEX-KL strain. Plasmid, 2007, 58, 261-268.	0.4	6
276	Fecal microbiota transplantation for recurrent <i>Clostridium difficile</i> infection in a patient with ulcerative colitis. Intestinal Research, 2018, 16, 142.	1.0	6
277	A 3-dimensional mathematical model of microbial proliferation that generates the characteristic cumulative relative abundance distributions in gut microbiomes. PLoS ONE, 2017, 12, e0180863.	1.1	6
278	The <i>Parachlorella</i> Genome and Transcriptome Endorse Active RWP-RK, Meiosis and Flagellar Genes in Trebouxiophyceae Algae. Cytologia, 2019, 84, 323-330.	0.2	6
279	Identification of large ancient duplications associated with human gene deserts. Nature Genetics, 2005, 37, 1041-1043.	9.4	5
280	Complete genome sequence of Bifidobacterium angulatum JCM 7096T isolated from human feces. Journal of Biotechnology, 2015, 211, 10-11.	1.9	5
281	Complete Genome Sequence of Bifidobacterium scardovii Strain JCM 12489 T , Isolated from Human Blood. Genome Announcements, 2015, 3, .	0.8	5
282	Complete genome sequence of Bifidobacterium breve JCM 1192T isolated from infant feces. Journal of Biotechnology, 2015, 210, 81-82.	1.9	5
283	Complete Genome Sequence of Bifidobacterium kashiwanohense JCM 15439 ^T , Isolated from Feces from a Healthy Japanese Infant. Genome Announcements, 2015, 3, .	0.8	5
284	Draft Genome Sequence of Lactobacillus farciminis NBRC 111452, Isolated from KÅ'so, a Japanese Sugar-Vegetable Fermented Beverage. Genome Announcements, 2016, 4, .	0.8	5
285	Effects of Attached and Suspended Biomass on the Dynamics of the Microbial Community and Wastewater Characteristics in Sewers. Journal of Water and Environment Technology, 2018, 16, 233-244.	0.3	5
286	Metagenomic analysis provides functional insights into seasonal change of a non-cyanobacterial prokaryotic community in temperate coastal waters. PLoS ONE, 2021, 16, e0257862.	1.1	5
287	BAC library construction and BAC end sequencing of five Drosophila species: the comparative map with the D. melanogaster genome. Genes and Genetic Systems, 2008, 83, 245-256.	0.2	4
288	Draft Genome Sequence of Cytophaga fermentans JCM 21142 ^T , a Facultative Anaerobe Isolated from Marine Mud. Genome Announcements, 2014, 2, .	0.8	4

#	ARTICLE	IF	CITATIONS
289	Complete genome sequence of <i>Bifidobacterium bifidum</i> JCM 1255T isolated from feces of a breast-fed infant. <i>Journal of Biotechnology</i> , 2015, 210, 66-67.	1.9	4
290	Gut microbiota composition in obese and non-obese adult relatives from the highlands of Papua New Guinea. <i>FEMS Microbiology Letters</i> , 2020, 367, .	0.7	4
291	Polymorphisms of <i>Trimeresurus flavoviridis</i> Venom Gland Phospholipase A2 Isozyme Genes. <i>Bioscience, Biotechnology and Biochemistry</i> , 1994, 58, 1510-1511.	0.6	3
292	Complete Genome Sequence of <i>Adlercreutzia</i> sp. Strain 8CFCBH1, a Potent Producer of Equol, Isolated from Healthy Japanese Feces. <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.3	3
293	Draft Genome Sequence of <i>Bacteroides reticulotermitis</i> Strain JCM 10512 ^T , Isolated from the Gut of a Termite. <i>Genome Announcements</i> , 2014, 2, .	0.8	2
294	Draft Genome Sequence of <i>Lactobacillus kosoi</i> NBRC 113063, Isolated from KÃ'so, a Japanese Sugar-Vegetable Fermented Beverage. <i>Microbiology Resource Announcements</i> , 2018, 7, .	0.3	2
295	Draft Genome Sequence of <i>Sporolactobacillus inulinus</i> NBRC 111894, Isolated from KÃ'so, a Japanese Sugar-Vegetable Fermented Beverage. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	2
296	Cloning and Nucleotide Sequencing of Two Insecticidal <i>Î</i> -Endotoxin Genes from <i>Bacillus thuringiensis</i> var. <i>kurstaki</i> HD-1 DNA. <i>Agricultural and Biological Chemistry</i> , 1987, 51, 455-463.	0.3	1
297	Typing of X Chromosomes Bearing Tabby Allele in Mouse Preimplantation Embryos by Detection of a Microsatellite Marker.. <i>Experimental Animals</i> , 1996, 45, 395-398.	0.7	1
298	Complete Nucleotide Sequence of TOL Plasmid pDK1 Provides Evidence for Evolutionary History of IncP-7 Catabolic Plasmids. <i>Journal of Bacteriology</i> , 2010, 192, 5558-5558.	1.0	1
299	Complete Genome Sequence of <i>Winogradskyella</i> sp. Strain PG-2, a Proteorhodopsin-Containing Marine Flavobacterium. <i>Genome Announcements</i> , 2014, 2, .	0.8	1
300	Mapping the Environmental Microbiome. , 2019, , 17-28.		1
301	Genome Analysis of <i>Candidatus</i> <i>Regiella insecticola</i> Strain TUt, Facultative Bacterial Symbiont of the Pea Aphid <i>Acyrtosiphon pisum</i> . <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.3	1
302	Complete Genome Sequence of <i>Alistipes indistinctus</i> Strain 2BBH45, Isolated from the Feces of a Healthy Japanese Male. <i>Microbiology Resource Announcements</i> , 2021, 10, .	0.3	1
303	Pyrosequencing Analysis of Bacterial Species Affected by Ethanol-Extract from Activated Sludge. <i>Journal of Water and Environment Technology</i> , 2019, 17, 9-17.	0.3	1
304	ãf'ãf^ã,²ãfŽãfèš£æž•ç³/4çŠ¶ãã°†æ¥. <i>Nippon Nogeikagaku Kaishi</i> , 2002, 76, 380-384.	0.0	0
305	Monitoring of ribosomal RNA in the supernatant of activated sludge. <i>Journal of Japan Society of Civil Engineers Ser G (Environmental Research)</i> , 2013, 69, III_231-III_239.	0.1	0
306	3. Microbial community analysis of aquaculture habitat using next generation sequencer. <i>Nippon Suisan Gakkaishi</i> , 2014, 80, 1005-1005.	0.0	0

#	ARTICLE	IF	CITATIONS
307	HMGJ (Japan)., 2014,, 1-5.		0
308	Human Intestinal Microbiome. , 2014,, 1-7.		0
309	Dysregulation of the Intestinal Microbiome in Patients With Haploinsufficiency of A20. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 787667.	1.8	0
310	Complete Genomic Sequence of the Thermophilic Hydrogen-Oxidizing Methanogen <i>Methanothermobacter tenebrarum</i> Strain RMAST. <i>Microbiology Resource Announcements</i> , 0, , .	0.3	0