

# Lbachir BenMohamed

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2140057/publications.pdf>

Version: 2024-02-01

80  
papers

3,193  
citations

109321

35  
h-index

182427

51  
g-index

86  
all docs

86  
docs citations

86  
times ranked

2834  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antiviral CD19 <sup>+</sup> CD27 <sup>+</sup> Memory B Cells Are Associated with Protection from Recurrent Asymptomatic Ocular Herpesvirus Infection. <i>Journal of Virology</i> , 2022, 96, jvi0205721.	3.4	6
2	Combinatorial Herpes Simplex Vaccine Strategies: From Bedside to Bench and Back. <i>Frontiers in Immunology</i> , 2022, 13, 849515.	4.8	15
3	SARS-CoV-2 Envelope (E) Protein Binds and Activates TLR2 Pathway: A Novel Molecular Target for COVID-19 Interventions. <i>Viruses</i> , 2022, 14, 999.	3.3	23
4	Genome-Wide B Cell, CD4 <sup>+</sup> , and CD8 <sup>+</sup> T Cell Epitopes That Are Highly Conserved between Human and Animal Coronaviruses, Identified from SARS-CoV-2 as Targets for Preemptive Pan-Coronavirus Vaccines. <i>Journal of Immunology</i> , 2021, 206, 2566-2582.	0.8	53
5	Healing of Ocular Herpetic Disease Following Treatment With an Engineered FGF-1 Is Associated With Increased Corneal Anti-Inflammatory M2 Macrophages. <i>Frontiers in Immunology</i> , 2021, 12, 673763.	4.8	6
6	Unique molecular signatures of antiviral memory CD8 <sup>+</sup> T cells associated with asymptomatic recurrent ocular herpes. <i>Scientific Reports</i> , 2020, 10, 13843.	3.3	3
7	Upregulation of Multiple CD8 <sup>+</sup> T Cell Exhaustion Pathways Is Associated with Recurrent Ocular Herpes Simplex Virus Type 1 Infection. <i>Journal of Immunology</i> , 2020, 205, 454-468.	0.8	8
8	Human Epitopes Identified from Herpes Simplex Virus Tegument Protein VP11/12 (UL46) Recall Multifunctional Effector Memory CD4 <sup>+</sup> T <sub>EM</sub> Cells in Asymptomatic Individuals and Protect from Ocular Herpes Infection and Disease in "Humanized" HLA-DR Transgenic Mice. <i>Journal of Virology</i> , 2020, 94, .	3.4	7
9	High Frequency of Gamma Interferon-Producing PLZF <sup>lo</sup> ROR $\gamma$ <sup>t</sup> <sup>lo</sup> Invariant Natural Killer 1 Cells Infiltrating Herpes Simplex Virus 1-Infected Corneas Is Associated with Asymptomatic Ocular Herpesvirus Infection. <i>Journal of Virology</i> , 2020, 94, .	3.4	9
10	NLRP3, NLRP12, and IFI16 Inflammasomes Induction and Caspase-1 Activation Triggered by Virulent HSV-1 Strains Are Associated With Severe Corneal Inflammatory Herpetic Disease. <i>Frontiers in Immunology</i> , 2019, 10, 1631.	4.8	42
11	Blockade of PD-1 and LAG-3 Immune Checkpoints Combined with Vaccination Restores the Function of Antiviral Tissue-Resident CD8 <sup>+</sup> T <sub>RM</sub> Cells and Reduces Ocular Herpes Simplex Infection and Disease in HLA Transgenic Rabbits. <i>Journal of Virology</i> , 2019, 93, .	3.4	27
12	Therapeutic Mucosal Vaccination of Herpes Simplex Virus 2-Infected Guinea Pigs with Ribonucleotide Reductase 2 (RR2) Protein Boosts Antiviral Neutralizing Antibodies and Local Tissue-Resident CD4 <sup>+</sup> and CD8 <sup>+</sup> T <sub>RM</sub> Cells Associated with Protection against Recurrent Genital Herpes. <i>Journal of Virology</i> , 2019, 93, .	3.4	20
13	Unique Type I Interferon, Expansion/Survival Cytokines, and JAK/STAT Gene Signatures of Multifunctional Herpes Simplex Virus-Specific Effector Memory CD8 <sup>+</sup> T <sub>EM</sub> Cells Are Associated with Asymptomatic Herpes in Humans. <i>Journal of Virology</i> , 2019, 93, .	3.4	17
14	Trimeric heptad repeat synthetic peptides HR1 and HR2 efficiently inhibit HIV-1 entry. <i>Bioscience Reports</i> , 2019, 39, .	2.4	6
15	Laser Adjuvant-Assisted Peptide Vaccine Promotes Skin Mobilization of Dendritic Cells and Enhances Protective CD8 <sup>+</sup> T <sub>EM</sub> and T <sub>RM</sub> Cell Responses against Herpesvirus Infection and Disease. <i>Journal of Virology</i> , 2018, 92, .	3.4	20
16	CXCL17 Chemokine-Dependent Mobilization of CXCR8 <sup>+</sup> CD8 <sup>+</sup> Effector Memory and Tissue-Resident Memory T Cells in the Vaginal Mucosa Is Associated with Protection against Genital Herpes. <i>Journal of Immunology</i> , 2018, 200, 2915-2926.	0.8	42
17	HIV-1 Envelope Glycoproteins Induce the Production of TNF- $\alpha$ and IL-10 in Human Monocytes by Activating Calcium Pathway. <i>Scientific Reports</i> , 2018, 8, 17215.	3.3	31
18	Blockade of LAG-3 Immune Checkpoint Combined With Therapeutic Vaccination Restore the Function of Tissue-Resident Anti-viral CD8 <sup>+</sup> T Cells and Protect Against Recurrent Ocular Herpes Simplex Infection and Disease. <i>Frontiers in Immunology</i> , 2018, 9, 2922.	4.8	24

#	ARTICLE	IF	CITATIONS
19	Phenotypic and Functional Signatures of Herpes Simplex Virus-Specific Effector Memory CD73 <sup>+</sup> CD45RA <sup>high</sup> CCR7 <sup>low</sup> CD8 <sup>+</sup> TEMRA and CD73 <sup>+</sup> CD45RA <sup>low</sup> CCR7 <sup>low</sup> CD8 <sup>+</sup> TEM Cells Are Associated with Asymptomatic Ocular Herpes. <i>Journal of Immunology</i> , 2018, 201, 2315-2330.	0.8	13
20	The wide utility of rabbits as models of human diseases. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-10.	7.7	103
21	Human Asymptomatic Epitope Peptide/CXCL10-Based Prime/Pull Vaccine Induces Herpes Simplex Virus-Specific Gamma Interferon-Positive CD107 <sup>+</sup> CD8 <sup>+</sup> T Cells That Infiltrate the Corneas and Trigeminal Ganglia of Humanized HLA Transgenic Rabbits and Protect against Ocular Herpes Challenge. <i>Journal of Virology</i> , 2018, 92, .	3.4	24
22	A Tribute to Professor Steven L. Wechsler (1948-2016): The Man and the Scientist. <i>Current Eye Research</i> , 2017, 42, 161-162.	1.5	2
23	CXCL10/CXCR3-Dependent Mobilization of Herpes Simplex Virus-Specific CD8 <sup>+</sup> T EM and CD8 <sup>+</sup> T RM Cells within Infected Tissues Allows Efficient Protection against Recurrent Herpesvirus Infection and Disease. <i>Journal of Virology</i> , 2017, 91, .	3.4	40
24	Bolstering the Number and Function of HSV-1-Specific CD8 <sup>+</sup> Effector Memory T Cells and Tissue-Resident Memory T Cells in Latently Infected Trigeminal Ganglia Reduces Recurrent Ocular Herpes Infection and Disease. <i>Journal of Immunology</i> , 2017, 199, 186-203.	0.8	38
25	Human Asymptomatic Epitopes Identified from the Herpes Simplex Virus Tegument Protein VP13/14 (UL47) Preferentially Recall Polyfunctional Effector Memory CD44 <sup>high</sup> CD62L <sup>low</sup> CD8 <sup>+</sup> T <sub>EM</sub> Cells and Protect Humanized HLA-A*02:01 Transgenic Mice against Ocular Herpesvirus Infection. <i>Journal of Virology</i> , 2017, 91, .	3.4	25
26	Activation of the NLRP3 Inflammasome Is Associated with Valosin-Containing Protein Myopathy. <i>Inflammation</i> , 2017, 40, 21-41.	3.8	32
27	Large Amounts of Reactivated Virus in Tears Precedes Recurrent Herpes Stromal Keratitis in Stressed Rabbits Latently Infected with Herpes Simplex Virus. <i>Current Eye Research</i> , 2016, 41, 1-8.	1.5	16
28	Confocal Microscopic Analysis of a Rabbit Eye Model of High-Incidence Recurrent Herpes Stromal Keratitis. <i>Cornea</i> , 2016, 35, 81-88.	1.7	12
29	HIV-1 Tat Protein Activates both the MyD88 and TRIF Pathways To Induce Tumor Necrosis Factor Alpha and Interleukin-10 in Human Monocytes. <i>Journal of Virology</i> , 2016, 90, 5886-5898.	3.4	43
30	The Herpes Simplex Virus Latency-Associated Transcript Gene Is Associated with a Broader Repertoire of Virus-Specific Exhausted CD8 <sup>+</sup> T Cells Retained within the Trigeminal Ganglia of Latently Infected HLA Transgenic Rabbits. <i>Journal of Virology</i> , 2016, 90, 3913-3928.	3.4	32
31	Increased neurovirulence and reactivation of the herpes simplex virus type 1 latency-associated transcript (LAT)-negative mutant dLAT2903 with a disrupted LAT miR-H2. <i>Journal of NeuroVirology</i> , 2016, 22, 38-49.	2.1	25
32	Prior Corneal Scarification and Injection of Immune Serum are Not Required Before Ocular HSV-1 Infection for UV-B-Induced Virus Reactivation and Recurrent Herpetic Corneal Disease in Latently Infected Mice. <i>Current Eye Research</i> , 2016, 41, 747-756.	1.5	30
33	A Herpes Simplex Virus Type 1 Human Asymptomatic CD8 <sup>+</sup> -T-Cell Epitopes-Based Vaccine Protects Against Ocular Herpes in a Humanized HLA Transgenic Rabbit Model. , 2015, 56, 4013.		27
34	HIV-1 Tat Protein Induces Production of Proinflammatory Cytokines by Human Dendritic Cells and Monocytes/Macrophages through Engagement of TLR4-MD2-CD14 Complex and Activation of NF- $\kappa$ B Pathway. <i>PLoS ONE</i> , 2015, 10, e0129425.	2.5	71
35	Phenotypic and Functional Characterization of Herpes Simplex Virus Glycoprotein B Epitope-Specific Effector and Memory CD8 <sup>+</sup> T Cells from Symptomatic and Asymptomatic Individuals with Ocular Herpes. <i>Journal of Virology</i> , 2015, 89, 3776-3792.	3.4	37
36	The herpes simplex virus type 1 (HSV-1) latency-associated transcript (LAT) protects cells against cold-shock-induced apoptosis by maintaining phosphorylation of protein kinase B (AKT). <i>Journal of NeuroVirology</i> , 2015, 21, 568-575.	2.1	23

#	ARTICLE	IF	CITATIONS
37	Therapeutic Immunization with a Mixture of Herpes Simplex Virus 1 Glycoprotein D-Derived $\alpha$ -Asymptomatic Human CD8 <sup>+</sup> T-Cell Epitopes Decreases Spontaneous Ocular Shedding in Latently Infected HLA Transgenic Rabbits: Association with Low Frequency of Local PD-1 <sup>+</sup> TIM-3 <sup>+</sup> CD8 <sup>+</sup> Exhausted T Cells. <i>Journal of Virology</i> , 2015, 89, 6619-6632.	3.4	29
38	HLA-A02:01 "Restricted Epitopes Identified from the Herpes Simplex Virus Tegument Protein VP11/12 Preferentially Recall Polyfunctional Effector Memory CD8 <sup>+</sup> T Cells from Seropositive Asymptomatic Individuals and Protect Humanized HLA-A*02:01 Transgenic Mice against Ocular Herpes. <i>Journal of Immunology</i> , 2015, 194, 2232-2248.	0.8	38
39	Decreased reactivation of a herpes simplex virus type 1 (HSV-1) latency-associated transcript (LAT) mutant using the in vivo mouse UV-B model of induced reactivation. <i>Journal of NeuroVirology</i> , 2015, 21, 508-517.	2.1	30
40	Significant Impact of Immunogen Design on the Diversity of Antibodies Generated by Carbohydrate-Based Anticancer Vaccine. <i>ACS Chemical Biology</i> , 2015, 10, 2364-2372.	3.4	50
41	A Fine Balance of Dietary Lipids Improves Pathology of a Murine Model of VCP-Associated Multisystem Proteinopathy. <i>PLoS ONE</i> , 2015, 10, e0131995.	2.5	6
42	Asymptomatic memory CD8 <sup>+</sup> T cells. <i>Human Vaccines and Immunotherapeutics</i> , 2014, 10, 945-963.	3.3	20
43	HIV-1 Tat Protein Induces PD-L1 (B7-H1) Expression on Dendritic Cells through Tumor Necrosis Factor Alpha- and Toll-Like Receptor 4-Mediated Mechanisms. <i>Journal of Virology</i> , 2014, 88, 6672-6689.	3.4	48
44	Age-related Defects in Ocular and Nasal Mucosal Immune System and the Immunopathology of Dry Eye Disease. <i>Ocular Immunology and Inflammation</i> , 2014, 24, 1-21.	1.8	6
45	The challenges and opportunities for the development of a T-cell epitope-based herpes simplex vaccine. <i>Vaccine</i> , 2014, 32, 6733-6745.	3.8	47
46	Associations of HLA-A, HLA-B and HLA-C alleles frequency with prevalence of herpes simplex virus infections and diseases across global populations: Implication for the development of an universal CD8 <sup>+</sup> T-cell epitope-based vaccine. <i>Human Immunology</i> , 2014, 75, 715-729.	2.4	43
47	Asymptomatic HLA-A*02:01 "Restricted Epitopes from Herpes Simplex Virus Glycoprotein B Preferentially Recall Polyfunctional CD8 <sup>+</sup> T Cells from Seropositive Asymptomatic Individuals and Protect HLA Transgenic Mice against Ocular Herpes. <i>Journal of Immunology</i> , 2013, 191, 5124-5138.	0.8	48
48	HLA-A*01:03, HLA-A*24:02, HLA-B*08:01, HLA-B*27:05, HLA-B*35:01, HLA-B*44:02, and HLA-C*07:01 Monochain Transgenic/H-2 Class I Null Mice: Novel Versatile Preclinical Models of Human T Cell Responses. <i>Journal of Immunology</i> , 2013, 191, 583-593.	0.8	37
49	Immunity to Ocular and Genital Herpes Simplex Viruses Infections. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-2.	3.3	13
50	Mucosal Herpes Immunity and Immunopathology to Ocular and Genital Herpes Simplex Virus Infections. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-22.	3.3	33
51	Targeting the Genital Tract Mucosa with a Lipopeptide/Recombinant Adenovirus Prime/Boost Vaccine Induces Potent and Long-Lasting CD8 <sup>+</sup> T Cell Immunity against Herpes: Importance of MyD88. <i>Journal of Immunology</i> , 2012, 189, 4496-4509.	0.8	44
52	Discovery of Potential Diagnostic and Vaccine Antigens in Herpes Simplex Virus 1 and 2 by Proteome-Wide Antibody Profiling. <i>Journal of Virology</i> , 2012, 86, 4328-4339.	3.4	48
53	Future of an "asymptomatic"™ T-cell epitope-based therapeutic herpes simplex vaccine. <i>Future Virology</i> , 2012, 7, 371-378.	1.8	37
54	Towards a Rational Design of an Asymptomatic Clinical Herpes Vaccine: The Old, the New, and the Unknown. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-16.	3.3	45

#	ARTICLE	IF	CITATIONS
55	The Herpes Simplex Virus Type 1 Latency-Associated Transcript Inhibits Phenotypic and Functional Maturation of Dendritic Cells. <i>Viral Immunology</i> , 2012, 25, 120418065353009.	1.3	38
56	Current trends in negative immuno-synergy between two sexually transmitted infectious viruses: HIV-1 and HSV-1/2. <i>Current Trends in Immunology</i> , 2012, 13, 51-68.	4.0	17
57	Of mice and not humans: How reliable are animal models for evaluation of herpes CD8+T cell-epitopes-based immunotherapeutic vaccine candidates?. <i>Vaccine</i> , 2011, 29, 5824-5836.	3.8	63
58	HIV-1 Infection Impairs HSV-Specific CD4+ and CD8+ T-Cell Response by Reducing Th1 Cytokines and CCR5 Ligand Secretion. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, 9-17.	2.1	14
59	The Herpes Simplex Virus 1 Latency-Associated Transcript Promotes Functional Exhaustion of Virus-Specific CD8 <sup>+</sup> T Cells in Latently Infected Trigeminal Ganglia: a Novel Immune Evasion Mechanism. <i>Journal of Virology</i> , 2011, 85, 9127-9138.	3.4	66
60	The Herpes Simplex Virus Type 1 Latency-Associated Transcript Can Protect Neuron-Derived C1300 and Neuro2A Cells from Granzyme B-Induced Apoptosis and CD8 T-Cell Killing. <i>Journal of Virology</i> , 2011, 85, 2325-2332.	3.4	71
61	The Role of LAT in Increased CD8 <sup>+</sup> T Cell Exhaustion in Trigeminal Ganglia of Mice Latently Infected with Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2011, 85, 4184-4197.	3.4	103
62	A Novel HLA (HLA-A*0201) Transgenic Rabbit Model for Preclinical Evaluation of Human CD8+T Cell Epitope-Based Vaccines against Ocular Herpes. <i>Journal of Immunology</i> , 2010, 184, 2561-2571.	0.8	67
63	Nasolacrimal Duct Closure Modulates Ocular Mucosal and Systemic CD4 <sup>+</sup> T-Cell Responses Induced following Topical Ocular or Intranasal Immunization. <i>Vaccine Journal</i> , 2010, 17, 342-353.	3.1	49
64	The Role of a Glycoprotein K (gK) CD8 <sup>+</sup> T-Cell Epitope of Herpes Simplex Virus on Virus Replication and Pathogenicity. , 2009, 50, 2903.		44
65	New concepts in herpes simplex virus vaccine development: notes from the battlefield. <i>Expert Review of Vaccines</i> , 2009, 8, 1023-1035.	4.4	59
66	Level of Herpes Simplex Virus Type 1 Latency Correlates with Severity of Corneal Scarring and Exhaustion of CD8 <sup>+</sup> T Cells in Trigeminal Ganglia of Latently Infected Mice. <i>Journal of Virology</i> , 2009, 83, 2246-2254.	3.4	79
67	HLA-A*0201-Restricted CD8+ Cytotoxic T Lymphocyte Epitopes Identified from Herpes Simplex Virus Glycoprotein D. <i>Journal of Immunology</i> , 2008, 180, 426-437.	0.8	84
68	Gender-Dependent HLA-DR-Restricted Epitopes Identified from Herpes Simplex Virus Type 1 Glycoprotein D. <i>Vaccine Journal</i> , 2008, 15, 1436-1449.	3.1	61
69	Asymptomatic Human CD4 <sup>+</sup> Cytotoxic T-Cell Epitopes Identified from Herpes Simplex Virus Glycoprotein B. <i>Journal of Virology</i> , 2008, 82, 11792-11802.	3.4	62
70	Functional Foxp3 + CD4 + CD25 (Bright+) "Natural" Regulatory T Cells Are Abundant in Rabbit Conjunctiva and Suppress Virus-Specific CD4 + and CD8 + Effector T Cells during Ocular Herpes Infection. <i>Journal of Virology</i> , 2007, 81, 7647-7661.	3.4	41
71	Protective Immunity against Ocular Herpes Infection and Disease Induced by Highly Immunogenic Self-Adjuvanting Glycoprotein D Lipopeptide Vaccines. , 2007, 48, 4643.		39
72	Topical/Mucosal Delivery of Sub-Unit Vaccines That Stimulate the Ocular Mucosal Immune System. <i>Ocular Surface</i> , 2006, 4, 178-187.	4.4	37

#	ARTICLE	IF	CITATIONS
73	Th-Cytotoxic T-Lymphocyte Chimeric Epitopes Extended by N <sup>ε</sup> -Palmitoyl Lysines Induce Herpes Simplex Virus Type 1-Specific Effector CD8 + Tc 1 Responses and Protect against Ocular Infection. <i>Journal of Virology</i> , 2005, 79, 15289-15301.	3.4	71
74	Local and systemic B cell and Th1 responses induced following ocular mucosal delivery of multiple epitopes of herpes simplex virus type 1 glycoprotein D together with cytosine <sup>5</sup> -phosphate <sup>3</sup> -guanine adjuvant. <i>Vaccine</i> , 2005, 23, 873-883.	3.8	49
75	Lipopeptide epitopes extended by an N <sup>ε</sup> -palmitoyl-lysine moiety increase uptake and maturation of dendritic cells through a Toll-like receptor-2 pathway and trigger a Th1-dependent protective immunity. <i>European Journal of Immunology</i> , 2004, 34, 3102-3114.	2.9	87
76	Identification of Novel Immunodominant CD4 + Th1-Type T-Cell Peptide Epitopes from Herpes Simplex Virus Glycoprotein D That Confer Protective Immunity. <i>Journal of Virology</i> , 2003, 77, 9463-9473.	3.4	81
77	Lipopeptide vaccines <sup>1</sup> —yesterday, today, and tomorrow. <i>Lancet Infectious Diseases</i> , The, 2002, 2, 425-431.	9.1	174
78	Systemic immune responses induced by mucosal administration of lipopeptides without adjuvant. <i>European Journal of Immunology</i> , 2002, 32, 2274.	2.9	82
79	Intranasal administration of a synthetic lipopeptide without adjuvant induces systemic immune responses. <i>Immunology</i> , 2002, 106, 113-121.	4.4	61
80	Systemic immune responses induced by mucosal administration of lipopeptides without adjuvant. , 2002, 32, 2274.		1