

Anette M Hammerum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2141382/publications.pdf>

Version: 2024-02-01

129
papers

6,323
citations

71102

41
h-index

76900

74
g-index

130
all docs

130
docs citations

130
times ranked

6681
citing authors

#	ARTICLE	IF	CITATIONS
1	The interplay between community and hospital <i>Enterococcus faecium</i> clones within health-care settings: a genomic analysis. <i>Lancet Microbe</i> , The, 2022, 3, e133-e141.	7.3	17
2	Investigation of an <i>Enterobacter hormaechei</i> OXA-436 carbapenemase outbreak: when everything goes down the drain. <i>Infection Prevention in Practice</i> , 2022, 4, 100228.	1.3	3
3	Using core genome multilocus sequence typing (cgMLST) for vancomycin-resistant <i>Enterococcus faecium</i> isolates to guide infection control interventions and end an outbreak. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 24, 418-423.	2.2	12
4	Investigation of the introduction and dissemination of <i>vanB</i> <i>Enterococcus faecium</i> in the Capital Region of Denmark and development of a rapid and accurate clone-specific <i>vanB</i> <i>E. faecium</i> PCR. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2260-2267.	3.0	5
5	Characterisation of extended-spectrum β -lactamase/plasmid AmpC- β -lactamase-producing <i>Escherichia coli</i> isolates from long-term recurrent bloodstream infections. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106041.	2.5	2
6	Molecular characterization of Danish ESBL/AmpC-producing <i>Klebsiella pneumoniae</i> from bloodstream infections, 2018. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 22, 562-567.	2.2	10
7	Investigation of possible clonal transmission of carbapenemase-producing <i>Klebsiella pneumoniae</i> complex member isolates in Denmark using core genome MLST and National Patient Registry Data. <i>International Journal of Antimicrobial Agents</i> , 2020, 55, 105931.	2.5	8
8	Surveillance of OXA-244-producing <i>Escherichia coli</i> and epidemiologic investigation of cases, Denmark, January 2016 to August 2019. <i>Eurosurveillance</i> , 2020, 25, .	7.0	19
9	PME and Other ESBL-Positive Multiresistant <i>Pseudomonas aeruginosa</i> Isolated from Hospitalized Patients in the Region of Kurdistan, Iraq. <i>Microbial Drug Resistance</i> , 2019, 25, 32-38.	2.0	12
10	Infection with multiple carbapenemase-producing bacteria following cosmetic surgery in Iran detected after the introduction of systematic screening of repatriates. <i>Journal of Global Antimicrobial Resistance</i> , 2019, 16, 144-146.	2.2	2
11	Incl1 ST3 and Incl1 ST7 plasmids from CTX-M-1-producing <i>Escherichia coli</i> obtained from patients with bloodstream infections are closely related to plasmids from <i>E. coli</i> of animal origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2171-2175.	3.0	33
12	LRE-Finder, a Web tool for detection of the 23S rRNA mutations and the <i>optrA</i> , <i>cfr</i> , <i>cfr(B)</i> and <i>poxtA</i> genes encoding linezolid resistance in enterococci from whole-genome sequences. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1473-1476.	3.0	58
13	ST131 <i>fimH</i> 22 <i>Escherichia coli</i> isolate with a <i>bla</i> CMY-2/Incl1/ST12 plasmid obtained from a patient with bloodstream infection: highly similar to <i>E. coli</i> isolates of broiler origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 557-560.	3.0	34
14	Evaluation of temocillin for phenotypic carbapenemase screening of <i>Escherichia coli</i> and <i>Salmonella enterica</i> isolates in relation to the presence of genes encoding ESBLs and carbapenemase production. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 639-644.	3.0	5
15	Vancomycin resistance in <i>Enterococcus faecium</i> isolated from Danish chicken meat is located on a pVEF4-like plasmid persisting in poultry for 18 years. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 283-286.	2.5	19
16	CHTyper, a Web Tool for Subtyping of Extraintestinal Pathogenic <i>Escherichia coli</i> Based on the <i>fumC</i> and <i>fimH</i> Alleles. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	42
17	Dissemination and Characteristics of a Novel Plasmid-Encoded Carbapenem-Hydrolyzing Class D β -Lactamase, OXA-436, Found in Isolates from Four Patients at Six Different Hospitals in Denmark. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	24
18	Update on prevalence and mechanisms of resistance to linezolid, tigecycline and daptomycin in enterococci in Europe: Towards a common nomenclature. <i>Drug Resistance Updates</i> , 2018, 40, 25-39.	14.4	165

#	ARTICLE	IF	CITATIONS
19	Characterization of Diarrheagenic Enteroaggregative <i>Escherichia coli</i> in Danish Adults—Antibiotic Treatment Does Not Reduce Duration of Diarrhea. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 306.	3.9	22
20	Complete Nucleotide Sequence of an <i>Escherichia coli</i> Sequence Type 410 Strain Carrying <i>bla</i> _{NDM-5} on an IncF Multidrug Resistance Plasmid and <i>bla</i> _{OXA-181} on an IncX3 Plasmid. <i>Genome Announcements</i> , 2018, 6, .	0.8	31
21	<i>Escherichia coli</i> Sequence Type 410 Is Causing New International High-Risk Clones. <i>MSphere</i> , 2018, 3, .	2.9	183
22	Detection of <i>mcr-1</i> -encoding plasmid-mediated colistin-resistant <i>Salmonella</i> isolates from human infection in Denmark. <i>International Journal of Antimicrobial Agents</i> , 2017, 49, 261-262.	2.5	35
23	WGS-based surveillance of third-generation cephalosporin-resistant <i>Escherichia coli</i> from bloodstream infections in Denmark. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 1922-1929.	3.0	73
24	Development of a Web Tool for <i>Escherichia coli</i> Subtyping Based on <i>fimH</i> Alleles. <i>Journal of Clinical Microbiology</i> , 2017, 55, 2538-2543.	3.9	136
25	Detection of the <i>optrA</i> gene in a clinical ST16 <i>Enterococcus faecalis</i> isolate in Denmark. <i>Journal of Global Antimicrobial Resistance</i> , 2017, 10, 12-13.	2.2	19
26	Genetic characterisation confirms sporadic occurrence of vancomycin-resistant <i>Enterococcus faecalis</i> in Copenhagen, Denmark. <i>International Journal of Antimicrobial Agents</i> , 2017, 50, 501-502.	2.5	2
27	Occurrence of carbapenemase-producing <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> in the European survey of carbapenemase-producing Enterobacteriaceae (EuSCAPE): a prospective, multinational study. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 153-163.	9.1	522
28	Characterization of a novel <i>bla</i> _{IMP} gene, <i>bla</i> _{IMP-58} , using whole genome sequencing in a <i>Pseudomonas putida</i> isolate detected in Denmark. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 68-70.	1.8	2
29	Emergence of <i>vanA</i> <i>Enterococcus faecium</i> in Denmark, 2005–15. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2184-2190.	3.0	47
30	Susceptibility of vancomycin-resistant and -sensitive <i>Enterococcus faecium</i> obtained from Danish hospitals to benzalkonium chloride, chlorhexidine and hydrogen peroxide biocides. <i>Journal of Medical Microbiology</i> , 2017, 66, 1744-1751.	1.8	42
31	Novel <i>mcr-3</i> variant, encoding mobile colistin resistance, in an ST131 <i>Escherichia coli</i> isolate from bloodstream infection, Denmark, 2014. <i>Eurosurveillance</i> , 2017, 22, .	7.0	61
32	Polyclonal spread of <i>vanA</i> <i>Enterococcus faecium</i> in Central Denmark Region, 2009–2013, investigated using PFGE, MLST and WGS. <i>International Journal of Antimicrobial Agents</i> , 2016, 48, 767-768.	2.5	7
33	Fecal carriage of extended-spectrum and AmpC β -lactamase-producing Enterobacteriaceae in surgical patients before and after antibiotic prophylaxis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 316-321.	1.8	5
34	Use of WGS data for investigation of a long-term NDM-1-producing <i>Citrobacter freundii</i> outbreak and secondary in vivo spread of <i>bla</i> _{NDM-1} to <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i> and <i>Klebsiella oxytoca</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 3117-3124.	3.0	44
35	Multilevel population genetic analysis of <i>vanA</i> and <i>vanB</i> <i>Enterococcus faecium</i> causing nosocomial outbreaks in 27 countries (1986–2012). <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 3351-3366.	3.0	129
36	High consumption of tetracyclines for acne treatment among young Danish adults. <i>Infectious Diseases</i> , 2016, 48, 808-812.	2.8	4

#	ARTICLE	IF	CITATIONS
37	OXA-Carbapenemases Present in Clinical <i>Acinetobacter baumannii-calcoaceticus</i> Complex Isolates from Patients in Kurdistan Region, Iraq. <i>Microbial Drug Resistance</i> , 2016, 22, 627-637.	2.0	16
38	Multiple hospital outbreaks of <i>vanA</i> <i>Enterococcus faecium</i> in Denmark, 2012–13, investigated by WGS, MLST and PFGE. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2474-2482.	3.0	93
39	Investigation of a possible outbreak of NDM-5-producing ST16 <i>Klebsiella pneumoniae</i> among patients in Denmark with no history of recent travel using whole-genome sequencing. <i>Journal of Global Antimicrobial Resistance</i> , 2015, 3, 219-221.	2.2	25
40	Use of whole-genome sequencing for characterisation of a ST119 NDM-1-producing <i>Acinetobacter pittii</i> from a patient in Denmark with no history of recent travel. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 351-352.	2.5	7
41	Investigation of a possible outbreak of carbapenem-resistant <i>Acinetobacter baumannii</i> in Odense, Denmark using PFGE, MLST and whole-genome-based SNPs. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1965-1968.	3.0	54
42	Detection of <i>Klebsiella pneumoniae</i> co-producing NDM-7 and OXA-181, <i>Escherichia coli</i> producing NDM-5 and <i>Acinetobacter baumannii</i> producing OXA-23 in a single patient. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 597-598.	2.5	28
43	Use of whole-genome sequencing for detection of the spread of VIM-4-producing <i>Escherichia coli</i> between two patients in Denmark. <i>International Journal of Antimicrobial Agents</i> , 2015, 45, 327-329.	2.5	2
44	Characterisation of an IMP-7-producing ST357 <i>Pseudomonas aeruginosa</i> isolate detected in Denmark using whole genome sequencing. <i>International Journal of Antimicrobial Agents</i> , 2015, 45, 200-201.	2.5	11
45	Isolation of an NDM-5-producing ST16 <i>Klebsiella pneumoniae</i> from a Dutch patient without travel history abroad, August 2015. <i>Eurosurveillance</i> , 2015, 20, .	7.0	33
46	Characterization of Third-Generation Cephalosporin-Resistant <i>Escherichia coli</i> from Bloodstream Infections in Denmark. <i>Microbial Drug Resistance</i> , 2014, 20, 316-324.	2.0	26
47	The association between demographic factors and increased antibiotic consumption in Denmark 2001 to 2010. <i>Scandinavian Journal of Infectious Diseases</i> , 2014, 46, 599-604.	1.5	5
48	Characterization of extended-spectrum β -lactamase (ESBL)-producing <i>Escherichia coli</i> obtained from Danish pigs, pig farmers and their families from farms with high or no consumption of third- or fourth-generation cephalosporins. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2650-2657.	3.0	149
49	Detection of NDM-2-producing <i>Acinetobacter baumannii</i> and VIM-producing <i>Pseudomonas aeruginosa</i> in Palestine. <i>Journal of Global Antimicrobial Resistance</i> , 2014, 2, 93-97.	2.2	13
50	Characterization of Carbapenem Nonsusceptible <i>Pseudomonas aeruginosa</i> in Denmark: A Nationwide, Prospective Study. <i>Microbial Drug Resistance</i> , 2014, 20, 22-29.	2.0	11
51	An ST405 NDM-4-producing <i>Escherichia coli</i> isolated from a Danish patient previously hospitalized in Vietnam. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 559-560.	3.0	19
52	Evaluation of the total MBL confirm kit (ROSCO) for detection of metallo- β -lactamases in <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 79, 486-488.	1.8	8
53	Active ulcerative colitis associated with low prevalence of <i>Blastocystis</i> and <i>Dientamoeba fragilis</i> infection. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 638-639.	1.5	82
54	High rates of reduced susceptibility in the <i>Bacteroides fragilis</i> group isolated from blood cultures – The first national survey in Denmark. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 188-190.	2.5	17

#	ARTICLE	IF	CITATIONS
55	Detection of extended-spectrum β -lactamases and AmpC β -lactamases in <i>Salmonella enterica</i> isolates from patients in Denmark during 2008–2010. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 371-372.	2.5	2
56	Unusual pathogenic B1 genotype (yjaA/TspE4.C2) detected among <i>Escherichia coli</i> from pig, chicken broiler meat and human extraintestinal infection. <i>Journal of Medical Microbiology</i> , 2013, 62, 1259-1262.	1.8	2
57	Impact of low-level fluoroquinolone resistance genes qnrA1, qnrB19 and qnrS1 on ciprofloxacin treatment of isogenic <i>Escherichia coli</i> strains in a murine urinary tract infection model. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2438-2444.	3.0	46
58	An NDM-1-producing <i>Escherichia coli</i> obtained in Denmark has a genetic profile similar to an NDM-1-producing <i>E. coli</i> isolate from the UK. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2049-2051.	3.0	26
59	Virulence factors and phylogenetic grouping of <i>Escherichia coli</i> isolates from patients with bacteraemia of urinary tract origin relate to sex and hospital- vs. community-acquired origin. <i>International Journal of Medical Microbiology</i> , 2012, 302, 129-134.	3.6	35
60	Tentative Colistin Epidemiological Cut-Off Value for <i>Salmonella</i> spp.. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 367-369.	1.8	38
61	Characterization of CTX-M-14- and CTX-M-15-producing <i>Escherichia coli</i> of porcine origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2047-2049.	3.0	12
62	Insight into antimicrobial susceptibility and population structure of contemporary human <i>Enterococcus faecalis</i> isolates from Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 551-558.	3.0	102
63	Enterococci of animal origin and their significance for public health. <i>Clinical Microbiology and Infection</i> , 2012, 18, 619-625.	6.0	209
64	Virulence of a <i>Klebsiella pneumoniae</i> strain carrying the New Delhi metallo-beta-lactamase-1 (NDM-1). <i>Microbes and Infection</i> , 2012, 14, 155-158.	1.9	34
65	Molecular characterisation of high-level gentamicin-resistant enterococci from bloodstream infections in Denmark: first description of clonal spread of aph(2)-Ib. <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 266-268.	2.5	4
66	Increasing consumption of antimicrobial agents in Denmark parallels increasing resistance in <i>Escherichia coli</i> bloodstream isolates. <i>International Journal of Antimicrobial Agents</i> , 2012, 40, 86-88.	2.5	4
67	Patients transferred from Libya to Denmark carried OXA-48-producing <i>Klebsiella pneumoniae</i> , NDM-1-producing <i>Acinetobacter baumannii</i> and methicillin-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Antimicrobial Agents</i> , 2012, 40, 191-192.	2.5	41
68	Increased high-level gentamicin resistance in invasive <i>Enterococcus faecium</i> is associated with aac(6)-Ie-aph(2)-IIIa-encoding transferable megaplasmids hosted by major hospital-adapted lineages. <i>FEMS Immunology and Medical Microbiology</i> , 2012, 66, 166-176.	2.7	44
69	Concurrent emergence of multidrug resistance and heat resistance by CTX-M-15 encoding conjugative plasmids in <i>Klebsiella pneumoniae</i> . <i>Apmis</i> , 2012, 120, 699-705.	2.0	17
70	Evaluation of Rosco NeoSensitabs for phenotypic detection and subgrouping of ESBL-, AmpC- and carbapenemase-producing Enterobacteriaceae. <i>Apmis</i> , 2012, 120, 724-732.	2.0	23
71	Emergence of extended-spectrum β -lactamase (ESBL)-producing <i>Klebsiella pneumoniae</i> in Danish hospitals; this is in part explained by spread of two CTX-M-15 clones with multilocus sequence types 15 and 16 in Zealand. <i>International Journal of Antimicrobial Agents</i> , 2011, 38, 180-182.	2.5	28
72	Microarray-based detection of extended virulence and antimicrobial resistance gene profiles in phylogroup B2 <i>Escherichia coli</i> of human, meat and animal origin. <i>Journal of Medical Microbiology</i> , 2011, 60, 1502-1511.	1.8	51

#	ARTICLE	IF	CITATIONS
73	Porcine and Human Community Reservoirs of <i>Enterococcus faecalis</i> , Denmark. <i>Emerging Infectious Diseases</i> , 2011, 17, 2395-2397.	4.3	29
74	Persisting clones of <i>Escherichia coli</i> isolates from recurrent urinary tract infection in men and women. <i>Journal of Medical Microbiology</i> , 2011, 60, 550-554.	1.8	29
75	Human and Swine Hosts Share Vancomycin-Resistant <i>Enterococcus faecium</i> CC17 and CC5 and <i>Enterococcus faecalis</i> CC2 Clonal Clusters Harboring Tn 1546 on Indistinguishable Plasmids. <i>Journal of Clinical Microbiology</i> , 2011, 49, 925-931.	3.9	126
76	Host range of enterococcal vanA plasmids among Gram-positive intestinal bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 273-282.	3.0	55
77	Prevalence and characterization of plasmids carrying sulfonamide resistance genes among <i>Escherichia coli</i> from pigs, pig carcasses and human. <i>Acta Veterinaria Scandinavica</i> , 2010, 52, 47.	1.6	90
78	Broiler chickens, broiler chicken meat, pigs and pork as sources of ExPEC related virulence genes and resistance in <i>Escherichia coli</i> isolates from community-dwelling humans and UTI patients†. <i>International Journal of Food Microbiology</i> , 2010, 142, 264-272.	4.7	124
79	Transfer of vanA from an <i>Enterococcus faecium</i> isolate of chicken origin to a CC17 <i>E. faecium</i> isolate in the intestine of cephalosporin-treated mice. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1534-1536.	3.0	18
80	Virulence of <i>Escherichia coli</i> B2 Isolates from Meat and Animals in a Murine Model of Ascending Urinary Tract Infection (UTI): Evidence that UTI Is a Zoonosis. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2978-2980.	3.9	25
81	<i>Escherichia coli</i> Isolates from Broiler Chicken Meat, Broiler Chickens, Pork, and Pigs Share Phylogroups and Antimicrobial Resistance with Community-Dwelling Humans and Patients with Urinary Tract Infection. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 537-547.	1.8	116
82	Effect of generics on price and consumption of ciprofloxacin in primary healthcare: the relationship to increasing resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1286-1291.	3.0	49
83	Porcine-Origin Gentamicin-Resistant <i>Enterococcus faecalis</i> in Humans, Denmark. <i>Emerging Infectious Diseases</i> , 2010, 16, 682-684.	4.3	62
84	Non-invasive erythromycin-resistant pneumococcal isolates are more often non-susceptible to more antimicrobial agents than invasive isolates. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 72-75.	2.5	8
85	Typing of vancomycin-resistant enterococci obtained from patients at Danish hospitals and detection of a genomic island specific to CC17 <i>Enterococcus faecium</i> . <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 312-314.	2.5	11
86	Detection of the first two <i>Klebsiella pneumoniae</i> isolates with sequence type 258 producing KPC-2 carbapenemase in Denmark. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 610-612.	2.5	11
87	Antimicrobial-Resistant Enterococci in Animals and Meat: A Human Health Hazard?. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 1137-1146.	1.8	98
88	Global spread of New Delhi metallo-β-lactamase 1. <i>Lancet Infectious Diseases</i> , The, 2010, 10, 829-830.	9.1	87
89	Detection of Clonal Group A <i>Escherichia coli</i> Isolates from Broiler Chickens, Broiler Chicken Meat, Community-Dwelling Humans, and Urinary Tract Infection (UTI) Patients and Their Virulence in a Mouse UTI Model. <i>Applied and Environmental Microbiology</i> , 2010, 76, 8281-8284.	3.1	30
90	Characterization and transfer studies of macrolide resistance genes in <i>Streptococcus pneumoniae</i> from Denmark. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 586-593.	1.5	6

#	ARTICLE	IF	CITATIONS
91	Consequences of increased antibacterial consumption and change in pattern of antibacterial use in Danish hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 63, 812-815.	3.0	17
92	Variation in Antimicrobial Resistance in Sporadic and Outbreak-related <i>Salmonella enterica</i> Serovar Typhimurium. <i>Emerging Infectious Diseases</i> , 2009, 15, 101-103.	4.3	9
93	Characterization of sulphonamide-resistant <i>Escherichia coli</i> using comparison of sul2 gene sequences and multilocus sequence typing. <i>Microbiology (United Kingdom)</i> , 2009, 155, 831-836.	1.8	40
94	Trends in occurrence of antimicrobial resistance in <i>Campylobacter jejuni</i> isolates from broiler chickens, broiler chicken meat, and human domestically acquired cases and travel associated cases in Denmark. <i>International Journal of Food Microbiology</i> , 2009, 131, 277-279.	4.7	32
95	Evaluation of the quinupristin/dalfopristin breakpoints for <i>Enterococcus faecium</i> . <i>International Journal of Antimicrobial Agents</i> , 2009, 34, 288-290.	2.5	4
96	Human Health Hazards from Antimicrobial-Resistant <i>Escherichia coli</i> of Animal Origin. <i>Clinical Infectious Diseases</i> , 2009, 48, 916-921.	5.8	206
97	Prevalence of sulphonamide resistance and class 1 integron genes in <i>Escherichia coli</i> isolates obtained from broilers, broiler meat, healthy humans and urinary infections in Denmark. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, 367-369.	2.5	33
98	Characterisation, dissemination and persistence of gentamicin resistant <i>Escherichia coli</i> from a Danish university hospital to the waste water environment. <i>Environment International</i> , 2008, 34, 108-115.	10.0	59
99	Erythromycin resistance caused by <i>erm</i> (A) subclass <i>erm</i> (TR) in a Danish invasive pneumococcal isolate: Are <i>erm</i> (A) pneumococcal isolates overlooked?. <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 584-587.	1.5	3
100	Emergence of ampicillin-resistant <i>Enterococcus faecium</i> in Danish hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 1203-1206.	3.0	61
101	Vancomycin-resistant <i>Enterococcus faecalis</i> isolates from a Danish patient and two healthy human volunteers are possibly related to isolates from imported turkey meat. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 844-845.	3.0	30
102	Natural transfer of sulphonamide and ampicillin resistance between <i>Escherichia coli</i> residing in the human intestine. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 63, 80-86.	3.0	74
103	Detection of <i>qnr</i> genes in <i>Salmonella</i> isolated from humans in Denmark. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 63, 406-408.	3.0	13
104	Clinical and Epidemiological Aspects of Invasive <i>Streptococcus pyogenes</i> Infections in Denmark during 2003 and 2004. <i>Journal of Clinical Microbiology</i> , 2008, 46, 79-86.	3.9	107
105	Less frequent <i>Salmonella</i> serovars as a reservoir of antimicrobial resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 814-815.	3.0	7
106	Association between antimicrobial resistance and virulence genes in <i>Escherichia coli</i> obtained from blood and faeces. <i>Scandinavian Journal of Infectious Diseases</i> , 2007, 39, 724-727.	1.5	15
107	Comment on: withdrawal of growth-promoting antibiotics in Europe and its effects in relation to human health. <i>International Journal of Antimicrobial Agents</i> , 2007, 30, 466-468.	2.5	37
108	Danish Integrated Antimicrobial Resistance Monitoring and Research Program. <i>Emerging Infectious Diseases</i> , 2007, 13, 1633-1639.	4.3	116

#	ARTICLE	IF	CITATIONS
109	Detection of sul1, sul2 and sul3 in sulphonamide resistant <i>Escherichia coli</i> isolates obtained from healthy humans, pork and pigs in Denmark. <i>International Journal of Food Microbiology</i> , 2006, 106, 235-237.	4.7	94
110	Presence of Pathogenicity Island Genes in <i>Enterococcus faecalis</i> Isolates from Pigs in Denmark. <i>Journal of Clinical Microbiology</i> , 2006, 44, 4200-4203.	3.9	37
111	Food Safety: Human Health Hazard from Antimicrobial-Resistant <i>Enterococci</i> in Animals and Food. <i>Clinical Infectious Diseases</i> , 2006, 43, 911-916.	5.8	94
112	Correlation between apramycin and gentamicin use in pigs and an increasing reservoir of gentamicin-resistant <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 101-107.	3.0	75
113	In Vivo Transfer of the <i>vanA</i> Resistance Gene from an <i>Enterococcus faecium</i> Isolate of Animal Origin to an <i>E. faecium</i> Isolate of Human Origin in the Intestines of Human Volunteers. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 596-599.	3.2	213
114	Antimicrobial Drug Consumption in Companion Animals. <i>Emerging Infectious Diseases</i> , 2005, 11, 344b-345.	4.3	28
115	A vancomycin-resistant <i>Enterococcus faecium</i> isolate from a Danish healthy volunteer, detected 7 years after the ban of avoparcin, is possibly related to pig isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 53, 547-549.	3.0	33
116	Does the use of antibiotics in food animals pose a risk to human health? An unbiased review?. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 274-275.	3.0	24
117	Conjugal transfer of aminoglycoside and macrolide resistance between <i>Enterococcus faecium</i> isolates in the intestine of streptomycin-treated mice. <i>FEMS Microbiology Letters</i> , 2004, 235, 385-391.	1.8	48
118	Conjugal transfer of aminoglycoside and macrolide resistance between <i>Enterococcus faecium</i> isolates in the intestine of streptomycin-treated mice. <i>FEMS Microbiology Letters</i> , 2004, 235, 385-391.	1.8	24
119	Tetracycline and Macrolide Co-Resistance in <i>Streptococcus pyogenes</i> : Co-Selection As a Reason for Increase in Macrolide-Resistant <i>S. pyogenes</i> . <i>Microbial Drug Resistance</i> , 2004, 10, 231-238.	2.0	4
120	Detection of tet(M), tet(O) and tet(S) in tetracycline/minocycline-resistant <i>Streptococcus pyogenes</i> bacteraemia isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 53, 118-119.	3.0	8
121	Streptogramin Resistance among <i>Enterococcus faecium</i> Isolated from Production Animals in Denmark in 1997. <i>Microbial Drug Resistance</i> , 2002, 8, 369-374.	2.0	37
122	Effect of pheromone induction on transfer of the <i>Enterococcus faecalis</i> plasmid pCF10 in intestinal mucus ex vivo. <i>FEMS Microbiology Letters</i> , 2001, 204, 305-309.	1.8	8
123	Indication of Transposition of a Mobile DNA Element Containing the <i>vat</i> (D) and <i>erm</i> (B) Genes in <i>Enterococcus faecium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 3223-3225.	3.2	35
124	Identification of a Tn 1546 -Like (Type 2) Element in Vancomycin-Resistant <i>Enterococcus faecium</i> Isolated from Hospitalized Patients in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 992-993.	3.2	3
125	Linkage of <i>vat</i> (E) and <i>erm</i> (B) in Streptogramin-Resistant <i>Enterococcus faecium</i> Isolates from Europe. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 2231-2232.	3.2	50
126	Use of Antimicrobial Growth Promoters in Food Animals and <i>Enterococcus faecium</i> Resistance to Therapeutic Antimicrobial Drugs in Europe. <i>Emerging Infectious Diseases</i> , 1999, 5, 329-335.	4.3	226

#	ARTICLE	IF	CITATIONS
127	Vancomycin-Resistant <i>Enterococcus faecium</i> Strains with Highly Similar Pulsed-Field Gel Electrophoresis Patterns Containing Similar Tn 1546 -Like Elements Isolated from a Hospitalized Patient and Pigs in Denmark. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 724-725.	3.2	43
128	Occurrence of <i>satA</i> and <i>vgb</i> Genes in Streptogramin-Resistant <i>Enterococcus faecium</i> Isolates of Animal and Human Origins in The Netherlands. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 3330-3331.	3.2	90
129	Molecular Analysis of Tn 1546 in <i>Enterococcus faecium</i> Isolated from Animals and Humans. <i>Journal of Clinical Microbiology</i> , 1998, 36, 437-442.	3.9	161