

Young-Bum Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2141612/publications.pdf>

Version: 2024-02-01

50
papers

7,054
citations

159585

30
h-index

189892

50
g-index

54
all docs

54
docs citations

54
times ranked

8813
citing authors

#	ARTICLE	IF	CITATIONS
1	Leptin stimulates fatty-acid oxidation by activating AMP-activated protein kinase. <i>Nature</i> , 2002, 415, 339-343.	27.8	1,823
2	AMP-kinase regulates food intake by responding to hormonal and nutrient signals in the hypothalamus. <i>Nature</i> , 2004, 428, 569-574.	27.8	1,464
3	PTP1B Regulates Leptin Signal Transduction In Vivo. <i>Developmental Cell</i> , 2002, 2, 489-495.	7.0	735
4	Normal insulin-dependent activation of Akt/protein kinase B, with diminished activation of phosphoinositide 3-kinase, in muscle in type 2 diabetes. <i>Journal of Clinical Investigation</i> , 1999, 104, 733-741.	8.2	391
5	Role of hypothalamic Foxo1 in the regulation of food intake and energy homeostasis. <i>Nature Neuroscience</i> , 2006, 9, 901-906.	14.8	294
6	Molecular Mechanism of Insulin Resistance in Obesity and Type 2 Diabetes. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 119.	1.7	180
7	Troglitazone but not Metformin Restores Insulin-Stimulated Phosphoinositide 3-Kinase Activity and Increases p110 α Protein Levels in Skeletal Muscle of Type 2 Diabetic Subjects. <i>Diabetes</i> , 2002, 51, 443-448.	0.6	160
8	ROCK-Isoform-Specific Polarization of Macrophages Associated with Age-Related Macular Degeneration. <i>Cell Reports</i> , 2015, 10, 1173-1186.	6.4	154
9	Insulin-Stimulated Protein Kinase C β Activity Is Reduced in Skeletal Muscle of Humans With Obesity and Type 2 Diabetes: Reversal With Weight Reduction. <i>Diabetes</i> , 2003, 52, 1935-1942.	0.6	149
10	Role of Rho-kinase in regulation of insulin action and glucose homeostasis. <i>Cell Metabolism</i> , 2005, 2, 119-129.	16.2	148
11	Insulin in the nervous system and the mind: Functions in metabolism, memory, and mood. <i>Molecular Metabolism</i> , 2016, 5, 589-601.	6.5	122
12	Targeted Disruption of ROCK1 Causes Insulin Resistance in Vivo. <i>Journal of Biological Chemistry</i> , 2009, 284, 11776-11780.	3.4	108
13	Rho-kinase regulates energy balance by targeting hypothalamic leptin receptor signaling. <i>Nature Neuroscience</i> , 2012, 15, 1391-1398.	14.8	83
14	In Vivo Administration of Leptin Activates Signal Transduction Directly in Insulin-Sensitive Tissues: Overlapping but Distinct Pathways from Insulin. <i>Endocrinology</i> , 2000, 141, 2328-2339.	2.8	81
15	Fatty Acid Infusion Selectively Impairs Insulin Action on Akt1 and Protein Kinase C β but Not on Glycogen Synthase Kinase-3. <i>Journal of Biological Chemistry</i> , 2002, 277, 32915-32922.	3.4	78
16	Uncoupling Protein 3 (UCP3) Stimulates Glucose Uptake in Muscle Cells through a Phosphoinositide 3-Kinase-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2001, 276, 12520-12529.	3.4	75
17	Regulation of Glucose Transport by ROCK1 Differs from That of ROCK2 and Is Controlled by Actin Polymerization. <i>Endocrinology</i> , 2012, 153, 1649-1662.	2.8	69
18	Hypothalamic Microglial Activation in Obesity: A Mini-Review. <i>Frontiers in Neuroscience</i> , 2018, 12, 846.	2.8	68

#	ARTICLE	IF	CITATIONS
19	Leptin brain entry via a tanycytic LepR \leftrightarrow EGFR shuttle controls lipid metabolism and pancreas function. <i>Nature Metabolism</i> , 2021, 3, 1071-1090.	11.9	67
20	Rho-kinase/AMPK axis regulates hepatic lipogenesis during overnutrition. <i>Journal of Clinical Investigation</i> , 2018, 128, 5335-5350.	8.2	57
21	Clusterin and LRP2 are critical components of the hypothalamic feeding regulatory pathway. <i>Nature Communications</i> , 2013, 4, 1862.	12.8	52
22	Muscle-Specific Deletion of the Glut4 Glucose Transporter Alters Multiple Regulatory Steps in Glycogen Metabolism. <i>Molecular and Cellular Biology</i> , 2005, 25, 9713-9723.	2.3	51
23	SUMO-Specific Protease 2 (SEN2) Is an Important Regulator of Fatty Acid Metabolism in Skeletal Muscle. <i>Diabetes</i> , 2015, 64, 2420-2431.	0.6	50
24	ROCK1 isoform-specific deletion reveals a role for diet-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E332-E343.	3.5	47
25	Role of POMC and AgRP neuronal activities on glycaemia in mice. <i>Scientific Reports</i> , 2019, 9, 13068.	3.3	46
26	In vivo activation of ROCK1 by insulin is impaired in skeletal muscle of humans with type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E536-E542.	3.5	44
27	Selective PPAR γ 3 modulator INT131 normalizes insulin signaling defects and improves bone mass in diet-induced obese mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E552-E560.	3.5	39
28	Effect of short-term exercise training on insulin-stimulated PI 3-kinase activity in middle-aged men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E147-E153.	3.5	36
29	Anti-adipogenic effects of KD025 (SLx-2119), a ROCK2-specific inhibitor, in 3T3-L1 cells. <i>Scientific Reports</i> , 2018, 8, 2477.	3.3	36
30	Short-term exposure to air pollution (PM2.5) induces hypothalamic inflammation, and long-term leads to leptin resistance and obesity via Tlr4/Ikbke in mice. <i>Scientific Reports</i> , 2020, 10, 10160.	3.3	35
31	ROCK1 in AgRP Neurons Regulates Energy Expenditure and Locomotor Activity in Male Mice. <i>Endocrinology</i> , 2013, 154, 3660-3670.	2.8	34
32	ApolipoproteinA1 is a hepatokine regulating muscle glucose metabolism and insulin sensitivity. <i>Nature Communications</i> , 2020, 11, 2024.	12.8	34
33	The association between pentraxin 3 and insulin resistance in obese children at baseline and after physical activity intervention. <i>Clinica Chimica Acta</i> , 2012, 413, 1430-1437.	1.1	27
34	Metabolic actions of Rho-kinase in periphery and brain. <i>Trends in Endocrinology and Metabolism</i> , 2013, 24, 506-514.	7.1	27
35	Methylsulfonylmethane (MSM), an organosulfur compound, is effective against obesity-induced metabolic disorders in mice. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1508-1521.	3.4	25
36	Circulating ApoJ is closely associated with insulin resistance in human subjects. <i>Metabolism: Clinical and Experimental</i> , 2018, 78, 155-166.	3.4	24

#	ARTICLE	IF	CITATIONS
37	SUMO-specific protease 2 mediates leptin-induced fatty acid oxidation in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 2019, 95, 27-35.	3.4	20
38	Urine clusterin/apolipoprotein J is linked to tubular damage and renal outcomes in patients with type 2 diabetes mellitus. <i>Clinical Endocrinology</i> , 2017, 87, 156-164.	2.4	16
39	The essential role of fructose-1,6-bisphosphatase 2 enzyme in thermal homeostasis upon cold stress. <i>Experimental and Molecular Medicine</i> , 2020, 52, 485-496.	7.7	15
40	Exercising insulin sensitivity: AMPK turns on autophagy!. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 655-657.	3.4	14
41	Metformin Ameliorates Lipotoxic β -Cell Dysfunction through a Concentration-Dependent Dual Mechanism of Action. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 854.	4.7	14
42	AMPK and Sirt1: From a signaling network to a combination drug. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1692-1694.	3.4	13
43	Combined Aerobic and Resistance Exercise Training Reduces Circulating Apolipoprotein J Levels and Improves Insulin Resistance in Postmenopausal Diabetic Women. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 103.	4.7	13
44	Clusterin (apolipoprotein J): wither link with diabetes and cardiometabolic risk?. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 747-748.	3.4	8
45	Rho-Kinase as a Therapeutic Target for Nonalcoholic Fatty Liver Diseases. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 655-674.	4.7	8
46	SENP2 suppresses browning of white adipose tissues by de-conjugating SUMO from C/EBP β . <i>Cell Reports</i> , 2022, 38, 110408.	6.4	7
47	LRP1 regulates food intake and energy balance in GABAergic neurons independently of leptin action. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E379-E389.	3.5	4
48	S-Nitrosoglutathione Reverts Dietary Sucrose-Induced Insulin Resistance. <i>Antioxidants</i> , 2020, 9, 870.	5.1	2
49	Vascular smooth muscle ROCK1 contributes to hypoxia-induced pulmonary hypertension development in mice. <i>Biochemical and Biophysical Research Communications</i> , 2022, 604, 137-143.	2.1	1
50	TET2: Is a potential gatekeeper for the action of thiazolidinedione in fat cells?. <i>Metabolism: Clinical and Experimental</i> , 2018, 89, A1-A2.	3.4	0