

Nicholas F Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2142871/publications.pdf>

Version: 2024-02-01

360
papers

15,851
citations

18465

62
h-index

23514

111
g-index

368
all docs

368
docs citations

368
times ranked

13364
citing authors

#	ARTICLE	IF	CITATIONS
1	Return to sport following anterior cruciate ligament reconstruction surgery: a systematic review and meta-analysis of the state of play. <i>British Journal of Sports Medicine</i> , 2011, 45, 596-606.	3.1	941
2	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. <i>British Journal of Sports Medicine</i> , 2014, 48, 1543-1552.	3.1	920
3	Return to the Preinjury Level of Competitive Sport After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2011, 39, 538-543.	1.9	510
4	Psychological Responses Matter in Returning to Preinjury Level of Sport After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2013, 41, 1549-1558.	1.9	423
5	A systematic review of the effectiveness of strength-training programs for people with cerebral palsy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1157-1164.	0.5	362
6	Return-to-Sport Outcomes at 2 to 7 Years After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2012, 40, 41-48.	1.9	331
7	A systematic review of the psychological factors associated with returning to sport following injury. <i>British Journal of Sports Medicine</i> , 2013, 47, 1120-1126.	3.1	306
8	Motivational interviewing to increase physical activity in people with chronic health conditions: a systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2014, 28, 1159-1171.	1.0	292
9	Psychosocial predictors of failure to return to work in non-chronic non-specific low back pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2007, 65, 507-517.	1.3	235
10	Knee joint kinematics from familiarised treadmill walking can be generalised to overground walking in young unimpaired subjects. <i>Gait and Posture</i> , 2000, 11, 46-53.	0.6	226
11	What proportion of people with hip and knee osteoarthritis meet physical activity guidelines? A systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1648-1659.	0.6	225
12	Differences in habitual physical activity levels of young people with cerebral palsy and their typically developing peers: a systematic review. <i>Disability and Rehabilitation</i> , 2013, 35, 647-655.	0.9	218
13	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. <i>American Journal of Sports Medicine</i> , 2015, 43, 848-856.	1.9	204
14	A randomized clinical trial of strength training in young people with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 652-657.	1.1	193
15	Early mobilization of patients who have had a hip or knee joint replacement reduces length of stay in hospital: a systematic review. <i>Clinical Rehabilitation</i> , 2015, 29, 844-854.	1.0	175
16	Familiarization to treadmill running in young unimpaired adults. <i>Human Movement Science</i> , 2005, 24, 544-557.	0.6	171
17	Single-Event Multilevel Surgery in Children with Spastic Diplegia. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 451-460.	1.4	166
18	Pre-operative interventions (non-surgical and non-pharmacological) for patients with hip or knee osteoarthritis awaiting joint replacement surgery â€” a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1381-1395.	0.6	161

#	ARTICLE	IF	CITATIONS
19	Systematic Review of the Ability of Recovery Expectations to Predict Outcomes in Non-Chronic Non-Specific Low Back Pain. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 25-40.	1.2	148
20	Should we be testing and training muscle strength in cerebral palsy?. <i>Developmental Medicine and Child Neurology</i> , 2002, 44, 68.	1.1	147
21	Progressive Resistance Exercise Improves Muscle Strength and May Improve Elements of Performance of Daily Activities for People With COPD. <i>Chest</i> , 2009, 136, 1269-1283.	0.4	145
22	Therapeutic exercise in physiotherapy practice is beneficial: a summary of systematic reviews 2002â€”2005. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 7-16.	0.9	144
23	Attitudes, barriers and enablers to physical activity in pregnant women: a systematic review. <i>Journal of Physiotherapy</i> , 2018, 64, 24-32.	0.7	140
24	A Prospective Randomized Clinical Trial in Total Hip Arthroplastyâ€”Comparing Early Results Between the Direct Anterior Approach and the Posterior Approach. <i>Journal of Arthroplasty</i> , 2017, 32, 883-890.	1.5	137
25	Peripheral Muscle Strength Training in COPD. <i>Chest</i> , 2004, 126, 903-914.	0.4	134
26	Progressive Resistance Exercise in Physical Therapy: A Summary of Systematic Reviews. <i>Physical Therapy</i> , 2005, 85, 1208-1223.	1.1	134
27	Organisational benefits of a strong research culture in a health service: a systematic review. <i>Australian Health Review</i> , 2017, 41, 45.	0.5	134
28	Moderate-intensity exercise reduces fatigue and improves mobility in cancer survivors: a systematic review and meta-regression. <i>Journal of Physiotherapy</i> , 2016, 62, 68-82.	0.7	129
29	Identifying facilitators and barriers to physical activity for adults with Down syndrome. <i>Journal of Intellectual Disability Research</i> , 2010, 54, 795-805.	1.2	128
30	Fear of re-injury in people who have returned to sport following anterior cruciate ligament reconstruction surgery. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 488-495.	0.6	124
31	Progressive resistance training did not improve walking but can improve muscle performance, quality of life and fatigue in adults with multiple sclerosis: a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2011, 17, 1362-1374.	1.4	123
32	Does clinical supervision of healthcare professionals improve effectiveness of care and patient experience? A systematic review. <i>BMC Health Services Research</i> , 2017, 17, 786.	0.9	119
33	A randomized clinical trial of strength training in young people with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 652-7.	1.1	117
34	Measuring Muscle Strength for People With Chronic Obstructive Pulmonary Disease: Retest Reliability of Hand-Held Dynamometry. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 32-36.	0.5	115
35	Extra Physical Therapy Reduces Patient Length of Stay and Improves Functional Outcomes and Quality of Life in People With Acute or Subacute Conditions: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1490-1500.	0.5	114
36	Reducing wait time from referral to first visit for community outpatient services may contribute to better health outcomes: a systematic review. <i>BMC Health Services Research</i> , 2018, 18, 869.	0.9	113

#	ARTICLE	IF	CITATIONS
37	Familiarisation to treadmill walking in unimpaired older people. <i>Gait and Posture</i> , 2005, 21, 72-79.	0.6	110
38	Test-retest reliability of hand-held dynamometric strength testing in young people with cerebral palsy 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 77-80.	0.5	109
39	Most clinical tests cannot accurately diagnose rotator cuff pathology: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 159-170.	0.9	109
40	Progressive resistance exercise for people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2006, 28, 1119-1126.	0.9	108
41	Effects of a Community-Based Progressive Resistance Training Program on Muscle Performance and Physical Function in Adults With Down Syndrome: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1215-1220.	0.5	100
42	Hamstring Strength Recovery After Hamstring Tendon Harvest for Anterior Cruciate Ligament Reconstruction: A Comparison Between Graft Types. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2010, 26, 462-469.	1.3	100
43	Not Enough Time or a Low Priority? Barriers to Evidence-Based Practice for Allied Health Clinicians. <i>Journal of Continuing Education in the Health Professions</i> , 2014, 34, 224-231.	0.4	97
44	A community-based strength training programme increases muscle strength and physical activity in young people with Down syndrome: A randomised controlled trial. <i>Research in Developmental Disabilities</i> , 2013, 34, 4385-4394.	1.2	94
45	Progressive resistance training and mobility-related function in young people with cerebral palsy: a randomized controlled trial. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 806-812.	1.1	94
46	Therapy outcome measures for allied health practitioners in Australia: the AusTOMs. <i>International Journal for Quality in Health Care</i> , 2004, 16, 285-291.	0.9	89
47	A qualitative analysis of a progressive resistance exercise programme for people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2006, 28, 1127-1134.	0.9	85
48	Progressive resistance exercise improves glycaemic control in people with type 2 diabetes mellitus: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 237-246.	0.9	85
49	A predominantly home-based progressive resistance exercise program increases knee extensor strength in the short-term in people with chronic obstructive pulmonary disease: a randomised controlled trial. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 229-237.	0.9	84
50	The relationship between adherence to hand therapy and short-term outcome after distal radius fracture. <i>Journal of Hand Therapy</i> , 2005, 18, 2-8.	0.7	82
51	â€¦But Watch Out for the Weather. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2007, 27, 166-174.	1.2	81
52	Relationship between diastasis of the rectus abdominis muscle (DRAM) and musculoskeletal dysfunctions, pain and quality of life: a systematic review. <i>Physiotherapy</i> , 2019, 105, 24-34.	0.2	81
53	A home program of strength training, movement strategy training and education did not prevent falls in people with Parkinson's disease: a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 94-100.	0.7	76
54	Experience of living with knee osteoarthritis: a systematic review of qualitative studies. <i>BMJ Open</i> , 2019, 9, e030060.	0.8	75

#	ARTICLE	IF	CITATIONS
55	A systematic review of the self-concept of children with cerebral palsy compared with children without disability. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 151-157.	1.1	72
56	A student-led progressive resistance training program increases lower limb muscle strength in adolescents with Down syndrome: a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2010, 56, 187-193.	0.7	72
57	Additional Saturday rehabilitation improves functional independence and quality of life and reduces length of stay: a randomized controlled trial. <i>BMC Medicine</i> , 2013, 11, 198.	2.3	72
58	Primary contact physiotherapy in emergency departments can reduce length of stay for patients with peripheral musculoskeletal injuries compared with secondary contact physiotherapy: a prospective non-randomised controlled trial. <i>Physiotherapy</i> , 2011, 97, 107-114.	0.2	71
59	The modulating effects of music listening on health-related exercise and physical activity in adults: a systematic review and narrative synthesis. <i>Nordic Journal of Music Therapy</i> , 2016, 25, 76-104.	0.7	68
60	Patients value patient-therapist interactions more than the amount or content of therapy during inpatient rehabilitation: a qualitative study. <i>Journal of Physiotherapy</i> , 2012, 58, 261-268.	0.7	67
61	Association between isometric muscle strength and gait joint kinetics in adolescents and young adults with cerebral palsy. <i>Gait and Posture</i> , 2011, 33, 326-332.	0.6	66
62	Psychoeducational Rehabilitation for Health Behavior Change in Coronary Artery Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011, 31, 273-281.	1.2	65
63	Exercise improves glycaemic control in women diagnosed with gestational diabetes mellitus: a systematic review. <i>Journal of Physiotherapy</i> , 2016, 62, 188-196.	0.7	65
64	Adults with cerebral palsy benefit from participating in a strength training programme at a community gymnasium. <i>Disability and Rehabilitation</i> , 2004, 26, 1128-1134.	0.9	63
65	A Systematic Review of the Effect Of Proprioceptive and Balance Exercises on People With an Injured Or Reconstructed Anterior Cruciate Ligament. <i>Research in Sports Medicine</i> , 2005, 13, 163-178.	0.7	63
66	Telephone coaching can increase activity levels for people with non-chronic low back pain: a randomised trial. <i>Journal of Physiotherapy</i> , 2011, 57, 231-238.	0.7	63
67	A Saturday physiotherapy service may decrease length of stay in patients undergoing rehabilitation in hospital: a randomised controlled trial. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 75-81.	0.9	61
68	A qualitative analysis of the benefits of strength training for young people with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 658-663.	1.1	61
69	Primary care clinicians use variable methods to assess acute nonspecific low back pain and usually focus on impairments. <i>Manual Therapy</i> , 2009, 14, 88-100.	1.6	61
70	Mobile Telephone Short Message Service Reminders Can Reduce Nonattendance in Physical Therapy Outpatient Clinics: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 21-26.	0.5	59
71	Factors influencing adherence to a home-based strength-training programme for young people with cerebral palsy. <i>Physiotherapy</i> , 2004, 90, 57-63.	0.2	58
72	Can Physiotherapists Locate Lumbar Spinal Levels by Palpation?. <i>Physiotherapy</i> , 1997, 83, 235-239.	0.2	57

#	ARTICLE	IF	CITATIONS
73	Community ambulation before and after hip fracture: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2010, 32, 1281-1290.	0.9	57
74	Motivational interviewing increases physical activity and self-efficacy in people living in the community after hip fracture: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2016, 30, 1108-1119.	1.0	57
75	Manipulative physiotherapists can reliably palpate nominated lumbar spinal levels. <i>Manual Therapy</i> , 1999, 4, 151-156.	1.6	56
76	Adherence to Anterior Cruciate Ligament Rehabilitation: A Qualitative Analysis. <i>Journal of Sport Rehabilitation</i> , 2002, 11, 90-102.	0.4	56
77	Reliability and validity of shoulder function outcome measures in people with a proximal humeral fracture. <i>Disability and Rehabilitation</i> , 2014, 36, 1072-1079.	0.9	56
78	Patients receiving inpatient rehabilitation for lower limb orthopaedic conditions do much less physical activity than recommended in guidelines for healthy older adults: an observational study. <i>Journal of Physiotherapy</i> , 2013, 59, 39-44.	0.7	55
79	Physical Activity Levels During Acute Inpatient Admission After Hip Fracture are Very Low. <i>Physiotherapy Research International</i> , 2015, 20, 174-181.	0.7	55
80	Angular movements of the pelvis and lumbar spine during self-selected and slow walking speeds. <i>Gait and Posture</i> , 1999, 9, 88-94.	0.6	54
81	Implementing the Free Water Protocol does not Result in Aspiration Pneumonia in Carefully Selected Patients with Dysphagia: A Systematic Review. <i>Dysphagia</i> , 2017, 32, 345-361.	1.0	54
82	Exercise therapy in oncology rehabilitation in Australia: A mixed methods study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, e515-e527.	0.7	52
83	A small group aerobic exercise programme that reduces body weight is feasible in adults with severe chronic schizophrenia: a pilot study. <i>Disability and Rehabilitation</i> , 2011, 33, 1222-1229.	0.9	49
84	A randomised clinical trial of activity-focussed physiotherapy on patients with distal radius fractures. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2005, 125, 515-520.	1.3	48
85	Strength training can be enjoyable and beneficial for adults with cerebral palsy. <i>Disability and Rehabilitation</i> , 2004, 26, 1121-1127.	0.9	46
86	Validity of the de Morton Mobility Index (DEMMI) for measuring the mobility of patients with hip fracture during rehabilitation. <i>Disability and Rehabilitation</i> , 2013, 35, 325-333.	0.9	46
87	Early Rehabilitation Exercise Program for Inpatients During an Acute Exacerbation of Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2012, 32, 163-169.	1.2	45
88	Aphasia disrupts usual care: the stroke team's perceptions of delivering healthcare to patients with aphasia. <i>Disability and Rehabilitation</i> , 2021, 43, 3003-3014.	0.9	45
89	Home exercise programmes supported by video and automated reminders compared with standard paper-based home exercise programmes in patients with stroke: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 1068-1077.	1.0	44
90	Self-concept of children with cerebral palsy compared with that of children without impairment. <i>Developmental Medicine and Child Neurology</i> , 2007, 49, 350-354.	1.1	43

#	ARTICLE	IF	CITATIONS
91	The de Morton Mobility Index (DEMMI) provides a valid method for measuring and monitoring the mobility of patients making the transition from hospital to the community: an observational study. <i>Journal of Physiotherapy</i> , 2011, 57, 109-116.	0.7	43
92	The effectiveness of sub-group specific manual therapy for low back pain: A systematic review. <i>Manual Therapy</i> , 2012, 17, 201-212.	1.6	43
93	Dysphagia is a Common and Serious Problem for Adults with Mental Illness: A Systematic Review. <i>Dysphagia</i> , 2012, 27, 124-137.	1.0	43
94	Prescribed exercise programs may not be effective in reducing impairments and improving activity during upper limb fracture rehabilitation: a systematic review. <i>Journal of Physiotherapy</i> , 2017, 63, 205-220.	0.7	43
95	Effective clinical supervision of allied health professionals: a mixed methods study. <i>BMC Health Services Research</i> , 2020, 20, 2.	0.9	43
96	Progressive resistance exercise in physical therapy: a summary of systematic reviews. <i>Physical Therapy</i> , 2005, 85, 1208-23.	1.1	42
97	Chest physiotherapy for patients admitted to hospital with an acute exacerbation of chronic obstructive pulmonary disease (COPD): a systematic review. <i>Physiotherapy</i> , 2010, 96, 1-13.	0.2	41
98	Do Colles™ fracture patients benefit from routine referral to physiotherapy following cast removal?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2000, 120, 413-415.	1.3	40
99	Do triage systems in healthcare improve patient flow? A systematic review of the literature. <i>Australian Health Review</i> , 2011, 35, 371.	0.5	40
100	Additional Saturday Allied Health Services Increase Habitual Physical Activity Among Patients Receiving Inpatient Rehabilitation for Lower Limb Orthopedic Conditions: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1365-1370.	0.5	39
101	Economic Evaluation of Adult Rehabilitation: A Systematic Review and Meta-Analysis of Randomized Controlled Trials in a Variety of Settings. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 94-116.e4.	0.5	39
102	Reducing Waiting Time for Community Rehabilitation Services: A Controlled Before-and-After Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 23-31.	0.5	38
103	Does clinical supervision of health professionals improve patient safety? A systematic review and meta-analysis. <i>International Journal for Quality in Health Care</i> , 2016, 28, 447-455.	0.9	38
104	Additional Physical Therapy Services Reduce Length of Stay and Improve Health Outcomes in People With Acute and Subacute Conditions: An Updated Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2299-2312.	0.5	38
105	Angular movements of the lumbar spine and pelvis can be reliably measured after 4 minutes of treadmill walking. <i>Clinical Biomechanics</i> , 1996, 11, 484-486.	0.5	37
106	The effect of walking faster on people with acute low back pain. <i>European Spine Journal</i> , 2003, 12, 166-172.	1.0	37
107	Physiotherapy Services Provided Outside of Business Hours in Australian Hospitals: A National Survey. <i>Physiotherapy Research International</i> , 2013, 18, 115-123.	0.7	36
108	The Feasibility of Physical Activity Interventions During the Intense Treatment Phase for Children and Adolescents with Cancer: A Systematic Review. <i>Pediatric Blood and Cancer</i> , 2016, 63, 1586-1593.	0.8	36

#	ARTICLE	IF	CITATIONS
109	A qualitative analysis of the benefits of strength training for young people with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 658-63.	1.1	35
110	Comparing the self concept of children with cerebral palsy to the perceptions of their parents. <i>Disability and Rehabilitation</i> , 2009, 31, 387-393.	0.9	33
111	Exercise reduces impairment and improves activity in people after some upper limb fractures: a systematic review. <i>Journal of Physiotherapy</i> , 2011, 57, 71-82.	0.7	33
112	The stabilizing role of the rotator cuff at the shoulder's responses to external perturbations. <i>Clinical Biomechanics</i> , 2012, 27, 551-556.	0.5	33
113	Measurement of subacromial impingement of the rotator cuff. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 2-7.	0.6	33
114	Validity of the AusTOM scales: a comparison of the AusTOMs and EuroQol-5D. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 64.	1.0	32
115	Self-concept in children with spina bifida compared with typically developing children. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 733-743.	1.1	32
116	Altered scapula position in elite young cricketers with shoulder problems. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 22-27.	0.6	32
117	Physiotherapy intervention practice patterns used in rehabilitation after distal radial fracture. <i>Physiotherapy</i> , 2013, 99, 233-240.	0.2	32
118	Stabilizing characteristics of rotator cuff muscles: a systematic review. <i>Disability and Rehabilitation</i> , 2015, 37, 1033-1043.	0.9	32
119	Individualised physiotherapy as an adjunct to guideline-based advice for low back disorders in primary care: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2016, 50, 237-245.	3.1	32
120	Correlation of impairment and activity limitation after wrist fracture. <i>Physiotherapy Research International</i> , 2002, 7, 90-99.	0.7	31
121	Additional weekend therapy may reduce length of rehabilitation stay after stroke: a meta-analysis of individual patient data. <i>Journal of Physiotherapy</i> , 2016, 62, 124-129.	0.7	31
122	Research experience and research interests of allied health professionals. <i>Journal of Allied Health</i> , 2009, 38, e107-11.	0.2	31
123	Music interventions and physical activity in older adults: A systematic literature review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 710-719.	0.8	30
124	Are weekend inpatient rehabilitation services value for money? An economic evaluation alongside a randomized controlled trial with a 30 day follow up. <i>BMC Medicine</i> , 2014, 12, 89.	2.3	30
125	The association of foot structure and footwear fit with disability in children and adolescents with Down syndrome. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 4.	0.7	30
126	A community-based exercise program to increase participation in physical activities among youth with disability: a feasibility study. <i>Disability and Rehabilitation</i> , 2019, 41, 1152-1159.	0.9	30

#	ARTICLE	IF	CITATIONS
127	Prioritizing patients for Community Rehabilitation Services: do clinicians agree on triage decisions?. <i>Clinical Rehabilitation</i> , 2010, 24, 928-934.	1.0	29
128	The retest reliability of the six-minute walk test in patients referred to a cardiac rehabilitation programme. <i>Physiotherapy Research International</i> , 2012, 17, 55-61.	0.7	29
129	A walking program for people with severe knee osteoarthritis did not reduce pain but may have benefits for cardiovascular health: a phase II randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1969-1979.	0.6	29
130	Strength Training Can Have Unexpected Effects on the Self-Concept of Children with Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2004, 16, 99-105.	0.3	28
131	Specific treatment of problems of the spine (STOPS): design of a randomised controlled trial comparing specific physiotherapy versus advice for people with subacute low back disorders. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 104.	0.8	28
132	Gross motor function is an important predictor of daily physical activity in young people with bilateral spastic cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 1163-1171.	1.1	28
133	Effect of computer therapy in aphasia: a systematic review. <i>Aphasiology</i> , 0, , 1-34.	1.4	28
134	“A good stepping stone to normality”: a qualitative study of cancer survivors’ experiences of an exercise-based rehabilitation program. <i>Supportive Care in Cancer</i> , 2019, 27, 1729-1736.	1.0	28
135	Women with gestational diabetes mellitus want clear and practical messages from credible sources about physical activity during pregnancy: a qualitative study. <i>Journal of Physiotherapy</i> , 2019, 65, 37-42.	0.7	28
136	Discharge planning for patients receiving rehabilitation after hip fracture: A qualitative analysis of physiotherapists' perceptions. <i>Disability and Rehabilitation</i> , 2010, 32, 492-499.	0.9	27
137	Contact with Young Adults with Disability Led to a Positive Change in Attitudes toward Disability among Physiotherapy Students. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014, 66, 298-305.	0.3	27
138	A study protocol of a randomised controlled trial to investigate if a community based strength training programme improves work task performance in young adults with Down syndrome. <i>BMC Pediatrics</i> , 2010, 10, 17.	0.7	26
139	Effect of Triage on Waiting Time for Community Rehabilitation: A Prospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 441-445.	0.5	26
140	Can Manipulative Physiotherapists Agree on which Lumbar Level to Treat Based on Palpation?. <i>Physiotherapy</i> , 2003, 89, 74-81.	0.2	25
141	Habitual physical activity can be increased in people with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2011, 25, 303-315.	1.0	25
142	Community ambulation after hip fracture: completing tasks to enable access to common community venues. <i>Disability and Rehabilitation</i> , 2012, 34, 707-714.	0.9	25
143	Patient recovery expectations in non-chronic non-specific low back pain: A qualitative investigation. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 781-787.	0.8	25
144	Outcomes After Caregiver-Provided Speech and Language or Other Allied Health Therapy: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1139-1160.	0.5	25

#	ARTICLE	IF	CITATIONS
145	Rehabilitation interventions with deconditioned older adults following an acute hospital admission: a systematic review. <i>Clinical Rehabilitation</i> , 2014, 28, 1078-1086.	1.0	25
146	The effect of in vivo rotator cuff muscle contraction on glenohumeral joint translation: An ultrasonographic and electromyographic study. <i>Journal of Biomechanics</i> , 2016, 49, 3840-3847.	0.9	25
147	The feasibility of a physical activity program for young adults with Down syndrome: A phase II randomised controlled trial. <i>Journal of Intellectual and Developmental Disability</i> , 2015, 40, 115-125.	1.1	24
148	Predischarge home visits after hip fracture: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 681-692.	1.0	24
149	Effect of physiotherapy attendance on outcome after anterior cruciate ligament reconstruction: a pilot study. <i>British Journal of Sports Medicine</i> , 2004, 38, 74-77.	3.1	23
150	Level of adherence to the GOLD strategy document for management of patients admitted to hospital with an acute exacerbation of COPD. <i>Respirology</i> , 2014, 19, 1191-1197.	1.3	23
151	A progressive exercise and structured advice program does not improve activity more than structured advice alone following a distal radial fracture: a multi-centre, randomised trial. <i>Journal of Physiotherapy</i> , 2016, 62, 145-152.	0.7	23
152	Telerehabilitation's Safety, Feasibility, and Exercise Uptake in Cancer Survivors: Process Evaluation. <i>JMIR Cancer</i> , 2021, 7, e33130.	0.9	23
153	Does Exercise Reduce Cancer-Related Fatigue in Hospitalised Oncology Patients? A Systematic Review. <i>Onkologie</i> , 2010, 33, 6-6.	1.1	22
154	The 10m incremental shuttle walk test is a highly reliable field exercise test for patients referred to cardiac rehabilitation: a retest reliability study. <i>Physiotherapy</i> , 2016, 102, 243-248.	0.2	22
155	Participant-selected music and physical activity in older adults following cardiac rehabilitation: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 329-339.	1.0	22
156	How Do People Communicate About Knee Osteoarthritis? A Discourse Analysis. <i>Pain Medicine</i> , 2021, 22, 1127-1148.	0.9	22
157	Qualitative outcomes of progressive resistance exercise for people with COPD. <i>Chronic Respiratory Disease</i> , 2007, 4, 135-142.	1.0	21
158	Measuring mobility in patients living in the community with Parkinson disease. <i>NeuroRehabilitation</i> , 2013, 32, 957-966.	0.5	21
159	Do Children and Adolescents With Mild Traumatic Brain Injury and Persistent Symptoms Benefit From Treatment? A Systematic Review. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, 324-333.	1.0	21
160	Parent-reported health-related quality of life of children with Down syndrome: a descriptive study. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 402-408.	1.1	21
161	Motivational interviewing added to oncology rehabilitation did not improve moderate-intensity physical activity in cancer survivors: a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 255-263.	0.7	21
162	A study protocol of a randomised controlled trial incorporating a health economic analysis to investigate if additional allied health services for rehabilitation reduce length of stay without compromising patient outcomes. <i>BMC Health Services Research</i> , 2010, 10, 308.	0.9	20

#	ARTICLE	IF	CITATIONS
163	Getting fit for practice: An innovative paediatric clinical placement provided physiotherapy students opportunities for skill development. <i>Physiotherapy</i> , 2013, 99, 159-164.	0.2	20
164	Characteristics of Stabilizer Muscles: A Systematic Review. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014, 66, 348-358.	0.3	20
165	The maximum tolerated dose of walking for people with severe osteoarthritis of the knee: a phase I trial. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1285-1293.	0.6	20
166	Is cost effectiveness sustained after weekend inpatient rehabilitation? 12-month follow up from a randomized controlled trial. <i>BMC Health Services Research</i> , 2015, 15, 165.	0.9	20
167	Older Adults™ Music Listening Preferences to Support Physical Activity Following Cardiac Rehabilitation. <i>Journal of Music Therapy</i> , 2016, 53, 364-397.	0.6	20
168	The effects of progressive resistance training on daily physical activity in young people with cerebral palsy: a randomised controlled trial. <i>Disability and Rehabilitation</i> , 2016, 38, 620-626.	0.9	20
169	Locomotor and robotic assistive gait training for children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 328-335.	1.1	20
170	Influencing physiotherapy student attitudes toward exercise for adolescents with Down syndrome. <i>Disability and Rehabilitation</i> , 2011, 33, 360-366.	0.9	19
171	Isolation of infraspinatus in clinical test positions. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 256-260.	0.6	19
172	In the first 3 months after stroke is progressive resistance training safe and does it improve activity? A systematic review. <i>Topics in Stroke Rehabilitation</i> , 2016, 23, 366-375.	1.0	19
173	An aerobic exercise program for young people with cerebral palsy in specialist schools: A phase I randomized controlled trial. <i>Developmental Neurorehabilitation</i> , 2017, 20, 331-338.	0.5	19
174	A model of access combining triage with initial management reduced waiting time for community outpatient services: a stepped wedge cluster randomised controlled trial. <i>BMC Medicine</i> , 2018, 16, 182.	2.3	19
175	Accuracy of clinical tests to diagnose superior labral anterior and posterior (SLAP) lesions. <i>Physical Therapy Reviews</i> , 2005, 10, 5-14.	0.3	18
176	The anatomical basis for clinical tests assessing musculoskeletal function of the shoulder. <i>Physical Therapy Reviews</i> , 2008, 13, 17-24.	0.3	18
177	Triaging Patients for Allied Health Services: A Systematic Review of the Literature. <i>British Journal of Occupational Therapy</i> , 2009, 72, 153-162.	0.5	18
178	Pre-discharge home assessment visits in assisting patients' return to community living: A systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 289-299.	0.8	18
179	Home exercise programs supported by video and automated reminders for patients with stroke: A qualitative analysis. <i>Australian Occupational Therapy Journal</i> , 2018, 65, 187-197.	0.6	18
180	Clinician and patient perspectives of a new model of triage in a community rehabilitation program that reduced waiting time: a qualitative analysis. <i>Australian Health Review</i> , 2013, 37, 324.	0.5	17

#	ARTICLE	IF	CITATIONS
181	Walking tolerance of patients recovering from hip fracture: a phase I trial. <i>Disability and Rehabilitation</i> , 2016, 38, 1900-1908.	0.9	17
182	Development and evaluation of an allied health research training scheme. <i>Journal of Allied Health</i> , 2010, 39, e143-8.	0.2	17
183	Reliability of the Australian Therapy Outcome Measures for Occupational Therapy Self-care scale. <i>Australian Occupational Therapy Journal</i> , 2006, 53, 265-276.	0.6	16
184	An evaluation of the anatomic basis of the O'Brien active compression test for superior labral anterior and posterior (SLAP) lesions. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, 165-171.	1.2	16
185	Outcome measures in the management of proximal humeral fractures: a systematic review of their use and psychometric properties. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 333-343.	1.2	16
186	Effectiveness of clinical supervision of physiotherapists: a survey. <i>Australian Health Review</i> , 2015, 39, 190.	0.5	16
187	The Shoulder Function Index (SFInX): evaluation of its measurement properties in people recovering from a proximal humeral fracture. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 295.	0.8	16
188	Barriers to and facilitators of physical activity for children with cerebral palsy in special education. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 1408-1415.	1.1	16
189	Multidisciplinary, exercise-based oncology rehabilitation programs improve patient outcomes but their effects on healthcare service-level outcomes remain uncertain: a systematic review. <i>Journal of Physiotherapy</i> , 2021, 67, 12-26.	0.7	16
190	Factors that predict discharge destination for patients in transitional care: a prospective observational cohort study. <i>Australian Health Review</i> , 2012, 36, 430.	0.5	15
191	BAck iN the Game (BANG) – a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	0.8	15
192	The effect of delegation of therapy to allied health assistants on patient and organisational outcomes: a systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2020, 20, 491.	0.9	15
193	A pre-operative group rehabilitation programme provided limited benefit for people with severe hip and knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2014, 36, 2085-2090.	0.9	14
194	Providing exercise instructions using multimedia may improve adherence but not patient outcomes: a systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2019, 33, 607-618.	1.0	14
195	To sit or not to sit? A systematic review and meta-analysis of seated exercise for older adults. <i>Australasian Journal on Ageing</i> , 2019, 38, 15-27.	0.4	14
196	Perceptions about participation in a 12-week walking program for people with severe knee osteoarthritis: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2019, 41, 779-785.	0.9	14
197	Retest reliability of measuring hip extensor muscle strength in different testing positions in young people with cerebral palsy. <i>BMC Pediatrics</i> , 2011, 11, 42.	0.7	13
198	Measurement of glenohumeral joint translation using real-time ultrasound imaging: A physiotherapist and sonographer intra-rater and inter-rater reliability study. <i>Manual Therapy</i> , 2016, 26, 110-116.	1.6	13

#	ARTICLE	IF	CITATIONS
199	Implementation of evidence-based weekend service recommendations for allied health managers: a cluster randomised controlled trial protocol. <i>Implementation Science</i> , 2018, 13, 60.	2.5	13
200	From Cancer Rehabilitation to Recreation: A Coordinated Approach to Increasing Physical Activity. <i>Physical Therapy</i> , 2020, 100, 2049-2059.	1.1	13
201	Translating evidence into practice: a longitudinal qualitative exploration of allied health decision-making. <i>Health Research Policy and Systems</i> , 2021, 19, 38.	1.1	13
202	Effectiveness of Clinical Supervision of Allied Health Professionals: A Survey. <i>Journal of Allied Health</i> , 2016, 45, 113-21.	0.2	13
203	A training programme did not increase agreement between allied health clinicians prioritizing patients for community rehabilitation. <i>Clinical Rehabilitation</i> , 2011, 25, 599-606.	1.0	12
204	Involving family members in physiotherapy for older people transitioning from hospital to the community: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2015, 37, 2061-2069.	0.9	12
205	Individualized Physical Therapy Is Cost-Effective Compared With Guideline-Based Advice for People With Low Back Disorders. <i>Spine</i> , 2017, 42, E169-E176.	1.0	12
206	Is the 10 m incremental shuttle walk test a useful test of exercise capacity for patients referred to cardiac rehabilitation?. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 159-169.	0.4	12
207	Are wait lists inevitable in subacute ambulatory and community health services? A qualitative analysis. <i>Australian Health Review</i> , 2018, 42, 93.	0.5	12
208	Assessment of physical function in children with cancer: A systematic review. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27369.	0.8	12
209	Training family to assist with physiotherapy for older people transitioning from hospital to the community: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 1625-1635.	1.0	12
210	Establishing measurement properties in the assessment of inter-recti distance of the abdominal muscles in a postnatal women. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102202.	0.6	12
211	Physical activity for children undergoing acute cancer treatment: A qualitative study of parental perspectives. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28264.	0.8	12
212	Triage in Nonemergency Services. <i>Profiles in Operations Research</i> , 2013, , 229-250.	0.3	12
213	A Systematic Review of the Self-Concept of Children with Cerebral Palsy and Perceptions of Parents and Teachers. <i>Physical and Occupational Therapy in Pediatrics</i> , 2007, 27, 55-71.	0.8	11
214	The influence of age on gait parameters during the transition from a wide to a narrow pathway. <i>Physiotherapy Research International</i> , 2008, 13, 75-83.	0.7	11
215	Anatomical validity of the Hawkinsâ€œKennedy test â€œ A pilot study. <i>Manual Therapy</i> , 2011, 16, 399-402.	1.6	11
216	Protocol for a home-based integrated physical therapy program to reduce falls and improve mobility in people with Parkinsonâ€™s disease. <i>BMC Neurology</i> , 2012, 12, 54.	0.8	11

#	ARTICLE	IF	CITATIONS
217	Physiotherapy students' self-reported assessment of professional behaviours and skills while working with young people with disability. <i>Disability and Rehabilitation</i> , 2014, 36, 1834-1839.	0.9	11
218	The Shoulder Function Index (SFInX): a clinician-observed outcome measure for people with a proximal humeral fracture. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 31.	0.8	11
219	Improving access for community health and sub-acute outpatient services: protocol for a stepped wedge cluster randomised controlled trial. <i>BMC Health Services Research</i> , 2016, 16, 364.	0.9	11
220	FitSkills: protocol for a stepped wedge cluster randomised trial of a community-based exercise programme to increase participation among young people with disability. <i>BMJ Open</i> , 2020, 10, e037153.	0.8	11
221	Research interest, experience and confidence of allied health professionals working in medical imaging: a cross-sectional survey. <i>Journal of Medical Radiation Sciences</i> , 2021, 68, 121-130.	0.8	11
222	Conducting community rehabilitation review sessions via videoconference: A feasibility study. <i>Australian Journal of Rural Health</i> , 2020, 28, 603-612.	0.7	11
223	The anatomical basis of the resisted supination external rotation test for superior labral anterior to posterior lesions. <i>Clinical Anatomy</i> , 2009, 22, 665-670.	1.5	10
224	Outcomes and adverse events from physiotherapy functional restoration for lumbar disc herniation with associated radiculopathy. <i>Disability and Rehabilitation</i> , 2011, 33, 1537-1547.	0.9	10
225	Occupational therapy inpatient rehabilitation interventions with deconditioned older adults following an acute hospital admission: A Delphi study. <i>Australian Occupational Therapy Journal</i> , 2015, 62, 41-49.	0.6	10
226	The Brunel Music Rating Inventory-2 is a reliable and valid instrument for older cardiac rehabilitation patients selecting music for exercise. <i>Psychology of Music</i> , 2016, 44, 249-262.	0.9	10
227	A qualitative evaluation of an aerobic exercise program for young people with cerebral palsy in specialist schools. <i>Developmental Neurorehabilitation</i> , 2017, 20, 339-346.	0.5	10
228	Maximum Tolerated Dose of Walking for Community-Dwelling People Recovering From Hip Fracture: A Dose-Response Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2533-2539.	0.5	10
229	Do foot posture, deformity, and footwear fit influence physical activity levels in children with Down syndrome? A prospective cohort study. <i>Journal of Intellectual and Developmental Disability</i> , 2017, 42, 332-338.	1.1	10
230	Individualized functional restoration as an adjunct to advice for lumbar disc herniation with associated radiculopathy. A preplanned subgroup analysis of a randomized controlled trial. <i>Spine Journal</i> , 2017, 17, 346-359.	0.6	10
231	Validity and reliability of an activity monitor to quantify arm movements and activity in adults following distal radius fracture. <i>Disability and Rehabilitation</i> , 2018, 40, 1318-1325.	0.9	10
232	Staff perspectives of a model of access and triage for reducing waiting time in ambulatory services: a qualitative study. <i>BMC Health Services Research</i> , 2019, 19, 283.	0.9	10
233	Direct supervision of physiotherapists improves compliance with clinical practice guidelines for patients with hip fracture: a controlled before-and-after study. <i>Disability and Rehabilitation</i> , 2020, 42, 3825-3832.	0.9	10
234	A consumer co-created infographic improves short-term knowledge about physical activity and self-efficacy to exercise in women with gestational diabetes mellitus: a randomised trial. <i>Journal of Physiotherapy</i> , 2020, 66, 243-248.	0.7	10

#	ARTICLE	IF	CITATIONS
235	Home visits by occupational therapists improve adherence to recommendations: Process evaluation of a randomised controlled trial. <i>Australian Occupational Therapy Journal</i> , 2020, 67, 287-296.	0.6	10
236	Physiotherapists Prefer Clinical Supervision to Focus on Professional Skill Development: A Qualitative Study. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2020, 72, 249-257.	0.3	10
237	Behaviour change interventions to increase physical activity in hospitalised patients: a systematic review, meta-analysis and meta-regression. <i>Age and Ageing</i> , 2022, 51, .	0.7	10
238	What is the effect of delays in access to specialist epilepsy care on patient outcomes? A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2021, 122, 108192.	0.9	10
239	A Cancer Exercise Toolkit Developed Using Co-Design: Mixed Methods Study. <i>JMIR Cancer</i> , 2022, 8, e34903.	0.9	10
240	Reliability of measurement of angular movements of the pelvis and lumbar spine during treadmill walking. <i>Physiotherapy Research International</i> , 2001, 6, 205-223.	0.7	9
241	Movements of the pelvis and lumbar spine during walking in people with acute low back pain. <i>Physiotherapy Research International</i> , 2004, 9, 74-84.	0.7	9
242	Measuring changes in activity limitation and participation restriction in people with COPD. <i>International Journal of Therapy and Rehabilitation</i> , 2005, 12, 264-268.	0.1	9
243	The upper and lower segments of subscapularis muscle have different roles in glenohumeral joint functioning. <i>Journal of Biomechanics</i> , 2017, 63, 92-97.	0.9	9
244	What effect does regular exercise have on oxidative stress in people with Down syndrome? A systematic review with meta-analyses. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 596-603.	0.6	9
245	Accumulated or continuous exercise for glycaemic regulation and control: a systematic review with meta-analysis. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000470.	1.4	9
246	Cancer Survivors Awaiting Rehabilitation Rarely Meet Recommended Physical Activity Levels: An Observational Study. <i>Rehabilitation Oncology</i> , 2018, 36, 214-222.	0.2	9
247	Specific timely appointments for triage to reduce wait times in a medical outpatient clinic: protocol of a pre-post study with process evaluation. <i>BMC Health Services Research</i> , 2019, 19, 831.	0.9	9
248	Is strength training feasible for young people with Prader-Willi syndrome? A phase I randomised controlled trial. <i>Physiotherapy</i> , 2020, 106, 136-144.	0.2	9
249	A comparison of acute glycaemic responses to accumulated or single bout walking exercise in apparently healthy, insufficiently active adults. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 902-907.	0.6	9
250	A Systematic Review of Clinical Practice Guidelines for Physical Therapist Management of Patellofemoral Pain. <i>Physical Therapy</i> , 2021, 101, .	1.1	9
251	Interrater Reliability and Clinical Utility of the Personal Care Participation Assessment and Resource Tool (PCâ€“PART) in an Inpatient Rehabilitation Setting. <i>American Journal of Occupational Therapy</i> , 2014, 68, 334-343.	0.1	9
252	An effective coaching intervention for people with low recovery expectations and low back pain: A content analysis. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2014, 27, 93-101.	0.4	8

#	ARTICLE	IF	CITATIONS
253	Glenohumeral joint translation and muscle activity in patients with symptomatic rotator cuff pathology: An ultrasonographic and electromyographic study with age-matched controls. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 885-889.	0.6	8
254	Development of a Multivariate Prognostic Model for Pain and Activity Limitation in People With Low Back Disorders Receiving Physiotherapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2504-2512.e12.	0.5	8
255	Family-assisted therapy empowered families of older people transitioning from hospital to the community: a qualitative study. <i>Journal of Physiotherapy</i> , 2019, 65, 166-171.	0.7	8
256	Consumer perspectives of telehealth in ambulatory care in an Australian health network. <i>Health and Social Care in the Community</i> , 2022, 30, 1903-1912.	0.7	8
257	Effectiveness of knowledge brokering and recommendation dissemination for influencing healthcare resource allocation decisions: A cluster randomised controlled implementation trial. <i>PLoS Medicine</i> , 2021, 18, e1003833.	3.9	8
258	Evaluating the Introduction of an Allied Health Clinical Research Office at a Health Service: Effects on Research Participation, Interest, and Experience of Allied Health Professionals. <i>Journal of Allied Health</i> , 2019, 48, 46-53.	0.2	8
259	Is progressive resistance exercise ineffective in increasing muscle strength in young people with cerebral palsy?. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 222.	0.9	7
260	Evaluation of the internal construct validity of the Personal Care Participation Assessment and Resource Tool (PC-PART) using Rasch analysis. <i>BMC Health Services Research</i> , 2014, 14, 543.	0.9	7
261	Sit-to-stand exercise programs improve sit-to-stand performance in people with physical impairments due to health conditions: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2020, 42, 1202-1211.	0.9	7
262	Embedded Motivational Interviewing combined with a smartphone app to increase physical activity in people with sub-acute low back pain: Study protocol of a cluster randomised control trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100511.	0.5	7
263	Comparing process evaluations of motivational interviewing interventions for managing health conditions and health promotions: A scoping review. <i>Patient Education and Counseling</i> , 2021, , .	1.0	7
264	Reducing the waitlist of referred patients in a medical specialist outpatient clinic: an observational study. <i>Journal of Health Organization and Management</i> , 2020, 35, 115-130.	0.6	7
265	Patients admitted with an acute exacerbation of chronic obstructive pulmonary disease had positive experiences exercising from the beginning of their hospital stay. <i>Chronic Respiratory Disease</i> , 2013, 10, 197-205.	1.0	6
266	Pre-discharge home visits by occupational therapists completed for patients following hip fracture. <i>Australian Occupational Therapy Journal</i> , 2017, 64, 41-48.	0.6	6
267	Critically Appraised Papers: An aerobic and resistance exercise program can improve glycaemic control in women with gestational diabetes mellitus [synopsis]. <i>Journal of Physiotherapy</i> , 2018, 64, 124.	0.7	6
268	A Group Lifestyle Intervention Program Is Associated with Reduced Emergency Department Presentations for People with Metabolic Syndrome: A Retrospective Case-Control Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 110-116.	0.5	6
269	Individualised manual therapy plus guideline-based advice vs advice alone for people with clinical features of lumbar zygapophyseal joint pain: a randomised controlled trial. <i>Physiotherapy</i> , 2019, 105, 53-64.	0.2	6
270	Effectiveness of behavioural interventions on physical activity levels after hip or knee joint replacement: a systematic review. <i>Disability and Rehabilitation</i> , 2020, 42, 3573-3580.	0.9	6

#	ARTICLE	IF	CITATIONS
271	Mapping the Functional Independence Measure to a multi-attribute utility instrument for economic evaluations in rehabilitation: a secondary analysis of randomized controlled trial data. <i>Disability and Rehabilitation</i> , 2020, 42, 3024-3032.	0.9	6
272	Many inpatients may not be physically prepared for community ambulation on discharge from a publicly funded rehabilitation centre: a cross-sectional cohort study. <i>Disability and Rehabilitation</i> , 2021, 43, 3672-3679.	0.9	6
273	Feasibility of scaling-up a community-based exercise program for young people with disability. <i>Disability and Rehabilitation</i> , 2022, 44, 1669-1681.	0.9	6
274	In the Dark About Physical Activity – Exploring Patient Perceptions of Physical Activity After Elective Total Knee Joint Replacement: A Qualitative Study. <i>Arthritis Care and Research</i> , 2022, 74, 965-974.	1.5	6
275	Access to pulmonary rehabilitation for people from culturally and linguistically diverse communities: A cohort study. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	6
276	Exercise for patients with cancer: reducing disease-related fatigue. <i>Future Oncology</i> , 2011, 7, 165-167.	1.1	5
277	A patient education program supported by staff training can reduce the rate of falls for older patients during inpatient rehabilitation [synopsis]. <i>Journal of Physiotherapy</i> , 2015, 61, 224.	0.7	5
278	Physical activity levels after hip and knee joint replacement surgery: an observational study. <i>Clinical Rheumatology</i> , 2019, 38, 665-674.	1.0	5
279	Sustainable waiting time reductions after introducing the STAT model for access and triage: 12-month follow up of a stepped wedge cluster randomised controlled trial. <i>BMC Health Services Research</i> , 2020, 20, 968.	0.9	5
280	Motivational interviewing with community-dwelling older adults after hip fracture (MIHip): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e047970.	0.8	5
281	Sit-to-stand training for self-care and mobility in children with cerebral palsy: a randomized controlled trial. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 1476-1482.	1.1	5
282	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation (â€ˆMy Therapyâ€ˆ™): protocol for a mixed-methods process evaluation. <i>BMC Health Services Research</i> , 2021, 21, 810.	0.9	5
283	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation (â€ˆMy Therapyâ€ˆ™): protocol for a stepped-wedge cluster randomised trial. <i>BMC Health Services Research</i> , 2021, 21, 811.	0.9	5
284	Benefits and harms of non-surgical and non-pharmacological management of osteoporotic vertebral fractures: A systematic review and meta-analysis. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100383.	1.1	5
285	Service redesign interventions to reduce waiting time for paediatric rehabilitation and therapy services: A systematic review of the literature. <i>Health and Social Care in the Community</i> , 2022, 30, 2057-2070.	0.7	5
286	Highly satisfied or eager to please? Assessing satisfaction among allied health outpatients. <i>International Journal of Therapy and Rehabilitation</i> , 2010, 17, 353-359.	0.1	4
287	Sedentary behaviour in adolescents and young adults with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 609-610.	1.1	4
288	Does additional acute phase inpatient rehabilitation help people return to work? A subgroup analysis from a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2014, 28, 754-761.	1.0	4

#	ARTICLE	IF	CITATIONS
289	Machines that go "ping" may improve balance but may not improve mobility or reduce risk of falls: A systematic review. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 18-30.	0.8	4
290	Responsiveness, construct and criterion validity of the Personal Care-Participation Assessment and Resource Tool (PC-PART). <i>Health and Quality of Life Outcomes</i> , 2015, 13, 125.	1.0	4
291	A Standard Form of Cardiac Rehabilitation Can Improve Self-Reported Positive Behavior Changes in the Short- to Medium-Term. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, 175-180.	1.2	4
292	How do health professionals prioritize clinical areas for implementation of evidence into practice? A cross-sectional qualitative study. <i>International Journal of Evidence-Based Healthcare</i> , 2020, Publish Ahead of Print, 288-296.	0.1	4
293	Are hip movement precautions effective in preventing prosthesis dislocation post hip arthroplasty using a posterior surgical approach? A systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2022, 44, 2560-2566.	0.9	4
294	Three short sessions of physiotherapy during rehabilitation after hip fracture were no more effective in improving mobility than a single longer session: a randomised controlled trial. <i>Physiotherapy</i> , 2021, 112, 87-95.	0.2	4
295	The feasibility of delivering first suspected seizure care using telehealth: A mixed methods controlled study. <i>Epilepsy Research</i> , 2021, 169, 106520.	0.8	4
296	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034696.	0.8	4
297	Clinical Supervision for Allied Health Professionals Working in Community Health Care Settings: Barriers to Participation. <i>Journal of Allied Health</i> , 2019, 48, 270-276.	0.2	4
298	Nurses sustain manual handling risk assessment behaviours six-months after a training program to move patients safely: a pre-post study. <i>Disability and Rehabilitation</i> , 2023, 45, 927-935.	0.9	4
299	Osteoarthritis management care pathways are complex and inefficient: A qualitative study of physiotherapist perspectives from specialised osteoarthritis services. <i>Musculoskeletal Care</i> , 2022, 20, 860-872.	0.6	4
300	Physical Therapists Should Consider Including Strength Training as Part of Fracture Rehabilitation. <i>Physical Therapy Reviews</i> , 2004, 9, 51-59.	0.3	3
301	An evaluation of the anatomical basis of the Biceps Load tests I and II for superior labral anterior and posterior (SLAP) lesions. <i>Clinical Anatomy</i> , 2008, 21, 647-651.	1.5	3
302	A seven-day physiotherapy service. <i>Journal of Physiotherapy</i> , 2014, 60, 179-180.	0.7	3
303	Who Benefits Most From Individualized Physiotherapy or Advice for Low Back Disorders? A Preplanned Effect Modifier Analysis of a Randomized Controlled Trial. <i>Spine</i> , 2017, 42, E1215-E1224.	1.0	3
304	Does Psychoeducation Added to Oncology Rehabilitation Improve Physical Activity and Other Health Outcomes? A Systematic Review. <i>Rehabilitation Oncology</i> , 2017, 35, 61-71.	0.2	3
305	Reasons for readmission to hospital after hip fracture: Implications for occupational therapy. <i>British Journal of Occupational Therapy</i> , 2018, 81, 247-254.	0.5	3
306	Efficacy of custom-fitted footwear to increase physical activity in children and adolescents with Down syndrome (ShoeFIT): randomised pilot study. <i>Disability and Rehabilitation</i> , 2021, 43, 2131-2140.	0.9	3

#	ARTICLE	IF	CITATIONS
307	The association between effectiveness of clinical supervision of allied health professionals and improvement in patient function in an inpatient rehabilitation setting. <i>Disability and Rehabilitation</i> , 2020, 42, 1173-1182.	0.9	3
308	Physiotherapists perceived developing positive rapport facilitates participation in exercise among people with Prader-Willi Syndrome: a qualitative study. <i>Disability and Rehabilitation</i> , 2020, 42, 3475-3480.	0.9	3
309	Multiple short bouts of exercise are better than a single continuous bout for cardiometabolic health: a randomised crossover trial. <i>European Journal of Applied Physiology</i> , 2020, 120, 2361-2369.	1.2	3
310	Association between physical activity and short-term physical function changes after hip fracture: An observational study. <i>Physiotherapy Research International</i> , 2021, 26, e1876.	0.7	3
311	Feasibility of allied health assistant management of people with acute hip fracture: protocol for a feasibility randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e054298.	0.8	3
312	"A Great First Step into Research": Stepping Into Research Is an Effective and Sustainable Model for Research Training in Clinical Settings: A Report of 6-Year Outcomes. <i>Journal of Allied Health</i> , 2016, 45, 176-82.	0.2	3
313	Development of a manual handling programme for allied health. <i>International Journal of Therapy and Rehabilitation</i> , 2007, 14, 204-209.	0.1	2
314	High-intensity acute hospital physiotherapy for patients with hip fracture may improve functional independence and can reduce hospital length of stay [synopsis]. <i>Journal of Physiotherapy</i> , 2017, 63, 50.	0.7	2
315	Accelerometer use in young people with Down syndrome: A preliminary cross-validation and reliability study. <i>Journal of Intellectual and Developmental Disability</i> , 2017, 42, 339-350.	1.1	2
316	Osteoarthritis Hip and Knee Service (OAHKS) in a community health setting compared to the hospital setting: A feasibility study for a new care pathway. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102167.	0.6	2
317	Hospital Staff Report It Is Not Burnout, but a Normal Stress Reaction to an Uncongenial Work Environment: Findings from a Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4107.	1.2	2
318	Saturday allied health services for geriatric evaluation and management: A controlled before-and-after trial. <i>Australasian Journal on Ageing</i> , 2020, 39, 64-72.	0.4	2
319	A resource analysis of the use of the video function of electronic devices for home exercise instruction in rehabilitation. <i>Disability and Rehabilitation</i> , 2021, 43, 1391-1395.	0.9	2
320	The Impact of Enhanced Recovery After Surgery on Total Joint Arthroplasty: Protocol for a Systematic Review and Meta-analysis. <i>JMIR Research Protocols</i> , 2021, 10, e25581.	0.5	2
321	Bridging the Divide. <i>Journal of Continuing Education in the Health Professions</i> , 2021, Publish Ahead of Print, .	0.4	2
322	Efficacy of Group Exercise-Based Cancer Rehabilitation Delivered via Telehealth (TeleCaRe): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e38553.	0.5	2
323	Pelvic floor muscle training can reduce prolapse symptoms in women with pelvic organ prolapse. <i>Journal of Physiotherapy</i> , 2014, 60, 164.	0.7	1
324	A 2-year physical activity program for sedentary older adults does not improve cognitive functioning more than a health education program [synopsis]. <i>Journal of Physiotherapy</i> , 2016, 62, 115.	0.7	1

#	ARTICLE	IF	CITATIONS
325	The addition of supervised physiotherapy sessions for management of acute ankle sprain does not aid recovery more than providing standardised written instruction about early management [synopsis]. Journal of Physiotherapy, 2017, 63, 115.	0.7	1
326	Patients with uncomplicated total knee arthroplasty may not benefit from referral to inpatient rehabilitation [synopsis]. Journal of Physiotherapy, 2017, 63, 185.	0.7	1
327	IMPACT: Investigating the impact of Models of Practice for Allied health Care in subacute settings. A protocol for a quasi-experimental mixed methods study of cost effectiveness and outcomes for patients exposed to different models of allied health care. BMJ Open, 2018, 8, e020361.	0.8	1
328	Interpreting Meaningful Change in the Distance Walked in the 10-Metre ISWT in Cardiac Rehabilitation. Heart Lung and Circulation, 2019, 28, 1804-1811.	0.2	1
329	Changing Student Health Professionals' Attitudes toward Disability: A Longitudinal Study. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 180-187.	0.3	1
330	A Multi-Faceted Strategy for Evidence Translation Reduces Healthcare Waiting Time: A Mixed Methods Study Using the RE-AIM Framework. Frontiers in Rehabilitation Sciences, 2021, 2, .	0.5	1
331	Meeting community ambulation criteria and confidence with walking on discharge from inpatient rehabilitation were positively associated with performance of outdoor community activities 8 weeks after discharge. Disability and Rehabilitation, 2022, 44, 6796-6803.	0.9	1
332	A Systematic Review of the Self-Concept of Children with Cerebral Palsy and Perceptions of Parents and Teachers. Physical and Occupational Therapy in Pediatrics, 2007, 27, 55-71.	0.8	1
333	Improvement in the Short-Term Effectiveness of the Clinical Supervision of Physiotherapists Who Have Taken Part in a Clinical Supervision Training Programme. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 370-380.	0.3	1
334	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. BMJ Open, 2020, 10, e034696.	0.8	1
335	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial. Trials, 2022, 23, 40.	0.7	1
336	Including exercise self-management as part of inpatient rehabilitation is feasible, safe and effective for patients with cognitive impairment. Journal of Rehabilitation Medicine Clinical Communications, 2022, 5, jrmcc00076.	0.6	1
337	COVID-19 restrictions increased perceptions of social isolation for older people discharged home after rehabilitation: A mixed-methods study. Australasian Journal on Ageing, 2022, , .	0.4	1
338	A qualitative study of hospital clinical staff perceptions of their interactions with healthcare middle managers. Journal of Health Organization and Management, 2022, 36, 428-447.	0.6	1
339	Understanding the hidden epidemic of metabolic syndrome in people accessing community rehabilitation: a cross-sectional study of physical activity, dietary intake, and health literacy. Disability and Rehabilitation, 2023, 45, 1471-1479.	0.9	1
340	Testing procedures for SLAP lesions of the shoulder involving contraction and torsion of biceps long head and glenohumeral glides. Journal of Science and Medicine in Sport, 2011, 14, 462-468.	0.6	0
341	Stationary cycling for children with cerebral palsy: does it get them anywhere?. Developmental Medicine and Child Neurology, 2012, 54, 587-588.	1.1	0
342	Exercise classes supervised by a physiotherapist may be better at restoring function after frozen shoulder than individual physiotherapy. Journal of Physiotherapy, 2014, 60, 236.	0.7	0

#	ARTICLE	IF	CITATIONS
343	A program of neck exercises can prevent neck pain in office workers. <i>Journal of Physiotherapy</i> , 2014, 60, 237.	0.7	0
344	Identifying shoulder testing positions and movements that isolate infraspinatus from supraspinatus. <i>Physical Therapy Reviews</i> , 2015, 20, 73-85.	0.3	0
345	Surgery for displaced fracture of the proximal humerus may not result in better outcomes than nonsurgical management [synopsis]. <i>Journal of Physiotherapy</i> , 2015, 61, 159.	0.7	0
346	Gait improves after 12 weeks of intensive resistance and functional training in people with mild to moderate dementia [synopsis]. <i>Journal of Physiotherapy</i> , 2015, 61, 97.	0.7	0
347	Exercise has a positive effect on low-grade inflammation in women with breast cancer [synopsis]. <i>Journal of Physiotherapy</i> , 2016, 62, 227.	0.7	0
348	Early physiotherapy for selected patients with acute low back pain leads to small improvements in disability compared with usual care based on advice [synopsis]. <i>Journal of Physiotherapy</i> , 2016, 62, 167.	0.7	0
349	Reply to Basu et al. <i>Journal of Physiotherapy</i> , 2017, 63, 189-190.	0.7	0
350	Family-led rehabilitation after stroke may not improve patient outcomes compared to usual care [synopsis]. <i>Journal of Physiotherapy</i> , 2018, 64, 59.	0.7	0
351	STOPS trial versus Costa et al: a more accurate analysis. <i>British Journal of Sports Medicine</i> , 2019, 53, 914-916.	3.1	0
352	A comparison of glenohumeral joint translation between young and older asymptomatic adults using ultrasonography: a secondary analysis. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 1354-1362.	0.6	0
353	Multidisciplinary Intervention Before Joint Replacement Surgery May Improve Outcomes for People with Osteoarthritis and Metabolic Syndrome: A Cohort Study. <i>Metabolic Syndrome and Related Disorders</i> , 2021, 19, 428-435.	0.5	0
354	Return on investment of a model of access combining triage with initial management: an economic analysis. <i>BMJ Open</i> , 2021, 11, e045096.	0.8	0
355	Variation in inpatient allied health service provision in Australian and New Zealand hospitals. <i>Australasian Journal on Ageing</i> , 2022, 41, 70-80.	0.4	0
356	Rehabilitation outcomes after proximal humeral fracture: An observational study. <i>Physiotherapy Practice and Research</i> , 2021, 41, 121-131.	0.1	0
357	Functional status of community-dwelling older adults after inpatient rehabilitation. <i>International Journal of Therapy and Rehabilitation</i> , 2022, 29, 1-12.	0.1	0
358	Caregivers' Perceptions of a High Repetition Sit-To-Stand Exercise Program for Children with Cerebral Palsy Who Have Mobility Limitations. <i>Physical and Occupational Therapy in Pediatrics</i> , 2022, , 1-13.	0.8	0
359	The impact of additional allied health staffing on rehabilitation outcomes at discharge from a sub-acute geriatric evaluation and management unit: A quasi-experimental, pre-post intervention study. <i>Clinical Rehabilitation</i> , 2022, , 026921552210956.	1.0	0
360	Association between use of clinical governance systems at the frontline and patient safety: A pre-post study. <i>International Journal of Health Governance</i> , 2022, ahead-of-print, .	0.6	0