
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2147991/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	13.7	5,010
2	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.	13.7	3,941
3	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4·4 million participants. Lancet, The, 2016, 387, 1513-1530.	13.7	2,842
4	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. Lancet, The, 2017, 389, 37-55.	13.7	1,667
5	The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong. Journal of Epidemiology and Community Health, 2003, 57, 857-863.	3.7	411
6	Longitudinal Assessment of Community Psychobehavioral Responses During and After the 2003 Outbreak of Severe Acute Respiratory Syndrome in Hong Kong. Clinical Infectious Diseases, 2005, 40, 1713-1720.	5.8	312
7	Waist to stature ratio is more strongly associated with cardiovascular risk factors than other simple anthropometric indices. Annals of Epidemiology, 2003, 13, 683-691.	1.9	219
8	A Tale of Two Cities: Community Psychobehavioral Surveillance and Related Impact on Outbreak Control in Hong Kong and Singapore During the Severe Acute Respiratory Syndrome Epidemic. Infection Control and Hospital Epidemiology, 2004, 25, 1033-1041.	1.8	145
9	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. Diabetes Research and Clinical Practice, 2005, 67, 251-257.	2.8	142
10	Obesity, Physical Activity, and Mortality in a Prospective Chinese Elderly Cohort. Archives of Internal Medicine, 2006, 166, 1498.	3.8	139
11	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€^288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	11.4	139
12	Obesity and depressive symptoms in Chinese elderly. International Journal of Geriatric Psychiatry, 2004, 19, 68-74.	2.7	137
13	Electronic Cigarette Use and Respiratory Symptoms in Chinese Adolescents in Hong Kong. JAMA Pediatrics, 2016, 170, 89.	6.2	114
14	Prevalence and Correlates of Video and Internet Gaming Addiction among Hong Kong Adolescents: A Pilot Study. Scientific World Journal, The, 2014, 2014, 1-9.	2.1	106
15	Health-related physical fitness and weight status in Hong Kong adolescents. BMC Public Health, 2010, 10, 88.	2.9	101
16	Reliable and valid NEWS for Chinese seniors: measuring perceived neighborhood attributes related to walking. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 84.	4.6	98
17	Impact of Obesity and Body Fat Distribution on Cardiovascular Risk Factors in Hong Kong Chinese. Obesity, 2004, 12, 1805-1813.	4.0	90
18	The Short Form-12 Health Survey was a valid instrument in Chinese adolescents. Journal of Clinical Epidemiology, 2010, 63, 1020-1029.	5.0	86

#	Article	IF	CITATIONS
19	Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. Tobacco Control, 2010, 19, 129-133.	3.2	84
20	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. Clinical Endocrinology, 2007, 66, 666-671.	2.4	78
21	Is Exercise Protective Against Influenza-Associated Mortality?. PLoS ONE, 2008, 3, e2108.	2.5	74
22	Factor Structure of the Center for Epidemiological Studies Depression Scale in Hong Kong Adolescents. Journal of Personality Assessment, 2008, 90, 175-184.	2.1	70
23	Exposure to suicide and suicidal behaviors among Hong Kong adolescents. Social Science and Medicine, 2005, 61, 591-599.	3.8	65
24	Smoking, quitting and mortality in an elderly cohort of 56 000 Hong Kong Chinese. Tobacco Control, 2007, 16, 182-189.	3.2	65
25	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	1.9	65
26	Socioeconomic disparities in air pollution-associated mortality. Environmental Research, 2008, 107, 237-244.	7.5	63
27	Sleep and Academic Performance in Hong Kong Adolescents. Journal of School Health, 2012, 82, 522-527.	1.6	63
28	Mortality associated with passive smoking in Hong Kong. BMJ: British Medical Journal, 2005, 330, 287-288.	2.3	61
29	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. Tobacco Control, 2021, 30, 696-699.	3.2	57
30	Parental Smoking, Exposure to Secondhand Smoke at Home, and Smoking Initiation Among Young Children. Nicotine and Tobacco Research, 2011, 13, 827-832.	2.6	56
31	Cost of tobacco-related diseases, including passive smoking, in Hong Kong. Tobacco Control, 2006, 15, 125-130.	3.2	55
32	Breakfast skipping and change in body mass index in young children. International Journal of Obesity, 2011, 35, 899-906.	3.4	55
33	Smoking and sleep disorders in Chinese adolescents. Sleep Medicine, 2010, 11, 268-273.	1.6	54
34	Smoking of Parents and Best FriendIndependent and Combined Effects on Adolescent Smoking and Intention to Initiate and Quit Smoking. Nicotine and Tobacco Research, 2012, 14, 1057-1064.	2.6	52
35	Childhood Obesity and Physical Activity-Friendly School Environments. Journal of Pediatrics, 2017, 191, 110-116.	1.8	51
36	Leisure time physical activity and mortality in hong kong: case-control study of all adult deaths in 1998. Annals of Epidemiology, 2004, 14, 391-398.	1.9	50

#	Article	IF	CITATIONS
37	Depressive symptoms and smoking among Hong Kong Chinese adolescents. Addiction, 2005, 100, 1003-1011.	3.3	50
38	Cross-Sectional and Prospective Associations Between Passive Smoking and Respiratory Symptoms at the Workplace. Annals of Epidemiology, 2007, 17, 126-131.	1.9	49
39	Perceived peer smoking prevalence and its association with smoking behaviours and intentions in Hong Kong Chinese adolescents. Addiction, 2004, 99, 1195-1205.	3.3	47
40	Emerging tobacco hazards in China. BMJ: British Medical Journal, 1999, 318, 1554-1554.	2.3	45
41	Smoking and depressive symptoms in Chinese elderly in Hong Kong. Acta Psychiatrica Scandinavica, 2004, 110, 195-200.	4.5	43
42	Does regular exercise protect against air pollution-associated mortality?. Preventive Medicine, 2007, 44, 386-392.	3.4	42
43	Neighbourhood food environment and dietary intakes in adolescents: Sex and perceived family affluence as moderators. Pediatric Obesity, 2010, 5, 420-427.	3.2	41
44	Smoking Is Associated With Poor Self-Rated Health Among Adolescents in Hong Kong. Nicotine and Tobacco Research, 2012, 14, 682-687.	2.6	40
45	Prevalence and correlates of alcohol use: a population-based study in Hong Kong. Addiction, 2003, 98, 215-224.	3.3	38
46	Suicidality and cultural values among Hong Kong adolescents. Social Science and Medicine, 2004, 58, 487-498.	3.8	38
47	Soy consumption and mortality in Hong Kong: Proxy-reported case–control study of all older adult deaths in 1998. Preventive Medicine, 2006, 43, 20-26.	3.4	38
48	Smoking and nasopharyngeal carcinoma mortality: a cohort study of 101,823 adults in Guangzhou, China. BMC Cancer, 2015, 15, 906.	2.6	37
49	Measuring walking within and outside the neighborhood in Chinese elders: reliability and validity. BMC Public Health, 2011, 11, 851.	2.9	36
50	Electronic cigarette use among adolescents: a cross-sectional study in Hong Kong. BMC Public Health, 2016, 16, 202.	2.9	36
51	Lifestyle and socioeconomic correlates of breakfast skipping in Hong Kong primary 4 schoolchildren. Preventive Medicine, 2011, 52, 250-3.	3.4	35
52	Sociodemographic risk factors of alcohol drinking in Hong Kong adolescents. Journal of Epidemiology and Community Health, 2016, 70, 374-379.	3.7	35
53	Perceived Benefits and Harms of the COVID-19 Pandemic on Family Well-Being and Their Sociodemographic Disparities in Hong Kong: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 1217.	2.6	35
54	The association of problematic smartphone use with family well-being mediated by family communication in Chinese adults: A population-based study. Journal of Behavioral Addictions, 2019, 8, 412-419.	3.7	34

#	Article	IF	CITATIONS
55	Fear of COVID-19 and its associations with perceived personal and family benefits and harms in Hong Kong. Translational Behavioral Medicine, 2021, 11, 793-801.	2.4	34
56	Smoking, drinking and colorectal cancer in Hong Kong Chinese: A case-control study. International Journal of Cancer, 2004, 109, 587-597.	5.1	33
57	Adolescents' physical activity: Competition between perceived neighborhood sport facilities and home media resources. Pediatric Obesity, 2010, 5, 169-176.	3.2	32
58	Who wants a slimmer body? The relationship between body weight status, education level and body shape dissatisfaction among young adults in Hong Kong. BMC Public Health, 2011, 11, 835.	2.9	32
59	Family structure, parent-child conversation time and substance use among Chinese adolescents. BMC Public Health, 2010, 10, 503.	2.9	31
60	Problematic Smartphone Use and Mental Health in Chinese Adults: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 844.	2.6	31
61	Public opinion on smoke-free policies in restaurants and predicted effect on patronage in Hong Kong. Tobacco Control, 2002, 11, 195-200.	3.2	30
62	Validation of the eating disorder diagnostic scale for use with Hong Kong adolescents. International Journal of Eating Disorders, 2007, 40, 569-574.	4.0	29
63	Prospective effects of weight perception and weight comments on psychological health among Chinese adolescents. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 1959-1964.	1.5	29
64	Smoking-Cessation and Adherence Intervention Among Chinese Patients with Erectile Dysfunction. American Journal of Preventive Medicine, 2010, 39, 251-258.	3.0	29
65	The Use of Stunkard's Figure Rating Scale to Identify Underweight and Overweight in Chinese Adolescents. PLoS ONE, 2012, 7, e50017.	2.5	29
66	Physical Activity and Constipation in Hong Kong Adolescents. PLoS ONE, 2014, 9, e90193.	2.5	29
67	Electronic cigarette use and its association with smoking in Hong Kong Chinese adolescents. Addictive Behaviors, 2015, 50, 124-127.	3.0	29
68	Sociocultural influences on body dissatisfaction and dieting in Hong Kong girls. European Eating Disorders Review, 2009, 17, 152-160.	4.1	28
69	Exposure to Secondhand Smoke and Academic Performance in Non-Smoking Adolescents. Journal of Pediatrics, 2010, 157, 1012-1017.e1.	1.8	28
70	Weight misperception and psychosocial health in normal weight Chinese adolescents. Pediatric Obesity, 2011, 6, e381-e389.	3.2	28
71	Exposure to e-cigarette advertising, attitudes, and use susceptibility in adolescents who had never used e-cigarettes or cigarettes. BMC Public Health, 2020, 20, 1349.	2.9	27
72	Understanding longevity in Hong Kong: a comparative study with long-living, high-income countries. Lancet Public Health, The, 2021, 6, e919-e931.	10.0	27

#	Article	IF	CITATIONS
73	Moderate Alcohol Use and Mortality from Ischaemic Heart Disease: A Prospective Study in Older Chinese People. PLoS ONE, 2008, 3, e2370.	2.5	26
74	Alcohol consumption and sleep problems in Hong Kong adolescents. Sleep Medicine, 2013, 14, 877-882.	1.6	26
75	Secondhand Smoke and Respiratory Symptoms Among Adolescent Current Smokers. Pediatrics, 2009, 124, 1306-1310.	2.1	25
76	Overestimation of Peer Smoking Prevalence Predicts Smoking Initiation Among Primary School Students in Hong Kong. Journal of Adolescent Health, 2011, 48, 418-420.	2.5	25
77	Reported alcohol drinking and mental health problems in Hong Kong Chinese adolescents. Drug and Alcohol Dependence, 2016, 164, 47-54.	3.2	25
78	Electronic cigarette marketing tactics in mainland China. Tobacco Control, 2017, 26, 230-232.	3.2	25
79	Smoking and perceived health in Hong Kong Chinese. Social Science and Medicine, 2003, 57, 1761-1770.	3.8	24
80	Childhood migration and cardiovascular risk. International Journal of Epidemiology, 2004, 33, 1219-1226.	1.9	24
81	Association Between Television Viewing and Self-Esteem in Children. Journal of Developmental and Behavioral Pediatrics, 2012, 33, 479-485.	1.1	24
82	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. Tobacco Control, 2020, 29, tobaccocontrol-2018-054719.	3.2	24
83	Fish Consumption and Mortality in Hong Kong Chinese—the LIMOR Study. Annals of Epidemiology, 2011, 21, 164-169.	1.9	23
84	The Perceptions of Adolescents, Parents and Teachers on the Same Adolescent Health Issues. School Psychology International, 2005, 26, 371-384.	1.9	22
85	Quality of diabetes care in public primary care clinics in Hong Kong. Family Practice, 2012, 29, 196-202.	1.9	22
86	Smoking family, secondhand smoke exposure at home, and nicotine addiction among adolescent smokers. Addictive Behaviors, 2012, 37, 743-746.	3.0	21
87	Is Height Associated With Cardiovascular Risk in Chinese Adults?. Epidemiology, 2007, 18, 274-278.	2.7	20
88	Prevalence of exercise and non-exercise physical activity in Chinese adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 3.	4.6	20
89	Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. International Journal of Environmental Research and Public Health, 2019, 16, 147.	2.6	20
90	Overweight, obesity, weight-related concerns and behaviours in Hong Kong Chinese children and adolescents. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 595-601.	1.5	20

#	Article	IF	CITATIONS
91	Smoking Family, Secondhand Smoke Exposure at Home, and Quitting in Adolescent Smokers. Nicotine and Tobacco Research, 2013, 15, 185-191.	2.6	19
92	Secondhand Smoke From Multiple Sources, Thirdhand Smoke and Respiratory Symptoms in Hong Kong Adolescents. Nicotine and Tobacco Research, 2018, 20, ntw302.	2.6	19
93	Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. Journal of Adolescent Health, 2019, 64, S19-S27.	2.5	19
94	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. Metabolism: Clinical and Experimental, 2006, 55, 563-569.	3.4	18
95	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. European Journal of Endocrinology, 2006, 155, 623-632.	3.7	18
96	Short-Term Effects of Particulate Air Pollution on Male Smokers and Never-Smokers. Epidemiology, 2007, 18, 593-598.	2.7	18
97	Longitudinal Relations of Perceived Availability of Neighborhood Sport Facilities With Physical Activity in Adolescents: An Analysis of Potential Moderators. Journal of Physical Activity and Health, 2014, 11, 581-587.	2.0	18
98	Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. BMJ Open, 2015, 5, e008607.	1.9	18
99	Public Support for Electronic Cigarette Regulation in Hong Kong: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2017, 14, 709.	2.6	18
100	Increasing socioeconomic disparities in sedentary behaviors in Chinese children. BMC Public Health, 2019, 19, 754.	2.9	18
101	Family E-Chat Group Use Was Associated with Family Wellbeing and Personal Happiness in Hong Kong Adults amidst the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 9139.	2.6	18
102	Predictors of intention to quit smoking in Hong Kong secondary school children. Journal of Public Health, 2010, 32, 360-371.	1.8	17
103	Stage of change for general health promotion action and health-related lifestyle practices in Chinese adults. Preventive Medicine, 2004, 38, 302-308.	3.4	16
104	Does economic development contribute to sex differences in ischaemic heart disease mortality? Hong Kong as a natural experiment using a case-control study. BMC Public Health, 2008, 8, 32.	2.9	16
105	Adolescents' experience of comments about their weight – prevalence, accuracy and effects on weight misperception. BMC Public Health, 2009, 9, 271.	2.9	16
106	Body dissatisfaction, maternal appraisal, and depressive symptoms in Hong Kong adolescents. International Journal of Psychology, 2010, 45, 453-460.	2.8	16
107	The reliability and validity of the Chinese Short Warwick-Edinburgh Mental Well-being Scale in the general population of Hong Kong. Quality of Life Research, 2019, 28, 2813-2820.	3.1	16
108	Smoking and mortality in 81 344 drivers in Guangzhou, China. Occupational and Environmental Medicine, 2002, 59, 135-138.	2.8	15

#	Article	IF	CITATIONS
109	A prospective study of stage of change for general health promotion action and health-related lifestyle practices among Chinese adults. Social Science and Medicine, 2006, 63, 1846-1856.	3.8	15
110	Family Smoking, Exposure to Secondhand Smoke at Home and Family Unhappiness in Children. International Journal of Environmental Research and Public Health, 2015, 12, 14557-14570.	2.6	15
111	Diet synergies and mortality—a population-based case–control study of 32 462 Hong Kong Chinese older adults. International Journal of Epidemiology, 2006, 35, 418-426.	1.9	14
112	Exposure to particulate air pollution at different living locations and respiratory symptoms in Hong Kong–Âan application of satellite information. International Journal of Environmental Health Research, 2010, 20, 219-230.	2.7	14
113	First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. International Journal of Environmental Research and Public Health, 2021, 18, 1031.	2.6	14
114	Waterpipe smoking among secondary school students in Hong Kong. International Journal of Public Health, 2016, 61, 427-434.	2.3	13
115	The relationship of waterpipe use with cigarette smoking susceptibility and nicotine dependence: A cross-sectional study among Hong Kong adolescents. Addictive Behaviors, 2017, 64, 123-128.	3.0	13
116	School-level electronic cigarette use prevalence and student-level tobacco use intention and behaviours. Scientific Reports, 2019, 9, 1690.	3.3	13
117	Self-Reported Screen Time on Social Networking Sites Associated With Problematic Smartphone Use in Chinese Adults: A Population-Based Study. Frontiers in Psychiatry, 2020, 11, 614061.	2.6	13
118	The relation of chronic cardiovascular diseases and diabetes mellitus to perceived health, and the moderating effects of sex and age. Social Science and Medicine, 2007, 65, 1386-1396.	3.8	12
119	The use of waist-to-stature ratio to identify underweight and overweight in adolescents. Pediatric Obesity, 2010, 5, 390-395.	3.2	12
120	Dietary habits and the short-term effects of air pollution on mortality in the Chinese population in Hong Kong. Journal of Epidemiology and Community Health, 2012, 66, 254-258.	3.7	12
121	Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334Â935 men. International Journal of Epidemiology, 2021, 50, 975-986.	1.9	12
122	Changes in Individual Weight Status Based on Body Mass Index and Waist Circumference in Hong Kong Chinese. PLoS ONE, 2015, 10, e0119827.	2.5	12
123	Age- versus time-comparative self-rated health in Hong Kong Chinese older adults. International Journal of Geriatric Psychiatry, 2006, 21, 729-739.	2.7	11
124	Location of breakfast consumption predicts body mass index change in young Hong Kong children. International Journal of Obesity, 2012, 36, 925-930.	3.4	11
125	Mediating effects of body composition between physical activity and body esteem in Hong Kong adolescents: a structural equation modeling approach. European Journal of Pediatrics, 2016, 175, 31-37.	2.7	11
126	Favourable Perceptions of Electronic Cigarettes Relative to Cigarettes and the Associations with Susceptibility to Electronic Cigarette Use in Hong Kong Chinese Adolescents. International Journal of Environmental Research and Public Health, 2018, 15, 54.	2.6	11

#	Article	IF	CITATIONS
127	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. Addictive Behaviors, 2018, 85, 38-42.	3.0	11
128	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong. Tobacco Induced Diseases, 2022, 20, 1-9.	0.6	11
129	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking. Frontiers in Public Health, 2021, 9, 797814.	2.7	11
130	Smoking, Occupational Exposure and Mortality in Workers in Guangzhou, China. Annals of Epidemiology, 2002, 12, 370-377.	1.9	10
131	Sex differences in body satisfaction, feeling fat and pressure to diet among Chinese adolescents in Hong Kong. European Eating Disorders Review, 2002, 10, 347-358.	4.1	10
132	SMOKING AND MORTALITY IN THE OLDESTâ€OLD, EVIDENCE FROM A PROSPECTIVE COHORT OF 56,000 HONG KONG CHINESE. Journal of the American Geriatrics Society, 2007, 55, 2090-2091.	2.6	10
133	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. BMJ Open, 2017, 7, e017523.	1.9	10
134	Physicians' very brief (30â€sec) intervention for smoking cessation on 13 671 smokers in China: a pragmatic randomized controlled trial. Addiction, 2021, 116, 1172-1185.	3.3	10
135	Digital inequalities in health information seeking behaviors and experiences in the age of web 2.0: A population-based study in Hong Kong. PLoS ONE, 2021, 16, e0249400.	2.5	10
136	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2019, 17, 61.	0.6	10
137	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. International Journal of Environmental Research and Public Health, 2021, 18, 10894.	2.6	10
138	Alcohol and cardio-respiratory deaths in Chinese: a population-based case-control study of 32,462 older Hong Kong adults. BMC Public Health, 2009, 9, 49.	2.9	9
139	The association between adolescents' depressive symptoms, maternal negative affect, and family relationships in Hong Kong: Cross-sectional and longitudinal findings Journal of Family Psychology, 2009, 23, 636-645.	1.3	9
140	Associations of unhappiness with sociodemographic factors and unhealthy behaviours in Chinese adolescents. European Journal of Public Health, 2017, 27, 518-524.	0.3	9
141	Milk Consumption Across Life Periods in Relation to Lower Risk of Nasopharyngeal Carcinoma: A Multicentre Case-Control Study. Frontiers in Oncology, 2019, 9, 253.	2.8	9
142	Dietary fiber intake from fresh and preserved food and risk of nasopharyngeal carcinoma: observational evidence from a Chinese population. Nutrition Journal, 2021, 20, 14.	3.4	9
143	Validity and test-retest reliability in assessing current body size with figure drawings in Chinese adolescents. Pediatric Obesity, 2011, 6, e107-e113.	3.2	8
144	Correlates of Pro-Drinking Practices in Drinking Parents of Adolescents in Hong Kong. PLoS ONE, 2015, 10, e0119554.	2.5	8

#	Article	IF	CITATIONS
145	Hong Kong Chinese Adolescents' Self-Reported Smoking and Perceptions of Parenting Styles. International Journal of Behavioral Medicine, 2015, 22, 268-275.	1.7	8
146	Test-retest reliability of a computer-assisted self-administered questionnaire on early life exposure in a nasopharyngeal carcinoma case-control study. Scientific Reports, 2018, 8, 7052.	3.3	8
147	Tobacco Industry Denormalization Beliefs in Hong Kong Adolescents. Nicotine and Tobacco Research, 2019, 21, 949-954.	2.6	8
148	Effect of prepaid and promised financial incentive on follow-up survey response in cigarette smokers: a randomized controlled trial. BMC Medical Research Methodology, 2019, 19, 138.	3.1	8
149	Skipping Breakfast and Eating Breakfast Away From Home Were Prospectively Associated With Emotional and Behavioral Problems in 115,217 Chinese Adolescents. Journal of Epidemiology, 2022, 32, 551-558.	2.4	8
150	Adverse Lifestyle Leads to an Annual Excess of 2 Million Deaths in China. PLoS ONE, 2014, 9, e89650.	2.5	8
151	Training to implement a community program has positive effects on health promoters: JC FAMILY Project. Translational Behavioral Medicine, 2018, 8, 838-850.	2.4	7
152	Solar Ultraviolet Radiation and Vitamin D Deficiency on Epstein-Barr Virus Reactivation: Observational and Genetic Evidence From a Nasopharyngeal Carcinoma-Endemic Population. Open Forum Infectious Diseases, 2020, 7, ofaa426.	0.9	7
153	Characterization of Respiratory Symptoms Among Youth Using Heated Tobacco Products in Hong Kong. JAMA Network Open, 2021, 4, e2117055.	5.9	7
154	Subjective health and fibrinogen in a healthy Chinese cohort. British Journal of Health Psychology, 2004, 9, 523-532.	3.5	6
155	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: The Hong Kong Cardiovascular Risk Factor Study. Journal of Endocrinological Investigation, 2006, 29, 528-535.	3.3	6
156	Norms and demographic differences of the Short Formâ€12 Health Survey version 2 in Chinese adolescents. Journal of Paediatrics and Child Health, 2011, 47, 173-182.	0.8	6
157	Alcohol Drinking and Pro-drinking Practices in Parents of Hong Kong Adolescents. Alcohol and Alcoholism, 2014, 49, 668-674.	1.6	6
158	Mortality reduction from quitting smoking in Hong Kong: population-wide proportional mortality study. International Journal of Epidemiology, 2018, 47, 752-759.	1.9	6
159	Parental smoking, rejection of parental smoking, and smoking susceptibility and behaviors in Hong Kong adolescents. Addictive Behaviors, 2018, 82, 19-22.	3.0	6
160	Alcohol drinking, especially light drinking, and depressive symptoms in adolescents. Drug and Alcohol Dependence, 2021, 227, 108932.	3.2	6
161	Infodemiology of Alcohol Use in Hong Kong Mentioned on Blogs: Infoveillance Study. Journal of Medical Internet Research, 2013, 15, e192.	4.3	6
162	A Review of Life-Course Familial and Lifestyle Factors of Smoking Initiation and Cessation. Current Cardiovascular Risk Reports, 2013, 7, 457-463.	2.0	5

#	Article	IF	CITATIONS
163	Secondhand Smoke Exposure and Health Services Use among Adolescent Current Smokers. PLoS ONE, 2013, 8, e64322.	2.5	5
164	Reactions to Thirdhand Smoke are Associated with Openness to Smoking in Young Never Smoking Children. Journal of Community Health, 2016, 41, 461-467.	3.8	5
165	A Population Study on COVID-19 Information Sharing: Sociodemographic Differences and Associations with Family Communication Quality and Well-Being in Hong Kong. International Journal of Environmental Research and Public Health, 2022, 19, 3577.	2.6	5
166	Associations of Face-to-Face and Instant Messaging Family Communication and Their Contents With Family Wellbeing and Personal Happiness Amidst the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 780714.	2.6	5
167	Patterns of Perceived Harms and Benefits of the COVID-19 Outbreak in Hong Kong Adults: A Latent Profile Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 4352.	2.6	5
168	Cross-sectional study on parental pro-drinking practices and adolescent alcohol drinking in Hong Kong. BMJ Open, 2016, 6, e009804.	1.9	4
169	A cluster randomized controlled trial of more appreciation and less criticism in Hong Kong parents Journal of Family Psychology, 2020, 34, 731-739.	1.3	4
170	Late-onset or chronic overweight/obesity predicts low self-esteem in early adolescence: a longitudinal cohort study. BMC Public Health, 2022, 22, 31.	2.9	4
171	Changes in tobacco use in the early phase of COVID-19 pandemic in Hong Kong: a qualitative study. Nicotine and Tobacco Research, 0, , .	2.6	4
172	Does Smoking Affect Hospital Use Before Death?. Medical Care, 2008, 46, 614-619.	2.4	3
173	Underage alcohol drinking and medical services use in Hong Kong: a cross-sectional study. BMJ Open, 2013, 3, e002740.	1.9	3
174	'Carcinogens in a puff': smoking in Hong Kong movies. Tobacco Control, 2010, 19, 518-519.	3.2	2
175	Assessment of weight-related factors of adolescents by private practitioners. BMC Family Practice, 2013, 14, 141.	2.9	2
176	Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. International Journal of Environmental Research and Public Health, 2018, 15, 74.	2.6	2
177	Epidemiology and Population Screening. , 2019, , 65-84.		2
178	Promoting Fruit and Vegetable Intake in Parents: A Cluster Randomised Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 5206.	2.6	2
179	Use patterns of cigarettes and alternative tobacco products and socioeconomic correlates in Hong Kong secondary school students. Scientific Reports, 2021, 11, 17253.	3.3	2
180	Dose-Response Reduction in Risk of Nasopharyngeal Carcinoma From Smoking Cessation: A Multicenter Case-Control Study in Hong Kong, China. Frontiers in Oncology, 2021, 11, 699241.	2.8	2

#	Article	IF	CITATIONS
181	Pro-smoking responses and attitudes due to point-of-sale tobacco displays in never smokers: A cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2018, 16, 32.	0.6	2
182	An Internet-Based Intervention to Promote Alcohol-Related Attitudinal and Behavioral Change Among Adolescents: Protocol of a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e103.	1.0	2
183	Letter to the Editor. Clinical Nutrition, 2009, 28, 216.	5.0	1
184	Low vitamin D exposure and risk of nasopharyngeal carcinoma: Observational and genetic evidence from a multicenter case–control study. Clinical Nutrition, 2021, 40, 5180-5188.	5.0	1
185	Exposure to secondhand smoke infiltration at home amongst Hong Kong residents: a population-based study. Tobacco Induced Diseases, 2018, 16, .	0.6	1
186	Mentioning smoking as a cause of death on death certificates. BMJ: British Medical Journal, 1998, 317, 1456-1456.	2.3	1
187	Negative perceptions of parental smoking among 61810 Hong Kong adolescents: a cross sectional school based survey. Tobacco Prevention and Cessation, 2016, 2, .	0.4	1
188	The Association Between Electronic Device Use During Family Time and Family Well-Being: Population-Based Cross-Sectional Study. Journal of Medical Internet Research, 2020, 22, e20529.	4.3	1
189	An Internet Quiz Game Intervention for Adolescent Alcohol Drinking: A Clustered RCT. Pediatrics, 2021, 148, .	2.1	1
190	Development and Evaluation of an Innovative Web-Based Training, Learning, and Sharing Platform for Social Workers (Hong Kong Jockey Club SMART Family-Link Project): Mixed Methods Evaluation Study. JMIR Formative Research, 2022, 6, e32894.	1.4	1
191	Frequency and accuracy of weight comments by others, and the association with weight misperception among Hong Kong adolescents. Nature Precedings, 2009, , .	0.1	0
192	1399Associations of family wellbeing with face-to-face and instant messaging family communication amidst the COVID-19 pandemic. International Journal of Epidemiology, 2021, 50, .	1.9	0
193	A proportional mortality study on smoking and lung cancer using different causes of deaths for dead controls. Tobacco Induced Diseases, 2018, 16, .	0.6	0
194	Development of an evaluation tool for smoking cessation clinics and services. Tobacco Induced Diseases, 2018, 16, .	0.6	0
195	Exposures and responses to point-of-sale tobacco displays and support for banning displays in Hong Kong: a population-based cross-sectional survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
196	Physical activity was associated with unassisted quitting: cross-sectional and prospective findings from the Hong Kong Population Health Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
197	Prevalence and correlates of smoking at home in adolescent smokers - a cross-sectional study. Tobacco Induced Diseases, 2018, 16, .	0.6	0
198	Exposure to electronic cigarette advertising and intention to use electronic cigarettes in Hong Kong adolescents. Tobacco Induced Diseases, 2018, 16, .	0.6	0

#	Article	IF	CITATIONS
199	Worsening trends in self-rated health and correlates in Chinese adolescents in Hong Kong: a population-based panel study from 1999/2000 to 2014/15. BMJ Open, 2022, 12, e055842.	1.9	0