
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2147991/publications.pdf Version: 2024-02-01



ς τι γινι Ησ

#	Article	IF	CITATIONS
1	Skipping Breakfast and Eating Breakfast Away From Home Were Prospectively Associated With Emotional and Behavioral Problems in 115,217 Chinese Adolescents. Journal of Epidemiology, 2022, 32, 551-558.	2.4	8
2	Late-onset or chronic overweight/obesity predicts low self-esteem in early adolescence: a longitudinal cohort study. BMC Public Health, 2022, 22, 31.	2.9	4
3	Worsening trends in self-rated health and correlates in Chinese adolescents in Hong Kong: a population-based panel study from 1999/2000 to 2014/15. BMJ Open, 2022, 12, e055842.	1.9	0
4	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong. Tobacco Induced Diseases, 2022, 20, 1-9.	0.6	11
5	A Population Study on COVID-19 Information Sharing: Sociodemographic Differences and Associations with Family Communication Quality and Well-Being in Hong Kong. International Journal of Environmental Research and Public Health, 2022, 19, 3577.	2.6	5
6	Associations of Face-to-Face and Instant Messaging Family Communication and Their Contents With Family Wellbeing and Personal Happiness Amidst the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 780714.	2.6	5
7	Patterns of Perceived Harms and Benefits of the COVID-19 Outbreak in Hong Kong Adults: A Latent Profile Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 4352.	2.6	5
8	Development and Evaluation of an Innovative Web-Based Training, Learning, and Sharing Platform for Social Workers (Hong Kong Jockey Club SMART Family-Link Project): Mixed Methods Evaluation Study. JMIR Formative Research, 2022, 6, e32894.	1.4	1
9	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. Tobacco Control, 2021, 30, 696-699.	3.2	57
10	Physicians' very brief (30â€sec) intervention for smoking cessation on 13 671 smokers in China: a pragmatic randomized controlled trial. Addiction, 2021, 116, 1172-1185.	3.3	10
11	First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. International Journal of Environmental Research and Public Health, 2021, 18, 1031.	2.6	14
12	Dietary fiber intake from fresh and preserved food and risk of nasopharyngeal carcinoma: observational evidence from a Chinese population. Nutrition Journal, 2021, 20, 14.	3.4	9
13	Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334Â935 men. International Journal of Epidemiology, 2021, 50, 975-986.	1.9	12
14	Fear of COVID-19 and its associations with perceived personal and family benefits and harms in Hong Kong. Translational Behavioral Medicine, 2021, 11, 793-801.	2.4	34
15	Digital inequalities in health information seeking behaviors and experiences in the age of web 2.0: A population-based study in Hong Kong. PLoS ONE, 2021, 16, e0249400.	2.5	10
16	Promoting Fruit and Vegetable Intake in Parents: A Cluster Randomised Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 5206.	2.6	2
17	Characterization of Respiratory Symptoms Among Youth Using Heated Tobacco Products in Hong Kong. JAMA Network Open, 2021, 4, e2117055.	5.9	7
18	Family E-Chat Group Use Was Associated with Family Wellbeing and Personal Happiness in Hong Kong Adults amidst the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 9139.	2.6	18

#	Article	IF	CITATIONS
19	Use patterns of cigarettes and alternative tobacco products and socioeconomic correlates in Hong Kong secondary school students. Scientific Reports, 2021, 11, 17253.	3.3	2
20	1399Associations of family wellbeing with face-to-face and instant messaging family communication amidst the COVID-19 pandemic. International Journal of Epidemiology, 2021, 50, .	1.9	0
21	Low vitamin D exposure and risk of nasopharyngeal carcinoma: Observational and genetic evidence from a multicenter case–control study. Clinical Nutrition, 2021, 40, 5180-5188.	5.0	1
22	Dose-Response Reduction in Risk of Nasopharyngeal Carcinoma From Smoking Cessation: A Multicenter Case-Control Study in Hong Kong, China. Frontiers in Oncology, 2021, 11, 699241.	2.8	2
23	Alcohol drinking, especially light drinking, and depressive symptoms in adolescents. Drug and Alcohol Dependence, 2021, 227, 108932.	3.2	6
24	Perceived Benefits and Harms of the COVID-19 Pandemic on Family Well-Being and Their Sociodemographic Disparities in Hong Kong: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 1217.	2.6	35
25	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. International Journal of Environmental Research and Public Health, 2021, 18, 10894.	2.6	10
26	An Internet Quiz Game Intervention for Adolescent Alcohol Drinking: A Clustered RCT. Pediatrics, 2021, 148, .	2.1	1
27	Understanding longevity in Hong Kong: a comparative study with long-living, high-income countries. Lancet Public Health, The, 2021, 6, e919-e931.	10.0	27
28	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking. Frontiers in Public Health, 2021, 9, 797814.	2.7	11
29	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. Tobacco Control, 2020, 29, tobaccocontrol-2018-054719.	3.2	24
30	Solar Ultraviolet Radiation and Vitamin D Deficiency on Epstein-Barr Virus Reactivation: Observational and Genetic Evidence From a Nasopharyngeal Carcinoma-Endemic Population. Open Forum Infectious Diseases, 2020, 7, ofaa426.	0.9	7
31	Exposure to e-cigarette advertising, attitudes, and use susceptibility in adolescents who had never used e-cigarettes or cigarettes. BMC Public Health, 2020, 20, 1349.	2.9	27
32	Problematic Smartphone Use and Mental Health in Chinese Adults: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 844.	2.6	31
33	Self-Reported Screen Time on Social Networking Sites Associated With Problematic Smartphone Use in Chinese Adults: A Population-Based Study. Frontiers in Psychiatry, 2020, 11, 614061.	2.6	13
34	A cluster randomized controlled trial of more appreciation and less criticism in Hong Kong parents Journal of Family Psychology, 2020, 34, 731-739.	1.3	4
35	The Association Between Electronic Device Use During Family Time and Family Well-Being: Population-Based Cross-Sectional Study. Journal of Medical Internet Research, 2020, 22, e20529.	4.3	1
36	Tobacco Industry Denormalization Beliefs in Hong Kong Adolescents. Nicotine and Tobacco Research, 2019, 21, 949-954.	2.6	8

#	Article	IF	CITATIONS
37	The association of problematic smartphone use with family well-being mediated by family communication in Chinese adults: A population-based study. Journal of Behavioral Addictions, 2019, 8, 412-419.	3.7	34
38	Effect of prepaid and promised financial incentive on follow-up survey response in cigarette smokers: a randomized controlled trial. BMC Medical Research Methodology, 2019, 19, 138.	3.1	8
39	Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. Journal of Adolescent Health, 2019, 64, S19-S27.	2.5	19
40	The reliability and validity of the Chinese Short Warwick-Edinburgh Mental Well-being Scale in the general population of Hong Kong. Quality of Life Research, 2019, 28, 2813-2820.	3.1	16
41	Increasing socioeconomic disparities in sedentary behaviors in Chinese children. BMC Public Health, 2019, 19, 754.	2.9	18
42	Milk Consumption Across Life Periods in Relation to Lower Risk of Nasopharyngeal Carcinoma: A Multicentre Case-Control Study. Frontiers in Oncology, 2019, 9, 253.	2.8	9
43	Epidemiology and Population Screening. , 2019, , 65-84.		2
44	School-level electronic cigarette use prevalence and student-level tobacco use intention and behaviours. Scientific Reports, 2019, 9, 1690.	3.3	13
45	Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. International Journal of Environmental Research and Public Health, 2019, 16, 147.	2.6	20
46	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2019, 17, 61.	0.6	10
47	Secondhand Smoke From Multiple Sources, Thirdhand Smoke and Respiratory Symptoms in Hong Kong Adolescents. Nicotine and Tobacco Research, 2018, 20, ntw302.	2.6	19
48	Mortality reduction from quitting smoking in Hong Kong: population-wide proportional mortality study. International Journal of Epidemiology, 2018, 47, 752-759.	1.9	6
49	Parental smoking, rejection of parental smoking, and smoking susceptibility and behaviors in Hong Kong adolescents. Addictive Behaviors, 2018, 82, 19-22.	3.0	6
50	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	1.9	65
51	Favourable Perceptions of Electronic Cigarettes Relative to Cigarettes and the Associations with Susceptibility to Electronic Cigarette Use in Hong Kong Chinese Adolescents. International Journal of Environmental Research and Public Health, 2018, 15, 54.	2.6	11
52	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. Addictive Behaviors, 2018, 85, 38-42.	3.0	11
53	Training to implement a community program has positive effects on health promoters: JC FAMILY Project. Translational Behavioral Medicine, 2018, 8, 838-850.	2.4	7
54	Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. International Journal of Environmental Research and Public Health, 2018, 15, 74.	2.6	2

#	Article	IF	CITATIONS
55	Test-retest reliability of a computer-assisted self-administered questionnaire on early life exposure in a nasopharyngeal carcinoma case-control study. Scientific Reports, 2018, 8, 7052.	3.3	8
56	Exposure to secondhand smoke infiltration at home amongst Hong Kong residents: a population-based study. Tobacco Induced Diseases, 2018, 16, .	0.6	1
57	Pro-smoking responses and attitudes due to point-of-sale tobacco displays in never smokers: A cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2018, 16, 32.	0.6	2
58	A proportional mortality study on smoking and lung cancer using different causes of deaths for dead controls. Tobacco Induced Diseases, 2018, 16, .	0.6	0
59	Development of an evaluation tool for smoking cessation clinics and services. Tobacco Induced Diseases, 2018, 16, .	0.6	0
60	Exposures and responses to point-of-sale tobacco displays and support for banning displays in Hong Kong: a population-based cross-sectional survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
61	Physical activity was associated with unassisted quitting: cross-sectional and prospective findings from the Hong Kong Population Health Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
62	Prevalence and correlates of smoking at home in adolescent smokers - a cross-sectional study. Tobacco Induced Diseases, 2018, 16, .	0.6	0
63	Exposure to electronic cigarette advertising and intention to use electronic cigarettes in Hong Kong adolescents. Tobacco Induced Diseases, 2018, 16, .	0.6	0
64	Electronic cigarette marketing tactics in mainland China. Tobacco Control, 2017, 26, 230-232.	3.2	25
65	Childhood Obesity and Physical Activity-Friendly School Environments. Journal of Pediatrics, 2017, 191, 110-116.	1.8	51
66	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	13.7	5,010
67	Associations of unhappiness with sociodemographic factors and unhealthy behaviours in Chinese adolescents. European Journal of Public Health, 2017, 27, 518-524.	0.3	9
68	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. Lancet, The, 2017, 389, 37-55.	13.7	1,667
69	The relationship of waterpipe use with cigarette smoking susceptibility and nicotine dependence: A cross-sectional study among Hong Kong adolescents. Addictive Behaviors, 2017, 64, 123-128.	3.0	13
70	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. BMJ Open, 2017, 7, e017523.	1.9	10
71	Public Support for Electronic Cigarette Regulation in Hong Kong: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2017, 14, 709.	2.6	18
72	Cross-sectional study on parental pro-drinking practices and adolescent alcohol drinking in Hong Kong. BMJ Open, 2016, 6, e009804.	1.9	4

#	Article	IF	CITATIONS
73	Reported alcohol drinking and mental health problems in Hong Kong Chinese adolescents. Drug and Alcohol Dependence, 2016, 164, 47-54.	3.2	25
74	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4·4 million participants. Lancet, The, 2016, 387, 1513-1530.	13.7	2,842
75	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.	13.7	3,941
76	Electronic Cigarette Use and Respiratory Symptoms in Chinese Adolescents in Hong Kong. JAMA Pediatrics, 2016, 170, 89.	6.2	114
77	Waterpipe smoking among secondary school students in Hong Kong. International Journal of Public Health, 2016, 61, 427-434.	2.3	13
78	Electronic cigarette use among adolescents: a cross-sectional study in Hong Kong. BMC Public Health, 2016, 16, 202.	2.9	36
79	Reactions to Thirdhand Smoke are Associated with Openness to Smoking in Young Never Smoking Children. Journal of Community Health, 2016, 41, 461-467.	3.8	5
80	Sociodemographic risk factors of alcohol drinking in Hong Kong adolescents. Journal of Epidemiology and Community Health, 2016, 70, 374-379.	3.7	35
81	Mediating effects of body composition between physical activity and body esteem in Hong Kong adolescents: a structural equation modeling approach. European Journal of Pediatrics, 2016, 175, 31-37.	2.7	11
82	Negative perceptions of parental smoking among 61810 Hong Kong adolescents: a cross sectional school based survey. Tobacco Prevention and Cessation, 2016, 2, .	0.4	1
83	An Internet-Based Intervention to Promote Alcohol-Related Attitudinal and Behavioral Change Among Adolescents: Protocol of a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e103.	1.0	2
84	Smoking and nasopharyngeal carcinoma mortality: a cohort study of 101,823 adults in Guangzhou, China. BMC Cancer, 2015, 15, 906.	2.6	37
85	Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. BMJ Open, 2015, 5, e008607.	1.9	18
86	Family Smoking, Exposure to Secondhand Smoke at Home and Family Unhappiness in Children. International Journal of Environmental Research and Public Health, 2015, 12, 14557-14570.	2.6	15
87	Correlates of Pro-Drinking Practices in Drinking Parents of Adolescents in Hong Kong. PLoS ONE, 2015, 10, e0119554.	2.5	8
88	Electronic cigarette use and its association with smoking in Hong Kong Chinese adolescents. Addictive Behaviors, 2015, 50, 124-127.	3.0	29
89	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€^288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	11.4	139
90	Hong Kong Chinese Adolescents' Self-Reported Smoking and Perceptions of Parenting Styles. International Journal of Behavioral Medicine, 2015, 22, 268-275.	1.7	8

#	Article	IF	CITATIONS
91	Changes in Individual Weight Status Based on Body Mass Index and Waist Circumference in Hong Kong Chinese. PLoS ONE, 2015, 10, e0119827.	2.5	12
92	Physical Activity and Constipation in Hong Kong Adolescents. PLoS ONE, 2014, 9, e90193.	2.5	29
93	Prevalence and Correlates of Video and Internet Gaming Addiction among Hong Kong Adolescents: A Pilot Study. Scientific World Journal, The, 2014, 2014, 1-9.	2.1	106
94	Alcohol Drinking and Pro-drinking Practices in Parents of Hong Kong Adolescents. Alcohol and Alcoholism, 2014, 49, 668-674.	1.6	6
95	Longitudinal Relations of Perceived Availability of Neighborhood Sport Facilities With Physical Activity in Adolescents: An Analysis of Potential Moderators. Journal of Physical Activity and Health, 2014, 11, 581-587.	2.0	18
96	Adverse Lifestyle Leads to an Annual Excess of 2 Million Deaths in China. PLoS ONE, 2014, 9, e89650.	2.5	8
97	Assessment of weight-related factors of adolescents by private practitioners. BMC Family Practice, 2013, 14, 141.	2.9	2
98	A Review of Life-Course Familial and Lifestyle Factors of Smoking Initiation and Cessation. Current Cardiovascular Risk Reports, 2013, 7, 457-463.	2.0	5
99	Alcohol consumption and sleep problems in Hong Kong adolescents. Sleep Medicine, 2013, 14, 877-882.	1.6	26
100	Underage alcohol drinking and medical services use in Hong Kong: a cross-sectional study. BMJ Open, 2013, 3, e002740.	1.9	3
101	Smoking Family, Secondhand Smoke Exposure at Home, and Quitting in Adolescent Smokers. Nicotine and Tobacco Research, 2013, 15, 185-191.	2.6	19
102	Secondhand Smoke Exposure and Health Services Use among Adolescent Current Smokers. PLoS ONE, 2013, 8, e64322.	2,5	5
103	Infodemiology of Alcohol Use in Hong Kong Mentioned on Blogs: Infoveillance Study. Journal of Medical Internet Research, 2013, 15, e192.	4.3	6
104	Dietary habits and the short-term effects of air pollution on mortality in the Chinese population in Hong Kong. Journal of Epidemiology and Community Health, 2012, 66, 254-258.	3.7	12
105	Quality of diabetes care in public primary care clinics in Hong Kong. Family Practice, 2012, 29, 196-202.	1.9	22
106	Location of breakfast consumption predicts body mass index change in young Hong Kong children. International Journal of Obesity, 2012, 36, 925-930.	3.4	11
107	Smoking Is Associated With Poor Self-Rated Health Among Adolescents in Hong Kong. Nicotine and Tobacco Research, 2012, 14, 682-687.	2.6	40
108	Association Between Television Viewing and Self-Esteem in Children. Journal of Developmental and Behavioral Pediatrics, 2012, 33, 479-485.	1.1	24

#	Article	IF	CITATIONS
109	Sleep and Academic Performance in Hong Kong Adolescents. Journal of School Health, 2012, 82, 522-527.	1.6	63
110	Smoking of Parents and Best FriendIndependent and Combined Effects on Adolescent Smoking and Intention to Initiate and Quit Smoking. Nicotine and Tobacco Research, 2012, 14, 1057-1064.	2.6	52
111	Smoking family, secondhand smoke exposure at home, and nicotine addiction among adolescent smokers. Addictive Behaviors, 2012, 37, 743-746.	3.0	21
112	The Use of Stunkard's Figure Rating Scale to Identify Underweight and Overweight in Chinese Adolescents. PLoS ONE, 2012, 7, e50017.	2.5	29
113	Fish Consumption and Mortality in Hong Kong Chinese—the LIMOR Study. Annals of Epidemiology, 2011, 21, 164-169.	1.9	23
114	Overestimation of Peer Smoking Prevalence Predicts Smoking Initiation Among Primary School Students in Hong Kong. Journal of Adolescent Health, 2011, 48, 418-420.	2.5	25
115	Norms and demographic differences of the Short Formâ€12 Health Survey version 2 in Chinese adolescents. Journal of Paediatrics and Child Health, 2011, 47, 173-182.	0.8	6
116	Breakfast skipping and change in body mass index in young children. International Journal of Obesity, 2011, 35, 899-906.	3.4	55
117	Lifestyle and socioeconomic correlates of breakfast skipping in Hong Kong primary 4 schoolchildren. Preventive Medicine, 2011, 52, 250-3.	3.4	35
118	Who wants a slimmer body? The relationship between body weight status, education level and body shape dissatisfaction among young adults in Hong Kong. BMC Public Health, 2011, 11, 835.	2.9	32
119	Weight misperception and psychosocial health in normal weight Chinese adolescents. Pediatric Obesity, 2011, 6, e381-e389.	3.2	28
120	Validity and test-retest reliability in assessing current body size with figure drawings in Chinese adolescents. Pediatric Obesity, 2011, 6, e107-e113.	3.2	8
121	Measuring walking within and outside the neighborhood in Chinese elders: reliability and validity. BMC Public Health, 2011, 11, 851.	2.9	36
122	Prevalence of exercise and non-exercise physical activity in Chinese adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 3.	4.6	20
123	Parental Smoking, Exposure to Secondhand Smoke at Home, and Smoking Initiation Among Young Children. Nicotine and Tobacco Research, 2011, 13, 827-832.	2.6	56
124	Exposure to Secondhand Smoke and Academic Performance in Non-Smoking Adolescents. Journal of Pediatrics, 2010, 157, 1012-1017.e1.	1.8	28
125	Adolescents' physical activity: Competition between perceived neighborhood sport facilities and home media resources. Pediatric Obesity, 2010, 5, 169-176.	3.2	32
126	Neighbourhood food environment and dietary intakes in adolescents: Sex and perceived family affluence as moderators. Pediatric Obesity, 2010, 5, 420-427.	3.2	41

#	Article	IF	CITATIONS
127	Family structure, parent-child conversation time and substance use among Chinese adolescents. BMC Public Health, 2010, 10, 503.	2.9	31
128	Health-related physical fitness and weight status in Hong Kong adolescents. BMC Public Health, 2010, 10, 88.	2.9	101
129	'Carcinogens in a puff': smoking in Hong Kong movies. Tobacco Control, 2010, 19, 518-519.	3.2	2
130	Exposure to particulate air pollution at different living locations and respiratory symptoms in Hong Kong–Âan application of satellite information. International Journal of Environmental Health Research, 2010, 20, 219-230.	2.7	14
131	Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. Tobacco Control, 2010, 19, 129-133.	3.2	84
132	Predictors of intention to quit smoking in Hong Kong secondary school children. Journal of Public Health, 2010, 32, 360-371.	1.8	17
133	Body dissatisfaction, maternal appraisal, and depressive symptoms in Hong Kong adolescents. International Journal of Psychology, 2010, 45, 453-460.	2.8	16
134	Reliable and valid NEWS for Chinese seniors: measuring perceived neighborhood attributes related to walking. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 84.	4.6	98
135	The use of waist-to-stature ratio to identify underweight and overweight in adolescents. Pediatric Obesity, 2010, 5, 390-395.	3.2	12
136	The Short Form-12 Health Survey was a valid instrument in Chinese adolescents. Journal of Clinical Epidemiology, 2010, 63, 1020-1029.	5.0	86
137	Smoking and sleep disorders in Chinese adolescents. Sleep Medicine, 2010, 11, 268-273.	1.6	54
138	Smoking-Cessation and Adherence Intervention Among Chinese Patients with Erectile Dysfunction. American Journal of Preventive Medicine, 2010, 39, 251-258.	3.0	29
139	Frequency and accuracy of weight comments by others, and the association with weight misperception among Hong Kong adolescents. Nature Precedings, 2009, , .	0.1	0
140	Secondhand Smoke and Respiratory Symptoms Among Adolescent Current Smokers. Pediatrics, 2009, 124, 1306-1310.	2.1	25
141	Adolescents' experience of comments about their weight – prevalence, accuracy and effects on weight misperception. BMC Public Health, 2009, 9, 271.	2.9	16
142	Alcohol and cardio-respiratory deaths in Chinese: a population-based case-control study of 32,462 older Hong Kong adults. BMC Public Health, 2009, 9, 49.	2.9	9
143	Prospective effects of weight perception and weight comments on psychological health among Chinese adolescents. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 1959-1964.	1.5	29
144	Letter to the Editor. Clinical Nutrition, 2009, 28, 216.	5.0	1

#	Article	IF	CITATIONS
145	Sociocultural influences on body dissatisfaction and dieting in Hong Kong girls. European Eating Disorders Review, 2009, 17, 152-160.	4.1	28
146	The association between adolescents' depressive symptoms, maternal negative affect, and family relationships in Hong Kong: Cross-sectional and longitudinal findings Journal of Family Psychology, 2009, 23, 636-645.	1.3	9
147	Does economic development contribute to sex differences in ischaemic heart disease mortality? Hong Kong as a natural experiment using a case-control study. BMC Public Health, 2008, 8, 32.	2.9	16
148	Socioeconomic disparities in air pollution-associated mortality. Environmental Research, 2008, 107, 237-244.	7.5	63
149	Factor Structure of the Center for Epidemiological Studies Depression Scale in Hong Kong Adolescents. Journal of Personality Assessment, 2008, 90, 175-184.	2.1	70
150	Does Smoking Affect Hospital Use Before Death?. Medical Care, 2008, 46, 614-619.	2.4	3
151	Is Exercise Protective Against Influenza-Associated Mortality?. PLoS ONE, 2008, 3, e2108.	2.5	74
152	Moderate Alcohol Use and Mortality from Ischaemic Heart Disease: A Prospective Study in Older Chinese People. PLoS ONE, 2008, 3, e2370.	2.5	26
153	Smoking, quitting and mortality in an elderly cohort of 56 000 Hong Kong Chinese. Tobacco Control, 2007, 16, 182-189.	3.2	65
154	Is Height Associated With Cardiovascular Risk in Chinese Adults?. Epidemiology, 2007, 18, 274-278.	2.7	20
155	Short-Term Effects of Particulate Air Pollution on Male Smokers and Never-Smokers. Epidemiology, 2007, 18, 593-598.	2.7	18
156	Does regular exercise protect against air pollution-associated mortality?. Preventive Medicine, 2007, 44, 386-392.	3.4	42
157	Cross-Sectional and Prospective Associations Between Passive Smoking and Respiratory Symptoms at the Workplace. Annals of Epidemiology, 2007, 17, 126-131.	1.9	49
158	Validation of the eating disorder diagnostic scale for use with Hong Kong adolescents. International Journal of Eating Disorders, 2007, 40, 569-574.	4.0	29
159	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. Clinical Endocrinology, 2007, 66, 666-671.	2.4	78
160	SMOKING AND MORTALITY IN THE OLDESTâ€OLD, EVIDENCE FROM A PROSPECTIVE COHORT OF 56,000 HONG KONG CHINESE. Journal of the American Geriatrics Society, 2007, 55, 2090-2091.	2.6	10
161	The relation of chronic cardiovascular diseases and diabetes mellitus to perceived health, and the moderating effects of sex and age. Social Science and Medicine, 2007, 65, 1386-1396.	3.8	12
162	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. Metabolism: Clinical and Experimental, 2006, 55, 563-569.	3.4	18

#	Article	IF	CITATIONS
163	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: The Hong Kong Cardiovascular Risk Factor Study. Journal of Endocrinological Investigation, 2006, 29, 528-535.	3.3	6
164	Soy consumption and mortality in Hong Kong: Proxy-reported case–control study of all older adult deaths in 1998. Preventive Medicine, 2006, 43, 20-26.	3.4	38
165	A prospective study of stage of change for general health promotion action and health-related lifestyle practices among Chinese adults. Social Science and Medicine, 2006, 63, 1846-1856.	3.8	15
166	Age- versus time-comparative self-rated health in Hong Kong Chinese older adults. International Journal of Geriatric Psychiatry, 2006, 21, 729-739.	2.7	11
167	Obesity, Physical Activity, and Mortality in a Prospective Chinese Elderly Cohort. Archives of Internal Medicine, 2006, 166, 1498.	3.8	139
168	Cost of tobacco-related diseases, including passive smoking, in Hong Kong. Tobacco Control, 2006, 15, 125-130.	3.2	55
169	Diet synergies and mortality—a population-based case–control study of 32 462 Hong Kong Chinese older adults. International Journal of Epidemiology, 2006, 35, 418-426.	1.9	14
170	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. European Journal of Endocrinology, 2006, 155, 623-632.	3.7	18
171	Mortality associated with passive smoking in Hong Kong. BMJ: British Medical Journal, 2005, 330, 287-288.	2.3	61
172	Depressive symptoms and smoking among Hong Kong Chinese adolescents. Addiction, 2005, 100, 1003-1011.	3.3	50
173	Exposure to suicide and suicidal behaviors among Hong Kong adolescents. Social Science and Medicine, 2005, 61, 591-599.	3.8	65
174	Longitudinal Assessment of Community Psychobehavioral Responses During and After the 2003 Outbreak of Severe Acute Respiratory Syndrome in Hong Kong. Clinical Infectious Diseases, 2005, 40, 1713-1720.	5.8	312
175	The Perceptions of Adolescents, Parents and Teachers on the Same Adolescent Health Issues. School Psychology International, 2005, 26, 371-384.	1.9	22
176	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. Diabetes Research and Clinical Practice, 2005, 67, 251-257.	2.8	142
177	Overweight, obesity, weight-related concerns and behaviours in Hong Kong Chinese children and adolescents. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 595-601.	1.5	20
178	Childhood migration and cardiovascular risk. International Journal of Epidemiology, 2004, 33, 1219-1226.	1.9	24
179	Perceived peer smoking prevalence and its association with smoking behaviours and intentions in Hong Kong Chinese adolescents. Addiction, 2004, 99, 1195-1205.	3.3	47
180	Smoking and depressive symptoms in Chinese elderly in Hong Kong. Acta Psychiatrica Scandinavica, 2004. 110. 195-200.	4.5	43

#	Article	IF	CITATIONS
181	Impact of Obesity and Body Fat Distribution on Cardiovascular Risk Factors in Hong Kong Chinese. Obesity, 2004, 12, 1805-1813.	4.0	90
182	Suicidality and cultural values among Hong Kong adolescents. Social Science and Medicine, 2004, 58, 487-498.	3.8	38
183	Subjective health and fibrinogen in a healthy Chinese cohort. British Journal of Health Psychology, 2004, 9, 523-532.	3.5	6
184	Obesity and depressive symptoms in Chinese elderly. International Journal of Geriatric Psychiatry, 2004, 19, 68-74.	2.7	137
185	Smoking, drinking and colorectal cancer in Hong Kong Chinese: A case-control study. International Journal of Cancer, 2004, 109, 587-597.	5.1	33
186	A Tale of Two Cities: Community Psychobehavioral Surveillance and Related Impact on Outbreak Control in Hong Kong and Singapore During the Severe Acute Respiratory Syndrome Epidemic. Infection Control and Hospital Epidemiology, 2004, 25, 1033-1041.	1.8	145
187	Stage of change for general health promotion action and health-related lifestyle practices in Chinese adults. Preventive Medicine, 2004, 38, 302-308.	3.4	16
188	Leisure time physical activity and mortality in hong kong: case-control study of all adult deaths in 1998. Annals of Epidemiology, 2004, 14, 391-398.	1.9	50
189	Smoking and perceived health in Hong Kong Chinese. Social Science and Medicine, 2003, 57, 1761-1770.	3.8	24
190	Prevalence and correlates of alcohol use: a population-based study in Hong Kong. Addiction, 2003, 98, 215-224.	3.3	38
191	Waist to stature ratio is more strongly associated with cardiovascular risk factors than other simple anthropometric indices. Annals of Epidemiology, 2003, 13, 683-691.	1.9	219
192	The impact of community psychological responses on outbreak control for severe acute respiratory syndrome in Hong Kong. Journal of Epidemiology and Community Health, 2003, 57, 857-863.	3.7	411
193	Smoking and mortality in 81 344 drivers in Guangzhou, China. Occupational and Environmental Medicine, 2002, 59, 135-138.	2.8	15
194	Public opinion on smoke-free policies in restaurants and predicted effect on patronage in Hong Kong. Tobacco Control, 2002, 11, 195-200.	3.2	30
195	Smoking, Occupational Exposure and Mortality in Workers in Guangzhou, China. Annals of Epidemiology, 2002, 12, 370-377.	1.9	10
196	Sex differences in body satisfaction, feeling fat and pressure to diet among Chinese adolescents in Hong Kong. European Eating Disorders Review, 2002, 10, 347-358.	4.1	10
197	Emerging tobacco hazards in China. BMJ: British Medical Journal, 1999, 318, 1554-1554.	2.3	45
198	Mentioning smoking as a cause of death on death certificates. BMJ: British Medical Journal, 1998, 317, 1456-1456.	2.3	1

#	Article	IF	CITATIONS
199	Changes in tobacco use in the early phase of COVID-19 pandemic in Hong Kong: a qualitative study. Nicotine and Tobacco Research, 0, , .	2.6	4